

CITY OF CAMBRIDGE

Community Development Department

IRAM FAROOQ

Assistant City Manager for Community Development

SANDRA CLARKE

Deputy Director Chief of Administration

KHALIL MOGASSABI Deputy Director Chief of Planning To: Planning Board

From: CDD Staff

Date: May 22, 2019

Re: PB #243, Alexandria PUB – 41 Linskey Way Design Review

The Special Permit for the Alexandria Center Planned Unit Development (PUD) was originally granted by the Planning Board in 2010. Currently, development on all but one of the approved sites is completed or in construction. The Board approved a minor amendment for this PUD in 2015 for parking reduction, and two major amendments in 2018 to permit a bank use and relocate approved active uses within the PUD, and to create two new lots at the 161 First Street site.

The special permit requires that the specific design of each building, including outdoor spaces adjacent to those buildings, shall be subject to Design Review by the Planning Board. Design Review approval is being requested for the 41 Linskey Way site, involving renovation and additions to the former Maple Sugar Factory building.

The Planning Board's review shall consider the following standards and guidelines:

- Architectural design of building facades, with special attention to the ground level.
- Selection and placement of rooftop mechanical equipment, along with the design of penthouses and other features meant to screen such equipment, and any other exterior features within or surrounding the building site.
- Configuration and design of pedestrian, bicycle and vehicular access and egress.
- Design of open spaces, landscape elements, and modifications to abutting streets and sidewalks, with attention to pedestrian and bicycle circulation and comfort.
- Any potential impacts on the public realm or on properties outside of the PUD, including but not limited to visual impacts, noise impacts, shadows, and effects on the safety and comfort of pedestrians, bicyclists and motorists in the area.
- Design standards specified in the Final Development Plan and the Eastern Cambridge Design Guidelines.

A summary of relevant design guideline and standards is included in Appendix I.

344 Broadway Cambridge, MA 02139

Voice: 617 349-4600 Fax: 617 349-4669 TTY: 617 349-4621 www.cambridgema.gov

Staff Comments

The PUD special permit (PB-243, Condition #4a.) requires a "Mixed-Mode Transportation Hub" at the corner of Binney Street and Second Street. A Mixed-Mode Transportation Hub, which is described in the zoning for the PUD-3A and PUD-4C districts (Section 13..59.31), means "a facility which shall include a bicycle storage and bicycle service facility, convenient access to a 'car-sharing' program, and a shuttle bus stop and a protected waiting area for shuttle buses to public transit facilities."

The approved Final Development Plan provides for a building addition to the former Maple Sugar Factory, or a separate retail structure at the southwestern corner of Binney Street and Second Street. The potential for a pavilion-type building addition offers the opportunity for the building design as a whole to be marked by a retail identity, creating variety and interest to the street.

Staff comments - Urban design

Built form - massing

The addition is sited on the northern side of the existing building, facing Binney Street. The irregularly stacked glass volumes are a playful addition to the existing former Maple Sugar Factory building, with shifted floor plates forming cantilevers and setbacks that are to be used as terraces. The volumes have been carefully sited so that glimpses of the existing brick façade are visible, rather than competing with, or overwhelming, the existing historic structure. The contemporary nature of the proposal offsets the more robust, historic brick structure; creating a meaningful juxtaposition between old and new in an evolving district. Staff at the Cambridge Historical Commission support the project in its current form and are very pleased to see the project advancing.

Some possible massing improvements to consider include:

- Review of the sloped roof of the addition. It would perhaps be preferable to see a true box in
 elevation so that the presence of the historic building remains prominent, and the clean, modern
 expression of the addition is reflected in the massing.
- Further study of the footprint/siting of the addition to understand why it needs to project beyond the existing building on Linskey Way.
- Review of the north entry as it is orthogonal in the plans, but seems rotated in the perspectives.

Façade design

The high degree of transparency and lightness of the structure shown in the renderings is very successful. Each floor is clad with floor to ceiling glazing, and metal panel accents. The glass encased stair on Second Street is another positive feature of the proposal, which will help to animate the pedestrian realm. These are key features of the success of the proposal, so it will be important to ensure that they are maintained as the project advances to the Building Permit phase. While specific construction details are currently unclear, to further enrich the façade design and celebrate the concept of the glass boxes, the following improvements should be considered:

May 22, 2019 Page 2 of 8

Use of structural glass with stainless steel fittings and glass fins for stabilizing the glass. This would
increase transparency and lightness, and make the façade unique as opposed to being more of a
storefront window design.

The Mobility Hub is highly visible and contributes to creating an animated streetscape on Binney Street and the through-block connector. A key design consideration is to ensure that this space feels as publicly welcoming as possible. The highly transparent glazing and minimal structure at the ground level will go some way towards addressing these concerns. Perhaps colorful signage and interior design that does not feel like it is part of the building above, would help to further activate the Mobility Hub.

Rooftop mechanical equipment

Mechanical equipment will be located in the basement and on the rooftop. The rooftop mechanical equipment is proposed to be set back from the façades, in the middle of the roof of the existing building. Rather than adding excessive bulk to the rooftop with a large penthouse screen, which was explored in an earlier version of the approval reviewed by staff, a decision was made to use minimal screening. A series of rooftop mechanicals view studies have been submitted as part of the design review package. The proposed approach is generally supported by staff.

Open space, public realm, and pedestrian and bicycle connections

The project continues the existing streetscape design treatment created as part of the PUD Final Development Plan. The addition is set back from Binney Street to accommodate the existing separated bicycle lane, a generous sidewalk space, street trees and landscaping. It is anticipated the moveable tables and chairs will spill out from the Mobility Hub/café to some of the larger areas of paving, helping to provide color and activate the sidewalk. Situated between 100 Binney Street and the proposal is a through-block pedestrian connection, which carries forward the landscape design intentions of the Final Development Plan.

As the open space and public realm design details are further advanced, areas of potential improvement include:

- Opportunities for the new addition to open out to the through block connection with operable walls or windows.
- Where possible, additional street trees on Linskey Way, filling in the gaps at the south-east corner of the addition, and at the stair.
- Further study of the planter on the east side of the building between the stair and addition, including whether the planter should extend to the addition, incorporate taller plantings and a low seat wall.

Off site impacts

Shadow and noise studies have been submitted with the design review application materials. Given the scale of the addition, negligible amenity impacts are envisaged.

May 22, 2019 Page 3 of 8

Staff comments - Economic Development

The following information is requested:

- Confirmation that the coffee shop and restrooms on the first floor are open to the public.
- The expected hours of operation for the Mobility Hub and the coffee shop. Staff highly encourage weekend activity on the ground floor since that area of Binney Street is inactive on the weekends.

Staff comments - Sustainability

The project is subject to the Alexandria PUD green building requirements, which requires projects to be designed to LEED Silver under the version of LEED currently in effect, LEED v4. The design is currently meeting this requirement with 55 "Likely" credit points under the LEED New Construction program.

Continuing Design Review

The following is a summary of issues that staff recommends as items for ongoing design review if the Board decides to approve the design:

- Review of the internal ground floor layout of the mobility hub and retail tenant space to ensure that the level of activation and transparency on all streets is maximized.
- Further information on the visible light transparency and reflectance of all glazing, and detailed drawings of the curtainwall system.
- Review of all exterior materials, colors, and details, including a materials wall mock-up on the site prior to any exterior materials being ordered. The mock-up should be sited to match the orientation of predominant public façades, and in a location where varying light conditions can be experienced.
- Review of the Maple Sugar Factory building renovation details (including masonry restoration, and window details and colors) by the Cambridge Historical Commission staff.
- Review of all proposed public realm, open space and streetscape design details.

Staff also note that the final Building Permit set of plans shall be approved by a majority vote of the entire Planning Board.

May 22, 2019 Page 4 of 8

Appendix I:

Relevant principles from the Eastern Cambridge Design Guidelines - Transition Areas

Street-level Uses and Design

- 1. New buildings should contribute to the character of the existing street.
- 2. Street-level facades should include active uses such as:
 - Residential entrances
 - Shops, restaurants, and cafes
 - Services for the public or for commercial offices such as fitness centers, cafeterias, daycare centers, etc.
 - Community spaces, such as exhibition or meeting space
 - Art exhibition space/display windows
 - Commercial lobbies and front doors
- 3. Major entrances should be located on public streets, and at or near corners wherever possible. Entrances should relate well to crosswalks and pathways that lead to bus stops
- 4. Transparent materials and interior lighting should be used to maximize visibility of street level uses. Ground floor facades should be at least 30 to 50 percent transparent.
- 5. Blank walls should be avoided along all streets and pedestrian walkways.

Building Height and Orientation

Binney Street

- 1. Set back any portion of the building above 65'by at least 10' from the principal facade.
- 2. For retail and office uses, build to the lot line or provide small setbacks (5 to 15 feet) from the right-of-way for café seating, benches, or small open spaces. Setbacks used exclusively for ornamental landscaping are not permitted but may be allowed to accommodate street furniture, street trees, or generous sidewalks. Awnings and canopies are encouraged to provide shelter and enliven the ground floor facade
- 3. Awnings and canopies are encouraged to provide shelter and enliven the ground floor facade.
- 4. Driveway turnaround and vehicle drop-off facilities are strongly discouraged along public streets.
- 5. Locate loading docks on side streets or service alleys, and away from residential areas.
- 6. In use, design, and entry, orient buildings towards corners.

Second Street and Linskey Way

- 1. If the prevailing height of surrounding buildings is 65 feet or less, establish a cornice line that matches the prevailing height of surrounding buildings. For additional height above the cornice line, provide a setback of at least 10 feet from the principal façade.
- For retail and office uses, build to the lot line or provide small setbacks (5 to 15 feet) from the right-of-way for café seating, benches, or small open spaces. Setbacks used exclusively for ornamental landscaping are not permitted.
- 3. Locate loading docks on side streets or service alleys, and away from residential areas.

May 22, 2019 Page 5 of 8

Scale and Massing

- 1. For new development sites, the block size should be similar to the existing East Cambridge blocks. An attempt should be made to reduce the distance that pedestrians have to walk to a crosswalk in order to safely cross the street.
- 2. Avoid continuous massing longer than 200 feet facing mixed-use and retail streets. If massing extends beyond this length, it should be made permeable and visibly articulated as several smaller masses using different materials or colors, vertical breaks, bays, etc.
- 3. Buildings should reflect a rhythm and variation appropriate to the urban context. E.g., expressing bay widths of 16 25' along residential streets and 25' 50' along mixed-use streets.
- 4. Buildings should have a clearly expressed base, middle, and top.
- 5. Use variations in height and architectural elements such as parapets, cornices and other details to create interesting and varied rooflines and to clearly express the tops of buildings.
- 6. Emphasize corners using taller elements such as towers, turrets, and bays

Architectural Character

- 1. Create varied architecture and avoid flat facades by using recessed or projected entryways, bays, canopies, awnings, and other architectural elements.
- 2. Vary the architecture of individual buildings to create architecturally diverse districts.
- 3. Where buildings are set back at upper stories, lower roofs may be used as balconies, balustrades, and gardens.

Environmental Guidelines

1. Rooftop mechanical equipment should be sited and shielded to protect neighboring uses from noise impacts.

Open Space

- 1. The provision of open space of diverse sizes and use is encouraged.
- 2. The provision of interconnected series of open spaces is encouraged to provide connections to neighborhoods and to encourage pedestrian movement.
- 3. Locate new open spaces to create linkages and connect to existing parks and open spaces, where possible.

Streets and sidewalks

- 1. Use streetscape elements such as trees, benches, signage, and lighting to support active pedestrian uses and to reinforce the character and identity of each district.
- 2. Design streets to encourage pedestrian and cycle activity, and to control vehicle speed in residential areas.
- 3. Where appropriate, establish, preserve and highlight views from public streets and spaces to important civic landmarks such as the Charles River cable-stayed bridge and the clock tower in Kendall Square
- 4. Provide pedestrian- scale lighting to enhance pedestrian safety.

May 22, 2019 Page 6 of 8

- 5. Refer to the Cambridge Pedestrian Plan and the Cambridge Bicycle Plan for additional guidance on creating a safe and pleasant environment for pedestrians and bicyclists.
- 6. Provide safe pedestrian crossings at Binney Street.

Connections and Transportation

- 1. Preserve rights of way for future Urban Ring project.
- 2. Integrate retail and other public activities with any new transit stations.
- 3. Provide safe pedestrian and bicycle connections to future regional pathways.
- 4. Provide strong pedestrian, bicycle and visual connections to the Charles River and public parks through view corridors, signage, and/or art installations.
- 5. Provide safe pedestrian and bicycle connections to existing and new bus stops. and to transit stations including Kendall Square, Lechmere, Community College and North Station T stations.
- 6. Provide safe pedestrian crossings at Binney Street.
- 7. Provide pedestrian crossings/phases at all major intersections.
- 8. Provide bicycle lanes on major streets.

May 22, 2019 Page 7 of 8

19.30 Citywide Urban Design Objectives [SUMMARIZED]

Objective	Indicators
New projects should be responsive to the existing or anticipated pattern of development.	 Transition to lower-scale neighborhoods Consistency with established streetscape Compatibility with adjacent uses Consideration of nearby historic buildings
Development should be pedestrian and bicycle-friendly, with a positive relationship to its surroundings.	 Inhabited ground floor spaces Discouraged ground-floor parking Windows on ground floor Orienting entries to pedestrian pathways Safe and convenient bicycle and pedestrian access
The building and site design should mitigate adverse environmental impacts of a development upon its neighbors. Projects should not overburden	 Location/impact of mechanical equipment Location/impact of loading and trash handling Stormwater management Shadow impacts Retaining walls, if provided Building scale and wall treatment Outdoor lighting Tree protection (requires plan approved by City Arborist) Water-conserving plumbing, stormwater management
the City infrastructure services, including neighborhood roads, city water supply system, and sewer system.	 Water-conserving plumbing, stormwater management Capacity/condition of water and wastewater service Efficient design (LEED standards)
New construction should reinforce and enhance the complex urban aspects of Cambridge as it has developed historically.	 Institutional use focused on existing campuses Mixed-use development (including retail) encouraged where allowed Preservation of historic structures and environment Provision of space for start-up companies, manufacturing activities
Expansion of the inventory of housing in the city is encouraged.	 Housing as a component of large, multi-building development Affordable units exceeding zoning requirements, targeting units for middle-income families
Enhancement and expansion of open space amenities in the city should be incorporated into new development in the city.	 Publicly beneficial open space provided in large-parcel commercial development Enhance/expand existing open space, complement existing pedestrian/bicycle networks Provide wider range of activities

May 22, 2019 Page 8 of 8