


CAMBRIDGE ANIMAL CONTROL



The Cambridge Animal Commission facilitates programs for animal control and welfare in the city and maintains Cambridge as a safe environment for people, pets and other animals, through an educational and enforcement approach. The Commission encourages responsible pet ownership and ensures public safety around domestic or wild animals. The Animal Commission's regular duties include: rescuing injured and/or sick domestic pets and wildlife; enforcement of state laws and City ordinances pertaining to animals; and licensing of all dogs in the City of Cambridge.


Red Tailed Hawk





The red-tail is the largest hawk, usually weighing between 2 and 4 pounds. As with most raptors, the female is nearly 1/3 larger than the male and may have a wingspan of 56 inches.






Microchipping your cat can help us get your cat back home if they get lost






A microchip for cats is an identification tool; an electronic chip of the size of a grain of rice, implanted under the skin of your cat.



Kittens That Were Placed In Forever Homes

Lost and Found Pets Make It Back Home











Squirrels

Squirrel birthing and mating season occur twice a year. Squirrel mating season happens once between December and February, then again in late June through August. With the gestation period lasting 38 to 46 days, female squirrels will give birth in early spring (February through April) or late summer (August/September).









Bald eagles build their nests at the very top of tall trees so the eggs will be safe. Babies, called eaglets, are born light gray then turn brown



<u>Opossums</u>

Opossums help keep your neighborhood clear of unwanted pests. Opossums frequently eat pests like cockroaches, rats, and mice that can also be carriers of infectious disease. Opossums help keep your garden flourishing!










Phone: 617-349-4376

• 344 Broadway Cambridge, MA



A Trip To The New England Wildlife Center



We take pride in our community outreach because it can be effective in connecting community members to resources and information that they need.








Family Day at Danehy Park and Parking Day
















Great Horned Owl





Barred Owl

Length: 21 "

Wingspan: 42"

Weight: 1.6 lbs




Screech Owls nest in cavities, or holes in trees. Unlike Saw-whet Owls, Screech Owls do not migrate

Deer

The deer will mate from **September** to **November**, with the main breeding time occurring in **October**. The gestation period is seven and a half months long and fawning begins in late **May** and lasts through **June**. Usually only one fawn is born, but twins are common





Poult Baby Turkey


The average incubation time is 28 days, and in late **May** or early **June** the **eggs** will hatch over a 24-to-36-hour period. During the first 4 weeks of life, baby turkeys, called poults, are unable to fly and rely on their mother for protection.





Coyote

Coyotes have a strong sense of smell, which they use to find food sources and hunt in packs. You can take advantage of this by repelling them from your yard with smells they dislike, such as white vinegar, garlic, and cayenne/chili pepper.



















The Cambridge Animal Commission is proud to be taking part in the Cambridge Police Autism Charity Patch initiative. Proceeds from the sale of commemorative patches/stickers during April will be donated to charities that support individuals living with Autism. A special Thanks to Officer Robert Reardon and The Cambridge Police Department for all you do.