

ATTACHMENT A
HISTORICAL AERIAL PHOTOS, TOPOGRAPHIC MAPS,
AND SANBORN MAPS



INQUIRY #: 5118835.12

YEAR: 2012

— = 500'





INQUIRY #: 5118835.12

YEAR: 2010

— = 500'





INQUIRY #: 5118835.12

YEAR: 2008

— = 500'





INQUIRY #: 5118835.12

YEAR: 2006

— = 500'





INQUIRY #: 5118835.12

YEAR: 1995

— = 500'





INQUIRY #: 5118835.12

YEAR: 1986

— = 500'





INQUIRY #: 5118835.12

YEAR: 1980

— = 500'





INQUIRY # 5118835.12

YEAR: 1978

— = 500'





INQUIRY #: 5118835.12

YEAR: 1970

— = 500'





INQUIRY # 5118835.12

YEAR: 1969

 = 500'





INQUIRY #: 5118835.12

YEAR: 1962

 = 500'





INQUIRY #: 5118835.12

YEAR: 1955

— = 500'





INQUIRY # 5118835.12

YEAR: 1952

— = 500'






INQUIRY #: 5118835.12



YEAR: 1938

— = 500'






This report includes information from the following map sheet(s).





TP, Lexington, 2012, 7.5-minute
 NE, Boston North, 2012, 7.5-minute
 SE, Boston South, 2012, 7.5-minute
 SW, Newton, 2012, 7.5-minute

SITE NAME: Tobin School
ADDRESS: 197 Vassal Lane
 Cambridge, MA 02138
CLIENT: CDM Smith Inc.






This report includes information from the following map sheet(s).





TP, Boston North, 1985, 7.5-minute
S, Boston South, 1987, 7.5-minute

SITE NAME: Tobin School
ADDRESS: 197 Vassal Lane
Cambridge, MA 02138
CLIENT: CDM Smith Inc.






This report includes information from the following map sheet(s).





TP, Lexington, 1971, 7.5-minute
 NE, Boston North, 1971, 7.5-minute
 SE, Boston South, 1970, 7.5-minute
 SW, Newton, 1970, 7.5-minute

SITE NAME: Tobin School
 ADDRESS: 197 Vassal Lane
 Cambridge, MA 02138
 CLIENT: CDM Smith Inc.






This report includes information from the following map sheet(s).





TP, Lexington, 1956, 7.5-minute
 NE, Boston North, 1956, 7.5-minute
 SE, Boston South, 1956, 7.5-minute
 SW, Newton, 1956, 7.5-minute

SITE NAME: Tobin School
 ADDRESS: 197 Vassal Lane
 Cambridge, MA 02138
 CLIENT: CDM Smith Inc.






This report includes information from the following map sheet(s).





TP, Lexington, 1949, 7.5-minute
 NE, Boston North, 1949, 7.5-minute
 SE, Boston South, 1949, 7.5-minute
 SW, Newton, 1949, 7.5-minute

SITE NAME: Tobin School
ADDRESS: 197 Vassal Lane
 Cambridge, MA 02138
CLIENT: CDM Smith Inc.





This report includes information from the following map sheet(s).





TP, LEXINGTON, 1947, 7.5-minute
 NE, BOSTON NORTH, 1947, 7.5-minute
 SE, BOSTON SOUTH, 1946, 7.5-minute
 SW, NEWTON, 1946, 7.5-minute

SITE NAME: Tobin School
 ADDRESS: 197 Vassal Lane
 Cambridge, MA 02138
 CLIENT: CDM Smith Inc.





This report includes information from the following map sheet(s).





TP, Lexington, 1944, 7.5-minute
 NE, Boston North, 1943, 7.5-minute
 SE, Boston South, 1944, 7.5-minute
 SW, Newton, 1944, 7.5-minute

SITE NAME: Tobin School
 ADDRESS: 197 Vassal Lane
 Cambridge, MA 02138
 CLIENT: CDM Smith Inc.





This report includes information from the following map sheet(s).





TP, Boston, 1903, 15-minute

SITE NAME: Tobin School
 ADDRESS: 197 Vassal Lane
 Cambridge, MA 02138
 CLIENT: CDM Smith Inc.






This report includes information from the following map sheet(s).



TP, Boston, 1893, 15-minute

SITE NAME: Tobin School
 ADDRESS: 197 Vassal Lane
 Cambridge, MA 02138
 CLIENT: CDM Smith Inc.








The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: Tobin School
 Address: 197 Vassal Lane
 City, ST, ZIP: Cambridge, MA 02138
 Client: CDM Smith Inc.
 EDR Inquiry: 5118835.3
 Order Date: 11/29/2017
 Certification # EB34-4249-8F78
 Copyright 2006




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 2, Sheet 253
 Volume 2, Sheet 252








Site Name: Tobin School
 Address: 197 Vassal Lane
 City, ST, ZIP: Cambridge, MA 02138
 Client: CDM Smith Inc.
 EDR Inquiry: 5118835.3
 Order Date: 11/28/2017
 Certification # EB34-4249-8F78
 Copyright 2005



This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.




Volume 2, Sheet 253
 Volume 2, Sheet 252

The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # EB34-4249-8F78








The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: Tobin School
 Address: 197 Vassal Lane
 City, ST, ZIP: Cambridge, MA 02138
 Client: CDM Smith Inc.
 EDR Inquiry: 5118835.3
 Order Date: 11/28/2017
 Certification # EB34-4249-8F78
 Copyright: 2004




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 2, Sheet 253
 Volume 2, Sheet 252








The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: Tobin School
 Address: 197 Vassal Lane
 City, ST, ZIP: Cambridge, MA 02138
 Client: CDM Smith Inc.
 EDR Inquiry: 5118835.3
 Order Date: 11/28/2017
 Certification # EB34-4249-8F78
 Copyright: 2003




This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 2, Sheet 253
 Volume 2, Sheet 252







The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: Tobin School
 Address: 197 Vassal Lane
 City, ST, ZIP: Cambridge, MA 02138
 Client: CDM Smith Inc.
 EDR Inquiry: 5118835.3
 Order Date: 11/29/2017
 Certification # EB34-4249-8F78
 Copyright 1995




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 2, Sheet 253
 Volume 2, Sheet 252







The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: Tobin School
 Address: 197 Vassal Lane
 City, ST, ZIP: Cambridge, MA 02138
 Client: CDM Smith Inc.
 EDR Inquiry: 5118835.3
 Order Date: 11/28/2017
 Certification #: EB34-4249-8F78
 Copyright: 1992




Certification # EB34-4249-8F78

This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 2, Sheet 253
 Volume 2, Sheet 252








The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # EB34-4249-8F78

Site Name: Tobin School
 Address: 197 Vassal Lane
 City, ST, ZIP: Cambridge, MA 02138
 Client: CDM Smith Inc.
 EDR Inquiry: 5118835.3
 Order Date: 11/28/2017
 Certification # EB34-4249-8F78
 Copyright 1990




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 2, Sheet 253
 Volume 2, Sheet 252






The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #EB34-4249-8F78


Site Name: Tobin School
 Address: 197 Vassal Lane
 City, ST, ZIP: Cambridge, MA 02138
 Client: CDM Smith Inc.
 EDR Inquiry: 5118835.3
 Order Date: 11/28/2017
 Certification # EB34-4249-8F78
 Copyright 1986




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 2, Sheet 253
 Volume 2, Sheet 252







The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # EB34-4249-8F78




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 2, Sheet 253
 Volume 2, Sheet 252







The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #EB34-4249-8F78




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 2, Sheet 253
 Volume 2, Sheet 252








The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # EB34-4249-8F78

Site Name: Tobin School
 Address: 197 Vassal Lane
 City, ST, ZIP: Cambridge, MA 02138
 Client: CDM Smith Inc.
 EDR Inquiry: 5118835.3
 Order Date: 11/28/2017
 Certification # EB34-4249-8F78
 Copyright 1900




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.




Volume 2, Sheet 65
 Volume 2, Sheet 58



ATTACHMENT B
PREVIOUS TEST BORING LOGS




NOTE:
12" Water main on Concord Avenue 55' to 60' from Design for 50 lbs.



LEGEND

- (A) Abandon
- (D) Demolish
- (DP) Demolish Pavement
- (P) Plug and Cap
- (R) Remove and Save

**SITE PLAN
CALLANAN PLAYGROUND
CAMBRIDGE, MASS.**
SCALE 1/4" = 30'-0"
OCT 4, 1968
FRED R. JOYCE SURVEYOR
BELMONT, MASS.



The materials and construction indicated on these plans conform with at least the minimum requirements of the Board of Schoolhouse Structural Standards.

Kenneth Blawie
Signature

REVISION: JOHN M. TOBIN ELEMENTARY SCHOOL Cambridge, Massachusetts Pietro Belluschi Principal Architect Sasaki, Dawson, DeMay Associates Inc. Associate Architect Watertown, Massachusetts LeMessurier Associates Boston, Massachusetts Francis Associates Marion, Massachusetts		date: 25 OCT 1968 REV. 20 JAN 1967 scale: 1/4" = 30'-0" SDDA no. 7054	EXISTING CONDITIONS
Consulting Engineers Consulting Engineers			1 - 1

NOTE:
This plan and survey controlled by Land Court Case # 12808A
Date: Oct 4, 1968
Registered Land Surveyor

All underground utilities from City of Cambridge records.
Elevations on City of Cambridge Base.
Bench mark used: Conc. base of Chimney: 25.98
Superior Laundry, Moulton St.

NOTE: SEE SPEC FOR BORING LOG.

NEW ENGLAND TEST BORING CORP.
TEST BORING REPORT

BOSTON, MASSACHUSETTS

To City of Cambridge, Massachusetts Date 10/14/66 Job No. 3555
Location Proposed John M. Tobin School, Cambridge, Mass. Scale 1" = 8'
Figure to right hand column indicates number of blows required to drive 2 inch sampling spoon using 140-lb. weight falling 30 inches.
6"

BORING # 1

0'0" Elev.	loose brown loam, ashes, fine sand, gravel, fill (no sample)	
6'6"	DENSE VERY FINE LEACHED YELLOW SAND, INORGANIC SILT AND CLAY (moist)	8 11 16
14'0"	MEDIUM TO STIFF SILTY, LEACHED YELLOW CLAY (some plastic.)	3 10 8
17'0"	MEDIUM GRAY CLAY (moderately plastic; moist)	3 10 6
38'6"	SOFT GRAY CLAY (very plastic; moist)	1 1 2
44'6"	MED-DENSE VERY FINE GRAY SAND, INORGANIC SILT & CLAY, trace of fine gravel (moist)	4 11 0 37
57'0"	MEDIUM GRAY CLAY, some very fine sand (plastic)	3 5 8
59'0"	DENSE, MEDIUM TO FINE SILTY GRAY SAND & COARSE GRAVEL, some coarse sand, trace of clay	52 6 2
66'6"	No water enc'd. *Refusal*	
Shelby Tubes Taken-Recovery		
22'0" - 24'0"	24" Rec.	
32'0" - 34'0"	22" Rec.	
42'0" - 44'0"	24" Rec.	

BORING # 2

0'0" Elev.	loam, ashes, fine sand, gravel, fill	
5'6"	VERY STIFF TO HARD SILTY, LEACH. YELLOW CLAY, trace of very fine sand & gravel (no plasticity)	10 14 18
11'0"	No water enc'd. *Refusal*	
BORING # 2A		
0'0" Elev.	loam, ashes, fine sand, gravel, fill	
6'0"	STIFF TO VERY STIFF SILTY, LEACHED, YELLOW CLAY, trace of very fine sand & gravel (moist) (slightly plastic)	6 9 11
16'6"	MEDIUM SILTY GRAY CLAY, trace of very fine sand (moderately plastic; moist)	4 4 3
29'0"	HARD, MED. TO COARSE SILTY GRAY SAND GRAVEL, CLAY 120/270	
29'6"	ROCK	
	Cored 10'0" Recovered 7'6"	
39'6"	HARD, VERY-FINE-GRAINED (APHRANTIC) DK-GRAY BASALT(?), some "healed" joints & fractures; calcite stringers are extensive.	
	No water enc'd.	
Shelby Tubes Taken-Recovery		
18'6" - 20'6"	23" Rec.	

BORING # 3

0'0" Elev.	LOOSE DARK-GRAY-BROWN ASHES, LOAM AND MISC. FILL (moist)	7 4 3
V.L.		
15'0"	LOOSE DARK-YELL-GRAY ASHES AND MISC. DUMP FILL (wet)	12 4 3
21'0"	MED. TO STIFF SILTY GRAY CLAY, some misc. fill 7/9/6	
25'0"	STIFF SILTY GRAY CLAY, some very fine sand (moist) (slight plasticity)	11 9 8
31'6"	MED-DENSE, V. FINE GRAY SAND & INORG. SILT, some clay	12 9
34'0"	MEDIUM, SILTY GRAY CLAY, some (moderately plastic)	6 6 6
38'6"	DENSE, MEDIUM TO FINE SILTY GRAY SAND & GRAVEL, some coarse sand & clay	8 10 19
45'0"	V. DENSE TO HARD, MED. TO COARSE SILTY GRAY SAND & GRAVEL, some f. sand & clay	21 2 15 3
46'3"	Water Level -0'1" *Refusal*	
(Installed one well-point and 1 1/2" pipe to 45'0" for water observation well.)		

Water levels indicated are those observed at the completion of each boring, and do not necessarily represent permanent ground water levels.

NEW ENGLAND TEST BORING CORP.
TEST BORING REPORT

Telephone ~~XXXXXXXXXX~~

BOSTON, MASSACHUSETTS

To City of Cambridge, Massachusetts Date 10/13/66 Job No. 3553

Location Proposed John M. Tobin School, Cambridge, Mass. Scale 1" = 4'

Figures in right hand column indicate number of blows required to drive 2 inch sampling pipe 1 foot using 140-lb. weight falling 30 inches.

BORING # 4
Elev.

0'0"		
W.L.	loose dark-brown loam, fine sand, ashes & misc. fill (wet) (lost sample)	1 1 1
18'0"	MEDIUM-STIFF SILTY GRAY CLAY, trace v.f. sand (some plasticity)	8 9 11
23'0"	MEDIUM GRAY CLAY, trace of v.f. sand (moderately plastic; moist)	4 4 5
36'6"	MEDIUM TO STIFF SILTY GRAY CLAY, trace of very fine sand (some plasticity)	8 10 11 14
44'6"	DENSE V. FINE TO FINE GRAY SAND & INORGANIC SILT, trace clay (wet)	14 11 14
48'0"	V. DENSE, FINE TO MEDIUM SILTY GRAY SAND, GRAVEL & CLAY, trace of boulders (glacial till ?) (wet)	31 18 14
52'6"	Water Level -5'9" Scale: 1" = 8'	
<u>Shelby Tube Samples Taken</u>		
21'0" - 23'0"	6" Rec.	
26'0" - 28'0"	24" Rec.	

BORING # 5
Elev.

0'0"	LOOSE MEDIUM TO FINE YELLOW SAND, GRAVEL & CINDER FILL (dry)	7
5'6"	LOOSE FINE DARK-BROWN SAND, GRAVEL & CINDERS, FILL	4
W.L.		
14'0"	VERY LOOSE GRAY CINDERS, WOOD, FILL (wet)	3
19'0"	SOFT SILTY GRAY CLAY (moderately plastic)	4
23'0"	MEDIUM GRAY CLAY, some strata of very fine sand (some to moderately plastic; moist)	10
29'0"	MEDIUM SILTY GRAY CLAY, some strata of very fine sand (moderately plastic)	7
33'0"	Water Level -8'6" *Refusal*	

BORING # 6
Elev.

0'0"	LOOSE TO MEDIUM, DARK-BROWN LOAM, FINE SAND, GRAVEL & CINDERS, FILL (dry)	5 5 4
W.L.		
7'0"	LOOSE DARK-YELL-GRAY CINDERS, BRICKS, FINE SAND & MISC. FILL (wet)	3 4 3
12'0"	LOOSE GRAY CINDER FILL (wet)	2 1 1
17'0"	LOOSE GRAY ASHES & CINDERS, FILL (wet)	1 4 1
21'6"	SOFT GRAY CLAY, some strata of very fine sand	3 2 3
23'6"	Drove 2.0" O.D. Shelby Tube to 25'6"; Recovered 1'3"	--
25'6"	Water Level -5'6" (Installed one well-point and 1 1/2" pipe to 15'0" for water observation well.)	

NEW ENGLAND TEST BORING CO.
TEST BORING REPORT

BOSTON, MASSACHUSETTS

City of Cambridge, Massachusetts

Date 10/13/66

Job No. 3553

Proposed John M. Tobin School, Cambridge, Mass.

Scale 1" = 4'.

Figure in right hand column indicates number of blows required to drive 2 inch sampling spoon 1 foot using 140-lb. weight falling 25 inches.

DIOM, LOAM, GRAVEL FILL
YELL-LS, FINE SAND
CINDER
ASHY FL.
CLAY, ... of sand
O.D. ...
1 - 5'6"
well-pie
'0" for w
ll.)

BORING # 7
Elev.

0'0"	MED-DENSE BROWN LOAM, FINE SAND, GRAVEL, BRICKS & MISC. FILL (dry)	7 1 9
W.L.		
8'6"	LOOSE GRAY-YELLOW CINDERS, ASHES, FINE SAND, GRAVEL & MISC. FILL (wet)	3 1 5
21'0"	MEDIUM-SOFT GRAY CLAY, some strata of very fine sand (moderate to very plastic; wet)	2 1 1
33'0"	SOFT GRAY CLAY, some veins of very fine sand (very plastic; wet)	2 1 3
41'0"	Water Level -5'6"	2 2 3

BORING # 8
Elev.

0'0"	LOOSE YELL-BROWN LOAM, FINE SAND, GRAVEL, BLDGS., FILL	9
2'6"	HARD, SILTY, LEACHED YELLOW CLAY, some fine yellow sand (dry)	22
W.L.		
8'6"	VERY STIFF TO HARD SILTY, LEACH. YELLOW CLAY (moist) (no plasticity)	15
16'6"	MED. TO STIFF SILTY, LEACHED YELLOW CLAY (slplastic.)	10
19'0"	MEDIUM GRAY CLAY (moderate plasticity)	7
25'6"	SOFT SILTY GRAY CLAY (very plastic; wet)	4
30'0"	Water Level -7'6"	

BORING # 9
Elev.

0'0"	LOOSE YELL-BROWN LOAM, FINE SAND, GRAVEL, BOULDERS, FILL	8 1 12
5'6"	VERY LOOSE, DARK-BROWN CINDERS, FINE SAND, FRAG AND MISC. FILL (dry)	2 2 2
W.L.		
11'0"	VERY LOOSE DARK-BROWN CINDERS, WOOD, FINE SAND AND MISC. FILL (wet)	1 2 1
16'0"	LOOSE GRAY-YELL. ASHES, CINDERS, FINE SAND AND MISC. FILL (wet)	1 1 2
21'0"	MED-SOFT SILTY GRAY CLAY, some veins of very fine sand (moderately plastic; moist)	3 1 4
26'0"	SOFT GRAY CLAY, some veins of very fine sand (moderately to very plastic; wet)	2 1 3 3 3
40'6"	DENSE, FINE TO MED. SILTY GRAY SAND, some gravel, coarse sand & clay	3 1 10
41'0"	Water Level -5'6"	

Water levels indicated are those observed at the completion of each boring, and do not necessarily represent permanent ground water levels.

NEW ENGLAND TEST BORING CORP.
TEST BORING REPORT

Telephone 888-8888

BOSTON, MASSACHUSETTS

To City of Cambridge, Massachusetts Date 10/13/66 Job No. 3553

Location Proposed John M. Tobin School, Cambridge, Mass. Scale 1" = 4'

Figures in right hand column indicate number of blows required to drive 2 inch sampling spoon using 140-lb. weight falling 30 inches.

BORING # 10	
Elev.	
0'0"	3 6
W.L.	
6'6"	2 3
11'0"	
19'6"	5 6
26'0"	
27'0"	12 12
Water Level -5'6"	
Refusal	

BORING # 11	
Elev.	
0'0"	5 8
W.L.	
6'0"	3 3
11'0"	
16'0"	2 1
21'0"	
26'0"	4 7
31'0"	
33'0"	11 14
Water Level -5'0"	

BORING # 12	
Elev.	
0'0"	7
W.L.	
5'0"	10
11'0"	
14'0"	4 5
21'0"	
26'0"	2 8
30'0"	
32'0"	10 19
Water Level -6'6"	

Water levels indicated are those observed at the completion of each boring, and do not necessarily represent permanent ground water levels.

NEW ENGLAND TEST BORING CORP.
TEST BORING REPORT

BOSTON, MASSACHUSETTS

City of Cambridge, Massachusetts Date 11/21/66 Job No. 3553
Location Proposed John M. Tobin School, Cambridge, Mass. Scale 1" = 8' 0"
Figures in right hand column indicate number of blows required to drive 2 inch sampling spoon 6" using 140-lb. weight falling 30 inches.

BORING # 13

0'0"	Elev.	soft brown loam & gravel, fill	—
4'0"		LOOSE TO MEDIUM, SAND, GRAVEL, SILT & MISC. FILL (wet)	6 constant
15'0"		Pushed fragments of wood through very loose sandy, gravelly fill.	6 7 2 2 1
25'0"		ORGANIC SILT & FILL	6/8/6/8
26'6"		MED. GRAY CLAY, trace fine sand	6/5/6/8
30'0"		SOFT GRAY CLAY, trace v.f. sand (very plastic)	2 2 3
37'0"		SOFT TO VERY SOFT GRAY CLAY (very plastic; wet)	2 1 3
44'0"		DENSE VERY FINE GRAY SAND AND INORGANIC SILT, some veins of f. sand	13 15 12
50'0"		Water Level -5'6" *Refusal*	30

BORING # 14

0'0"	Elev.	sand, gravel, boulders, red bricks, wood and misc. fill, some soft clay (moist)	—
8'0"		VERY SOFT GRAY SANDY ORGANIC SILT, some gravel	1 1 1
13'0"		LOOSE TO MED., YELLOW GRAY ORGANIC SILT, SAND AND CLAY (wet)	5/5/5/3
18'0"		SOFT GRAY CLAY, trace of very fine sand (wet) (moderately plastic)	2 4
25'0"		MEDIUM TO SOFT GRAY CLAY (moist) (moderately plastic)	4 3
33'0"		SOFT TO MEDIUM GRAY CLAY (moderately plastic; wet)	3 3
47'6"		LOOSE, FINE TO MEDIUM SILTY GRAY SAND & GRAVEL, some coarse sand & clay (wet)	5 1 2 4
51'0"		Water Level -9'0"	40

7
10
10
7
2
11
8
2
1
2
10
9/19
6

NEW ENGLAND TEST BORING CORP.
TEST BORING REPORT

BOSTON, MASSACHUSETTS

To City of Cambridge, Massachusetts Date 11/21/66 Job No. 3555
Location Proposed John M. Tobin School, Cambridge, Mass. Scale 1" = 8' R.

Figures in right hand column indicate number of blows required to drive 2 inch sampling spoon 1 foot using 140-lb. weight falling 25 inches.

BORING # 15

0'0" Elev.		
	loose gray sand, gravel & misc. ashes, fill	--
W.L.	(moist-wet)	
10'0"	Water Level -6'0"	
	*Refusal--Wood Obstruction	

BORING # 15A


0'0" Elev.		
1'6"	loose sandy loam	--
	LOOSE MISC. GRAY ASHES, WOOD, RED BRICKS, FILL	7
W.L.	(wet)	
10'0"	VERY LOOSE GRAY ASHES AND MISC. FILL	2
	(very wet)	
20'0"		
	MEDIUM TO SOFT GRAY CLAY, trace of v.f. sand	5
	(wet; very plastic)	
49'0"		
	MEDIUM SILTY GRAY CLAY, some veins of fine gray sand	12
	(some to moderately plastic; moist)	
62'0"		
	V. DENSE, F. TO MED. SAND, GRAVEL, CLAY, TILL	15
64'0"		
	WEATHERED GRAY SHALE	20
66'0"		
	Water Level -6'0"	
	Refusal	
	(Boring # 15A made 5'0" Southeast of Boring # 15)	

BORING # 16


0'0" Elev.		
	sand, gravel, boulders, clay & misc. fill	--
W.L.		
7'0"	V. STIFF TO HARD SILTY YELL. CLAY, trace v.f. sand	35
10'0"	V. STIFF SILTY YELLOW CLAY, trace of v.f. sand	18
14'6"	MEDIUM TO SOFT SILTY GRAY CLAY, trace of very fine sand	7
	(wet)	
22'0"		
	SOFT GRAY CLAY, trace of very fine gray sand	5
	(wet; moderately to very plastic)	
36'0"		
	MEDIUM TO SOFT GRAY CLAY, some very fine sand	6
43'0"	(moderately plastic)	
	SOFT GRAY CLAY, trace of very fine sand	4
49'0"	(very plastic; wet)	
	MED. DENSE, VERY FINE GRAY SAND & INORGANIC SILT, trace of clay	11
	(moist)	
56'0"		
58'0"	DENSE, V. COARSE TO COARSE SILTY GRAY SAND & GRAVEL, some medium sand	34
	Water Level -6'6"	
	Refusal	

To City of Cambridge, Massachusetts Date 1/17/68 Job No. 3851
Location John M. Tobin School, Fresh Pond Ave. & Vassal Lane, Cambridge Scale 1" = 4 ft.
Figures in right hand column indicate number of blows required to drive 2 inch sampling spoon 1 foot, using 140-lb. weight falling 30 inches.



BORING # 17



BORING # 18



BORING # 19




Water levels indicated are those observed at the completion of each boring, and do not necessarily represent permanent ground water levels.

NEW ENGLAND TEST BORING CORP.
TEST BORING REPORT

BOSTON, MASSACHUSETTS

To City of Cambridge, Massachusetts Date 1/18/68 Job No. 3851
Location John M. Tobin School, Fresh Pond Ave. & Vassal Lane, Cambridge Scale 1" = 4' ft.

Figures in right hand column indicate number of blows required to drive 2 inch sampling spoon 1 foot, using 140-lb. weight falling 30 inches.



BORING # 22
0'0" Elev.
sand, gravel, ashes, red bricks and misc. fill --
W.L. 5'9"
(no samples)
14'6"
soft gray clay, trace fine sand --
(no samples)
63'6" DENSE, FINE TO MED. GRAY SAND, GRAVEL, INORGANIC SILT & CLAY (moist) 31
67'0" V. DENSE, MEDIUM TO FINE SILTY GRAY SAND, some gravel, some sand & clay (moist) 58
69'6" Water Level -5'9" *Refusal*

BORING # 23
0'0" Elev.
sand, gravel, ashes, red bricks and misc. fill --
W.L. 8'6"
(no samples)
18'6" stiff silty yell. clay (moist) --
20'0"
soft gray clay, some strata of fine gray sand --
(Sand strata at 52'0" to 53'0"; 60'0" to 61'6"; 64'0" to 66'0")
(no samples)
73'6" soft gray clay (very plastic; wet) --
75'6"
(no samples)
Water Level -8'6" *Refusal*

BORING # 24
0'0" Elev.
Top 0'6" hot-top;
sand, gravel, ashes, red bricks and misc. fill --
W.L. 9'6"
(no samples)
13'0"
soft gray clay, trace of fine sand; sand strata from 60'0" to 65'5" --
(no samples)
65'6" DENSE, MEDIUM TO FINE SILTY GRAY SAND, some gravel, coarse sand & clay 29
68'6" DENSE, MEDIUM TO COARSE SILTY GRAY SAND, some gravel, fine sand & clay 35
71'0" V. DENSE, MEDIUM TO COARSE SILTY GRAY SAND & C. GRAVEL, some fine sand 49
73'6"
(wet)
Water Level -9'6"

LEGEND

- MW-1 MONITORING WELL INSTALLED BY NEET (SEPTEMBER 17, 1996)
- CHI-5 MONITORING WELL INSTALLED BY CHES
- 98.18
94.13 REFERENCE ELEVATION (TOP OF PVC)(FEET)
GROUNDWATER ELEVATION (FEET)
- B-1 SOIL BORING INSTALLED BY CHES
- ▲ WEST SOIL SAMPLE (TAKEN BY YEE CONSULTING GROUP, INC. ON JUNE 22, 1995)
- - - D - - - BURIED DRAIN LINE
- - - G - - - BURIED GAS LINE
- - - S - - - BURIED SEWER LINE
- - - W - - - BURIED WATER LINE
- - - T - - - TELEPHONE LINE
- E.O.P. EDGE OF PAVEMENT
- CB CATCH BASIN
- DMH DRAIN MANHOLE
- SMH SEWER MANHOLE
- x - x - CHAIN LINK FENCE
- 94.20 — GROUNDWATER CONTOUR

NOTES:

1. BASE PLAN DEVELOPED FROM "FIGURE 2 - SITE PLAN 450 CONCORD AVE. CAMBRIDGE, MA" BY NEW ENGLAND ENVIRONMENTAL TECHNOLOGIES CORPORATION, 310 MAIN STREET, GROVELAND, MASS. 01834.
2. OBTAINED FROM "PHASE I INITIAL SITE INVESTIGATION REPORT FOR TOBIN ELEMENTARY SCHOOL", PREPARED BY CAMP, DRESSER & MCKEE, INC., FIGURE 4-2, DATED JULY 1997.
3. GROUNDWATER ELEVATIONS MEASURED BY CHES ON MAY 3, 2001.
4. SOIL BORINGS B-1, B-4 AND B-6, AND MONITORING WELLS CHI-3 THROUGH CHI-7 WERE INSTALLED BY CHES ON MARCH 29, 2000.
5. ZONE A BOUNDARY DETERMINED FROM CITY OF CAMBRIDGE ASSESSOR'S MAP #753964.

CONCORD AVENUE




FIGURE 2

C	REVISED BASE PLAN	K.M.C.	C.J.M.	D.A.S.	2/28/02
B	ADDED SOIL BORINGS	K.M.C.	C.J.M.	D.A.S.	2/6/01
A	PHASE II SCOPE OF WORK	K.M.C.	K.A.G.	D.A.S.	2/28/00
ISSUE	DESCRIPTION	DRWN.	CHKD.	APPR.	DATE

CleanHarbors
 ENVIRONMENTAL SERVICES, INC.
 ENVIRONMENTAL CONSTRUCTION & TECHNICAL SERVICES DIVISION
 392 Libbey Industrial Parkway
 Weymouth, Massachusetts 02189
 Telephone (781) 849-1800

TITLE
 MASSACHUSETTS ARMY NATIONAL GUARD
 CAMBRIDGE ARMOY
 450 CONCORD AVENUE
 CAMBRIDGE, MASSACHUSETTS

SITE PLAN

PROJECT NO.	EN202281	DRAWING NO.	2281-C-01
SCALE	1"=20'(APPROX.)		



Clean Harbors
Environmental Services, Inc.
Remedial Technologies Division

1501 WASHINGTON STREET
 BRAINTREE, MASSACHUSETTS 02185-9048
 (781) 849-1800

Boring No: B-4

Page: 1 of 1

Project Name: MA Army National Guard

Project Location: 450 Concord Avenue - Cambridge, MA

CHES Job #: EN-202281

Inspector: K. Gilson

Contractor: Environmental Drilling, Inc.

Driller: S. LaMarche

Drilling Method: Geoprobe


Casing/Auger Size: 2"

Start Date: 3/29/00

Ground Elevation: NA

Finish Date: 3/29/00

Well Elevation: NA

Depth (feet)	SAMPLE				Field Screening ¹ (ppm)	Strata Change	FIELD CLASSIFICATION ²	Notes	Well Screen
	Type & No.	Sample Interval (feet)	pen rec (inches)	Blow Count (per 6 inches)					
2.5	S-1	0-4	48/36		0.1	FILL	Brown, gray and black, medium to coarse SAND, some fine Gravel, dry, concrete, brick, glass and metal fragments. No odor.		
5	S-2	4-8	48/12		0.8		Brown, medium to coarse SAND, some fine Gravel, wet, concrete, brick, glass and metal fragments. No odor.		
7.5									
10	S-3	8-12	48/2				No soil recovery. Sleeve consisted of brick and rock fragments only.		
12.5	S-4	12-16	48/24		ND		Brown, medium to coarse SAND, some fine Gravel, wet, concrete, brick, glass, shell and metal fragments. Slight odor, possibly organic.		
15									
							Bottom of Boring at 16 feet		

SAMPLE TYPES		PERCENTAGE BY WEIGHT	
SS - split spoon		and = 35-50%	
ST - shelly tube		some = 20-35%	
AF - auger flight		little = 10-20%	
RC - rock core		trace = 1-10%	
GRANULAR SOILS		COHESIVE SOILS	
Blow Cts	Density	Blow Cts	Density
< 4	very loose	< 2	very soft
5 - 10	loose	2 - 4	soft
11 - 30	medium	4 - 8	medium stiff
31 - 50	dense	8 - 15	stiff
> 50	very dense	15 - 30	very stiff

NOTES:
 (1) Photoionization Detector { ppm = parts per million}
 (2) The Burmister System is used for field classification of soils.

Disk Reference:



Environmental Services, Inc.
Remedial Technologies Division
 1501 WASHINGTON STREET
 BRAINTREE, MASSACHUSETTS 02185-9048
 (781) 849-1800

Boring No: B-6

Page: 1 of 1

Project Name: MA Army National Guard

Project Location: 450 Concord Avenue - Cambridge, MA

CHES Job #: EN-202281

Inspector: K. Gilson

Contractor: Environmental Drilling, Inc.

Driller: S. LaMarche

Drilling Method: Geoprobe


Casing/Auger Size: 2"

Start Date: 3/29/00

Ground Elevation: NA

Finish Date: 3/29/00

Well Elevation: NA

Depth (feet)	SAMPLE				Field Screening ¹ (ppm)	Strata Change	FIELD CLASSIFICATION ²	Notes	Well Screen
	Type & No.	Sample Interval (feet)	pen rec (inches)	Blow Count (per 6 inches)					
2.5	S-1	0-4	48/36		0.5	FILL	Brown, medium to coarse SAND, some fine Gravel, dry, concrete, brick, glass, wood and metal fragments. No odor.		
5	S-2	4-8	48/30		5.3		Brown and black, medium to coarse SAND, some fine Gravel, wet, concrete, brick, glass, wood, rubber and metal fragments. No odor.		
7.5									
10	S-3	8-12	48/7		0.2		Brown and black, medium to coarse SAND, some fine Gravel, wet, concrete, brick, glass, wood, rubber and metal fragments. No odor.		
12.5	S-4	12-16	48/0				No recovery.		
15	S-5	16-20	48/30		0.1		Brown and black, medium to coarse SAND, some fine Gravel, wet, concrete, brick, glass, wood, rubber and metal fragments. No odor.		
Bottom of Boring at 20 feet									

SAMPLE TYPES

SS - split spoon
 ST - shelby tube
 AF - auger flight
 RC - rock core

PERCENTAGE BY WEIGHT

and = 35-50%
 some = 20-35%
 little = 10-20%
 trace = 1-10%

GRANULAR SOILS
 Blow Cts Density

< 4 very loose
 5 - 10 loose
 11 - 30 medium
 31 - 50 dense
 > 50 very dense

COHESIVE SOILS
 Blow Cts Density

< 2 very soft
 2 - 4 soft
 4 - 8 medium stiff
 8 - 15 stiff
 15 - 30 very stiff

NOTES:

- (1) Photoionization Detector { ppm = parts per million}
- (2) The Burmister System is used for field classification of soils.

Disk Reference:



Clean Harbors
Environmental Services, Inc.
Remedial Technologies Division

1501 WASHINGTON STREET
 BRAINTREE, MASSACHUSETTS 02185-9048
 (781) 849-1800

Boring No: CHI-4

Page: 1 of 1

Project Name: MA Army National Guard

Project Location: 450 Concord Avenue - Cambridge, MA

CHES Job #: EN-202281

Inspector: K. Gilson

Contractor: Environmental Drilling, Inc.

Driller: S. LaMarche

Drilling Method: Geoprobe

Casing/Auger Size: 2"

Start Date: 3/29/00

Ground Elevation: NA

Finish Date: 3/29/00

Well Elevation: NA

Depth (feet)	SAMPLE				Field Screening ¹ (ppm)	Strata Change	FIELD CLASSIFICATION ²	Notes	Well Screen
	Type & No.	Sample Interval (feet)	pen rec (inches)	Blow Count (per 6 inches)					
2.5	S-1	0-4	48/36		2.0	FILL	Brown and black, medium to coarse SAND, some fine Gravel, dry, concrete, brick, glass, wood and metal fragments. No odor.		
5	S-2	4-8	48/24		1.7	▼	Brown and black, medium to coarse SAND, some fine Gravel, wet, concrete, brick, glass and metal fragments. Slight odor and sheen.	3	
7.5									
10	S-3	8-12	48/36		0.8		Brown, medium to coarse SAND, some fine Gravel, wet, concrete, brick, glass, wood and metal fragments. No odor.	4	
12.5	S-4	12-16	48/3		2.8		Rock fragments.		
15								5	
Bottom of Boring at 16 feet									

SAMPLE TYPES	PERCENTAGE BY WEIGHT
SS - split spoon	and = 35-50%
ST - Shelby tube	some = 20-35%
AF - auger flight	little = 10-20%
RC - rock core	trace = 1-10%
GRANULAR SOILS	COHESIVE SOILS
Blow Cts Density	Blow Cts Density
< 4 very loose	< 2 very soft
5 - 10 loose	2 - 4 soft
11 - 30 medium	4 - 8 medium stiff
31 - 50 dense	8 - 15 stiff
> 50 very dense	15 - 30 very stiff

NOTES:

- (1) Photoionization Detector { ppm = parts per million}
- (2) The Burmister System is used for field classification of soils.
- (3) Groundwater encountered at approximately 5 feet.
- (4) Refusal encountered at 9 feet. Hole was moved 2 feet north.
- (5) Installed 1" diameter PVC monitoring well 16 feet with 15 feet of slotted screen and 2 feet of solid riser pipe.

Disk Reference:



**Environmental Services, Inc.
Remedial Technologies Division**

1501 WASHINGTON STREET
BRAINTREE, MASSACHUSETTS 02185-9048
(781) 849-1800

Boring No: CHI-5

Page: 1 of 1

Project Name: MA Army National Guard

Project Location: 450 Concord Avenue - Cambridge, MA

CHES Job #: EN-202281

Inspector: K. Gilson

Contractor: Environmental Drilling, Inc.

Driller: S. LaMarche

Drilling Method: Geoprobe

Casing/Auger Size: 2"

Start Date: 3/29/00

Ground Elevation: NA

Finish Date: 3/29/00

Well Elevation: NA

Depth (feet)	SAMPLE				Field Screening ¹ (ppm)	Strata Change	FIELD CLASSIFICATION ²	Notes	Well Screen
	Type & No.	Sample Interval (feet)	pen rec (inches)	Blow Count (per 6 inches)					
2.5	S-1	0-4	48/36		2.3	FILL	Brown, medium to coarse SAND, some fine Gravel, dry, concrete, brick, glass and metal fragments. No odor.		
5	S-2	4-8	48/12		1.5	▼	Brown and grayish black, medium to coarse SAND, some fine Gravel, wet, concrete, brick, glass and metal fragments. No odor.	3	
10	S-3	8-12	48/8		69.2		Brown and black, medium to coarse SAND, some fine Gravel, wet, concrete, brick, glass, copper wire and metal fragments. Petroleum odor and sheen.		
12.5	S-4	12-16	48/24		10.3	CLAY	Gray, silty CLAY, wet. Slight odor.		
15									
Bottom of Boring at 16 feet									

SAMPLE TYPES	PERCENTAGE BY WEIGHT
SS - split spoon	and = 35-50%
ST - shelby tube	some = 20-35%
AF - auger flight	little = 10-20%
RC - rock core	trace = 1-10%
GRANULAR SOILS Blow Cts Density	COHESIVE SOILS Blow Cts Density
< 4 very loose	< 2 very soft
5 - 10 loose	2 - 4 soft
11 - 30 medium	4 - 8 medium stiff
31 - 50 dense	8 - 15 stiff
> 50 very dense	15 - 30 very stiff

NOTES:

- (1) Photoionization Detector { ppm = parts per million}
- (2) The Burmister System is used for field classification of soils.
- (3) Groundwater encountered at approximately 5 feet.
- (4) Installed 1" diameter PVC monitoring well 16 feet with 15 feet of slotted screen and 2 feet of solid riser pipe.

Disk Reference:



Environmental Services, Inc.
Remedial Technologies Division
 1501 WASHINGTON STREET
 BRAINTREE, MASSACHUSETTS 02185-9048
 (781) 849-1800

Boring No: CHI-6

Page: 1 of 1

Project Name: MA Army National Guard

Project Location: 450 Concord Avenue - Cambridge, MA

CHES Job #: EN-202281

Inspector: K. Gilson

Contractor: Environmental Drilling, Inc.

Driller: S. LaMarche

Drilling Method: Geoprobe

Casing/Auger Size: 2"

Start Date: 3/29/00

Ground Elevation: NA

Finish Date: 3/29/00

Well Elevation: NA

Depth (feet)	SAMPLE				Field Screening ¹ (ppm)	Strata Change	FIELD CLASSIFICATION ²	Notes	Well Screen
	Type & No.	Sample Interval (feet)	pen rec (inches)	Blow Count (per 6 inches)					
2.5	S-1	0-4	48/42		0.1	FILL	Brown and black, medium to coarse SAND, some fine Gravel, dry, concrete, brick, glass and metal fragments, some mottling. No odor.		
5	S-2	4-8	48/36		ND	▼	Brown and grayish black, medium to coarse SAND, some fine Gravel, wet, concrete, brick, glass and metal fragments. No odor.	3	
7.5									
10	S-3	8-12	48/24		1.3		Brown and black, medium to coarse SAND, some fine Gravel, wet, concrete, brick, glass, copper wire and metal fragments. No odor.		
12.5	S-4	12-16	48/24		10.8		Brown and black, medium to coarse SAND, some fine Gravel, wet, concrete, brick, glass, copper wire, wood and metal fragments. No odor.		
15									
							Bottom of Boring at 16 feet	4	

SAMPLE TYPES

- SS - split spoon
- ST - shelby tube
- AF - auger flight
- RC - rock core

PERCENTAGE BY WEIGHT

- and = 35-50%
- some = 20-35%
- little = 10-20%
- trace = 1-10%

GRANULAR SOILS

- | | |
|----------|------------|
| Blow Cts | Density |
| < 4 | very loose |
| 5 - 10 | loose |
| 11 - 30 | medium |
| 31 - 50 | dense |
| > 50 | very dense |

COHESIVE SOILS

- | | |
|----------|--------------|
| Blow Cts | Density |
| < 2 | very soft |
| 2 - 4 | soft |
| 4 - 8 | medium stiff |
| 8 - 15 | stiff |
| 15 - 30 | very stiff |

NOTES:

- (1) Photoionization Detector (ppm = parts per million)
- (2) The Burmister System is used for field classification of soils.
- (3) Groundwater encountered at approximately 5 feet.
- (4) Installed 1" diameter PVC monitoring well 16 feet with 15 feet of slotted screen and 1 foot of solid riser pipe.

Disk Reference:



**Environmental Services, Inc.
Remedial Technologies Division**

1501 WASHINGTON STREET
BRAINTREE, MASSACHUSETTS 02185-9048
(781) 849-1800

Boring No: CHI-7

Page: 1 of 1

Project Name: MA Army National Guard

Project Location: 450 Concord Avenue - Cambridge, MA

CHES Job #: EN-202281

Inspector: K. Gilson

Contractor: Environmental Drilling, Inc.

Driller: S. LaMarche

Drilling Method: Geoprobe

Casing/Auger Size: 2"

Start Date: 3/29/00

Ground Elevation: NA

Finish Date: 3/29/00

Well Elevation: NA

Depth (feet)	SAMPLE				Field Screening ¹ (ppm)	Strata Change	FIELD CLASSIFICATION ²	Notes	Well Screen
	Type & No.	Sample Interval (feet)	pen rec (inches)	Blow Count (per 6 inches)					
2.5	S-1	0-4	48/36		1.9	FILL	Brown, medium to coarse SAND, some fine Gravel, dry, concrete, brick, glass and metal fragments. No odor.		
5	S-2	4-8	48/12		3.2	▼	Brown, medium to coarse SAND, some fine Gravel, wet, concrete, brick, glass and metal fragments. Petroleum odor and sheen.	3	
7.5									
10	S-3	8-10	24/18		2.9		Brown and black, medium to coarse SAND, some fine Gravel, wet, concrete, brick, glass, copper wire and metal fragments. Heavy petroleum odor and sheen.		
10	S-4	10-12	24/18		1.2	SILT/SAND	Gray, silty fine SAND, wet. Heavy petroleum odor.		
12.5									
15									
							Bottom of Boring at 12 feet	4	

SAMPLE TYPES		PERCENTAGE BY WEIGHT	
SS - split spoon		and =	35-50%
ST - shelby tube		some =	20-35%
AF - auger flight		little =	10-20%
RC - rock core		trace =	1-10%
GRANULAR SOILS		COHESIVE SOILS	
Blow Cts	Density	Blow Cts	Density
< 4	very loose	< 2	very soft
5 - 10	loose	2 - 4	soft
11 - 30	medium	4 - 8	medium stiff
31 - 50	dense	8 - 15	stiff
> 50	very dense	15 - 30	very stiff

NOTES:

- (1) Photoionization Detector { ppm = parts per million}
- (2) The Burmister System is used for field classification of soils.
- (3) Groundwater encountered at approximately 5 feet.
- (4) Installed 1" diameter PVC monitoring well 16 feet with 15 feet of slotted screen. Due to potential blow-in of hole, no bottom sample was obtained.

Disk Reference:



**Environmental Services, Inc.
Remedial Technologies Division**

392 LIBBEY INDUSTRIAL PARKWAY
WEYMOUTH, MASSACHUSETTS 02189
(781) 849-1800

Boring No: CHI-8

Page: 1 of 1

Project Name: MA Army National Guard

Project Location: 450 Concord Avenue, Cambridge, MA

CHES Job #: EN202281

Inspector: J. McCreery

Contractor: Environmental Drilling, Inc.

Driller: S. Preston

Drilling Method: Hollow-Stem Auger

Casing/Auger Size: 4 1/4-inch

Start Date: 2/27/01

Ground Elevation: NA

Finish Date: 2/27/01

Well Elevation: NA

Depth (feet)	SAMPLE				Field Screening ¹ (ppm)	Strata Change	FIELD CLASSIFICATION ²	Notes	Well Screen
	Type & No.	Sample Interval (feet)	pen rec (inches)	Blow Count (per 6 inches)					
0	S-1	1-3	24/8	17-17-10-15	0.0	FILL	Dry, olive fine SAND with some silt. 1/4-inch lamination of black cindery material. Fractured cobble in core tip. No odor.		
5	S-2	5-7	24/10	4-6-4-4	0.6		Wet, olive fine SAND with some silt, over black organic SILT and coarse SAND. Includes glass, fibrous wood. No odor.		
10	S-3	10-12	24/9	14-17-8-8	1.9	CLAY	Moist, greenish gray CLAY. No odor.		
15	S-4	15-17	24/24	5-5-5-5	0.0		Moist, greenish gray CLAY. No odor.		
20							Bottom of boring at 17.0 feet		

SAMPLE TYPES	PERCENTAGE BY WEIGHT
SS - split spoon	and = 35-50%
ST - shelly tube	some = 20-35%
AF - auger flight	little = 10-20%
RC - rock core	trace = 1-10%
GRANULAR SOILS	COHESIVE SOILS
Blow Cts Density	Blow Cts Density
< 4 very loose	< 2 very soft
5 - 10 loose	2 - 4 soft
11 - 30 medium	4 - 8 medium stiff
31 - 50 dense	8 - 15 stiff
> 50 very dense	15 - 30 very stiff

NOTES:

(1) Photovac 2020 photoionization detector used
{ ppm = parts per million}

(2) The Burmister System is used for field classification of soils.

Disk Reference:



**Environmental Services, Inc.
Remedial Technologies Division**

392 LIBBEY INDUSTRIAL PARKWAY
WEYMOUTH, MASSACHUSETTS 02189
(781) 849-1800

Boring No: CHI-10

Page: 1 of 1

Project Name: MA Army National Guard

Project Location: 450 Concord Avenue, Cambridge, MA

CHES Job #: EN202281

Inspector: J. McCreery

Contractor: Environmental Drilling, Inc.

Driller: S. Preston

Drilling Method: Hollow-Stem Auger

Casing/Auger Size: 4 1/4-inch

Start Date: 2/27/01

Ground Elevation: NA

Finish Date: 2/27/01

Well Elevation: NA

Depth (feet)	SAMPLE				Field Screening ¹ (ppm)	Strata Change	FIELD CLASSIFICATION ²	Notes	Well Screen
	Type & No.	Sample Interval (feet)	pen rec (inches)	Blow Count (per 6 inches)					
0	S-1	1-3	24/6	6-7-10-12	0.0		Moist, olive fine SAND and fine GRAVEL with some silt; over powdered brick material. Piece of brick in core tip. No odor.		
5	S-2	5-7	24/6	17-12-12-11	4.7	FILL	Wet, olive medium to coarse SAND and SILT; over 2" of wood fiber. Wood in core tip. No odor.		
	S-3	8-10	24/0	10-5-7-11	---		No recovery.		
10	S-4	10-12	24/3	12-11-9-11	0.0		Wet, black organic SILT and coarse SAND, with some fine roots. No odor.		
15	S-5	15-17	24/24	6-4-5-5	0.0	CLAY	2" wet, black organic SILT and coarse SAND, with some fine roots, over moist, greenish gray CLAY. No odor.		
							Bottom of boring at 17.0 feet		3

SAMPLE TYPES	PERCENTAGE BY WEIGHT
SS - split spoon	and = 35-50%
ST - shelby tube	some = 20-35%
AF - auger flight	little = 10-20%
RC - rock core	trace = 1-10%
GRANULAR SOILS	COHESIVE SOILS
Blow Cts Density	Blow Cts Density
< 4 very loose	< 2 very soft
5 - 10 loose	2 - 4 soft
11 - 30 medium	4 - 8 medium stiff
31 - 50 dense	8 - 15 stiff
> 50 very dense	15 - 30 very stiff

NOTES:
 (1) Photovac 2020 photoionization detector used { ppm = parts per million}
 (2) The Burmister System is used for field classification of soils.
 (3) Fine strands of wire on auger teeth (assumed from landfill).

Disk Reference:



**Environmental Services, Inc.
Remedial Technologies Division**

392 LIBBEY INDUSTRIAL PARKWAY
WEYMOUTH, MASSACHUSETTS 02189
(781) 849-1800

Boring No: CHI-11

Page: 1 of 1

Project Name: MA Army National Guard

Project Location: 450 Concord Avenue, Cambridge, MA

CHES Job #: EN202281

Inspector: J. McCreery

Contractor: Environmental Drilling, Inc.

Driller: S. Preston

Drilling Method: Hollow-Stem Auger

Casing/Auger Size: 4 1/4-inch

Start Date: 2/27/01

Ground Elevation: NA

Finish Date: 2/27/01

Well Elevation: NA

Depth (feet)	SAMPLE				Field Screening ¹ (ppm)	Strata Change	FIELD CLASSIFICATION ²	Notes	Well Screen
	Type & No.	Sample Interval (feet)	pen rec (inches)	Blow Count (per 6 inches)					
0									
	AF-1	2-3			14.7		Dry, light olive medium to coarse SAND with trace silt. No odor.		
5									
	S-1	5-7	24/8	27-16-8-8	61.8	▼	Dry, light brown medium to coarse SAND with trace silt. Slight petroleum odor.		
	S-2	8-10	24/2	19-11-15-8	0.0	FILL	Wet, olive medium to coarse SAND with some silt and rock fragments. No odor.		
10									
	S-3	10-12	16/0	19-25-72 (4")	4.5		Wet, black medium to coarse SAND with some silt and wood fragments. Slight petroleum odor and sheen on sample.		
15									
	S-4	15-17	24/12	17-7-5-6	6.3		Wet, black medium to coarse SAND with some silt, wood and glass. No odor.		
20									
	S-5	20-22	24/24	5-6-4-7	0.0	CLAY	Moist, greenish gray CLAY. No odor.		
							Bottom of boring at 22.0 feet		

SAMPLE TYPES	PERCENTAGE BY WEIGHT
SS - split spoon	and = 35-50%
ST - shelby tube	some = 20-35%
AF - auger flight	little = 10-20%
RC - rock core	trace = 1-10%
GRANULAR SOILS	COHESIVE SOILS
Blow Cts Density	Blow Cts Density
< 4 very loose	< 2 very soft
5 - 10 loose	2 - 4 soft
11 - 30 medium	4 - 8 medium stiff
31 - 50 dense	8 - 15 stiff
> 50 very dense	15 - 30 very stiff

NOTES:

(1) Photovac 2020 photoionization detector used
{ ppm = parts per million}

(2) The Burmister System is used for field classification of soils.

Disk Reference:



Clean Harbors
Environmental Services, Inc.
Remedial Technologies Division

392 LIBBEY INDUSTRIAL PARKWAY
 WEYMOUTH, MASSACHUSETTS 02189
 (781) 849-1800

Boring No: CHI-12

Page: 1 of 1

Project Name: MA Army National Guard

Project Location: 450 Concord Avenue, Cambridge, MA

CHES Job #: EN202281

Inspector: J. McCreery

Contractor: Environmental Drilling, Inc.

Driller: S. Preston

Drilling Method: Hollow-Stem Auger

Casing/Auger Size: 4 1/4-inch

Start Date: 2/28/01

Ground Elevation: NA

Finish Date: 2/28/01

Well Elevation: NA

Depth (feet)	SAMPLE				Field Screening ¹ (ppm)	Strata Change	FIELD CLASSIFICATION ²	Notes	Well Screen
	Type & No.	Sample Interval (feet)	pen rec (inches)	Blow Count (per 6 inches)					
0									
	AF-1	2-3			3.6		Dry, olive medium to coarse SAND with some silt and fine gravel. No odor.		
5	S-1	5-7	24/8	3-6-4-16	4.0	FILL	Moist, olive medium to coarse SAND with some silt and fine gravel, over black organic silt with white platey ash and glass fragments. No odor.		
	S-2	8-10	24/11	3-3-7-10	4.8		Wet, black organic SILT with white platey ash and wood fiber; over olive fine to medium SAND with some silt. Slight petroleum odor.		
10	S-3	10-12	24/13	7-10-9-10	0.0	CLAY	Moist, greenish gray CLAY with few sand laminations and iron staining. No odor.		
15	S-4	15-17	24/24	6-9-8-10	0.0		Moist, greenish gray CLAY with black mottles. No odor.		
20							Bottom of boring at 17.0 feet		

SAMPLE TYPES		PERCENTAGE BY WEIGHT	
SS - split spoon		and = 35-50%	
ST - shelby tube		some = 20-35%	
AF - auger flight		little = 10-20%	
RC - rock core		trace = 1-10%	
GRANULAR SOILS		COHESIVE SOILS	
Blow Cts	Density	Blow Cts	Density
< 4	very loose	< 2	very soft
5 - 10	loose	2 - 4	soft
11 - 30	medium	4 - 8	medium stiff
31 - 50	dense	8 - 15	stiff
> 50	very dense	15 - 30	very stiff

NOTES:

- (1) Photovac 2020 photoionization detector used { ppm = parts per million}
- (2) The Burmister System is used for field classification of soils.

Disk Reference:



**Environmental Services, Inc.
Remedial Technologies Division**

392 LIBBEY INDUSTRIAL PARKWAY
WEYMOUTH, MASSACHUSETTS 02189
(781) 849-1800

Boring No: B-13

Page: 1 of 1

Project Name: MA Army National Guard

Project Location: 450 Concord Avenue, Cambridge, MA

CHES Job #: EN202281

Inspector: J. McCreery

Contractor: Environmental Drilling, Inc.

Driller: S. Preston

Drilling Method: Hollow-Stem Auger

Casing/Auger Size: 4 1/4-inch

Start Date: 2/28/01

Ground Elevation: NA

Finish Date: 2/28/01

Well Elevation: NA

Depth (feet)	SAMPLE				Field Screening ¹ (ppm)	Strata Change	FIELD CLASSIFICATION ²	Notes	Well Screen
	Type & No.	Sample Interval (feet)	pen rec (inches)	Blow Count (per 6 inches)					
0									
	AF-1	2-3			0.4		Dry, olive, medium to coarse SAND with trace silt. No odor.		
5						▼ =			
	S-1	5-7	24/1	2-1-2-3	0.0	FILL	Rock fragments with some olive silt. No odor.		
10									
	S-2	10-12	24/5	3-2-2-2	0.0		Wet, olive fine SAND and SILT with white platey ash, over rock fragments. No odor.		
15									
	S-3	15-17	24/7	2-2-2-3	0.0		Wet, olive SILT and white platey ash. Slight petroleum odor.		
20									
	S-4	20-22	24/13	11-12-9-7	0.0	CLAY	Moist, greenish gray CLAY. No odor.		
							Bottom of boring at 22.0 feet		

SAMPLE TYPES

SS - split spoon
ST - shelby tube
AF - auger flight
RC - rock core

PERCENTAGE BY WEIGHT

and = 35-50%
some = 20-35%
little = 10-20%
trace = 1-10%

GRANULAR SOILS
Blow Cts Density

< 4 very loose
5 - 10 loose
11 - 30 medium
31 - 50 dense
> 50 very dense

COHESIVE SOILS
Blow Cts Density

< 2 very soft
2 - 4 soft
4 - 8 medium stiff
8 - 15 stiff
15 - 30 very stiff

NOTES:

- (1) Photovac 2020 photoionization detector used
{ ppm = parts per million}
- (2) The Burmister System is used for field classification of soils

Disk Reference:



Environmental Services, Inc.
Remedial Technologies Division
 392 LIBBEY INDUSTRIAL PARKWAY
 WEYMOUTH, MASSACHUSETTS 02189
 (781) 849-1800

Boring No: B-14

Page: 1 of 1

Project Name: MA Army National Guard	
Project Location: 450 Concord Avenue, Cambridge, MA	
CHES Job #: EN202281	Inspector: J. McCreery
Contractor: Environmental Drilling, Inc.	Driller: S. Preston
Drilling Method: Hollow-Stem Auger	Casing/Auger Size: 4 1/4-inch
Start Date: 2/28/01	Ground Elevation: NA
Finish Date: 2/28/01	Well Elevation: NA

Depth (feet)	SAMPLE				Field Screening ¹ (ppm)	Strata Change	FIELD CLASSIFICATION ²	Notes	Well Screen
	Type & No.	Sample Interval (feet)	pen rec (inches)	Blow Count (per 6 inches)					
0									
	S-1	4-6	24/4	3-2-2-15	0.0	▼ =	Wet, olive medium to coarse SAND with some silt and fine gravel with few roots. No odor.		
5						FILL	Wet, black fine SAND and white platy ash. No odor.		
	S-2	6-8	24/1	3-3-8-5	2.0				
10							Bottom of boring at 8.0 feet		
15									
20									

SAMPLE TYPES	PERCENTAGE BY WEIGHT	NOTES: (1) Photovac 2020 photoionization detector used { ppm = parts per million} (2) The Burmister System is used for field classification of soils.
SS - split spoon ST - shelby tube AF - auger flight RC - rock core	and = 35-50% some = 20-35% little = 10-20% trace = 1-10%	
GRANULAR SOILS Blow Cts Density	COHESIVE SOILS Blow Cts Density	
< 4 very loose 5 - 10 loose 11 - 30 medium 31 - 50 dense > 50 very dense	< 2 very soft 2 - 4 soft 4 - 8 medium stiff 8 - 15 stiff 15 - 30 very stiff	

Disk Reference:



**Environmental Services, Inc.
Remedial Technologies Division**

392 LIBBEY INDUSTRIAL PARKWAY
WEYMOUTH, MASSACHUSETTS 02189
(781) 849-1800

Boring No: B-15

Page: 1 of 1

Project Name: MA Army National Guard

Project Location: 450 Concord Avenue, Cambridge, MA

CHES Job #: EN202281

Inspector: J. McCreery

Contractor: Environmental Drilling, Inc.

Driller: S. Preston

Drilling Method: Hollow-Stem Auger

Casing/Auger Size: 4 1/4-inch

Start Date: 2/28/01

Ground Elevation: NA

Finish Date: 2/28/01

Well Elevation: NA

Depth (feet)	SAMPLE				Field Screening ¹ (ppm)	Strata Change	FIELD CLASSIFICATION ²	Notes	Well Screen
	Type & No.	Sample Interval (feet)	pen rec (inches)	Blow Count (per 6 inches)					
0									
	AF-1	2-3			2.7		Dry, olive medium to coarse SAND and rock fragments. No odor.		
5	S-1	4-6	24/1	5-4-3-3					
	S-2	6-8	24/1	2-1-2-4	21.1	FILL	Wet, black medium to coarse SAND and rock fragments. Slight sheen and slight petroleum odor at 6-8 feet.		
10							Bottom of boring at 8.0 feet		
15									
20									

SAMPLE TYPES	PERCENTAGE BY WEIGHT	NOTES: (1) Photovac 2020 photoionization detector used { ppm = parts per million} (2) The Burmister System is used for field classification of soils.
SS - split spoon	and = 35-50%	
ST - shelby tube	some = 20-35%	
AF - auger flight	little = 10-20%	
RC - rock core	trace = 1-10%	
GRANULAR SOILS	COHESIVE SOILS	
Blow Cts Density	Blow Cts Density	
< 4 very loose	< 2 very soft	
5 - 10 loose	2 - 4 soft	
11 - 30 medium	4 - 8 medium stiff	
31 - 50 dense	8 - 15 stiff	
> 50 very dense	15 - 30 very stiff	

Disk Reference:



**Environmental Services, Inc.
Remedial Technologies Division**

392 LIBBEY INDUSTRIAL PARKWAY
WEYMOUTH, MASSACHUSETTS 02189
(781) 849-1800

Boring No: B-16

Page: 1 of 1

Project Name: MA Army National Guard

Project Location: 450 Concord Avenue, Cambridge, MA

CHES Job #: EN202281

Inspector: J. McCreery

Contractor: Environmental Drilling, Inc.

Driller: S. Preston

Drilling Method: Hollow-Stem Auger

Casing/Auger Size: 4 1/4-inch

Start Date: 2/28/01

Ground Elevation: NA

Finish Date: 2/28/01

Well Elevation: NA

Depth (feet)	SAMPLE				Field Screening ¹ (ppm)	Strata Change	FIELD CLASSIFICATION ²	Notes	Well Screen
	Type & No.	Sample Interval (feet)	pen rec (inches)	Blow Count (per 6 inches)					
0									
	AF-1	2-3			0.0		Dry, olive medium to coarse SAND with some silt, fine gravel and cinder material. No odor.		
5									
	S-1	5-7	24/7	7-7-10-30	0.1		Wet, 2" olive yellow medium to coarse SAND with some silt; over black organic SILT and coarse SAND with cobble and metal fragment. Slight petroleum odor.		
10									
	S-2	10-12	24/8	10-19-14-9	0.0	FILL	Wet, 6" coarse SAND and white platey ash; over coarse SAND and fine GRAVEL with wood branch and roots. Slight petroleum odor.		
15									
	S-3	15-17	24/9	8-5-5-4	0.0		Wet, gray SILT with some fine gravel and white platey ash, wood fiber, porcelain fragment and cinder material. No odor.		
20									
	S-4	20-22	24/10	7-7-7-7	0.0	CLAY	Wet, 3" gray platey ash with pieces of coal; over greenish gray CLAY. No odor.		
							Bottom of boring at 22.0 feet		

SAMPLE TYPES	PERCENTAGE BY WEIGHT
SS - split spoon	and = 35-50%
ST - shelby tube	some = 20-35%
AF - auger flight	little = 10-20%
RC - rock core	trace = 1-10%
GRANULAR SOILS	COHESIVE SOILS
Blow Cts Density	Blow Cts Density
< 4 very loose	< 2 very soft
5 - 10 loose	2 - 4 soft
11 - 30 medium	4 - 8 medium stiff
31 - 50 dense	8 - 15 stiff
> 50 very dense	15 - 30 very stiff

NOTES:
 (1) Photovac 2020 photoionization detector used { ppm = parts per million }
 (2) The Burmister System is used for field classification of soils.

Disk Reference:



**Environmental Services, Inc.
Remedial Technologies Division**

392 LIBBEY INDUSTRIAL PARKWAY
WEYMOUTH, MASSACHUSETTS 02189
(781) 849-1800

Boring No: B-17

Page: 1 of 1

Project Name: MA Army National Guard

Project Location: 450 Concord Avenue, Cambridge, MA

CHES Job #: EN202281

Inspector: J. McCreery

Contractor: Environmental Drilling, Inc.

Driller: S. Preston

Drilling Method: Hollow-Stem Auger

Casing/Auger Size: 4 1/4-inch

Start Date: 2/28/01

Ground Elevation: NA

Finish Date: 2/28/01

Well Elevation: NA

Depth (feet)	SAMPLE				Field Screening ¹ (ppm)	Strata Change	FIELD CLASSIFICATION ²	Notes	Well Screen
	Type & No.	Sample Interval (feet)	pen rec (inches)	Blow Count (per 6 inches)					
0									
	AF-1	2-3			2.4		Dry, olive gray medium to fine SAND with some silt. Moderate petroleum odor.		
5						▼			
	S-1	5-7	24/6	12-4-3-3	1.1		Wet, olive gray medium to coarse SAND with some silt and cinder. No odor.		
10						FILL			
	S-2	10-12	24/1	3-2-2-4	0.0		Wet, olive gray medium to coarse SAND and rock fragments. No odor.		
15									
	S-3	15-17	24/9	38-19-5-5	4.2		Wet, fine to medium SAND and gray platy ash with glass and metal fragments and roots. No odor.		
20									
	S-4	20-22	24/16	4-4-5-10	13.3	CLAY	Wet, 1" fine to medium SAND and gray platy ash with metal, coal and rubber fragments; over moist, greenish gray CLAY. No odor.		
							Bottom of boring at 22.0 feet		

SAMPLE TYPES

SS - split spoon
ST - shelby tube
AF - auger flight
RC - rock core

PERCENTAGE BY WEIGHT

and = 35-50%
some = 20-35%
little = 10-20%
trace = 1-10%

GRANULAR SOILS
Blow Cts Density

< 4 very loose
5 - 10 loose
11 - 30 medium
31 - 50 dense
> 50 very dense

COHESIVE SOILS
Blow Cts Density

< 2 very soft
2 - 4 soft
4 - 8 medium stiff
8 - 15 stiff
15 - 30 very stiff

NOTES:

- (1) Photovac 2020 photolonization detector used
{ ppm = parts per million}
- (2) The Burmister System is used for field classification of soils.

Disk Reference:



Clean Harbors
Environmental Services, Inc.
Remedial Technologies Division

392 LIBBEY INDUSTRIAL PARKWAY
 WEYMOUTH, MASSACHUSETTS 02189
 (781) 849-1800

Boring No: B-18

Page: 1 of 1

Project Name: MA Army National Guard

Project Location: 450 Concord Avenue, Cambridge, MA

CHES Job #: EN202281

Inspector: J. McCreery

Contractor: Environmental Drilling, Inc.

Driller: S. Preston

Drilling Method: Hollow-Stem Auger

Casing/Auger Size: 4 1/4-inch

Start Date: 2/28/01

Ground Elevation: NA

Finish Date: 2/28/01

Well Elevation: NA

Depth (feet)	SAMPLE				Field Screening ¹ (ppm)	Strata Change	FIELD CLASSIFICATION ²	Notes	Well Screen
	Type & No.	Sample Interval (feet)	pen rec (inches)	Blow Count (per 6 inches)					
0									
5	S-1	4-6	14/2	7-3-44(2")	0.0	▼	Wet, gray medium to coarse SAND with brick and rock fragments. No odor.		
	S-2	6-8	8/2	5-70(2")	0.0		Wet, gray medium to coarse SAND with brick and rock fragments. No odor.		
	S-3	7-9	24/3	6-2-2-2	0.1		Wet, gray medium to coarse SAND with coal fragments. White flakey ash, and piece of burned coal (source of white flakey ash). No odor.		
10						FILL			
	S-4	12-14	24/5	2-3-3-3	0.0		Wet, olive SILT with white flakey ash, brick and glass fragments. No odor.		
15	S-5	14-16	24/6	3-3-8-9	0.0		Wet, olive SILT with white flakey ash, brick and glass fragments. No odor.		
							Bottom of boring at 16.0 feet		
20									

SAMPLE TYPES	PERCENTAGE BY WEIGHT
SS - split spoon	and = 35-50%
ST - shelby tube	some = 20-35%
AF - auger flight	little = 10-20%
RC - rock core	trace = 1-10%
GRANULAR SOILS	COHESIVE SOILS
Blow Cts Density	Blow Cts Density
< 4 very loose	< 2 very soft
5 - 10 loose	2 - 4 soft
11 - 30 medium	4 - 8 medium stiff
31 - 50 dense	8 - 15 stiff
> 50 very dense	15 - 30 very stiff

NOTES:

(1) Photovac 2020 photoionization detector used
 { ppm = parts per million }

(2) The Burmister System is used for field classification of soils.




FIGURE 2-1
SITE MAP WITH SAMPLE LOCATIONS

TOBIN ELEMENTARY SCHOOL

CITY OF CAMBRIDGE

ATTACHMENT C
PHASE 1 - TEST BORING LOGS



Boring Number: CDM-1

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / P. Schofield
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NX
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 8/4/2017 **End:** 8/8/2017
General Remarks:

Surface Elevation (ft.): 21.5
Total Depth (ft.): 83
Depth to Initial Water Level (ft):

Depth	Date	Time
7.7	8/8/2017	1245

Abandonment Method: Backfilled with cement grout
Logged By: D. Abt

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
21.5				3						4" Topsoil	
0	SS	S-1	24	5 4 5	7	9	0.0		Topsoil	Dry, loose, brown, fine to coarse SAND, trace fine gravel, trace silt	
	SS	S-2	24	5 9 27 20	10	36	0.0		Granular Fill	Dry, dense, brown to light brown, fine to coarse SAND, some fine to coarse gravel, trace silt	
16.5	SS	S-3	24	20 35 31 22	14	66	0.2		Granular Fill	Dry, very dense, brown, fine to coarse SAND, some fine to coarse gravel, some silt	FeO staining.
5	SS	S-4	24	94 72 22 9	15	94	0.4		Granular Fill	Top 6": Moist, white to brown, fine to coarse GRAVEL and fine to coarse SAND, trace silt Bot. 9": Dry, very dense, brown, fine to coarse SAND and fine to coarse GRAVEL, trace silt	
	SS	S-5	24	17 67 19 15	14	86	5.2		Waste Fill	Top 3": BRICK Bot. 11": Wet, brown, fine to coarse SAND, some fine to coarse gravel, little silt	Analytical Sample taken from 8-10 ft bgs.
11.5	SS	S-6	24	26 18 9 6	5	27	2.4		Waste Fill	Wet, medium dense, dark brown, fine to coarse GRAVEL and fine to coarse SAND, little silt, trace brick	
10	SS	S-7	24	21 13 4 2 2	12	17	0.9		Waste Fill	Wet, medium dense, dark brown, fine to coarse SAND and fine to coarse GRAVEL, little silt	
6.5	SS	S-8	24	9 3 2 2	1	5	0.5		Waste Fill	No Soil Recovery. Trace amount of brick in spoon.	
15	SS	S-9	24	5 2 3 5 5	0	5	0.3		Waste Fill	No Recovery	
	SS	S-10	24	4 59 13 3	8	72	1.3		Waste Fill	Wet, very dense, brown to black, fine to coarse SAND and fine to coarse GRAVEL, little silt, trace brick	
1.5											

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18

Sample Types		Consistency vs Blowcount/Foot		Burmister Classification	
AS - Auger/Grab Sample	HP - Hydro Punch	Granular (Sand):		Fine Grained (Clay):	
CS - California Sampler	SS - Split Spoon	V. Loose: 0-4	Dense: 30-50	V. Soft: <2	Stiff: 8-15
BQ - 1.5" Rock Core	ST - Shelby Tube	Loose: 4-10	V. Dense: >50	Soft: 2-4	V. Stiff: 15-30
NX - 2" Rock Core	WS - Wash Sample	M. Dense: 10-30		M. Stiff: 4-8	Hard: >30
	GP - Geoprobe				and some 35-50%
					little 20-35%
					trace 10-20%
					<10% moisture, density, color

Reviewed by: V. Chan

Date: 10/30/2017

Boring Number: CDM-1



Boring Number: CDM-1

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
1.5 20	SS	S-11	24	5 2 3 6	4	5	0.5	Waste Fill	Waste Fill	Wet, loose, brown to black, fine to coarse SAND and fine to coarse GRAVEL, some silt, trace glass	Sample S-12 organic vapor reading from trace amount of drill wash in spoon tip. Analytical Sample taken from 24-28 ft bgs.
	SS	S-12	24	5 8 4 2	0	12	0.9			No Recovery	
-3.5 25	SS	S-13	24	6 6 4 3	5	10	4.7			Wet, medium dense, brown to black, fine to coarse SAND, some fine to coarse gravel, little silt, trace coal and wood	
	SS	S-14	24	3 3 2 2	4	5	4.5			Wet, loose, brown, fine to coarse SAND, some fine gravel, little silt, trace wood and ash	
	SS	S-15	24	14 10 8 8	0	18	0.0			No Recovery	
-8.5 30	SS	S-16	24	9 3 3 4	8	6	0.9	Clay & Silt	Clay & Silt	Top 5": Wet, loose, brown to gray, fine to coarse GRAVEL and fine to coarse SAND, some silt	
	SS	S-17	24	4 7 10 10	21	17	0.2			Bot. 3": Moist, medium stiff, greenish gray, CLAY & SILT, trace fine sand Moist, very stiff, greenish gray, CLAY & SILT, trace fine sand	
-13.5 35	SS	S-18	24	6 7 11 13	5	18	0.1			Moist, very stiff, greenish gray, CLAY & SILT, trace fine sand	
-18.5 40	SS	S-19	24	4 6 6 6	18	12	0.1			Moist, stiff, greenish gray, CLAY & SILT, trace fine sand	
-23.5 45	SS	S-20	24	2 4 6 7	18	10	0.0		Moist, stiff, greenish gray, CLAY & SILT, trace fine sand		
	ST	ST-1	24	P U	24	PUSH	--			Moist, stiff, greenish gray, CLAY & SILT	

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18

Boring Number: CDM-1

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
	ST	ST-1	24	S H	24	PUSH	--				
-28.5 50	SS	S-21	24	2 WOH 1 4	24	1	0.0		Clay & Silt	Moist, very soft, greenish gray, CLAY & SILT, trace fine sand	
-33.5 55	SS	S-22	24	3 3 4 5	24	7	0.0			Moist, medium stiff, greenish gray, CLAY & SILT, trace fine sand	
-38.5 60	SS	S-23	24	WOR WOR WOH WOH	24	0	0.0			Moist, very soft, greenish gray, CLAY & SILT, trace fine sand	
-43.5 65	SS	S-24	24	16 25 29 26	20	54	0.0		Glacial Till	Moist, very dense, gray, fine SAND, some silt	
-48.5 70	SS	S-25	24	14 17 19 37	9	36	0.0			Moist, dense, gray, fine to coarse SAND and Clayey SILT, little fine gravel	Gravel inclusions resemble broken Argillite.

BL TOBIN SCHOOL 11102017.GPJ -3/29/18



Boring Number: CDM-1

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
-53.5 75	SS	S-26	8	100 100/2"	4	>100	0.0			Moist, very dense, gray, fine to coarse SAND and SILT, some fine to coarse gravel	Gravel inclusions resemble broken Argillite.
-58.5 80	NX	C-1	60		28	-	-		Bedrock	Conducted rock coring from 78 ft to 83 ft bgs. See rock core log for description.	
-63.5 85											
-68.5 90											
-73.5 95											
-78.5 100											
										Boring terminated at 83 ft bgs.	

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-2

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / P. Schofield
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NX
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.

Surface Elevation (ft.): 22.2
Total Depth (ft.): 62.5
Depth to Initial Water Level (ft):

Depth	Date	Time
5.3	8/4/2017	0800

Abandonment Method: Backfilled with cement grout
Logged By: E. Benson

Bore Hole Location: See boring location plan
Drilling Date: Start: 8/1/2017 **End:** 8/4/2017
General Remarks:

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
22.2				5					Topsoil	3" Topsoil	Analytical Sample taken from 0-4 ft bgs.
0	SS	S-1	24	6 8 9	8	14	0.0		Topsoil	Dry, medium dense, brown, fine to coarse SAND, some silt, little fine gravel	
	SS	S-2	24	4 7 9 12	3	16	0.9		Granular Fill	Dry, medium dense, brown, fine to coarse SAND, some silt, little fine to coarse gravel	
17.2	SS	S-3	24	13 8 9 14	5	17	0.0		Granular Fill	Top 3": Moist, dark brown, fine to coarse SAND, some silt, some fine gravel, trace brick Bot 12": Moist, light brown to olive gray, CLAY & SILT, some fine sand	
	SS	S-4	24	9 8 4 5	19	12	0.0		Organic Soils	Top 15": Moist, light brown to olive gray, fine to coarse SAND, some clayey silt, little fine gravel, little brick Mid 1": Moist, black, Organic fine SAND and SILT	
12.2	SS	S-5	24	6 6 9	6	9	0.0		Organic Soils	Bot. 3": Moist, greenish gray, SILT & CLAY, little fine sand	
10	SS	S-6	24	10 21 25 28	24	46	0.4		Clay & Silt	Top 3": Moist, black, Organic fine SAND and SILT Bot. 3": Moist, greenish gray, fine SAND and SILT	
	SS	S-7	24	8 14 18 25	24	32	0.0		Clay & Silt	Moist, hard, light brown to olive gray, SILT & CLAY, trace fine sand Moist, hard, greenish gray, SILT & CLAY, trace fine sand	
7.2	SS	S-8	24	7 13 18 16	20	31	0.0		Clay & Silt	Moist, hard, greenish gray, Silty CLAY, trace fine sand	
15	SS	S-9	24	3 7 12 13	24	19	0.0		Clay & Silt	Moist, very stiff, greenish gray, CLAY & SILT, trace fine sand	
	SS	S-10	24	4 6 7 8	24	13	0.0		Clay & Silt	Moist, stiff, greenish gray, CLAY & SILT, trace fine sand	
2.2											

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18

Sample Types	Consistency vs Blowcount/Foot	Burmister Classification
AS - Auger/Grab Sample CS - California Sampler BQ - 1.5" Rock Core NX - 2" Rock Core HP - Hydro Punch SS - Split Spoon ST - Shelby Tube WS - Wash Sample GP - Geoprobe	Granular (Sand): V. Loose: 0-4 Loose: 4-10 M. Dense: 10-30 Dense: 30-50 V. Dense: >50	Fine Grained (Clay): V. Soft: <2 Soft: 2-4 M. Stiff: 4-8 Stiff: 8-15 V. Stiff: 15-30 Hard: >30 and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%

Reviewed by: V. Chan

Date: 10/30/2017

Boring Number: CDM-2

Boring Number: CDM-2

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
2.2 20	SS	S-11	24	3 5 4 6	24	9	0.0		Clay & Silt	Moist, stiff, greenish gray, SILT & CLAY, little fine sand	
	SS	S-12	24	2 2 4 4	24	6	0.0			Moist, medium stiff, greenish gray, CLAY & SILT, trace fine sand	
-2.8 25	SS	S-13	24	1 3 5 8	24	8	0.0			Moist, stiff, greenish gray, CLAY & SILT	
-7.8 30	SS	S-14	24	4 5 7 9	24	12	0.0			Moist, stiff, greenish gray, SILT & CLAY, little fine sand	
-12.8 35	SS	S-15	24	4 7 18 11	24	25	0.0			Moist, very stiff, greenish gray, CLAY & SILT, little fine sand	
-17.8 40	SS	S-16	24	3 6 6 9	24	12	0.0			Moist, stiff, greenish gray, CLAY & SILT, trace fine sand	
	ST	ST-1	24	P U S H	20	PUSH	--			Moist, very stiff, greenish gray, Silty CLAY	Shelby tube pushed easily until refusal at 20 in.
-22.8 45	SS	S-17	24	3 5 5 8	24	10	0.0	Moist, stiff, greenish gray, SILT & CLAY, trace fine sand			

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18

Boring Number: CDM-2

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
-27.8 50	SS	S-18	24	10 15 46 32	12	61	0.0		Glacial Till	Moist, very dense, gray, fine to coarse GRAVEL, some fine to coarse sand, some clayey silt	
-32.8 55	SS	S-19	11	81 100/5"	7	>100	0.0			Moist, very dense, gray, fine to coarse SAND and Clayey SILT, some fine to coarse gravel	Rig chatter at 55 ft bgs.
	NX	C-1	18		18	--	--		Bedrock	Conducted rock coring from 57 ft to 62.5 ft bgs. See rock core log for description.	
-37.8 60	NX	C-2	30		20	--	--				
	NX	C-3	12		12	--	--				
-42.8 65											
-47.8 70											
										Boring terminated at 62.5 ft bgs.	

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-3

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / O. Cone
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 7/27/2017 **End:** 7/27/2017
General Remarks: Two monitoring wells installed adjacent to borehole.

Surface Elevation (ft.): 20.7
Total Depth (ft.): 55
Depth to Initial Water Level (ft):
Depth Date Time
Not Recorded
Abandonment Method: Backfilled with cement grout
Logged By: N. Castonguay

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
20.7 0	SS	S-1	24	6 10 15 30	18	25	1.7		G.F Topsoil	Top 9": Dry to moist, light brown, fine SAND and SILT, trace fine gravel Bot. 9": Moist, light brown to yellow to orange, fine to coarse SAND	
	SS	S-2	24	12 16 20 16	12	36	2.2		Waste Fill	Dry, dense, dark brown, fine SAND and SILT, trace wood, brick and metal	Analytical Sample taken from 8-10 ft bgs.
15.7 5	SS	S-3	24	8 10 9 11	12	19	47.7			Wet, medium dense, light brown to gray, fine to coarse SAND, some silt, little fine to coarse gravel, trace wood, brick and metal	
	SS	S-4	24	15 49 33 15	5	82	2.2			Moist, very dense, light brown to gray, fine to coarse SAND, some fine to coarse gravel, trace wood, brick and metal	
	SS	S-5	24	12 8 5 3	3	13	94.0			Moist, medium dense, dark brown, fine to coarse SAND and SILT	
10.7 10	SS	S-6	24	15 5 6 8	8	11	21.0			Moist, medium dense, dark brown to gray, fine to coarse SAND and SILT, trace ash, cinder, coal and glass	
	SS	S-7	24	6 6 6 8	6	12	9.8			Moist, medium dense, dark brown to gray, fine to coarse SAND and SILT, trace ash, cinder, glass and wood	
5.7 15	SS	S-8	24	11 15 14 21	5	29	11.0			Moist, medium dense, dark brown, fine to coarse SAND and SILT, trace ash, brick and wood	
	SS	S-9	24	12 12 9 11	4	21	3.6			Moist, medium dense, dark brown, fine to coarse SAND and SILT, trace brick, glass, metal, and wood	
	SS	S-10	24	37 20 16 25	0	36	0.0			No Recovery	

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18

Sample Types	Consistency vs Blowcount/Foot	Burmister Classification
AS - Auger/Grab Sample CS - California Sampler BQ - 1.5" Rock Core NX - 2" Rock Core HP - Hydro Punch SS - Split Spoon ST - Shelby Tube WS - Wash Sample GP - Geoprobe	Granular (Sand): V. Loose: 0-4 Loose: 4-10 M. Dense: 10-30 Dense: 30-50 V. Dense: >50	Fine Grained (Clay): V. Soft: <2 Soft: 2-4 M. Stiff: 4-8 Stiff: 8-15 V. Stiff: 15-30 Hard: >30 and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%

Reviewed by: V. Chan **Date:** 10/30/2017 **Boring Number:** CDM-3

Boring Number: CDM-3

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
0.7 20	SS	S-11	24	22 11 12 13	13	23	2.2	[Cross-hatched pattern]	Waste Fill	Top 3": Moist, medium dense, dark brown to black, fine to coarse SAND and SILT, trace ash, coal, metal, and glass Bot. 10": Moist, very stiff, greenish gray, SILT & CLAY	Volatile organic odor from sample.
	SS	S-12	24	7 15 23 18	7	38	5.6			Moist, hard, dark brown, SILT & CLAY, trace ash, cinders, coal, glass, metal and wood	Analytical Sample taken from 22-26 ft bgs.
-4.3 25	SS	S-13	24	6 6 7 11	14	13	0.5			Moist, stiff, greenish gray, CLAY & SILT, trace glass and wood	
-9.3 30	SS	S-14	24	7 8 8 11	24	16	0.0	[Diagonal hatched pattern]	Clay & Silt	Moist, very stiff, greenish gray, CLAY & SILT, little fine sand	
-14.3 35	SS	S-15	24	8 10 12 13	24	22	0.0			Moist, very stiff, greenish gray, Silty CLAY	
-19.3 40	SS	S-16	24	10 14 12 17	24	26	0.0			Moist, very stiff, greenish gray, CLAY & SILT	
-24.3 45	SS	S-17	24	4 10 10 16	24	20	0.0			Moist, very stiff, greenish gray, CLAY & SILT	



BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-3

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
-29.3 50	SS	S-18	24	55 43 50 88	6	93	0.0		Glacial Till		Recovery consisted of clay wash.
-34.3 55									Bedrock	Hard drilling began and driller annotated bedrock at 52 ft bgs.	Driller advanced hole with roller bit from 52 ft to 55 ft bgs. Rock cuttings observed in drill wash.
-39.3 60											
-44.3 65											
-49.3 70										Boring terminated at 55 ft bgs.	

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-4

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / B. Cross
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NX
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 8/2/2017 **End:** 8/4/2017
General Remarks: Two monitoring wells installed adjacent to borehole.

Surface Elevation (ft.): 21.4
Total Depth (ft.): 62.5
Depth to Initial Water Level (ft):
Depth Date Time
Not Recorded
Abandonment Method: Backfilled with cement grout
Logged By: N. Castonguay

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
21.4				3							
0	SS	S-1	24	6	18	16	1.8		Topsoil	Top 9": Moist, medium dense, light brown, fine SAND and SILT, trace organics (Topsoil)	
				10							
				20							
	SS	S-2	24	15	18	26	3.6		Granular Fill	Dry to moist, medium dense, yellow to orange, fine to coarse SAND	
				11							
				17							
16.4	SS	S-3	24	8	10	16	0.5			Dry, medium dense, dark brown, fine to coarse SAND, little fine to coarse gravel, little silt, little brick	
5				7							
				9							
				7							
				8							
	SS	S-4	24	12	12	19	1.8			Moist, medium dense, light gray to black, fine to coarse SAND and SILT, trace metal, glass, wood, brick, ash, and cinder	
				7							
				3							
	SS	S-5	24	13	9	46	6.8			Moist, dense, light gray to black, fine to coarse SAND and SILT, trace metal, glass, wood, brick, ash, and cinder	
				28							
				18							
				11							
11.4				9							
10	SS	S-6	24	9	0	12	0.0			No Recovery	
				3							
				4							
	SS	S-7	24	4	6	4	1.3			Moist, very loose, dark brown, fine to coarse SAND and SILT, trace metal, glass, wood, brick, ash, and cinder	Analytical Sample taken from 12-14 ft bgs.
				2							
				2							
				5							
				3							
6.4	SS	S-8	24	2	4	3	20.5			Moist, very loose, light gray, fine to coarse SAND and SILT, trace ash, cinder, metal, brick, and coal	
15				1							
				1							
	SS	S-9	24	2	3	4	1.5			Moist, very loose, dark gray, fine to coarse SAND and SILT, trace wood, metal, and ash	
				2							
				6							
	SS	S-10	24	4	8	7	6.8			Moist, loose, black, fine to coarse SAND, some fine to coarse gravel, trace silt, trace ash, cinder, wood, brick, and coal	
				3							
				2							
1.4				2							

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18

Sample Types		Consistency vs Blowcount/Foot		Burmister Classification	
AS - Auger/Grab Sample	HP - Hydro Punch	Granular (Sand):		Fine Grained (Clay):	
CS - California Sampler	SS - Split Spoon	V. Loose: 0-4	Dense: 30-50	V. Soft: <2	Stiff: 8-15
BQ - 1.5" Rock Core	ST - Shelby Tube	Loose: 4-10	V. Dense: >50	Soft: 2-4	V. Stiff: 15-30
NX - 2" Rock Core	WS - Wash Sample	M. Dense: 10-30		M. Stiff: 4-8	Hard: >30
	GP - Geoprobe				and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%

Reviewed by: V. Chan

Date: 10/30/2017

Boring Number: CDM-4



Boring Number: CDM-4

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks	
1.4 20	SS	S-11	24	1 2 3	12	5	8.0		Waste Fill	Wet, loose, black, fine to coarse SAND and SILT, trace coal, ash, wood, and glass	Analytical Sample taken from 22-24 ft bgs.	
	SS	S-12	24	4 4 6 8	16	10	57.1			Wet, loose, fine to coarse SAND and SILT, trace ash, coal, metal, wood, and glass		
	SS	S-13	24	16 12 5 7	9	17	23.1			Wet, medium dense, black, fine to coarse SAND and SILT, trace ash, brick, and glass		
-3.6 25	SS	S-14	24	6 7 6 8	17	13	17.2			Moist, medium dense, black, fine to coarse SAND, little silt, trace wood, coal, ash, brick and organic materials		
	SS	S-15	24	10 19 36 29	5	55	3.7			Moist, very dense, black, fine SAND and SILT, trace brick, metal, and wood		
-8.6 30	SS	S-16	24	18 8 4 6	6	12	5.5		Clay & Silt	Moist, stiff, black, SILT & CLAY, trace brick and metal	Trace wood and brick in spoon tip.	
	SS	S-17	24	5 5 6 6	12	11	0.5			Moist, stiff, greenish gray, SILT & CLAY		
	SS	S-18	24	2 4 5 7	14	9	0.0			Moist, stiff, greenish gray, SILT & CLAY		
-13.6 35	ST	ST-1	24	P U S H	24	PUSH	--			Moist, very stiff, greenish gray, Silty CLAY		
	SS	S-19	24	2 8 5 5	24	13	0.0			Moist, stiff, greenish gray, Silty CLAY		
-18.6 40												
-23.6 45	SS	S-20	24	8 2 2 3	24	4	0.0		Moist, soft, greenish gray, Silty CLAY			

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-4

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
-28.6 50	ST	ST-2	24	P U S H	24	PUSH	--		Clay & Silt	Moist, greenish gray, stiff, CLAY & SILT	
	SS	S-21	24	3 8 16 10	24	24	0.0			Top 18": Moist, very stiff, greenish gray, CLAY & SILT, little fine sand Bot. 4": Moist, very stiff, greenish gray, CLAY & SILT, some fine sand, little fine gravel	
-33.6 55	SS	S-22	24	81 52 47 18	10	99	0.0		Glacial Till	Moist, very dense, light gray, fine SAND and SILT, little fine gravel	
-38.6 60	NX	C-1					--		Bedrock	Conducted rock coring from 58.5 ft to 63.5 ft bgs. See rock core log for description.	
-43.6 65										Boring terminated at 63.5 ft bgs.	
-48.6 70											

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-5

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / B. Cross
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 8/4/2017 **End:** 8/7/2017
General Remarks:

Surface Elevation (ft.): 22.0
Total Depth (ft.): 50
Depth to Initial Water Level (ft):
Depth Date Time
Not Recorded
Abandonment Method: Backfilled with cement grout
Logged By: N. Castonguay

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks	
22.0 0	SS	S-1	24	1 6 8 21	17	14	0.0		Topsoil	Top 8": Dry, medium dense, dark brown, fine SAND and SILT Bot. 9": Moist, medium dense, brown, fine to coarse SAND, little fine gravel, trace silt		
	SS	S-2	24	26 22 14 18	12	36	0.1		G.F.	Dry to moist, dense, light brown to gray, fine to coarse SAND, little silt, trace fine gravel, trace coal		
17.0 5	SS	S-3	24	24 22 18 15	12	40	0.1		Waste Fill	Moist, dense, gray, fine to coarse SAND, some fine to coarse gravel, trace brick and coal		
	SS	S-4	24	15 12 5 6	12	17	0.4			Moist, medium dense, gray, fine to coarse SAND and fine to coarse GRAVEL, little silt trace ash, brick, glass, and slag		
12.0 10	SS	S-5	24	7 2 2 4	4	4	31.2			Moist, very loose, light gray to black, fine to coarse SAND, trace ash, brick, glass, and wood	Analytical Sample taken from 9-11 ft bgs.	
	SS	S-6	24	2 2 7 5	5	9	29.6			Moist, loose, light gray to black, fine to coarse SAND, trace ash, brick, glass, and wood		
7.0 15	SS	S-7	24	13 3 4 5	0	7	--			No Recovery		
	SS	S-8	24	10 27 28 25	3	55	20.6			Moist, very dense, dark gray, fine to coarse SAND, trace ash, brick, cinder, glass, metal, and wood		
	SS	S-9	24	28 18 3 4	0	21	--			No Recovery		
2.0												

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18

Sample Types		Consistency vs Blowcount/Foot		Burmister Classification	
AS - Auger/Grab Sample	HP - Hydro Punch	Granular (Sand):		Fine Grained (Clay):	
CS - California Sampler	SS - Split Spoon	V. Loose: 0-4	Dense: 30-50	V. Soft: <2	Stiff: 8-15
BQ - 1.5" Rock Core	ST - Shelby Tube	Loose: 4-10	V. Dense: >50	Soft: 2-4	V. Stiff: 15-30
NX - 2" Rock Core	WS - Wash Sample	M. Dense: 10-30		M. Stiff: 4-8	Hard: >30
	GP - Geoprobe				and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%

Reviewed by: V. Chan

Date: 10/30/2017

Boring Number: CDM-5



Boring Number: CDM-5

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
2.0 20	SS	S-10	24	4 3 2 2	0	5	--		Waste Fill	No Recovery	
	SS	S-11	24	5 8 38 11	0	46	--			No Recovery	
-3.0 25	SS	S-12	24	12 12 8 9	3	20	17.5		Moist, medium dense, dark gray, fine to coarse SAND and SILT, trace ash, glass, rubber, and sludge	Analytical Sample taken from 24-26 ft bgs.	
	SS	S-13	24	5 6 7 6	2	13	6.8		Moist, medium dense, dark gray, fine to coarse SAND and SILT, trace ash, glass, rubber, and sludge		
	SS	S-14	24	8 10 10 9	6	20	0.1		Moist, stiff, greenish gray, Clayey SILT		
-8.0 30	ST	ST-1	24	P U S H	24	PUSH	0.0		Moist, soft, greenish gray, Silty CLAY		
	SS	S-15	24	8 9 10 13	21	19	0.0		Moist, stiff, greenish gray, CLAY & SILT		
-13.0 35									Clay & Silt		
	SS	S-16	24	6 6 5 6	24	11	0.0			Moist, medium stiff, greenish gray, CLAY & SILT, little fine sand	
-18.0 40											
	SS	S-17	24	33 24 30 39	8	54	0.0			Moist, very stiff, greenish gray, Silty CLAY	
-23.0 45											

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-6

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / O. Cone
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 7/26/2017 **End:** 7/28/2017
General Remarks:

Surface Elevation (ft.): 22.9
Total Depth (ft.): 50
Depth to Initial Water Level (ft):
Depth Date Time
Not Recorded
Abandonment Method: Backfilled with cement grout
Logged By: N. Castonguay

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks	
22.9 0	SS	S-1	24	4 12 20 31	13	32	0.0		G.F. Topsoil	6" Topsoil Wet, dense, dark brown, fine to coarse SAND, trace silt	Analytical Sample taken from ground surface to 2 ft bgs.	
	SS	S-2	3	75/3"	3	>75	0.0			Wet, very dense, light brown, fine to coarse SAND, trace silt Cobble fragment in spoon tip.		
17.9 5	SS	S-3	24	11 7 7 12	14	14	0.0		Clay & Silt	Dry, stiff, yellow to orange, SILT & CLAY		
	SS	S-4	24	8 25 31 50	18	56	0.0			Moist, hard, greenish gray to yellow to orange, SILT & CLAY		
	SS	S-5	24	5 9 13 15	10	22*	0.0			Moist, very stiff, greenish gray to yellow to orange, SILT & CLAY	*Safety hammer broke, used 300 lb hammer for sample.	
12.9 10	SS	S-6	24	8 12 15 19	24	27*	0.0			Moist, very stiff, light brown to greenish gray, CLAY & SILT	*Safety hammer broke, used 300 lb hammer for sample.	
	SS	S-7	24	19 15 13 9	24	28*	0.0			Moist, very stiff, light brown to greenish gray, SILT & CLAY	*Safety hammer broke, used 300 lb hammer for sample.	
7.9 15	SS	S-8	24	9 11 13 12	6	24	0.0			Moist, very stiff, greenish gray to light brown, SILT & CLAY	Safety hammer replaced.	
2.9												

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18

Sample Types	Consistency vs Blowcount/Foot	Burmister Classification
AS - Auger/Grab Sample CS - California Sampler BQ - 1.5" Rock Core NX - 2" Rock Core HP - Hydro Punch SS - Split Spoon ST - Shelby Tube WS - Wash Sample GP - Geoprobe	Granular (Sand): V. Loose: 0-4 Loose: 4-10 M. Dense: 10-30 Dense: 30-50 V. Dense: >50	Fine Grained (Clay): V. Soft: <2 Soft: 2-4 M. Stiff: 4-8 Stiff: 8-15 V. Stiff: 15-30 Hard: >30 and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%

Reviewed by: V. Chan **Date:** 10/30/2017 **Boring Number:** CDM-6

Boring Number: CDM-6

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
2.9 20	SS	S-9	24	4 4 4 3	10	8	0.0		Clay & Silt	Moist, medium stiff, greenish gray, CLAY & SILT	
-2.1 25	SS	S-10	24	4 5 9 8	19	14	0.0			Moist, stiff, greenish gray, CLAY & SILT	
-7.1 30	SS	S-11	24	4 6 6 6	10	12	0.0			Moist, stiff, greenish gray, CLAY & SILT	
-12.1 35	SS	S-12	24	3 5 10 8	24	15	0.0			Top 18": Moist, stiff, greenish gray, CLAY & SILT Bot. 6": Moist, stiff, greenish gray, Clayey SILT, some fine sand	
-17.1 40	SS	S-13	24	3 4 5 5	24	9	0.0			Moist, stiff, greenish gray, CLAY & SILT	
-22.1 45	SS	S-14	24	58 70 55 87	12	125	0.0		Glacial Till	Moist, very dense, greenish gray, fine SAND and SILT, some fine to coarse gravel	

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-6

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
-27.1 50	SS	S-15	24	38 39 40 45	10	79	0.0		Weathered Rock	Moist, very dense, gray, fine to coarse GRAVEL	Sample was comprised entirely of broken Argillite fragments.
-32.1 55											
-37.1 60											
-42.1 65											
-47.1 70											
										Boring terminated at 50 ft bgs.	

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-7

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / P. Schofield
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 7/17/2017 **End:** 7/18/2017
General Remarks: Two monitoring wells installed adjacent to borehole.

Surface Elevation (ft.): 20.8
Total Depth (ft.): 81.5
Depth to Initial Water Level (ft):

Depth	Date	Time
4.5	7/18/2017	0800

Abandonment Method: Backfilled with cement grout
Logged By: E. Benson

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
20.8										5" Asphalt	
0	SS	S-1	18	11	11	19	5.8		Pavement	Moist, medium dense, brown to light brown, fine to coarse SAND, little fine gravel, trace silt	
	SS	S-2	24	13	16	28	5.6		Granular Fill	Moist, medium dense, dark brown to black, fine to coarse SAND, some fine gravel little silt	
	SS	S-3	24	6	8	7	3.9		Granular Fill	Moist, loose, brown to light brown, fine to coarse SAND, little silt, little fine gravel	
15.8											
5	SS	S-4	24	5	7	8	7.9		Granular Fill	Moist, loose, dark brown to black, fine to coarse SAND, little fine gravel, little silt, trace wood	Analytical Sample taken from 6-8 ft bgs.
	SS	S-5	24	12	2	22	0.0		Granular Fill	Moist, medium dense, dark brown to black, fine to coarse SAND, little silt, trace fine gravel	
10.8											
10	SS	S-6	24	7	6	9	6.0		Waste Fill	Wet, loose, black, fine to coarse SAND, some silt, little fine gravel, trace wood and brick	
	SS	S-7	24	3	0	4	--		Waste Fill	No Recovery	3-in spoon used, no recovery.
	SS	S-8	24	5	1	5	5.2		Waste Fill	Wet, loose, black, fine to coarse SAND, some silt, trace fine gravel, trace wood	
5.8											
15	SS	S-9	24	3	6	7	2.5	Clay & Silt	Top 3": Wet, loose, black, fine to coarse SAND, little fine gravel, trace silt, trace wood and brick Bot. 3": Moist, medium stiff, greenish gray, CLAY & SILT, trace fine sand	Analytical Sample taken from 16-16.3 ft bgs.	
	SS	S-10	24	3	17	5	3.7	Clay & Silt	Moist, medium stiff, greenish gray, CLAY & SILT		
0.8											

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18

Sample Types		Consistency vs Blowcount/Foot		Burmister Classification	
AS - Auger/Grab Sample	HP - Hydro Punch	Granular (Sand):		Fine Grained (Clay):	
CS - California Sampler	SS - Split Spoon	V. Loose: 0-4	Dense: 30-50	V. Soft: <2	Stiff: 8-15
BQ - 1.5" Rock Core	ST - Shelby Tube	Loose: 4-10	V. Dense: >50	Soft: 2-4	V. Stiff: 15-30
NX - 2" Rock Core	WS - Wash Sample	M. Dense: 10-30		M. Stiff: 4-8	Hard: >30
	GP - Geoprobe				and some 35-50%
					little 20-35%
					trace 10-20%
					<10% moisture, density, color

Reviewed by: V. Chan

Date: 10/30/2017

Boring Number: CDM-7



Boring Number: CDM-7

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
0.8 20	SS	S-11	24	2 4 3 3	15	7	0.1		Clay & Silt	Moist, medium stiff, greenish gray, CLAY & SILT, trace fine sand	
-4.2 25	SS	S-12	24	2 7 8 4	13	15	0.2			Moist, stiff, greenish gray, CLAY & SILT, trace fine to medium sand, trace fine gravel	
-9.2 30	SS	S-13	24	WOH 3 2	24	3	0.1			Moist, soft, greenish gray, CLAY & SILT, trace fine sand	
-14.2 35	SS	S-14	24	WOH WOH 3	24	0	0.0			Moist, very soft, greenish gray, CLAY & SILT, trace fine sand	
-19.2 40	SS	S-15	24	WOH WOH WOH WOH	24	0	0.0			Moist, very soft, greenish gray, CLAY & SILT, trace fine sand	
-24.2 45	SS	S-16	24	WOH WOH WOH WOH	24	0	0.0			Moist, very soft, greenish gray, CLAY & SILT, trace fine sand	

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18

Boring Number: CDM-7

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
-29.2 50	SS	S-17	24	WOH 4 5	6	4	0.0		Clay & Silt	Moist, soft, greenish gray, CLAY & SILT, trace fine sand	
-34.2 55	SS	S-18	24	WOH WOH WOH WOH	24	0	0.0			Moist, very soft, greenish gray, CLAY & SILT	
-39.2 60	SS	S-19	24	WOH 2 2 3	24	4	0.0			Moist, soft, greenish gray, CLAY & SILT, trace fine sand	
-44.2 65	SS	S-20	24	4 3 2 5	24	5	0.0			Moist, medium stiff, greenish gray, CLAY & SILT, little fine sand	
-49.2 70	SS	S-21	24	3 3 2 4	22	5	0.0			Top 6": Moist, medium stiff, greenish gray, CLAY & SILT, some fine sand Bot. 16": Moist, medium stiff, greenish gray, CLAY & SILT, trace fine sand	

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-7

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
-54.2 75	SS	S-22	24	3 12 54 70	11	66	0.0		Glacial Till	Top 6": Moist, hard, greenish gray, CLAY & SILT, trace fine sand Bot. 5": Moist, very dense, gray to greenish gray, fine to coarse GRAVEL and fine to coarse SAND, some silt	
-59.2 80	SS	S-23	24	17 13 9 7	3	22	0.0			Moist, medium dense, gray, fine to coarse GRAVEL and fine to coarse SAND, little silt	Rig chatter and hard drilling at 81 ft bgs. Rock cuttings observed in drill wash.
	SS	S-24	0	50/0"	0	--	--			No Recovery Boring terminated at 81.5 ft bgs	Split spoon seated to 81.5 ft bgs. Observed 2 in of drill wash in split spoon. Rock fragment in spoon tip. Bedrock at 81.5 ft bgs.
-64.2 85											
-69.2 90											
-74.2 95											
-79.2 100											

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-8

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / T. Roe
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 7/18/2017 **End:** 7/19/2017
General Remarks:

Surface Elevation (ft.): 19.4
Total Depth (ft.): 59.1
Depth to Initial Water Level (ft):
Depth Date Time
Not Recorded
Abandonment Method: Backfilled with cement grout
Logged By: N. Castonguay

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
19.4									Pavement	6" Asphalt	
0	SS	S-1	18	3 2	9	8	0.3		Pavement	Dry, loose, tan to brown, fine to coarse SAND, some silt, trace fine gravel	
	SS	S-2	24	3 3 3 5	9	6	0.3		Granular Fill	Dry to moist, loose, light gray, fine to coarse SAND, some silt, little fine gravel	
14.4	SS	S-3	24	2 2 3	13	4	0.3		Granular Fill	Moist, very loose, gray, fine to coarse SAND, some SILT, trace fine gravel	
5	SS	S-4	24	3 2 1 1	3	3	1.8		Granular Fill	Moist, very loose, brown to light gray, fine to coarse SAND and Clayey SILT, trace fine gravel	
	SS	S-5	24	1 2 1 1	6	3	4.0		Waste Fill	Moist, very loose, brown, fine to coarse SAND and SILT, trace ash	Analytical Sample taken from 8-10 ft bgs.
9.4	SS	S-6	24	5 4 2 3	5	6	0.8		Waste Fill	Moist, loose, dark brown to black, fine to coarse SAND and SILT, trace glass, wood, and cinders	
10	SS	S-7	24	2 2 8	4	2	1.0		Waste Fill	Moist, very loose, dark brown to black, fine to coarse SAND and SILT, trace cinders, glass, and wood	
	SS	S-8	24	4 6 3 2	0	9	--		Waste Fill	No Recovery	
4.4	SS	S-9	24	17 6 2 8	6	8	5.0		Waste Fill	Moist, loose, brown to black, fine to coarse SAND and SILT, trace ash, coal, brick, glass, metal, and wood	Analytical Sample taken from 16-18 ft bgs.
15	SS	S-10	24	6 6 5 4	5	11	0.3		Clay & Silt	Moist, stiff, light gray, CLAY & SILT, trace cinder, glass, metal, and wood	
-0.6									Clay & Silt		

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18

Sample Types	Consistency vs Blowcount/Foot	Burmister Classification
AS - Auger/Grab Sample CS - California Sampler BQ - 1.5" Rock Core NX - 2" Rock Core HP - Hydro Punch SS - Split Spoon ST - Shelby Tube WS - Wash Sample GP - Geoprobe	Granular (Sand): V. Loose: 0-4 Loose: 4-10 M. Dense: 10-30 Dense: 30-50 V. Dense: >50	Fine Grained (Clay): V. Soft: <2 Soft: 2-4 M. Stiff: 4-8 Stiff: 8-15 V. Stiff: 15-30 Hard: >30 and some little trace moisture, density, color 35-50% 20-35% 10-20% <10%

Reviewed by: V. Chan **Date:** 10/30/2017 **Boring Number:** CDM-8



Boring Number: CDM-8

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks	
-0.6 20	SS	S-11	24	2 3 4 5	19	7	0.1		Clay & Silt	Moist, medium stiff, light green, CLAY & SILT, trace metal	Analytical Sample taken from 22-24 ft bgs.	
	SS	S-12	24	5 6 7 6	24	13	0.0			Moist, medium stiff, greenish gray, CLAY & SILT		
	SS	S-13	24	1 3 3 4	24	6	0.0			Moist, medium stiff, light gray, CLAY & SILT		
-5.6 25												
-10.6 30	SS	S-14	24	WOH 2 2 2	24	4	0.0				Moist, soft, greenish gray, Silty CLAY	
-15.6 35	SS	S-15	24	WOH WOH 3 3	8	3	0.0				Moist, soft, greenish gray, CLAY & SILT	
-20.6 40	ST	ST-1	24	P U S H	24	PUSH	--				Moist, stiff, greenish gray, CLAY & SILT	
	SS	S-16	24	1 WOH 3 5	24	3	0.0		Top 18": Moist, soft, greenish gray, CLAY & SILT			
-25.6 45										Bot. 6": Moist, soft, greenish gray, fine SAND and SILT		

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18

Boring Number: CDM-8

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
-30.6 50	SS	S-17	24	11 21 33 34	10	54	0.0		Glacial Till	Moist, very dense, light gray, fine to coarse SAND, some fine gravel, some silt	Gravel inclusions resemble rounded Granite and angular Argillite fragments.
-35.6 55	SS	S-18	24	29 31 28 50/5"	13	59	0.0			Moist, very dense, light gray, fine SAND and Clayey SILT, some fine gravel	Gravel inclusions resembled broken Argillite.
-40.6 60	SS	S-19	0.5	50/0.5"	0.5	>50	0.0		Bedrock	Low Recovery Boring terminated at 59.1 ft bgs.	Rig chatter and hard drilling at 58 ft bgs. Rock fragment in spoon tip.
-45.6 65											
-50.6 70											

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-9

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / P. Schofield/ B. Cross
Surface Elevation (ft.): 21.3
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NX
Total Depth (ft.): 40
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Depth to Initial Water Level (ft):
Bore Hole Location: See boring location plan
Depth Date Time
7.0 7/28/2017 1230
Drilling Date: Start: 7/27/2017 **End:** 7/28/2017
General Remarks: Additional monitoring well installed adjacent to borehole. Rock core taken at adjacent monitoring well location.
Abandonment Method: Backfilled with cement grout
Logged By: E. Benson/N. Castonguay

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
21.3										6" Asphalt	
0	SS	S-1	18	14 14 30	7	44	0.0		G.F. Pavement	Moist, dense, brown to dark brown, fine to coarse SAND, some fine to coarse gravel, trace silt	
	SS	S-2	24	25 42 43 33	13	85	0.0			Moist, very dense, brown to dark brown, fine to coarse SAND, some fine to coarse gravel, little silt	
16.3	SS	S-3	24	12 13 7 6	4	20	0.3			Moist, medium dense, brown to black, fine to coarse SAND and fine to coarse GRAVEL, little silt, little brick and wood	
5	SS	S-4	24	8 15 42 46	4	57	0.2			Wet, very dense, brown to gray, fine to coarse SAND, some silt, little fine to coarse gravel	
	SS	S-5	24	9 9 9 9	2	18	0.5			Moist, medium dense, black, fine GRAVEL, some fine to coarse sand, trace silt, trace brick	Attempted 3-in spoon, no recovery.
11.3	SS	S-6	24	7 14 13 24	2	27	0.7		Waste Fill	Moist, medium dense, black, fine to coarse GRAVEL and fine to coarse SAND, little silt, little brick and wood	Attempted 3-in spoon, 2 in of recovery. Analytical Sample taken from 10-12 ft bgs
10	SS	S-7	24	17 4 4 4	NR	8	1.7			Wet, loose, black, fine to coarse GRAVEL and fine to coarse SAND, some brick, glass, wood and metal, little silt	Attempted 3-in spoon, 3 in of recovery.
	SS	S-8	24	16 7 9 7	NR	16	35.9			Wet, medium dense, black, fine to coarse SAND, some fine gravel, some silt, some brick, glass, metal, and ash	Attempted 3-in spoon, 5 in of recovery. Analytical Sample taken from 14-16 ft bgs.
6.3	SS	S-9	24	3 6 12 13	NR	18	22.9			Wet, medium dense, black, fine to coarse SAND, some silt, trace fine gravel, trace brick and ash	Attempted 3-in spoon, 2 in of recovery.
15	SS	S-10	24	20 15 23 26	12	38	7.4		Clay & Silt	Moist, hard, greenish gray, Clayey SILT, some fine to coarse sand, trace brick, wood and ash	
1.3											

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18

Sample Types	Consistency vs Blowcount/Foot	Burmister Classification
AS - Auger/Grab Sample CS - California Sampler BQ - 1.5" Rock Core NX - 2" Rock Core HP - Hydro Punch SS - Split Spoon ST - Shelby Tube WS - Wash Sample GP - Geoprobe	Granular (Sand): V. Loose: 0-4 Loose: 4-10 M. Dense: 10-30 Dense: 30-50 V. Dense: >50	Fine Grained (Clay): V. Soft: <2 Soft: 2-4 M. Stiff: 4-8 Stiff: 8-15 V. Stiff: 15-30 Hard: >30 and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%

Reviewed by: V. Chan **Date:** 10/30/2017 **Boring Number:** CDM-9

Boring Number: CDM-9

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
1.3 20	SS	S-11	24	7 10 22 29	24	32	1.2		Clay & Silt	Moist, hard, greenish gray, Clayey SILT, little fine to coarse sand, trace brick and wood	Analytical Sample taken from 20-22 ft bgs.
	SS	S-12	24	15 21 11 9	20	32	0.1			Moist, hard, greenish gray, CLAY & SILT, some fine sand	
-3.7 25	SS	S-13	24	8 14 25 18	2	39	0.0			Moist, hard, greenish gray, CLAY & SILT, trace fine sand	
	SS	S-14	24	12 12 14 14	24	26	0.0			Moist, very stiff, greenish gray, CLAY & SILT, little fine sand, trace fine gravel	
	SS	S-15	24	11 24 36 71	12	60	0.0			Top 8": Moist, hard, greenish gray, SILT & CLAY, trace fine sand, trace fine gravel Bot. 4": Moist, very dense, greenish gray to gray, fine to coarse SAND and fine to coarse GRAVEL, some silt	
-8.7 30									Glacial Till		Gravel inclusions resemble broken Argillite. Rig chatter from 30-31.5 ft bgs.
-13.7 35									Bedrock	Hard drilling at 31.5 ft bgs. Rollerbit refusal at 32 ft bgs. Conducted rock coring from 35 ft to 40 ft bgs at offset location. See rock core log for description.	Rock cuttings observed in drill wash. Attempted to drive casing to 32 ft bgs but broke last 5-ft section in hole. Borehole was terminated and monitoring well installed.
-18.7 40										Boring terminated at 40 ft bgs.	
-23.7 45											

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-10

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / P. Schofield

Surface Elevation (ft.): 23.9

Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NX

Total Depth (ft.): 41

Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.

Depth to Initial Water Level (ft):

Bore Hole Location: See boring location plan

Depth	Date	Time
8.5	8/1/2017	1115

Drilling Date: Start: 7/31/2017 **End:** 8/1/2017

Abandonment Method: Backfilled with cement grout

General Remarks:

Logged By: E. Benson/N. Castonguay

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks	
23.9												
0									Pavement	5" Asphalt		
	SS	S-1	18	25 39 33	10	64	0.4		Granular Fill	Moist, very dense, light brown, fine to coarse SAND, little fine gravel, little silt		
	SS	S-2	6	57 50/0"	5	>50	0.6			Moist, very dense, brown to dark brown, fine to coarse SAND, little fine gravel, little silt	Analytical Sample taken from 2-4 ft bgs.	
18.9									Granular Fill	Moist, dense, gray, Clayey SILT, some fine to coarse sand, some brick	Attempted 3-in spoon.	
5	SS	S-3	24	21 28 21 12	2	49	0.1			Moist, medium dense, gray, fine to coarse SAND, some silt, little fine gravel, little brick		
	SS	S-4	24	11 14 14 11	7	28	0.1		Clay & Silt	Moist, hard, olive gray to greenish gray, SILT & CLAY, trace fine sand, trace brick	Analytical Sample taken from 8-10 ft bgs.	
	SS	S-5	24	26 15 21 29	14	36	0.0			Moist, hard, light brown to olive gray, Silty CLAY, little fine to coarse gravel, little fine sand		
13.9										Clay & Silt	Moist, hard, light brown to olive gray, SILT & CLAY, trace fine sand, trace organic material	
10	SS	S-6	24	30 43 58 40	24	101	0.0				Moist, hard, olive gray, SILT & CLAY, trace fine sand, trace fine to coarse gravel	
	SS	S-7	24	9 18 25 30	18	43	0.0		Clay & Silt	Moist, hard, olive gray, SILT & CLAY, little fine sand, trace fine gravel		
8.9										Clay & Silt	Moist, hard, olive gray, SILT & CLAY, little fine sand, trace fine gravel	
15	SS	S-8	24	26 29 27 22	24	56	0.0				Moist, stiff, greenish gray, SILT & CLAY, little fine sand	
	SS	S-9	24	3 5 4	24	9	0.0		Clay & Silt			
	SS	S-10	24	4 5	24	9	0.0					
3.9												

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18

Sample Types		Consistency vs Blowcount/Foot		Burmister Classification	
AS - Auger/Grab Sample	HP - Hydro Punch	Granular (Sand):		Fine Grained (Clay):	
CS - California Sampler	SS - Split Spoon	V. Loose: 0-4	Dense: 30-50	V. Soft: <2	Stiff: 8-15
BQ - 1.5" Rock Core	ST - Shelby Tube	Loose: 4-10	V. Dense: >50	Soft: 2-4	V. Stiff: 15-30
NX - 2" Rock Core	WS - Wash Sample	M. Dense: 10-30		M. Stiff: 4-8	Hard: >30
	GP - Geoprobe				and some 35-50%
					little 20-35%
					trace 10-20%
					<10% moisture, density, color

Reviewed by: V. Chan

Date: 10/30/2017

Boring Number: CDM-10



Boring Number: CDM-10

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
3.9 20	ST	ST-1	24	P U S H	24	PUSH	--		Clay & Silt	Moist, stiff, greenish gray, CLAY & SILT	
	SS	S-11	24	7 19 6 23	24	25	0.0			<p>Top 5": Moist, very stiff, greenish gray, CLAY & SILT, trace fine sand</p> <p>Mid. 7": Moist, very stiff, greenish gray, fine SAND, some silt</p> <p>Bot. 12": Moist, very stiff, greenish gray, CLAY & SILT, trace fine sand</p>	
-1.1 25											
-6.1 30	SS	S-12	24	4 3 5 10	24	8	0.0		Glacial Till	Top 21": Moist, medium stiff, greenish gray, CLAY & SILT, trace fine sand, trace fine gravel	
										Bot. 3": Moist, loose, gray, fine to coarse SAND and SILT, little fine to coarse gravel	Gravel inclusions resemble broken Argillite. Rig chatter at 31 ft bgs.
-11.1 35	NX	C-1	24		18	--	--		Bedrock	Hard drilling at 32 ft bgs. Rollerbit refusal at 32.5 ft bgs.	
	NX	C-2	12		9	--	--			Conducted rock coring from 32.5 ft to 41 ft bgs. See rock core log for description.	
	NX	C-3	12		12	--	--				
	NX	C-4	54		47	--	--				
-16.1 40										Boring terminated at 41 ft bgs.	
-21.1 45											

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-11

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / T. Roe
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 7/17/2017 **End:** 7/18/2017
General Remarks:

Surface Elevation (ft.): 22.9
Total Depth (ft.): 52
Depth to Initial Water Level (ft):
Depth Date Time
Not Recorded
Abandonment Method: Backfilled with cement grout
Logged By: N. Castonguay

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
22.9 0	SS	S-1	24	3 7 10 16	11	17	0.0		Granular Fill	Dry, medium dense, light brown to tan, fine to coarse SAND, little fine to coarse gravel	Analytical Sample taken from 2-4 ft bgs.
	SS	S-2	24	12 11 10 10	15	21	0.0		Granular Fill	Top 12": Dry, medium dense, tan to light gray, fine to coarse SAND, trace fine gravel Bot. 3": Dry, medium dense, tan to light gray, fine to coarse SAND, trace wood	
17.9 5	SS	S-3	24	8 2 2 1	5	4	0.0		Waste Fill	Dry, very loose, light brown, fine to coarse SAND, little wood, trace plastic	Analytical Sample taken from 8-10 ft bgs.
	SS	S-4	24	2 2 1 2	4	3	0.0		Waste Fill	Moist, very loose, dark gray, fine to medium SAND, little fine gravel, trace metal	
	SS	S-5	24	2 1 2 2	13	3	0.0		Clay & Silt	Top 3": Moist, very loose, dark gray, fine to coarse SAND, some silt, little wood, trace fine gravel Bot. 10": Moist, very soft, gray, CLAY & SILT	
12.9 10	SS	S-6	24	2 5 5 7	16	10	0.0		Clay & Silt	Moist, stiff, yellow to orange, CLAY & SILT, little metal	
	SS	S-7	24	7 6 7 7	18	13	0.0		Clay & Silt	Moist, stiff, greenish gray, CLAY & SILT, little metal	
7.9 15	SS	S-8	24	3 3 5 5	20	8	0.0		Clay & Silt	Moist, medium stiff, greenish gray, CLAY & SILT	
	SS	S-9	24	5 5 3 4	18	8	0.0		Clay & Silt	Moist, medium stiff, greenish gray, CLAY & SILT	
2.9	SS	S-10	24	WOH 1 3 5	20	4	0.0		Clay & Silt	Moist, soft, greenish gray, CLAY & SILT	

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18

Sample Types	Consistency vs Blowcount/Foot	Burmister Classification
AS - Auger/Grab Sample CS - California Sampler BQ - 1.5" Rock Core NX - 2" Rock Core HP - Hydro Punch SS - Split Spoon ST - Shelby Tube WS - Wash Sample GP - Geoprobe	Granular (Sand): V. Loose: 0-4 Loose: 4-10 M. Dense: 10-30 Dense: 30-50 V. Dense: >50	Fine Grained (Clay): V. Soft: <2 Soft: 2-4 M. Stiff: 4-8 Stiff: 8-15 V. Stiff: 15-30 Hard: >30 and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%

Reviewed by: V. Chan **Date:** 10/30/2017 **Boring Number:** CDM-11



Boring Number: CDM-11

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
2.9 20	SS	S-11	24	WOH 2 3	18	2	0.0		Clay & Silt	Moist, soft, greenish gray, CLAY & SILT, trace fine gravel	
-2.1 25	SS	S-12	24	1 2 4 4	11	6	0.0			Moist, soft, greenish gray, CLAY & SILT	
-7.1 30	SS	S-13	24	1 2 2 3	24	4	0.0			Moist, soft, greenish gray, CLAY & SILT	
-12.1 35	SS	S-14	24	WOH WOH WOH 1	24	0	0.0			Moist, very soft, greenish gray, CLAY & SILT	
-17.1 40	SS	S-15	24	WOH WOH WOH 3	24	0	0.0			Top 20": Moist, very soft, greenish gray, CLAY & SILT Bot. 4": Moist, very soft, greenish gray, CLAY & SILT, little fine sand	
-22.1 45	SS	S-16	24	1 1 2 9	24	3	0.0			Top 18": Moist, soft, greenish gray, CLAY & SILT, little fine sand Bot. 6": Moist, soft, greenish gray, fine	

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-11

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
-27.1 50	SS	S-17	24	WOH 2 5	24	2	0.0		Clay & Silt	<p>SAND</p> <p>Top 19": Moist, very soft, greenish gray, CLAY & SILT</p> <p>Bot. 5" Moist, very loose, greenish gray, fine SAND, some silt</p> <p>Boring terminated at 52 ft bgs.</p>	
-32.1 55											
-37.1 60											
-42.1 65											
-47.1 70											

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-12

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / P. Schofield

Surface Elevation (ft.): 23.6

Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA

Total Depth (ft.): 50

Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.

Depth to Initial Water Level (ft):

Bore Hole Location: See boring location plan

Depth	Date	Time
7.0	8/9/2017	1430

Drilling Date: Start: 8/9/2017 **End:** 8/9/2017

Abandonment Method: Backfilled with cement grout

General Remarks:

Logged By: D. Abt

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks	
23.6												
0										6" Concrete		
	SS	S-1	18	9 13 25	11	22	0.6		Pavement	Top 6": Dry, dense, dark brown to black, fine to coarse SAND and fine to coarse GRAVEL, some silt Bot. 5": Dry, brown, fine to coarse SAND, some fine to coarse gravel, trace silt Moist, very dense, brown, fine to coarse SAND, some fine gravel, some silt No Recovery		
	SS	S-2	19	22 37 90	5	127	1.0		Granular Fill			
18.6	SS	S-3	2	50/1" 50/2"	0	>50	-					
5	SS	S-4	24	8 12 18 28	8	30	6.4			Top 5": Wet, hard, brown to gray, SILT and fine to coarse GRAVEL, some fine to coarse sand Bot. 3": Wet, hard, brown to gray, SILT, trace fine sand, trace fine gravel Moist, very dense, brown, fine to coarse SAND and fine to coarse GRAVEL, some silt		
	SS	S-5	24	22 24 33 34	5	57	0.5					
13.6									Clay & Silt			
10	SS	S-6	24	26 14 23 25	23	37	0.1				Moist, hard, brown to gray, Silty CLAY, trace fine sand, trace fine gravel	
8.6												
15	SS	S-7	24	4 7	24	18	0.1			Moist, very stiff, greenish gray, Silty CLAY, trace fine sand		
3.6												

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18

Sample Types

AS - Auger/Grab Sample	HP - Hydro Punch
CS - California Sampler	SS - Split Spoon
BQ - 1.5" Rock Core	ST - Shelby Tube
NX - 2" Rock Core	WS - Wash Sample
	GP - Geoprobe

Consistency vs Blowcount/Foot

Granular (Sand):		Fine Grained (Clay):	
V. Loose: 0-4	Dense: 30-50	V. Soft: <2	Stiff: 8-15
Loose: 4-10	V. Dense: >50	Soft: 2-4	V. Stiff: 15-30
M. Dense: 10-30		M. Stiff: 4-8	Hard: >30

Burmister Classification

and	35-50%
some	20-35%
little	10-20%
trace	<10%
moisture, density, color	

Reviewed by: V. Chan

Date: 10/30/2017

Boring Number: CDM-12

Boring Number: CDM-12

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
3.6 20	SS	S-7	24	11 16	24	18	0.1		Clay & Silt	Moist, very stiff, greenish gray, Silty CLAY, trace fine sand, trace fine to coarse gravel	
-1.4 25	SS	S-8	24	13 6 9 10	24	15	0.1				
-6.4 30	SS	S-9	24	4 6 9 10	24	15	0.1				
-11.4 35	SS	S-10	24	2 2 3 7	24	5	0.1				
-16.4 40	SS	S-11	24	2 3 5 8	24	8	0.1				
-21.4 45	SS	S-12	24	WOH 4 6 8	24	10	0.0				
	ST	ST-1	24	P U	0	PUSH	--				

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-12

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
	ST	ST-1	24	S H	0	PUSH	-		Clay & Silt	Moist, very stiff, gray, Clayey SILT, some fine sand	
-26.4	SS	S-13	24	7 9 9 12	24	18	0.0				
50										Boring terminated at 50 ft bgs.	
-31.4											
55											
-36.4											
60											
-41.4											
65											
-46.4											
70											

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-13

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / P. Schofield

Surface Elevation (ft.): 22.8

Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA

Total Depth (ft.): 94

Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.

Depth to Initial Water Level (ft):

Bore Hole Location: See boring location plan

Depth Date Time

Drilling Date: Start: 7/25/2017 **End:** 7/26/2017

Not Recorded

General Remarks:

Abandonment Method: Backfilled with cement grout

Logged By: E. Benson

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
22.8				3							
0				10					Topsoil	3" Topsoil	
	SS	S-1	24	26	14	36	0.0			Dry, dense, light brown to brown, fine to coarse SAND, little fine to coarse gravel, trace silt	
				46							
				25							
	SS	S-2	24	26	16	52	0.1		Granular Fill	Dry, very dense, brown to dark brown, fine to coarse SAND, some fine gravel, some silt	
				26							
				29							
17.8				27							
5	SS	S-3	24	21	10	32	0.4			Moist, dense, light brown to gray, fine to medium SAND, some silt, some fine to coarse gravel	Analytical Sample taken from 4-6 ft bgs.
				11							
				11							
				9							
	SS	S-4	24	16	4	35	0.4			Moist, dense, light brown to dark brown, fine to coarse SAND, some fine gravel, some silt, little brick and ash	
				19							
				14							
				5							
	SS	S-5	24	6	4	8	3.4			Wet, loose, black, fine to coarse SAND and fine GRAVEL, some silt, trace ash and brick	Analytical Sample taken from 8-12 ft bgs.
				2							
				2							
12.8				4							
10	SS	S-6	24	4	3	7	4.2			Wet, loose, black, fine to coarse SAND, some fine to coarse gravel, some silt, trace ash and wood	
				2							
				5							
				4							
	SS	S-7	24	2	1	4	0.6			Wet, loose, black, fine to coarse SAND and fine GRAVEL, little silt	
				2							
				2							
				3							
				4							
7.8				5							
15	SS	S-8	24	10	11	17	1.8			Moist, medium dense, greenish gray to brown, fine SAND and SILT, trace wood	
				7							
				7							
				10							
	SS	S-9	24	9	12	22	0.1			Moist, very stiff, greenish gray, SILT & CLAY, some fine sand, little wood	Analytical Sample taken from 16-18 ft bgs.
				13							
				14							
				5							
	SS	S-10	24	10	16	25	0.1			Moist, very stiff, greenish gray, CLAY & SILT, trace fine sand	
				15							
				19							
2.8											

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18

Sample Types		Consistency vs Blowcount/Foot		Burmister Classification	
AS - Auger/Grab Sample	HP - Hydro Punch	Granular (Sand):		and 35-50%	
CS - California Sampler	SS - Split Spoon	V. Loose: 0-4	Dense: 30-50	some 20-35%	
BQ - 1.5" Rock Core	ST - Shelby Tube	Loose: 4-10	V. Dense: >50	little 10-20%	
NX - 2" Rock Core	WS - Wash Sample	M. Dense: 10-30		trace <10%	
	GP - Geoprobe			moisture, density, color	
		Fine Grained (Clay):			
		V. Soft: <2	Stiff: 8-15		
		Soft: 2-4	V. Stiff: 15-30		
		M. Stiff: 4-8	Hard: >30		

Reviewed by: V. Chan

Date: 10/30/2017

Boring Number: CDM-13



Boring Number: CDM-13

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
2.8 20	SS	S-11	24	12 19 18 17	24	37	0.1		Clay & Silt	Moist, hard, greenish gray, CLAY & SILT, trace fine sand, trace fine gravel	
	SS	S-12	24	4 7 11 12	14	18	0.1			Moist, very stiff, greenish gray, CLAY & SILT, trace fine sand	
-2.2 25	SS	S-13	24	13 13 12 14	16	25	0.1			Moist, very stiff, greenish gray, CLAY & SILT	
-7.2 30	SS	S-14	24	3 5 8 7	18	13	0.1			Moist, stiff, greenish gray, CLAY & SILT	
-12.2 35	SS	S-15	24	3 3 5 6	24	8	0.1			Moist, medium stiff, greenish gray, CLAY & SILT, little fine sand	
-17.2 40	SS	S-16	24	WOH WOH 2 4	24	2	0.0			Moist, very soft, greenish gray, CLAY & SILT, trace fine sand	
-22.2 45	SS	S-17	24	7 4 1 5	18	5	0.0	Moist, medium stiff, greenish gray, CLAY & SILT, trace fine gravel, trace fine to coarse sand			

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-13

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
-27.2 50	SS	S-18	24	WOH 2 5	24	2	0.0		Clay & Silt	Moist, very soft, greenish gray, CLAY & SILT, trace fine gravel	
-32.2 55	SS	S-19	24	WOH 3 2	24	3	0.1			Moist, soft, greenish gray, CLAY & SILT	
-37.2 60	SS	S-20	24	WOR WOR WOR WOR	24	0	0.0			Moist, very soft, greenish gray, Silty CLAY	
-42.2 65	SS	S-21	24	9 4 4 8	11	8	0.0			Moist, medium stiff, greenish gray, Silty CLAY, trace fine gravel	
-47.2 70	SS	S-22	24	WOR WOH WOH 9	24	0	0.0			Moist, very soft, greenish gray, Silty CLAY	

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-13

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
-52.2 75	SS	S-23	24	14 11 5 8	7	16	0.0		Clay & Silt	Moist, very stiff, greenish gray, Clayey SILT, some fine sand	
-57.2 80											
-62.2 85	SS	S-24	24	5 11 17 17	14	28	0.0		Glacial Till	Moist, very stiff, greenish gray, fine to coarse SAND, some clayey silt, some fine to coarse gravel	
-67.2 90										Hard drilling at 91 ft bgs.	Heavy rig chatter at 91 ft bgs. Rock cuttings observed in drill wash.
									Bedrock	Driller noted competent rock started at 92.5 ft bgs	
-72.2 95										Boring terminated at 94 ft bgs.	
-77.2 100											

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-14

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / T. Roe
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 7/19/2017 **End:** 7/21/2017
General Remarks: Two monitoring wells installed adjacent to borehole.

Surface Elevation (ft.): 22.3
Total Depth (ft.): 85.5
Depth to Initial Water Level (ft):
Depth Date Time
Not Recorded
Abandonment Method: Backfilled with cement grout
Logged By: N. Castonguay/E. Benson

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
22.3 0	SS	S-1	24	3 4 6 16	10	10	0.3		Granular Fill	Top 6": Dry, loose, brown, fine SAND and SILT, little fine gravel Bot. 4": Dry, loose, tan, fine SAND and SILT, trace fine gravel	
	SS	S-2	24	12 10 9 11	9	19	4.6		Waste Fill	Dry, medium dense, black, fine to coarse SAND and SILT, trace fine gravel	Analytical Sample taken from 8-10 ft bgs.
17.3 5	SS	S-3	24	6 11 5 3	7	16	5.9		Dry to moist, medium dense, dark brown, fine to coarse SAND and SILT		
	SS	S-4	24	3 2 1 2	14	3	1.0		Moist, very loose, brown to light gray, fine to coarse SAND, trace ash, brick, cinders, and coal		
	SS	S-5	24	3 4 1 2	10	5	3.5		Moist, loose, dark brown to black, fine to coarse SAND, trace ash, brick, cinders, and coal		
12.3 10	SS	S-6	24	WOH WOR WOH 1	2	0	2.0		Moist, very loose, dark brown, fine to coarse SAND and SILT, trace glass, metal, and wood		
	SS	S-7	24	WOH WOH WOH 1	1	0	0.7		Moist, very loose, dark brown, fine to coarse SAND and SILT, trace glass, metal, wood		
7.3 15	SS	S-8	24	WOH 3 2 4	4	5	0.7		Moist, loose, dark brown, fine to coarse SAND and SILT, trace glass, sludge, metal, and wood		
	SS	S-9	24	5 5 6 7	2	11	0.9		Moist, medium dense, dark brown, fine to coarse SAND, trace ash, glass, metal, and wood		
	SS	S-10	24	6 6 6 7	4	12	0.6		Moist, medium dense, dark brown, fine to coarse SAND, trace brick, glass, metal, sludge, and wood		
2.3											

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18

Sample Types		Consistency vs Blowcount/Foot		Burmister Classification	
AS - Auger/Grab Sample	HP - Hydro Punch	Granular (Sand):		Fine Grained (Clay):	
CS - California Sampler	SS - Split Spoon	V. Loose: 0-4	Dense: 30-50	V. Soft: <2	Stiff: 8-15
BQ - 1.5" Rock Core	ST - Shelby Tube	Loose: 4-10	V. Dense: >50	Soft: 2-4	V. Stiff: 15-30
NX - 2" Rock Core	WS - Wash Sample	M. Dense: 10-30		M. Stiff: 4-8	Hard: >30
	GP - Geoprobe				and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%

Reviewed by: V. Chan

Date: 10/30/2017

Boring Number: CDM-14

Boring Number: CDM-14

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
2.3 20	SS	S-11	24	WOH 9 3 4	9	12	0.6		Clay & Silt	Moist, stiff, gray, CLAY & SILT, trace glass, metal, and wood	Analytical Sample taken from 20-22 ft bgs.
	SS	S-12	24	4 4 3 4	24	7	0.3			Top 16": Moist, medium stiff, greenish gray, CLAY & SILT, trace glass, metal, and wood Bot. 8": Moist, medium stiff, greenish gray, CLAY & SILT, trace metal Moist, stiff, greenish gray, CLAY & SILT	
-2.7 25	SS	S-13	24	4 5 5 5	5	10	0.0				
-7.7 30	SS	S-14	24	3 3 4 5	0	7	--		No Recovery		
	SS	S-15	24	WOH WOH WOH WOH	24	0	0.0		Moist, very soft, greenish gray, CLAY & SILT		
-12.7 35											
-17.7 40	SS	S-16	24	1 2 1 1	24	3	0.0		Moist, soft, greenish gray, CLAY & SILT		
-22.7 45	SS	S-17	24	5 6 5 6	6	11	0.0		Moist, stiff, greenish gray, CLAY & SILT		

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-14

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
-27.7 50											
-32.7 55	SS	S-18	24	4 4 4 5	3	8	0.0		Clay & Silt	Moist, medium stiff, greenish gray, Silty CLAY	
-37.7 60											
-42.7 65	SS	S-19	24	1 3 5 7	24	8	0.0		Clay & Silt	Top 6": Moist, medium stiff, greenish gray, CLAY & SILT Mid. 12": Moist, medium stiff, greenish gray, SILT, little fine sand Bot. 6": Moist, medium stiff, greenish gray, fine SAND and SILT	
-47.7 70											

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-14

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
-52.7 75	SS	S-20	24	WOH WOH WOH 2	24	0	0.0		Clay & Silt	Moist, very soft, greenish gray, CLAY & SILT	
-57.7 80											
-62.7 85	SS	S-21	6	52 100/0"	4	>100	0.0		Weathered Rock	Moist, gray, fine to coarse GRAVEL and fine to coarse SAND, some silt Boring terminated at 85.5 ft bgs.	Rig chatter from 82.5 ft - 83 ft bgs. Rock cuttings observed in drill wash at 83 ft bgs. Gravel inclusions resemble broken Argillite. Rock fragment in spoon tip.
-67.7 90											
-72.7 95											
-77.7 100											

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-15

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / P. Schofield
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 7/20/2017 **End:** 7/24/2017

Surface Elevation (ft.): 23.3
Total Depth (ft.): 80.5
Depth to Initial Water Level (ft):

Depth	Date	Time
6.5	7/24/2017	1400

Abandonment Method: Backfilled with cement grout
Logged By: E. Benson

General Remarks: Casing refusal at 2.75 ft bgs at initial borehole. Hand excavated and encountered cobblestones. Offset borehole 4 ft north.

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
23.3 0	SS	S-1	20	2 5 10 52/2"	14	15	0.0		Granular Fill Topsoil	4" Topsoil Dry, medium dense, light brown, fine SAND and SILT, trace fine gravel	Analytical Sample taken from 0-2 ft bgs.
18.3 5	SS	S-2	24	8 9 7 10	16	16	0.1		Clay & Silt	Moist, very stiff, brown to light gray, Clayey SILT, trace fine sand, trace tree root	Analytical Sample taken from 12-14 ft bgs.
▼	SS	S-3	24	9 12 15 17	24	27	0.0			Moist, very stiff, light brown to light gray, CLAY & SILT, trace fine sand	
	SS	S-4	24	6 12 16 23	21	28	0.0			Moist, very stiff, light brown to light gray, Silty CLAY, trace fine sand	
13.3 10	SS	S-5	24	15 19 18 18	24	37	0.0			Moist, hard, light brown to light gray, Silty CLAY, trace fine sand	
	SS	S-6	24	4 5 12 8	24	17	0.0			Moist, very stiff, light brown, CLAY & SILT	
8.3 15	SS	S-7	24	2 4 5 6	23	9	0.0			Moist, stiff, light brown to greenish gray, CLAY & SILT, trace fine sand	
	SS	S-8	24	5 8 7 7	24	15	0.0			Moist, stiff, greenish gray, CLAY & SILT	
3.3	ST	ST-1	24	P U S H	24	PUSH	--				

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18

Sample Types		Consistency vs Blowcount/Foot		Burmister Classification	
AS - Auger/Grab Sample	HP - Hydro Punch	Granular (Sand):		Fine Grained (Clay):	
CS - California Sampler	SS - Split Spoon	V. Loose: 0-4	Dense: 30-50	V. Soft: <2	Stiff: 8-15
BQ - 1.5" Rock Core	ST - Shelby Tube	Loose: 4-10	V. Dense: >50	Soft: 2-4	V. Stiff: 15-30
NX - 2" Rock Core	WS - Wash Sample	M. Dense: 10-30		M. Stiff: 4-8	Hard: >30
	GP - Geoprobe				and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%

Reviewed by: V. Chan

Date: 10/30/2017

Boring Number: CDM-15



Boring Number: CDM-15

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813


Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
3.3 20	SS	S-9	24	2 3 3 5	24	6	0.0	Clay & Silt	Moist, medium stiff, greenish gray, CLAY & SILT		
	SS	S-10	24	6 6 6	24	12	0.1		Moist, stiff, greenish gray, CLAY & SILT		
-1.7 25	SS	S-11	24	WOH WOH 2 3	24	2	0.0		Moist, very soft, greenish gray, CLAY & SILT		
-6.7 30	SS	S-12	24	1 WOH WOH 1	24	0	0.1		Moist, very soft, greenish gray, CLAY & SILT, little fine sand		
	ST	ST-2	24	P U S H	24	PUSH	--		Moist, stiff, greenish gray, CLAY & SILT		
-11.7 35	SS	S-13	24	WOH WOH WOH WOH	24	0	0.0		Moist, very soft, greenish gray, CLAY & SILT		
-16.7 40	SS	S-14	24	WOR WOH WOH WOH	24	0	0.1		Moist, very soft, greenish gray, CLAY & SILT		
-21.7 45	SS	S-15	24	WOR WOH WOH WOH	24	0	0.1	Moist, very soft, greenish gray, CLAY & SILT			

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18

Boring Number: CDM-15

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks	
-26.7 50	SS	S-16	24	WOR WOR WOH WOH	24	0	0.1		Clay & Silt	Moist, very soft, greenish gray, CLAY & SILT, trace fine sand		
-31.7 55	SS	S-17	24	WOR WOR WOR WOR	24	0	0.2			Moist, very soft, greenish gray, Silty CLAY, trace fine sand		
-36.7 60												
-41.7 65	SS	S-18	24	WOR WOR WOH 4	24	0	0.2			Moist, very soft, greenish gray, Silty CLAY		
-46.7 70	SS	S-19	24	WOH WOH 1 4	24	1	0.1			Moist, very soft, greenish gray, CLAY		

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18



Boring Number: CDM-15

Client: City of Cambridge
Project Location: Cambridge, MA


Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
-51.7 75	SS	S-20	24	4 1 2 7	24	3	0.1	Clay & Silt	Clay & Silt	Top 18": Moist, soft, greenish gray, SILT, trace fine sand	
											Bot. 6": Moist, soft, greenish gray, SILT & CLAY, some fine sand
-56.7 80	SS	S-21	15	15 32 100/3"	8	>132	0.1	Bedrock	Bedrock	Top 4": Moist, very dense, greenish gray, fine SAND and SILT Bot 4": Fractured Argillite Boring terminated at 80.5 ft bgs.	Attempted to roller bit into rock beyond 80.5 ft bgs. Losing water into formation with no wash return.
-61.7 85											
-66.7 90											
-71.7 95											
-76.7 100											

BL TOBIN SCHOOL 11102017.GPJ - 3/29/18

ATTACHMENT D
PHASE 1 - ROCK CORE PHOTOGRAPHS

Core Box 1



CDM-2: C-1 (57'-58.5'); C-2 (59'-61.5'); C-3 (61.5'-62.5')
CDM-1: C-1 (78'-83')

Core Box 2



CDM-10: C-1 (32.5'-34.5'); C-2 (34.5'-35.5'); C-3 (35.5'-36.5')

CDM-10: C-4 (36.5'-41')

CDM-9: C-1 (35'-40')

Core Box 3



CDM-4: C-1 (58.5'-63.5')

ATTACHMENT E
PHASE 2 – TEST BORING LOGS



Boring Number: CDM-101A

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / M. Soucy
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 1/24/2018 **End:** 1/24/2018

Surface Elevation (ft.): 21.5
Total Depth (ft.): 5
Depth to Initial Water Level (ft):
Depth Date Time
NE
Abandonment Method: Backfilled with cement grout
Logged By: E. Benson

General Remarks: Drilling ceased pending results of analytical sampling. Borehole capped with cement grout. Offset borehole to CDM-101B.

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
21.5 0										4" Asphalt	
	SS	S-1	24	33 39 20 12	12	59	--		Pvmt.	Moist, gray, fine to coarse SAND and fine to coarse GRAVEL, trace silt Moist, very dense, gray, fine to coarse GRAVEL and fine to coarse SAND, trace silt	
	SS	S-2	24	12 11 16 10	14	27	--		Granular Fill	Top 6": Moist, medium dense, gray, fine to coarse GRAVEL and fine to coarse SAND, trace silt Mid. 2": Moist, medium dense, black, fine to coarse SAND and fine to coarse GRAVEL Bot. 6": White substance (non-asbestos containing)	Analytical Sample taken from 4.5-5.0 ft bgs.
16.5 5									Waste Fill		
11.5 10											
6.5 15											
1.5											

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18

Sample Types	Consistency vs Blowcount/Foot	Burmister Classification
AS - Auger/Grab Sample CS - California Sampler BQ - 1.5" Rock Core NX - 2" Rock Core HP - Hydro Punch SS - Split Spoon ST - Shelby Tube WS - Wash Sample GP - Geoprobe	Granular (Sand): V. Loose: 0-4 Dense: 30-50 Loose: 4-10 V. Dense: >50 M. Dense: 10-30	Fine Grained (Clay): V. Soft: <2 Stiff: 8-15 Soft: 2-4 V. Stiff: 15-30 M. Stiff: 4-8 Hard: >30 and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%

Reviewed by:

Date:

Boring Number: CDM-101A



Boring Number: CDM-101B

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / M. Soucy

Surface Elevation (ft.): 21.5

Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA

Total Depth (ft.): 15

Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.

Depth to Initial Water Level (ft):

Bore Hole Location: See boring location plan

Depth Date Time

Drilling Date: Start: 2/1/2018 **End:** 2/1/2018

Not Recorded

General Remarks: G.F. - Granular Fill

Abandonment Method: Backfilled with bentonite chips

Logged By: E. Benson

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
21.5 0										4" Asphalt	
	SS	S-1	24	38 28 21 21	13	49	0.1		G.F. Pvmnt.	Moist, dense, brown, fine to coarse SAND and fine to coarse GRAVEL, trace silt	
	SS	S-2	24	25 16 11 10	6	27	0.3			Moist, medium dense, dark brown to black, fine to coarse SAND, some silt, little fine to coarse gravel, trace bricks and glass	
16.5 5	SS	S-3	24	9 9 4 5	5	13	0.4		Waste Fill	Moist, medium dense, dark brown to black, fine to coarse SAND, some silt, little ash, trace fine gravel	
	SS	S-4	24	5 7 4 6	12	11	1.4			Moist, stiff, black, Organic SILT, some ash, little fine to coarse sand, trace bricks	
11.5 10	SS	S-5	24	5 3 3 8	10	6	0.9/ 0.1			Top 6": Moist, loose, black to greenish gray, fine to coarse SAND and SILT, some wood, trace bricks	
	SS	S-6	24	8 10 10 9	12	20	<0.1		Clay & Silt	Bot. 4": Moist, medium stiff, greenish gray, CLAY & SILT, trace fine sand Moist, very stiff, greenish gray to olive gray, CLAY & SILT, trace fine sand	
	SS	S-7	24	5 6 5 6	20	11	<0.1			Moist, stiff, greenish gray to olive gray, CLAY & SILT, trace fine sand	
6.5 15										Boring terminated at 15 ft bgs	
1.5											

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18

Sample Types

AS - Auger/Grab Sample
CS - California Sampler
BQ - 1.5" Rock Core
NX - 2" Rock Core
HP - Hydro Punch
SS - Split Spoon
ST - Shelby Tube
WS - Wash Sample
GP - Geoprobe

Consistency vs Blowcount/Foot

Granular (Sand):
V. Loose: 0-4
Loose: 4-10
M. Dense: 10-30
Dense: 30-50
V. Dense: >50

Fine Grained (Clay):
V. Soft: <2
Soft: 2-4
M. Stiff: 4-8
Stiff: 8-15
V. Stiff: 15-30
Hard: >30

Burmister Classification

and some 35-50%
little 20-35%
trace 10-20%
moisture, density, color <10%

Reviewed by:

Date:

Boring Number: CDM-101B



Boring Number: CDM-102A

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / M. Soucy
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 1/25/2018 **End:** 1/25/2018
General Remarks: Casing refusal at 6 ft bgs. Roller bit refusal at 9 ft bgs. Offset borehole to CDM-102B. G.F. - Granular Fill
Surface Elevation (ft.): 21.2
Total Depth (ft.): 9
Depth to Initial Water Level (ft):
Abandonment Method: Cement grout with asphalt patch
Logged By: E. Benson

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
21.2										5" Asphalt	
0	SS	S-1	24	26 22 20 10	13	42	<0.1		G.F. Pvmnt.	Moist, light brown, fine to coarse SAND and fine to coarse GRAVEL, trace silt	
	SS	S-2	24	6 9 5 7	6	14	0.2		Waste Fill	Moist, medium dense, dark brown to black, fine to coarse SAND, some silt, some fine to coarse gravel, little asphalt	
16.2	SS	S-3	24	17 35 92 94	0	127	<0.1		Waste Fill	Moist, very dense, WOOD, little fine to coarse sand, little fine to coarse gravel, trace silt	No recovery in 2" split spoon; resampled with 3" split spoon with 6" recovery
5	SS	S-4	9	85 100/3"	0	>100	--		Waste Fill	Moist, very dense, WOOD	No recovery in 2" split spoon; resampled with 3" split spoon with 3" recovery
11.2										Boring terminated at 9 ft bgs.	Blow counts may not be representative of soil strata due to wood encountered in S-3 and S-4. Possible tree stump.
10											
6.2											
15											
1.2											

Sample Types	Consistency vs Blowcount/Foot	Burmister Classification
AS - Auger/Grab Sample CS - California Sampler BQ - 1.5" Rock Core NX - 2" Rock Core HP - Hydro Punch SS - Split Spoon ST - Shelby Tube WS - Wash Sample GP - Geoprobe	Granular (Sand): V. Loose: 0-4 Loose: 4-10 M. Dense: 10-30 Dense: 30-50 V. Dense: >50	Fine Grained (Clay): V. Soft: <2 Soft: 2-4 M. Stiff: 4-8 Stiff: 8-15 V. Stiff: 15-30 Hard: >30 and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%

Reviewed by: _____ **Date:** _____ **Boring Number:** CDM-102A

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18



Boring Number: CDM-102B

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / M. Soucy
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.

Surface Elevation (ft.): 21.2
Total Depth (ft.): 15
Depth to Initial Water Level (ft):

Bore Hole Location: See boring location plan
Drilling Date: Start: 1/26/2018 **End:** 1/26/2018

Depth	Date	Time
8.5	1/26/2018	0926

General Remarks:

Abandonment Method: Backfilled with bentonite chips
Logged By: E. Benson

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
21.2									Pvmt.	5" Asphalt	
0	SS	S-1	24	9 12 10 16	4	22	<0.1		Granular Fill	Moist, medium dense, black to dark brown, fine to coarse SAND, some silt, little fine to coarse gravel	
	SS	S-2	24	9 12 17 12	6	29	<0.1		Granular Fill	Moist, medium dense, light brown to dark brown, fine to coarse SAND and fine to coarse GRAVEL, little silt	
16.2										No Recovery	No recovery in 2" split spoon; resampled with 3" split spoon with no recovery. Resembles reworked natural material.
5	SS	S-3	24	12 10 12 11	0	22	--		Organic Soils	Top 8": Moist, very stiff, tan to greenish gray, CLAY & SILT, some fine to coarse sand, some fine to coarse gravel	
	SS	S-4	24	9 9 11 16	14	20	<0.1		Organic Soils	Bot 6": Wet, black, Organic fine SAND and SILT	
11.2	SS	S-5	24	16 23 27 38	24	50	<0.1		Clay & Silt	Wet, hard, greenish gray, CLAY & SILT, trace fine sand	
10	SS	S-6	24	7 10 11 13	24	21	<0.1		Clay & Silt	Wet, very stiff, greenish gray, CLAY & SILT, trace fine sand	
	SS	S-7	24	13 13 10 13	18	23	<0.1		Clay & Silt	Wet, very stiff, greenish gray, CLAY & SILT, trace fine sand	
6.2										Boring terminated at 15 ft bgs.	
15											
1.2											

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18

Sample Types	Consistency vs Blowcount/Foot	Burmister Classification
AS - Auger/Grab Sample CS - California Sampler BQ - 1.5" Rock Core NX - 2" Rock Core HP - Hydro Punch SS - Split Spoon ST - Shelby Tube WS - Wash Sample GP - Geoprobe	Granular (Sand): V. Loose: 0-4 Dense: 30-50 Loose: 4-10 V. Dense: >50 M. Dense: 10-30	Fine Grained (Clay): V. Soft: <2 Stiff: 8-15 Soft: 2-4 V. Stiff: 15-30 M. Stiff: 4-8 Hard: >30
		and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%

Reviewed by:

Date:

Boring Number: CDM-102B



Boring Number: CDM-103

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / M. Soucy
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 1/25/2018 **End:** 1/25/2018

Surface Elevation (ft.): 21.5
Total Depth (ft.): 23
Depth to Initial Water Level (ft):

Depth	Date	Time
6.5	1/25/2018	1415

General Remarks: Approximately 50 gallons of grout was used without clean grout return. Remainder of hole was plugged with hydrated bentonite chips. G.F. - Granular Fill

Abandonment Method: Backfilled with cement grout, bentonite chips, and asphalt patch
Logged By: E. Benson

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
21.5										4" Asphalt	
0									G.F. Pvmnt.	Moist, gray, fine to coarse SAND, some fine to coarse gravel, trace silt	
	SS	S-1	24	51 29 37 40	12	66	0.1			Moist, very dense, gray, fine to coarse SAND, some fine gravel, little silt	
	SS	S-2	24	22 17 17 15	11	34	<0.1			Top 3": Moist, gray to greenish gray, fine to coarse SAND, some fine gravel, some silt, trace brick	
16.5										Mid. 6": Moist greenish gray, CLAY & SILT, little fine to coarse sand, little fine gravel	
5										Bot. 2": Moist, black, fine to coarse SAND, some silt, little fine gravel	
	SS	S-3	24	33 17 15 13	8	32	<0.1			Wet, dense, black, fine to coarse SAND and BRICK, some fine to coarse gravel, little silt	
	SS	S-4	24	4 3 2 3	4	5	<0.1			Wet, loose, black, fine to coarse SAND, little fine to coarse gravel, little silt, little brick, ash, glass, and wood	
11.5										Wet, loose, black, fine to coarse SAND, some silt, little fine to coarse gravel, little brick, metal and wood	
10									Waste Fill		
	SS	S-5	24	6 3 2 3	5	5	0.3			Wet, loose, black, fine to coarse SAND, some silt, little brick, ash, glass, and metal, trace fine to coarse gravel	
	SS	S-6	24	3 3 2 3	7	5	0.4			Wet, loose, black, fine to coarse SAND, some silt, little brick, ash, glass, and metal, little fine to coarse gravel	
	SS	S-7	24	3 4 5 5	5	9	0.8			Wet, loose, black, fine to coarse SAND, some silt, little brick, ash, glass, and metal, little fine to coarse gravel	13-15 ft bgs: Hydrocarbon odor
6.5										Wet, loose, black, fine to coarse SAND and fine GRAVEL, little tile, ash and metal, little silt	
15										Wet, loose, black, fine to coarse SAND, some fine to coarse gravel, little silt, trace brick, ash, tile, and glass	17-19 ft bgs: Hydrocarbon odor
	SS	S-8	24	4 3 2 5	7	5	0.5				
	SS	S-9	24	5 1 4 6	6	5	0.6				
	SS	S-10	24	10 11	24	26	0.1/ 0.1			Wet, very stiff, greenish gray, CLAY & SILT,	Top 2" is similar to above.

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18

Sample Types

AS - Auger/Grab Sample
CS - California Sampler
BQ - 1.5" Rock Core
NX - 2" Rock Core
HP - Hydro Punch
SS - Split Spoon
ST - Shelby Tube
WS - Wash Sample
GP - Geoprobe

Consistency vs Blowcount/Foot

Granular (Sand):
V. Loose: 0-4
Loose: 4-10
M. Dense: 10-30
Dense: 30-50
V. Dense: >50

Fine Grained (Clay):
V. Soft: <2
Soft: 2-4
M. Stiff: 4-8
Stiff: 8-15
V. Stiff: 15-30
Hard: >30

Burmister Classification

and some trace moisture, density, color
35-50%
20-35%
10-20%
<10%

Reviewed by:

Date:

Boring Number: CDM-103



Boring Number: CDM-103

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
1.5 20	SS	S-10	24	15 15	24	26	0.1/ 0.1		Clay & Silt	trace fine sand	Top 2" is similar to above.
	SS	S-11	24	16 19 25 22	24	44	<0.1			Wet, hard, greenish gray, SILT, little fine sand	
											Boring terminated at 23 ft bgs.
-3.5 25											
-8.5 30											
-13.5 35											
-18.5 40											
-23.5 45											

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18



Boring Number: CDM-104

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / M. Soucy
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 1/24/2018 **End:** 1/24/2018

Surface Elevation (ft.): 20.2
Total Depth (ft.): 34
Depth to Initial Water Level (ft):

Depth	Date	Time
6.5	1/24/2018	1256

Abandonment Method: Backfilled with cement grout and bentonite chips
Logged By: E. Benson

General Remarks: Approximately 100 gallons of grout was used without clean grout return. Remainder of hole was plugged with hydrated bentonite chips.

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
20.2				9							
0				8					Topsoil	6" Topsoil	
	SS	S-1	24	22	14	30	<0.1			Moist, dense, light brown, fine to coarse SAND and fine to coarse GRAVEL, trace silt	
				26							
				22							
	SS	S-2	24	17	16	33	<0.1			Moist, dense, dark brown to greenish gray, fine to coarse SAND, some fine to coarse gravel, some silt	
				16							
				17							
15.2				21							
5	SS	S-3	24	16	18	36	<0.1			Top 12": Moist, dense, greenish gray, fine to coarse SAND, some fine to coarse gravel, some to trace silt	
				20			<0.1				
				12							
				12						Bot. 6": Moist, greenish gray, fine to medium SAND, some fine gravel, little silt	
	SS	S-4	24	8	12	20	<0.1			Top 8": Moist, medium dense, greenish gray, fine to coarse SAND, some fine gravel, little silt	
				4			0.2				
				1							
	SS	S-5	24	WOH	3	1	0.1			Bot. 4": Wet, black, medium dense, fine to coarse SAND, some silt, some ash, little fine to coarse gravel	
				1							
				WOH							
10.2				4							
10	SS	S-6	24	13	6	28	0.2			Wet, very loose, black, fine to coarse SAND, some silt, little fine to coarse gravel, little brick, ash, and metal	
				15							
				8							
				7							
	SS	S-7	24	11	6	21	0.2			Wet, medium dense, black, fine to coarse GRAVEL and fine to coarse SAND, some silt, little brick, metal, wood, and tile	
				10							
				7							
				7							
				20							
5.2	SS	S-8	24	6	5	13	0.7			Wet, medium dense, black to tan, fine to coarse SAND, some silt, little fine to coarse gravel, little wood, glass, and brick	
15				7							
				7							
				3							
	SS	S-9	24	8	6	11	1.4			Wet, medium dense, DEBRIS consisting of wood, glass, paper, and brick, some fine to coarse sand, some silt	
				13							
				6							
				4							
	SS	S-10	24	3	0	7	--			No Recovery	No recovery in 2" split spoon; resampled with 3" split spoon with
0.2				4							

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18

Sample Types

AS - Auger/Grab Sample
CS - California Sampler
BQ - 1.5" Rock Core
NX - 2" Rock Core
HP - Hydro Punch
SS - Split Spoon
ST - Shelby Tube
WS - Wash Sample
GP - Geoprobe

Consistency vs Blowcount/Foot

Granular (Sand):
V. Loose: 0-4
Loose: 4-10
M. Dense: 10-30
Dense: 30-50
V. Dense: >50

Fine Grained (Clay):
V. Soft: <2
Soft: 2-4
M. Stiff: 4-8
Stiff: 8-15
V. Stiff: 15-30
Hard: >30

Burmister Classification

and some little trace moisture, density, color
35-50%
20-35%
10-20%
<10%

Reviewed by:

Date:

Boring Number: CDM-104



Boring Number: CDM-104

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
0.2 20	SS	S-11	24	6 4 13 9	0	17	0.2		Waste Fill	Wet, medium dense, black, fine SAND, some silt, little fine to coarse gravel, little bricks, ash, metal, glass, and wood	no recovery. No recovery in 2" split spoon; resample with 3" split spoon with 3" recovery.
	SS	S-12	24	6 4 5 7	6	9	0.2			Wet, loose, black, fine SAND, some silt, little fine to coarse gravel, little bricks, ash, metal, glass, and wood	
	SS	S-13	24	15 9 6 5	0	15	--			No Recovery	No recovery in 2" split spoon; resampled with 3" split spoon with no recovery. Metal fragment in shoe.
-4.8 25	SS	S-14	24	5 8 6 5	4	14	0.6			Wet, medium dense, black, fine to coarse GRAVEL, some fine to coarse sand, some metal, wood, tile, and brick, little silt	
	SS	S-15	24	2 1 4 6	3	5	0.3			Wet, loose, black, fine GRAVEL and fine to coarse SAND, some metal, glass, brick, tile, and wood, trace silt	
-9.8 30	SS	S-16	24	5 2 7 9	5	9	0.2/ 0.1			Top 5": Wet, loose, black, fine to coarse SAND, some fine gravel, some metal, glass, brick, tile, and wood, little silt	
	SS	S-17	24	4 10 12 13	24	22	<0.1				Clay & Silt
-14.8 35											
-19.8 40											
-24.8 45											

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18



Boring Number: CDM-105

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / M. Soucy
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 1/23/2018 **End:** 1/23/2018
General Remarks: G.F. - Granular Fill; O.S. - Organic Soils

Surface Elevation (ft.): 22.5
Total Depth (ft.): 12
Depth to Initial Water Level (ft):

Depth	Date	Time
7.0	1/23/2018	-

Abandonment Method: Backfilled with bentonite chips
Logged By: E. Benson

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
22.5 0	SS	S-1	24	9 8 14 22	20	22	<0.1		Topsoil	4" Topsoil Moist, medium dense, fine to coarse SAND, some fine gravel, trace silt	
	SS	S-2	24	56 50 30 17	12	80	<0.1		G.F.	Moist, very dense, tan to dark brown, fine to coarse SAND, some fine to coarse gravel, trace silt	
17.5 5	SS	S-3	24	10 30 51 27	20	81	<0.1		O.S. Clay & Silt	Moist, hard, greenish gray to olive gray, CLAY & SILT, trace fine sand	
▼	SS	S-4	24	41 46 48 44	16	94	<0.1		O.S. Clay & Silt	Top 4" & Bot. 9": Moist, hard, greenish gray, CLAY & SILT, trace fine to coarse gravel, trace fine sand Mid 3": Wet, black, slightly Organic CLAY & SILT, trace fine sand	
	SS	S-5	24	26 32 34 35	18	66	<0.1		Clay & Silt	Moist, hard, greenish gray and tan, CLAY & SILT, trace fine sand	
12.5 10	SS	S-6	24	18 12 11 13	14	23	<0.1		Clay & Silt	Moist, very stiff, greenish gray and tan, CLAY & SILT, trace fine sand	
										Boring terminated at 12 ft bgs.	
7.5 15											
2.5											

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18

Sample Types	Consistency vs Blowcount/Foot	Burmister Classification
AS - Auger/Grab Sample CS - California Sampler BQ - 1.5" Rock Core NX - 2" Rock Core HP - Hydro Punch SS - Split Spoon ST - Shelby Tube WS - Wash Sample GP - Geoprobe	Granular (Sand): V. Loose: 0-4 Loose: 4-10 M. Dense: 10-30 Dense: 30-50 V. Dense: >50	Fine Grained (Clay): V. Soft: <2 Soft: 2-4 M. Stiff: 4-8 Stiff: 8-15 V. Stiff: 15-30 Hard: >30 and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%

Reviewed by: _____ **Date:** _____ **Boring Number:** CDM-105



Boring Number: CDM-106

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / M. Soucy

Surface Elevation (ft.): 21.3

Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA

Total Depth (ft.): 18

Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.

Depth to Initial Water Level (ft):

Bore Hole Location: See boring location plan

Depth Date Time

Drilling Date: Start: 1/23/2018 **End:** 1/23/2018

7.25 1/23/2018 -

General Remarks: Approximately 50 gallons of grout was used for backfill. G.F. - Granular Fill

Abandonment Method: Backfilled with cement grout

Logged By: E. Benson

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
21.3				13						6" Topsoil	
0	SS	S-1	24	14	11	29	<0.1		G.F. Topsoil	Moist, medium dense, tan, fine to coarse SAND, some coarse gravel, trace silt	
	SS	S-2	24	28	12	92	0.1/ >0.6			Top 6": Moist, very dense, tan to greenish gray, fine to coarse SAND, some fine gravel, some silt	3.5-8 ft bgs: Strong hydrocarbon odor
				52						Bot. 6": Moist, black, fine to coarse SAND, some silt, trace fine gravel, trace ash	
16.3	SS	S-3	24	31	10	55	0.4			Wet, very dense, black, fine to coarse SAND, some fine to coarse gravel, little silt, trace brick and ash	
5				12							
	SS	S-4	24	8	6	9	1.1			Wet, loose, black, fine to coarse SAND, some fine to coarse gravel, little silt, little ash, trace metal and brick	
				5							
	SS	S-5	24	2	2	3	0.3			Wet, very loose, black, fine to coarse SAND, some silt, little fine gravel, trace ash and brick	
				1							
11.3				2							
10	SS	S-6	24	3	0	4	0.8		Wet, loose, fine to coarse GRAVEL, some fine to coarse sand, little tile, trace ash, brick, metal, and glass, trace silt	No recovery in 2" split spoon in sample S-6 and S-7; reinserted 3" split spoon with 3" recovery for each sample	
				2							
	SS	S-7	24	2	0	8	1.6		Wet, loose, fine to coarse GRAVEL, some fine to coarse sand, trace ash, brick, metal, and glass, trace silt		
				3							
6.3	SS	S-8	24	5	24	21	0.2/ <0.1		Clay & Silt	Top 4": Wet, black to dark gray, CLAY & SILT, little fine to coarse sand, little ash	
15				8						Bot. 20": Wet, very stiff, greenish gray, CLAY & SILT, trace fine sand, trace fine gravel	
	SS	S-9	24	11	16	24	<0.1			Wet, very stiff, greenish gray, Silty CLAY, trace fine sand	
				12							
				12							
				15							
1.3										Boring terminated at 18 ft bgs.	

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18

Sample Types		Consistency vs Blowcount/Foot		Burmister Classification	
AS - Auger/Grab Sample	HP - Hydro Punch	Granular (Sand):		Fine Grained (Clay):	
CS - California Sampler	SS - Split Spoon	V. Loose: 0-4	Dense: 30-50	V. Soft: <2	Stiff: 8-15
BQ - 1.5" Rock Core	ST - Shelby Tube	Loose: 4-10	V. Dense: >50	Soft: 2-4	V. Stiff: 15-30
NX - 2" Rock Core	WS - Wash Sample	M. Dense: 10-30		M. Stiff: 4-8	Hard: >30
	GP - Geoprobe				and some 35-50% moisture, density, color

Reviewed by:

Date:

Boring Number: CDM-106



Boring Number: CDM-107

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / M. Soucy
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 1/22/2018 **End:** 1/22/2018
General Remarks:

Surface Elevation (ft.): 23.2
Total Depth (ft.): 12
Depth to Initial Water Level (ft):

Depth	Date	Time
6.5	1/22/2018	1400

Abandonment Method: Backfilled with bentonite chips
Logged By: E. Benson

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
23.2											
0	SS	S-1	24	14 16 25 27	14	41	<0.1		Granular Fill	Moist, dense, tan, fine to coarse SAND, some fine gravel, trace silt	
	SS	S-2	24	27 30 35 23	12	65	0.1			Moist, very dense, tan, fine to coarse SAND, some fine gravel, trace silt	
18.2											
5	SS	S-3	24	11 8 13 15	0	21	<0.1		Clay & Silt	Wet, very stiff, greenish gray to tan, CLAY & SILT, trace fine sand	No recovery in 2" split spoon in S-3; reinserted 3" split spoon with 12" recovery. 1" recovery in S-4; reinserted 3" split spoon with 16" recovery.
	SS	S-4	24	23 15 23 25	1	38	<0.1			Wet, hard, greenish gray, CLAY & SILT, trace fine sand	
	SS	S-5	24	17 34 40 36	24	74	<0.1			Wet, hard, greenish gray to olive gray, CLAY & SILT	
	SS	S-6	24	21 16 11 8	24	27	<0.1			Wet, very stiff, greenish gray to olive gray, CLAY & SILT	
13.2											
10										Boring terminated at 12 ft bgs.	
8.2											
15											
3.2											

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18

Sample Types	Consistency vs Blowcount/Foot	Burmister Classification
AS - Auger/Grab Sample CS - California Sampler BQ - 1.5" Rock Core NX - 2" Rock Core HP - Hydro Punch SS - Split Spoon ST - Shelby Tube WS - Wash Sample GP - Geoprobe	Granular (Sand): V. Loose: 0-4 Dense: 30-50 Loose: 4-10 V. Dense: >50 M. Dense: 10-30	Fine Grained (Clay): V. Soft: <2 Stiff: 8-15 Soft: 2-4 V. Stiff: 15-30 M. Stiff: 4-8 Hard: >30 and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%

Reviewed by: _____ **Date:** _____ **Boring Number:** CDM-107



Boring Number: CDM-108

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / M. Soucy
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 1/30/2018 **End:** 1/30/2018
General Remarks: G.F. - Granular Fill

Surface Elevation (ft.): 21.2
Total Depth (ft.): 15
Depth to Initial Water Level (ft):

Depth	Date	Time
7.2	1/30/2018	1335

Abandonment Method: Backfilled with bentonite chips and asphalt patch
Logged By: E. Benson

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
21.2											
0										5" Asphalt	
	SS	S-1	24	24 21 11 6	14	32	<0.1 <0.1		G.F. Pvmnt.	Top 10": Moist, dense, brown, fine to coarse SAND, some fine to coarse gravel, trace silt	
	SS	S-2	24	6 6 5 4	5	11	<0.1		Waste Fill	Bot. 4": Moist, brown to black, fine to coarse SAND, some ash, asphalt, glass, and tile, some to little silt Moist, medium dense, brown to black, fine to coarse SAND, some fine to coarse gravel, some silt, little ash and asphalt Moist, loose, brown, fine to coarse SAND, some silt, little ash and asphalt, trace fine to coarse gravel Top 3": Moist, medium dense, brown, fine to coarse SAND, some silt, little ash and asphalt, trace fine to coarse gravel	3-7 ft bgs: soil oxidation staining
16.2	SS	S-3	24	4 4 5 7	6	9	0.3				
5									Org. Soils	Top 3": Moist, medium dense, brown, fine to coarse SAND, some silt, little ash and asphalt, trace fine to coarse gravel	
	SS	S-4	24	7 7 8 15	6	15	0.2/ 0.1				
11.2	SS	S-5	24	11 10 13 15	16	23	<0.1 <0.1		Clay & Silt	Bot. 3": Moist, black, Organic fine to medium SAND and SILT Top 6": Moist, medium dense, greenish gray, fine to coarse SAND, little silt Bot. 10": Moist, olive gray to greenish gray, SILT & CLAY, trace fine sand Moist, hard, olive gray to greenish gray, SILT & CLAY, trace fine sand	9-13 ft bgs: soil oxidation staining
10	SS	S-6	24	14 15 17 16	10	32	<0.1				
	SS	S-7	24	7 8 10 8	10	18	<0.1			Moist, very stiff, greenish gray, CLAY & SILT, trace fine sand	
6.2										Boring terminated at 15 ft bgs.	
15											
1.2											

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18

Sample Types	Consistency vs Blowcount/Foot	Burmister Classification
AS - Auger/Grab Sample CS - California Sampler BQ - 1.5" Rock Core NX - 2" Rock Core HP - Hydro Punch SS - Split Spoon ST - Shelby Tube WS - Wash Sample GP - Geoprobe	Granular (Sand): V. Loose: 0-4 Dense: 30-50 Loose: 4-10 V. Dense: >50 M. Dense: 10-30	Fine Grained (Clay): V. Soft: <2 Stiff: 8-15 Soft: 2-4 V. Stiff: 15-30 M. Stiff: 4-8 Hard: >30
		and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%

Reviewed by: _____ **Date:** _____ **Boring Number:** CDM-108



Boring Number: CDM-109

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / M. Soucy
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 1/30/2018 **End:** 1/30/2018
General Remarks: O.S. - Organic Soils

Surface Elevation (ft.): 22.7
Total Depth (ft.): 15
Depth to Initial Water Level (ft):

Depth	Date	Time
8.1	1/30/2018	1010

Abandonment Method: Backfilled with bentonite chips and asphalt patch
Logged By: E. Benson

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
22.7									Pvmnt.	5" Asphalt	
0	SS	S-1	24	21 29 32 64	16	61	<0.1 <0.1		Granular Fill	Top 6": Moist, very dense, brown, fine SAND, some fine to coarse gravel, little silt Bot. 10": Moist, dark brown, fine to coarse SAND and fine to coarse GRAVEL, little silt, trace brick	
	SS	S-2	24	31 19 15 9	12	34	<0.1 0.1		Waste Fill	Top 8": Moist, dense, brown, fine to coarse SAND and fine to coarse GRAVEL, trace silt, trace brick Bot. 4": Moist, brown to black, fine to coarse SAND, some fine to coarse gravel, some silt, little glass, ash, and wood	
17.7	SS	S-3	24	14 8 8 7	7	16	<0.1		O.S.	Moist, medium dense, black, fine to coarse SAND, some silt, trace brick and wood, trace fine gravel	
5	SS	S-4	24	3 2 3 7	20	5	<0.1 <0.1		Clay & Silt	Top 8": Moist, black, Organic fine to medium SAND and SILT, trace roots Bot. 12": Moist, olive gray, SILT and fine to medium SAND	
12.7	SS	S-5	24	15 17 15 10	12	32	<0.1 <0.1			Top 4": Moist, dense, olive gray to light brown, fine to coarse SAND, little silt Bot. 8": Moist, greenish gray, fine to medium SAND, little silt	11-13 ft bgs: slight soil oxidation staining
10	SS	S-6	24	15 9 10 12	14	19	<0.1			Moist, very stiff, greenish gray to olive gray, SILT & CLAY, trace fine sand, trace roots	
7.7	SS	S-7	24	24 14 16 22	12	30	<0.1			Moist, very stiff, greenish gray to olive gray, SILT & CLAY, trace fine sand	
15										Boring terminated at 15 ft bgs.	
2.7											

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18

Sample Types	Consistency vs Blowcount/Foot	Burmister Classification
AS - Auger/Grab Sample CS - California Sampler BQ - 1.5" Rock Core NX - 2" Rock Core HP - Hydro Punch SS - Split Spoon ST - Shelby Tube WS - Wash Sample GP - Geoprobe	Granular (Sand): V. Loose: 0-4 Loose: 4-10 M. Dense: 10-30 Dense: 30-50 V. Dense: >50	Fine Grained (Clay): V. Soft: <2 Soft: 2-4 M. Stiff: 4-8 Stiff: 8-15 V. Stiff: 15-30 Hard: >30 and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%
Reviewed by:	Date:	Boring Number: CDM-109



Boring Number: CDM-110

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / M. Soucy
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 1/29/2018 **End:** 1/29/2018
General Remarks: G.F. - Granular Fill

Surface Elevation (ft.): 22.5
Total Depth (ft.): 13
Depth to Initial Water Level (ft):
Depth Date Time
Not Recorded
Abandonment Method: Backfilled with bentonite chips and asphalt patch at surface
Logged By: E. Benson

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
22.5 0									G.F. Pvmnt.	5" Asphalt	
	SS	S-1	10	52 100/4"	6	>100	--		G.F. Pvmnt.	Moist, very dense, brown, fine to coarse SAND and fine to coarse GRAVEL, trace silt	
17.5 5	SS	S-2	24	8 27 17 15	16	44	0.1/ <0.1		Waste Fill	Top 3": Moist, dense, light brown, fine to coarse SAND, some silt, little fine to coarse gravel, little ash Bot. 13": Moist, brown to black, fine to coarse SAND, little fine to coarse gravel, little silt	3.9-7 ft bgs: soil oxidation staining on sand and gravel
	SS	S-3	24	15 14 9 8	10	23	<0.1		Waste Fill	Moist, medium dense, brown to black, fine to coarse SAND, little silt, little fine gravel, trace wood	
	SS	S-4	24	7 6 7 7	8	13	0.3/ <0.1		Organic Soils	Top 4": Moist, medium dense, black, Organic fine to medium SAND, some silt	
12.5 10	SS	S-5	24	9 14 15 17	16	29	<0.1		Clay & Silt	Bot. 4": Moist, medium dense, greenish gray, SILT & CLAY, trace fine sand Moist, very stiff, greenish gray, SILT & CLAY, trace fine sand	
	SS	S-6	24	7 7 9 9	20	16	<0.1		Clay & Silt	Moist, very stiff, greenish gray, SILT & CLAY, trace fine sand	
7.5 15										Boring terminated at 13 ft bgs.	
2.5											

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18

Sample Types	Consistency vs Blowcount/Foot	Burmister Classification
AS - Auger/Grab Sample CS - California Sampler BQ - 1.5" Rock Core NX - 2" Rock Core HP - Hydro Punch SS - Split Spoon ST - Shelby Tube WS - Wash Sample GP - Geoprobe	Granular (Sand): V. Loose: 0-4 Dense: 30-50 Loose: 4-10 V. Dense: >50 M. Dense: 10-30	Fine Grained (Clay): V. Soft: <2 Stiff: 8-15 Soft: 2-4 V. Stiff: 15-30 M. Stiff: 4-8 Hard: >30
		and 35-50% some 20-35% little 10-20% trace <10% moisture, density, color

Reviewed by: _____ **Date:** _____ **Boring Number:** CDM-110



Boring Number: CDM-111

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / M. Soucy
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 2/2/2018 **End:** 2/2/2018
General Remarks: G.F. - Granular Fill

Surface Elevation (ft.): 21.8
Total Depth (ft.): 12
Depth to Initial Water Level (ft):
Depth Date Time
NE
Abandonment Method: Backfilled with bentonite chips
Logged By: E. Benson

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
21.8 0				30						6" Topsoil	
	SS	S-1	24	34 27 28	20	61	<0.1		G.F. Topsoil	Dry, very dense, brown, fine to coarse SAND, little fine gravel, trace silt	
	SS	S-2	24	37 36 23 15	11	59	<0.1		G.F.	Top 3": Dry, very dense, brown, fine to coarse SAND, little fine gravel, trace silt	
16.8 5	SS	S-3	24	13 9 12 10	10	21	0.1		Waste Fill	Bot. 8": Moist, dark brown to greenish gray, fine to coarse SAND, some fine to coarse gravel, some silt, little ash, trace brick Dry, medium dense, dark brown, fine to coarse SAND, some silt, little fine gravel, trace brick	
	SS	S-4	24	8 8 9 10	14	17	0.2/ <0.1		Waste Fill	Top 12": Moist, dark brown, fine to coarse SAND, some silt, some fine to coarse gravel	
	SS	S-5	24	8 12 10 14	6	22	<0.1		Clay & Silt	Bot. 2": Moist, very stiff, dark gray to greenish gray, SILT & CLAY, little fine to medium sand, trace roots Moist, very stiff, greenish gray, SILT & CLAY, trace fine sand	8-12 ft bgs: soil oxidation staining
11.8 10	SS	S-6	24	18 17 18 21	18	35	<0.1		Clay & Silt	Moist, hard, greenish gray, SILT & CLAY, trace fine sand	
6.8 15										Boring terminated at 12 ft bgs.	
1.8											

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18

Sample Types	Consistency vs Blowcount/Foot	Burmister Classification
AS - Auger/Grab Sample CS - California Sampler BQ - 1.5" Rock Core NX - 2" Rock Core HP - Hydro Punch SS - Split Spoon ST - Shelby Tube WS - Wash Sample GP - Geoprobe	Granular (Sand): V. Loose: 0-4 Loose: 4-10 M. Dense: 10-30 Dense: 30-50 V. Dense: >50	Fine Grained (Clay): V. Soft: <2 Soft: 2-4 M. Stiff: 4-8 Stiff: 8-15 V. Stiff: 15-30 Hard: >30 and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%

Reviewed by: _____ **Date:** _____ **Boring Number:** CDM-111



Boring Number: CDM-112

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / M. Soucy
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.

Surface Elevation (ft.): 21.8
Total Depth (ft.): 18
Depth to Initial Water Level (ft):

Bore Hole Location: See boring location plan
Drilling Date: Start: 1/26/2018 **End:** 1/26/2018

Depth	Date	Time
9.8	1/26/2018	1415

General Remarks: Casing refusal at 8 ft bgs. Drilled with roller bit to 10 ft bgs and advanced casing to 12 ft bgs. T.S. - Topsoil; G.F. - Granular Fill

Abandonment Method: Backfilled with bentonite chips
Logged By: E. Benson

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
21.8				49					T.S.	6" Topsoil	
0	SS	S-1	24	35 21 25	24	56	<0.1		G.F.	Moist, very dense, fine to coarse SAND, little fine gravel, trace silt	
	SS	S-2	24	42 33 8 10	14	41	<0.1			Dry, dense, light brown to gray, fine to coarse SAND, some fine to coarse gravel, trace silt, trace glass and tile	
16.8	SS	S-3	24	7 5 7 9	5	12	<0.1			Dry, medium dense, light brown to gray, fine to coarse SAND, some silt, little fine gravel, trace glass and wood	
5	SS	S-4	24	14 7 7 8	18	14	<0.1 <0.1		Waste Fill	Top 6": Dry, light brown, fine to coarse SAND, some fine to coarse gravel, trace silt, trace glass and brick Bot. 12": Moist, brown to greenish gray, CLAY & SILT, trace fine gravel, trace fine to coarse sand, trace brick	
	SS	S-5	3	100/3"	2	>100	<0.1			Dry, very dense, light brown to gray, fine to coarse SAND, some fine to coarse gravel, trace silt	
17.8	SS	S-6	1	100/1"	0	>100	--			No Recovery	10 ft bgs: gravel lodged in sampler
10				6 5 8 16	16	13	<0.1			Top 3": Wood	Blow counts may not be representative of soil conditions due to wood encountered during sampling. Boring located adjacent to two trees.
	SS	S-7	24	11 15 13 14	24	28	<0.1		Clay & Silt	Bot. 12": Wet, stiff, greenish gray, CLAY & SILT, trace fine sand Wet, very stiff, greenish gray, CLAY & SILT, trace fine sand	
6.8	SS	S-8	24	7 14 14 15	24	28	<0.1			Wet, very stiff, greenish gray, CLAY & SILT, trace fine sand	
15	SS	S-9	24		24	28	<0.1				
										Boring terminated at 18 ft bgs.	
1.8											

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18

Sample Types	Consistency vs Blowcount/Foot	Burmister Classification
AS - Auger/Grab Sample CS - California Sampler BQ - 1.5" Rock Core NX - 2" Rock Core HP - Hydro Punch SS - Split Spoon ST - Shelby Tube WS - Wash Sample GP - Geoprobe	Granular (Sand): V. Loose: 0-4 Loose: 4-10 M. Dense: 10-30 Dense: 30-50 V. Dense: >50	Fine Grained (Clay): V. Soft: <2 Soft: 2-4 M. Stiff: 4-8 Stiff: 8-15 V. Stiff: 15-30 Hard: >30 and some 35-50% little 20-35% trace <10% moisture, density, color

Reviewed by:

Date:

Boring Number: CDM-112



Boring Number: CDM-113

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / M. Soucy
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 1/29/2018 **End:** 1/29/2018
General Remarks: T.S. - Topsoil; G.F. - Granular Fill

Surface Elevation (ft.): 22.0
Total Depth (ft.): 18
Depth to Initial Water Level (ft):

Depth	Date	Time
6.8	1/29/2018	0904

Abandonment Method: Backfilled with bentonite chips
Logged By: E. Benson

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
22.0											
0				9					T.S.	6" Topsoil	
	SS	S-1	24	13	14	19	<0.1		G.F.	Moist, medium dense, light brown, fine to coarse SAND, some fine gravel, trace silt	
				6							
				6							
	SS	S-2	24	3	7	18	<0.1			Dry, medium dense, light brown to gray, fine to coarse SAND, little fine to coarse gravel, little silt, trace brick	
				6							
				12							
				18							
17.0	SS	S-3	24	11	6	11	<0.1			Dry, medium dense, light brown to gray, fine to coarse SAND, little fine to coarse gravel, little silt, trace brick	
5				6							
				5							
				9							
	SS	S-4	24	52	18	98	<0.1/0.1		Waste Fill	Top 6": Moist, very dense, light brown to gray, fine to coarse SAND, little fine to coarse gravel, little silt, trace brick Bot. 12": Moist, dark brown to black, fine to coarse SAND, some fine to coarse gravel, little silt, little ash	
				62							
				36							
				11							
	SS	S-5	24	5	3	5	<0.1			Moist, loose, dark brown to gray, fine to coarse SAND, little fine to coarse gravel, little silt, little ash	
				3							
				2							
				2							
12.0	SS	S-6	24	7	10	6	0.2/<0.1			Moist, loose, dark brown to gray, fine to coarse SAND, little fine to coarse gravel, little silt Top 4": Wet, loose, dark brown, fine to coarse SAND, some fine to coarse gravel, little silt, trace metal and wood	
10				3							
				3							
				4							
	SS	S-7	24	2	12	7	<0.1			Bot. 6": Wet, greenish gray to olive gray, CLAY & SILT, trace fine sand Wet, medium stiff, greenish gray, CLAY & SILT, trace fine sand, trace fine gravel Wet, very stiff, greenish gray, CLAY & SILT	
				3							
				4							
				5							
7.0	SS	S-8	24	11	10	26	<0.1		Clay & Silt		
15				7							
				15							
				16							
				6							
	SS	S-9	24	7	16	17	<0.1			Wet, very stiff, greenish gray, CLAY & SILT	
				10							
				14							
2.0										Boring terminated at 18 ft bgs.	

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18

Sample Types	Consistency vs Blowcount/Foot	Burmister Classification
AS - Auger/Grab Sample CS - California Sampler BQ - 1.5" Rock Core NX - 2" Rock Core HP - Hydro Punch SS - Split Spoon ST - Shelby Tube WS - Wash Sample GP - Geoprobe	Granular (Sand): V. Loose: 0-4 Loose: 4-10 M. Dense: 10-30 Dense: 30-50 V. Dense: >50	Fine Grained (Clay): V. Soft: <2 Soft: 2-4 M. Stiff: 4-8 Stiff: 8-15 V. Stiff: 15-30 Hard: >30 and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%

Reviewed by: _____ **Date:** _____ **Boring Number:** CDM-113



Boring Number: CDM-114

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / M. Soucy
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.

Surface Elevation (ft.): 22.5
Total Depth (ft.): 20
Depth to Initial Water Level (ft):

Bore Hole Location: See boring location plan
Drilling Date: Start: 1/22/2018 **End:** 1/22/2018

Depth	Date	Time
8.0	1/22/2018	1103

General Remarks:

Abandonment Method: Backfilled with bentonite chips
Logged By: E. Benson

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks				
22.5				14											
0	SS	S-1	24	32	18	56	<0.1		Granular Fill	Moist, very dense, tan, fine to coarse SAND, some fine to coarse gravel, little silt					
	SS	S-2	24	24	8	54	<0.1			Dry, very dense, dark brown to black, fine to coarse SAND, little fine gravel, little silt					
	SS	S-3	24	25	4	8	0.2			Wet, loose, tan to red, fine to coarse SAND and fine to coarse GRAVEL, little silt, trace brick					
17.5				30					Clay & Silt		Moist, stiff, greenish gray, CLAY & SILT, trace fine sand	14-16 ft bgs: advanced 3" split spoon following SPT to collect additional soil for classification purposes.			
5	SS	S-4	24	26	5	13	0.1						Wet, very soft, tan, CLAY & SILT, trace fine to medium sand		
	SS	S-5	24	28	6	1	0.2						Wet, medium stiff, tan, CLAY & SILT, trace fine sand		
	SS	S-6	24	29	7	6	0.1						Wet, medium stiff, greenish gray, CLAY & SILT		
	SS	S-7	24	8	5	7	<0.1						Wet, medium stiff, greenish gray, CLAY & SILT		
	SS	S-8	24	5	2	6	<0.1						Wet, medium stiff, greenish gray, CLAY & SILT		
	SS	S-9	24	7	4	7	<0.1						Wet, medium stiff, greenish gray, CLAY & SILT		
	SS	S-10	24	3	14	14	<0.1	Wet, stiff, greenish gray, CLAY & SILT							
				4											
12.5				6											
10				7											
				4											
				3											
				3											
				4											
7.5				3											
15				3											
				4											
				3											
				4											
				6											
				8											
				6											
2.5				6											

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18

Sample Types	Consistency vs Blowcount/Foot	Burmister Classification
AS - Auger/Grab Sample CS - California Sampler BQ - 1.5" Rock Core NX - 2" Rock Core HP - Hydro Punch SS - Split Spoon ST - Shelby Tube WS - Wash Sample GP - Geoprobe	Granular (Sand): V. Loose: 0-4 Loose: 4-10 M. Dense: 10-30 Dense: 30-50 V. Dense: >50	Fine Grained (Clay): V. Soft: <2 Soft: 2-4 M. Stiff: 4-8 Stiff: 8-15 V. Stiff: 15-30 Hard: >30 and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%

Reviewed by:

Date:

Boring Number: CDM-114



Boring Number: CDM-114

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
2.5 20											
-2.5 25											
-7.5 30											
-12.5 35											
-17.5 40											
-22.5 45											

Boring terminated at 20 ft bgs.

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18



Boring Number: CDM-115

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / M. Soucy
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.

Surface Elevation (ft.): 22.2
Total Depth (ft.): 16
Depth to Initial Water Level (ft):

Bore Hole Location: See boring location plan
Drilling Date: Start: 2/2/2018 **End:** 2/2/2018

Depth	Date	Time
8.8	2/2/2018	-

General Remarks:

Abandonment Method: Backfilled with bentonite chips
Logged By: E. Benson

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
22.2				13						6" Topsoil	
0	SS	S-1	24	25 22 62	18	47	<0.1		Granular Fill Topsoil	Moist, dense, brown, fine to coarse SAND, some fine to coarse gravel, trace silt	
	SS	S-2	24	102 26 29 29	13	55	<0.1			Dry, very dense, brown to olive gray, fine to coarse SAND and SILT, little fine to coarse gravel, little ash	
17.2	SS	S-3	24	19 19 19 20	11	38	<0.1		Clay & Silt	Moist, dense, tan to olive gray, fine SAND and SILT	
5	SS	S-4	24	11 10 9 8	16	19	<0.1			Moist, medium dense, tan, fine SAND and SILT	
	SS	S-5	24	6 4 3 3	20	7	<0.1			Moist, loose, tan to olive gray, fine SAND and SILT	
12.2	SS	S-6	24	3 4 3 3	18	7	<0.1			Wet, medium stiff, tan to olive gray, CLAY & SILT, little fine to medium sand	
10	SS	S-7	24	3 3 6 7	10	9	<0.1			Wet, stiff, tan to olive gray, CLAY & SILT, little fine to medium sand	
7.2	SS	S-8	24	7 6 6 6	16	12	<0.1/ <0.1			Top 10": Wet, stiff, tan to olive gray, SILT & CLAY, little fine sand	
15										Bot. 6": Wet, greenish gray, SILT & CLAY, little fine to medium sand	
										Boring terminated at 16 ft bgs.	
2.2											

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18

Sample Types	Consistency vs Blowcount/Foot	Burmister Classification
AS - Auger/Grab Sample CS - California Sampler BQ - 1.5" Rock Core NX - 2" Rock Core HP - Hydro Punch SS - Split Spoon ST - Shelby Tube WS - Wash Sample GP - Geoprobe	Granular (Sand): V. Loose: 0-4 Loose: 4-10 M. Dense: 10-30 Dense: 30-50 V. Dense: >50	Fine Grained (Clay): V. Soft: <2 Soft: 2-4 M. Stiff: 4-8 Stiff: 8-15 V. Stiff: 15-30 Hard: >30 and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%

Reviewed by: _____ **Date:** _____ **Boring Number:** CDM-115



Boring Number: CDM-116

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / M. Soucy
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 1/29/2018 **End:** 1/29/2018
General Remarks:

Surface Elevation (ft.): 24.0
Total Depth (ft.): 14
Depth to Initial Water Level (ft):

Depth	Date	Time
12.0	1/29/2018	1415

Abandonment Method: Backfilled with bentonite chips
Logged By: E. Benson

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks	
24.0 0				9						6" Topsoil		
	SS	S-1	24	13 11 17	12	24	<0.1		Granular Fill Topsoil	Moist, medium dense, tan, fine to coarse SAND, some fine to coarse gravel, trace silt Top 6": Moist, very dense, tan, fine to coarse SAND, some fine to coarse gravel, trace silt Bot. 12": Moist, very dense, dark gray, fine to coarse GRAVEL and fine to coarse SAND, little silt		
	SS	S-2	24	26 30 70 39	18	100	<0.1/ <0.1					
19.0 5	SS	S-3	24	32 42 29 21	12	71	0.2			Waste Fill	Moist, very dense, greenish gray to black, fine to coarse SAND, some fine to coarse gravel, some silt, trace tile, glass, and metal Moist, very dense, black, fine to coarse SAND, some silt, little fine to coarse gravel, little ash, metal, and wood Top 11": Moist, loose, black, fine to medium SAND, some wood, little silt, little fine gravel	4-7 ft bgs: Slight hydrocarbon odor
	SS	S-4	12	8 6	8	>56	0.1					
				50/0"								
	SS	S-5	24	7 4 5 4	14	9	0.1/ <0.1					
14.0 10	SS	S-6	24	6 8 11 13	18	19	<0.1		Clay & Silt	Bot. 3": Moist, greenish gray, SILT & CLAY, trace fine sand Moist, very stiff, greenish gray to olive gray, SILT & CLAY Moist, hard, olive gray, SILT & CLAY	10-14 ft bgs: Soil oxidation staining	
	SS	S-7	24	15 19 20 20	12	39	<0.1					
9.0 15										Boring terminated at 14 ft bgs.		
4.0												

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18

Sample Types	Consistency vs Blowcount/Foot	Burmister Classification
AS - Auger/Grab Sample CS - California Sampler BQ - 1.5" Rock Core NX - 2" Rock Core HP - Hydro Punch SS - Split Spoon ST - Shelby Tube WS - Wash Sample GP - Geoprobe	Granular (Sand): V. Loose: 0-4 Loose: 4-10 M. Dense: 10-30 Dense: 30-50 V. Dense: >50	Fine Grained (Clay): V. Soft: <2 Soft: 2-4 M. Stiff: 4-8 Stiff: 8-15 V. Stiff: 15-30 Hard: >30 and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%

Reviewed by: _____ **Date:** _____ **Boring Number:** CDM-116



Boring Number: CDM-117

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / M. Soucy
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 1/23/2018 **End:** 1/23/2018
General Remarks: Cement grout patch at surface.

Surface Elevation (ft.): 20.8
Total Depth (ft.): 19
Depth to Initial Water Level (ft):

Depth	Date	Time
9.5	1/23/2018	0909

Abandonment Method: Backfilled with bentonite chips
Logged By: E. Benson

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
20.8										4" Asphalt	
0				11					Pvmt.	Moist, tan, fine to coarse SAND and fine to coarse GRAVEL, trace silt	
	SS	S-1	24	16	14	33	<0.1		Granular Fill	Top 8": Moist, dense, tan, fine to coarse SAND and fine to coarse GRAVEL, trace silt	3-5 ft bgs: Organic odor
				17			0.1			Bot. 6": Moist, black, fine to coarse SAND, some silt, little fine gravel	
	SS	S-2	24	8	16	15	0.2			Moist, medium dense, black to dark gray, fine to medium SAND, some silt, trace fine gravel, trace root/organic material	
15.8				7							
5				8							
	SS	S-3	24	4	12	12	<0.1		Clay & Silt	Moist, stiff, greenish gray to tan, CLAY & SILT, trace fine gravel, trace fine sand	
				8							
	SS	S-4	24	8	8	25	<0.1			Wet, very stiff, greenish gray to tan, CLAY & SILT, trace fine to coarse gravel, trace fine sand	
				17							
				14							
10.8				12							
10				11							
	SS	S-5	24	16	16	27	<0.1			Wet, very stiff, greenish gray to tan, CLAY & SILT, trace fine sand	
				15							
				7							
	SS	S-6	24	13	18	36	<0.1			Wet, hard, greenish gray to olive gray, CLAY & SILT, trace fine sand	
				23							
				37							
				21							
	SS	S-7	24	32	22	62	<0.1			Wet, hard, greenish gray, CLAY & SILT	
				30							
				35							
5.8				11							
15				12							
	SS	S-8	24	16	3	28	<0.1			Wet, very stiff, greenish gray, CLAY & SILT	
				18							
				14							
	SS	S-9	24	14	24	24	<0.1			Wet, very stiff, greenish gray, CLAY & SILT	
				10							
				12							
0.8										Boring terminated at 19 ft bgs.	

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18

Sample Types	Consistency vs Blowcount/Foot	Burmister Classification
AS - Auger/Grab Sample CS - California Sampler BQ - 1.5" Rock Core NX - 2" Rock Core HP - Hydro Punch SS - Split Spoon ST - Shelby Tube WS - Wash Sample GP - Geoprobe	Granular (Sand): V. Loose: 0-4 Loose: 4-10 M. Dense: 10-30 Dense: 30-50 V. Dense: >50	Fine Grained (Clay): V. Soft: <2 Soft: 2-4 M. Stiff: 4-8 Stiff: 8-15 V. Stiff: 15-30 Hard: >30 and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%

Reviewed by: _____ **Date:** _____ **Boring Number:** CDM-117



Boring Number: CDM-118

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / M. Soucy
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 1/31/2018 **End:** 1/31/2018

Surface Elevation (ft.): 22.3
Total Depth (ft.): 24
Depth to Initial Water Level (ft):

Depth	Date	Time
9.8	1/31/2018	1010

Abandonment Method: Backfilled with cement grout and bentonite chips
Logged By: E. Benson

General Remarks: Approximately 50 gallons of grout was used without clean grout return. Remainder of hole was plugged with hydrated bentonite chips. T.S. - Topsoil

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks	
22.3 0				4					T.S.	6" Topsoil		
	SS	S-1	24	10 14 19	18	24	<0.1		Granular Fill	Moist, medium dense, light brown, fine to coarse SAND, some fine to coarse gravel, trace silt Top 6": Moist, very dense, light brown, fine to coarse SAND, some fine to coarse gravel, trace silt		
	SS	S-2	24	29 28 34 20	14	62	<0.1/ 0.3				Bot. 8": Moist, black to greenish gray, fine to coarse SAND, some fine to coarse gravel, some silt, trace brick Moist, medium dense, black to greenish gray, fine to coarse SAND, some fine to coarse gravel, some silt, little ash, trace brick Moist, medium dense, black to greenish gray, fine to coarse SAND, some fine to coarse gravel, little silt, trace ash, brick, wood, and metal Moist, medium dense, black, fine to coarse SAND, some silt, trace fine gravel, trace metal and wood	6-10 ft bgs: hydrocarbon odor
17.3 5	SS	S-3	24	14 14 14 11	12	28	0.8	Waste Fill				
	SS	S-4	24	5 6 10 10	14	16	0.4					
	SS	S-5	24	9 10 3 4	6	13	0.6					
12.3 10	SS	S-6	24	4 3 3 2	0	6	0.5				Wet, loose, black, fine to coarse SAND, some silt, trace fine gravel, trace ash, glass, and brick	No recovery in 2" split spoon; reinserted 3" split spoon with 2" recovery.
	SS	S-7	24	3 5 10 8	3	15	3.7				Wet, medium dense, black, fine to coarse SAND, some silt, trace fine gravel, trace ash, glass, and brick	
	SS	S-8	24	6 3 2 2	4	5	1.1				Wet, loose, black, fine to coarse SAND, some silt, little ash, wood, and metal, trace fine gravel	
7.3 15	SS	S-9	24	2 1 1 2	0	2	--				No Recovery	No recovery in 2" split spoon; reinserted 3" split spoon with no recovery.
	SS	S-10	24	6 13 20 7	14	33	1.4/ 0.1				Top 8": Wet, dense, black, fine to coarse SAND and fine GRAVEL, little ash, brick, and metal, little silt	
2.3											Bot. 6": Wet, hard, greenish gray, CLAY &	

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18

Sample Types		Consistency vs Blowcount/Foot		Burmister Classification	
AS - Auger/Grab Sample	HP - Hydro Punch	Granular (Sand):		Fine Grained (Clay):	
CS - California Sampler	SS - Split Spoon	V. Loose: 0-4	Dense: 30-50	V. Soft: <2	Stiff: 8-15
BQ - 1.5" Rock Core	ST - Shelby Tube	Loose: 4-10	V. Dense: >50	Soft: 2-4	V. Stiff: 15-30
NX - 2" Rock Core	WS - Wash Sample	M. Dense: 10-30		M. Stiff: 4-8	Hard: >30
	GP - Geoprobe				and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%

Reviewed by:

Date:

Boring Number: CDM-118



Boring Number: CDM-118

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
2.3 20	SS	S-11	24	5 11 10 12	16	21	<0.1		Clay & Silt	SILT Wet, very stiff, greenish gray, CLAY & SILT	
	SS	S-12	24	6 6 8 9	20	14	<0.1			Wet, stiff, greenish gray, CLAY & SILT	
-2.7 25										Boring terminated at 24 ft bgs.	
-7.7 30											
-12.7 35											
-17.7 40											
-22.7 45											

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18



Boring Number: CDM-119

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / M. Soucy
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.
Bore Hole Location: See boring location plan
Drilling Date: Start: 1/31/2018 **End:** 2/1/2018

Surface Elevation (ft.): 21.2
Total Depth (ft.): 36
Depth to Initial Water Level (ft):

Depth	Date	Time
8.5	1/31/2018	1400

Abandonment Method: Backfilled with cement grout and bentonite chips
Logged By: E. Benson

General Remarks: Approximately 50 gallons of grout was used without clean grout return. Remainder of hole was plugged with hydrated bentonite chips. T.S. -
Topsoil: G.F. - Granular Fill

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
21.2									T.S.	4" Topsoil	
0	SS	S-1	24	4 6 13 23	12	19	<0.1		G.F.	Moist, medium dense, brown, fine to coarse SAND, some fine to coarse gravel, trace silt	
	SS	S-2	24	38 27 23 26	20	50	<0.1 <0.1			Top 4": Moist, brown, fine to coarse SAND, some fine to coarse gravel, trace silt Bot. 16": Moist, dense, tan to greenish gray, fine to coarse SAND, some silt, little fine to coarse gravel, trace brick	
16.2	SS	S-3	24	24 32 15 8	7	47	1.1			Top 2": Same as above Bot. 5": Moist, medium dense, black, fine to coarse SAND, some silt, some brick, some fine to coarse gravel	
5	SS	S-4	24	6 4 16 43	10	20	5.7			Moist, medium dense, black, fine to coarse SAND, some silt, little debris, trace fine to coarse gravel	6-14 ft bgs: Hydrocarbon odor In sample S-4, debris consisted of brick, ash, metal, glass, and wood.
	SS	S-5	24	18 15 7 5	8	22	2.8			Moist, medium dense, black, fine to coarse SAND, some silt, some fine to coarse gravel, trace brick	
11.2	SS	S-6	24	8 4 3 3	12	7	1.2		Waste Fill	Wet, loose, black, fine to coarse SAND, some silt, some ash, wood, tile, glass, paper and metal, little fine to coarse gravel	
10	SS	S-7	24	5 3 3 4	4	6	1.3			Wet, loose, black, fine to coarse SAND, some silt, some ash, wood, tile, glass, paper and metal, little fine to coarse gravel	
6.2	SS	S-8	24	12 5 5 5	3	10	3.5			Wet, medium dense, black, fine to coarse SAND, some silt, little fine to coarse gravel, trace brick and metal	
15	SS	S-9	24	4 2 3 2	4	5	22.3			Wet, loose, black, fine to coarse SAND, some silt, little fine to coarse gravel, trace nails, glass and wood	
	SS	S-10	24	4 5 2 3	2	7	9.0			Wet, loose, black, fine to coarse SAND, some silt, little fine gravel, trace ash, wood, and brick	
1.2											

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18

Sample Types	Consistency vs Blowcount/Foot	Burmister Classification
AS - Auger/Grab Sample CS - California Sampler BQ - 1.5" Rock Core NX - 2" Rock Core HP - Hydro Punch SS - Split Spoon ST - Shelby Tube WS - Wash Sample GP - Geoprobe	Granular (Sand): V. Loose: 0-4 Loose: 4-10 M. Dense: 10-30 Dense: 30-50 V. Dense: >50	Fine Grained (Clay): V. Soft: <2 Soft: 2-4 M. Stiff: 4-8 Stiff: 8-15 V. Stiff: 15-30 Hard: >30 and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%

Reviewed by: _____ **Date:** _____ **Boring Number:** CDM-119



Boring Number: CDM-119

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
1.2 20	SS	S-11	24	2 4 5 3	4	9	4.4		Waste Fill	Wet, loose, black, fine to coarse SAND, some fine gravel, little ash, metal and brick, trace silt	
	SS	S-12	24	3 3 3 4	4	6	2.3			Wet, loose, black, fine to coarse SAND and fine to coarse GRAVEL, little silt, little metal, brick and tile	
-3.8 25	SS	S-13	24	9 5 3 4	3	8	1.2			Wet, loose, black, fine to coarse SAND, some fine to coarse gravel, some silt, little ash, metal, brick and tile	
	SS	S-14	24	4 4 4 13	6	8	-			Wet, loose, black, fine to coarse SAND, some fine to coarse gravel, some silt, little ash, wood, metal, brick and tile	
	SS	S-15	24	5 4 7 8	10	11	1.4			Wet, medium dense, black, fine to coarse SAND, some silt, little fine to coarse gravel, little ash, tile, glass and wood	
-8.8 30	SS	S-16	24	4 2 3 4	5	5	0.8			Wet, loose, black, fine to coarse SAND, some fine to coarse gravel, little silt, little tile, glass and brick	
	SS	S-17	24	8 11 14 12	20	25	- / <0.1		Clay & Silt	Top 4": Wet, black, fine to coarse SAND, some fine to coarse gravel, little silt, little tile, glass and brick	
-13.8 35	SS	S-18	24	6 8 11 12	24	19	<0.1			Bot. 16": Wet, very stiff, greenish gray, CLAY & SILT Wet, very stiff, greenish gray, CLAY & SILT	
										Boring terminated at 36 ft bgs.	
-18.8 40											
-23.8 45											

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18



Boring Number: CDM-120

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Drilling Contractor/Driller: New England Boring Contractors, Inc. / M. Soucy
Drilling Method/Casing/Core Barrel Size: Drive and Wash / 4 in / NA
Hammer Weight/Drop Height/ Spoon Size: 140 lb / 30 in / 2 in O.D.

Surface Elevation (ft.): 21.2
Total Depth (ft.): 21
Depth to Initial Water Level (ft):

Bore Hole Location: See boring location plan
Drilling Date: Start: 2/1/2018 **End:** 2/1/2018

Depth	Date	Time
6.8	2/1/2018	1345

General Remarks: Approximately 30 gallons of grout was used without clean grout return. Remainder of hole was plugged with hydrated bentonite chips. G.F. - Granular Fill

Abandonment Method: Backfilled with cement grout, bentonite chips, and asphalt patch
Logged By: E. Benson

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
21.2										4" Asphalt	
0	SS	S-1	24	8 15 21 29	14	36	0.3/ 1.5		G. F. Pvmnt.	Top 6": Moist, dense, brown, fine to coarse SAND and fine to coarse GRAVEL, trace silt Bot. 8": Moist, black, fine to coarse SAND, some silt, some fine to coarse gravel, trace brick	
	SS	S-2	24	45 44 32 34	16	76	1.3			Moist, very dense, black to greenish gray, fine to coarse SAND, some silt, some fine to coarse gravel, trace ash and brick	
16.2										Top 5": Moist, very dense, black to greenish gray, fine to coarse SAND, some silt, some fine to coarse gravel, trace ash and brick Bot 2": Moist, medium dense, greenish gray, fine to medium SAND, some silt, trace brick	
5	SS	S-3	24	17 13 9 6	7	22	0.9/ <0.1			Moist, medium dense, black, fine to medium SAND and SILT, trace ash	Gravel fragment in spoon tip.
	SS	S-4	24	9 8 8 6	2	16	1.7			Wet, loose, black, fine to coarse SAND, some silt, some fine gravel, some ash and wood, trace metal	
11.2										Wet, medium dense, black, fine to coarse SAND, some silt, little ash, wood, metal, tile, and brick, trace fine gravel	
10	SS	S-5	24	7 3 6 8	8	9	1.1		Waste Fill	Wet, medium dense, black, fine to coarse SAND, some silt, little ash, wood, metal, tile, glass, and brick, trace fine gravel	
	SS	S-6	24	10 7 9 16	7	16	0.9			Wet, very loose, black, fine to coarse SAND, some silt, little ash, wood, metal, glass, and brick	
6.2										Top 2": Wet, medium dense, black, fine to coarse SAND, some silt, little ash, metal, and brick	
15	SS	S-7	24	19 8 3 3	6	11	0.8			Bot. 5": Wet, greenish gray, CLAY & SILT Wet, very stiff, greenish gray, CLAY & SILT, trace coarse sand	
	SS	S-8	24	WOH WOH 2 5	3	2	1.6				
	SS	S-9	24	5 7 10	7	17	0.1		Clay & Silt		
1.2	SS	S-10	24	6 8	10	17	<0.1				

Sample Types		Consistency vs Blowcount/Foot		Burmister Classification	
AS - Auger/Grab Sample	HP - Hydro Punch	Granular (Sand):		Fine Grained (Clay):	
CS - California Sampler	SS - Split Spoon	V. Loose: 0-4	Dense: 30-50	V. Soft: <2	Stiff: 8-15
BQ - 1.5" Rock Core	ST - Shelby Tube	Loose: 4-10	V. Dense: >50	Soft: 2-4	V. Stiff: 15-30
NX - 2" Rock Core	WS - Wash Sample	M. Dense: 10-30		M. Stiff: 4-8	Hard: >30
	GP - Geoprobe				and some 35-50% little 20-35% trace 10-20% moisture, density, color <10%

Reviewed by:

Date:

Boring Number: CDM-120

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18



Boring Number: CDM-120

Client: City of Cambridge
Project Location: Cambridge, MA

Project Name: Tobin School
Project Number: 0139-220813

Elev. Depth (ft)	Sample Type	Sample Number	Sample Length (in)	Blows per 6 inches	Sample Recovery (in)	N-Value	Organic Vapor Reading (ppm)	Graphic Log	Strata	Material Description	Remarks
1.2 20	SS	S-10	24	9 9	10	17	<0.1				
-3.8 25										Boring terminated at 21 ft bgs.	
-8.8 30											
-13.8 35											
-18.8 40											
-23.8 45											

BL TOBIN SCHOOL 11102017.GPJ - 3/28/18

ATTACHMENT F
PHASE 1 - TEST PIT LOGS



Test Pit Log

Client: <u>City of Cambridge</u>	Contractor: <u>Charter Environmental</u>	Test Pit No. <u>TP-101</u>
Project Name: <u>Tobin School</u>	Equipment: <u>Takeuchi TB290</u>	Logged By: <u>E. Benson</u>
Project Location: <u>197 Vassal Ln, Cambridge, MA</u>	Depth to Water: <u>11.0 ft bgs</u>	Date: <u>12/28/2017</u>
Project Number: <u>0139-220813</u>	Ground Surface EL: <u>~ 21.0 (CCB)</u>	Page: <u>1 of 2</u>

DEPTH (feet)	SOIL DESCRIPTION	STRATA CHANGE	EXCAV. EFFORT
1	- Grass at ground surface 0 - 1' : Dry, dark brown to black, fine to coarse SAND, some silt, trace fine gravel 1 - 2' : Dry to moist, tan, fine to coarse SAND, little fine gravel, trace silt	Topsoil	E
2	- PID: 0.1 ppm @ 1' bgs 2' - 4' : Moist, greenish gray to dark brown, fine to coarse SAND, some silt, little fine to coarse gravel	Granular Fill	E
3			
4			
5	4' - 7' : Moist, dark brown, fine to coarse SAND, some silt, little fine to coarse gravel - PID: 0.4 ppm @ 4' bgs		
6			
7	- PID: 0.9 ppm @ 6' bgs		
8	7' - 13.5' : Moist to wet, dark brown to black, fine to coarse SAND, some silt, little fine to coarse gravel, little metal, glass, brick, wood and ash debris - Waste debris varied from 6" to 12" in size	Waste Fill	E
9	- PID: 2.1 ppm @ 8' bgs - Slight VOC odor		
10			
11	▽		
12	- Groundwater at 11.0' bgs.		
13			
14	- Test pit terminated at 13.5' bgs		

<u>T.P. DIMENSIONS</u>	<u>TEST PIT PLAN</u>	<u>BOULDER COUNT</u>
Width (ft): <u>5</u>	- See Boring Location Plan	6 in-12 in: <u>< 10% of matrix</u>
Length (ft): <u>12</u>		12 in-18 in: _____
Depth (ft): <u>13.5</u>		18 in-24 in: _____
Vol (ft ³): <u>810</u>		24 in-30 in: _____
	<u>Weather Conditions</u>	
	- Clear, 6° to 12° F	
<u>DESCRIPTION</u>	<u>EQUIPMENT USED</u>	<u>EXCAVATION EFFORT</u>
and : 35 to 50 % some : 20 to 35 % little : 10 to 20 % trace : 1 to 10 % moisture, color	5 Ventis Four Gas Monitors 1 Landtec Gem 2000 Landfill Gas Monitor 1 Photoionization Detector	E : Easy M : Moderate D : Difficult

Remarks: - Gas Monitors placed approx. 20 feet from excavation and on person. Did not detect CO, H2S, or LEL. Oxygen reading 20.9%

Test Pit Log

Client: <u>City of Cambridge</u>	Contractor: <u>Charter Environmental</u>	Test Pit No. <u>TP-101</u>
Project Name: <u>Tobin School</u>	Equipment: <u>Takeuchi TB290</u>	Logged By: <u>E. Benson</u>
Project Location: <u>197 Vassal Ln, Cambridge, MA</u>	Depth to Water: <u>11.0 ft bgs</u>	Date: <u>12/28/2017</u>
Project Number: <u>0139-220813</u>	Ground Surface EL: <u>~ 21.0 (CCB)</u>	Page: <u>2 of 2</u>



-Exposed north sidewall with groundwater at approximately 11' bgs



-Stockpile of waste fill material after completion of excavation.

Remarks:



Test Pit Log

Client: <u>City of Cambridge</u>	Contractor: <u>Charter Environmental</u>	Test Pit No. <u>TP-102</u>
Project Name: <u>Tobin School</u>	Equipment: <u>Takeuchi TB290</u>	Logged By: <u>E. Benson</u>
Project Location: <u>197 Vassal Ln, Cambridge, MA</u>	Depth to Water: <u>9.5 ft bgs</u>	Date: <u>12/28/2017</u>
Project Number: <u>0139-220813</u>	Ground Surface EL: <u>~ 21.0 (CCB)</u>	Page: <u>1 of 3</u>

DEPTH (feet)	SOIL DESCRIPTION	STRATA CHANGE	EXCAV. EFFORT
1	- Grass at ground surface 0 - 1' : Moist, dark brown to brown, fine to medium SAND, some silt, trace fine gravel 1' - 2.5' : Moist, tan, fine to coarse SAND, little fine to coarse gravel, trace silt	Topsoil	E
2	- PID: 0.2 ppm @ 2' bgs		
3	2.5' - 3.5': Moist, greenish gray, SILT & CLAY, little fine sand (reworked natural material)	Granular Fill	E
4	3.5' - 6' : Moist, black to dark brown, fine to coarse SAND, some silt, some fine to coarse gravel, little concrete, trace brick		
5	- 4.5' x 2' x 0.5' granite block @ 5' bgs - concrete debris between 12-14" x 2-4" in size		
6			
7	6' - 9' : Moist, black to dark brown, fine to coarse SAND, some silt, some fine to coarse gravel, little concrete, trace brick and ash - PID: 0.2 ppm @ 6' bgs		
8	- Slight organic odor		
9	9' - 12' : Wet, black, fine to coarse SAND, some silt, some fine to coarse gravel, little concrete, trace brick	Waste Fill	E
10	- Groundwater at 9.5' bgs. - PID: 0.2 ppm @ 10' bgs		
11	- Slight organic odor		
12	- Test pit terminated at 12' bgs		
13			
14			
15			

<u>T.P. DIMENSIONS</u>	<u>TEST PIT PLAN</u>	<u>BOULDER COUNT</u>
Width (ft): <u>5</u>	- See Boring Location Plan	6 in-12 in: <u>< 10% of matrix</u>
Length (ft): <u>12</u>		12 in-18 in: _____
Depth (ft): <u>12</u>		18 in-24 in: _____
Vol (ft ³): <u>720</u>		24 in-30 in: _____
	<u>Weather Conditions</u>	
	- Clear, 6° to 12° F	
<u>DESCRIPTION</u>	<u>EQUIPMENT USED</u>	<u>EXCAVATION EFFORT</u>
and : 35 to 50 %	5 Ventis Four Gas Monitors	E : Easy
some : 20 to 35 %	1 Landtec Gem 2000 Landfill Gas Monitor	M : Moderate
little : 10 to 20 %	1 Photoionization Detector	D : Difficult
trace : 1 to 10 %		
moisture, color		

Remarks: - Gas Monitors placed approx. 20 feet from excavation and on person. Did not detect CO, H2S, or LEL. Oxygen reading 20.9%

Test Pit Log

Client: <u>City of Cambridge</u>	Contractor: <u>Charter Environmental</u>	Test Pit No. <u>TP-102</u>
Project Name: <u>Tobin School</u>	Equipment: <u>Takeuchi TB290</u>	Logged By: <u>E. Benson</u>
Project Location: <u>197 Vassal Ln, Cambridge, MA</u>	Depth to Water: <u>9.5 ft bgs</u>	Date: <u>12/28/2017</u>
Project Number: <u>0139-220813</u>	Ground Surface EL: <u>~ 21.0 (CCB)</u>	Page: <u>2 of 3</u>



-Exposed north sidewall with groundwater at approximately 9.5' bgs



-Stockpile of waste fill material showing granite block from approximately 5' bgs

Remarks:

Test Pit Log

Client: <u>City of Cambridge</u>	Contractor: <u>Charter Environmental</u>	Test Pit No. <u>TP-102</u>
Project Name: <u>Tobin School</u>	Equipment: <u>Takeuchi TB290</u>	Logged By: <u>E. Benson</u>
Project Location: <u>197 Vassal Ln, Cambridge, MA</u>	Depth to Water: <u>9.5 ft bgs</u>	Date: <u>12/28/2017</u>
Project Number: <u>0139-220813</u>	Ground Surface EL: <u>~ 21.0 (CCB)</u>	Page: <u>3 of 3</u>



-Stockpile of waste fill material after completion of excavation.



-Stockpile of waste fill material after completion of excavation.

Remarks:

ATTACHMENT G
PHASE 2 - TEST PIT LOGS



Test Pit Log

Client: <u>City of Cambridge</u>		Contractor: <u>Charter Environmental</u>		Test Pit No. <u>TP-201</u>	
Project Name: <u>Tobin School</u>		Equipment: <u>Komatsu PC-228</u>		Logged By: <u>E. Benson</u>	
Project Location: <u>197 Vassal Ln, Cambridge, MA</u>		Depth to Water: <u>12.5 ft bgs</u>		Date: <u>2/21/2018</u>	
Project Number: <u>0139-220813</u>		Ground Surface EL: <u>~ 23.5 (CCB)</u>		Page: <u>1 of 4</u>	
DEPTH (feet)	SOIL DESCRIPTION	STRATA CHANGE	EXCAV. EFFORT		
1	- Grass at ground surface 0 - 1' : Topsoil	Topsoil	E		
2	1' - 4' : Moist, brown, fine to coarse SAND, some fine to coarse gravel, trace silt - PID: 0.0 ppm @ 3' bgs				
3		Granular Fill	E		
4					
5	4' - 6' : Moist, brown to dark brown to gray, fine to coarse SAND, some fine to coarse gravel, little silt, trace brick and asphalt				
6					
7	6' - 8' : Moist, dark brown to gray, fine to coarse SAND, some fine to coarse gravel, some silt, little ash, brick, and metal - PID: 0.0 ppm @ 6' bgs	Waste Fill	E		
8					
9	8' - 12' : Moist, black, fine to coarse SAND, some silt, some ash, brick, metal, wood, and glass, little fine to coarse gravel				
10	- PID: 0.2 ppm @ 10' bgs				
11					
12					
13	12' - 15' : Wet, black, fine to coarse SAND and DEBRIS, some silt, little fine to coarse gravel - Debris consists of ash, brick, metal, wood and glass				
14	- Groundwater at 12.5' bgs.				
15	15' - 18' : Wet, black, fine to coarse SAND and DEBRIS, some silt, little fine to coarse gravel - Debris consists of ash, brick, metal, wood and glass				
<u>T.P. DIMENSIONS</u> Width (ft): <u>5</u> Length (ft): <u>12</u> Depth (ft): <u>22</u> Vol (ft ³): <u>1320</u>		<u>TEST PIT PLAN</u> - See Boring Location Plan		<u>BOULDER COUNT</u> 6 in-12 in: <u>< 10% of matrix</u> 12 in-18 in: _____ 18 in-24 in: _____ 24 in-30 in: _____	
		<u>Weather Conditions</u> - Clear, 65° to 70° F		<u>EXCAVATION EFFORT</u> E : Easy M : Moderate D : Difficult	
<u>DESCRIPTION</u> and : 35 to 50 % some : 20 to 35 % little : 10 to 20 % trace : 1 to 10 % moisture, color		<u>EQUIPMENT USED</u> 5 Ventis Four Gas Monitors 1 Landtec Gem 2000 Landfill Gas Monitor 1 Photoionization Detector			

Remarks: - Gas Monitors placed approx. 20 feet from excavation and on person. Did not detect CO, H2S, or LEL. Oxygen reading 20.9%



Test Pit Log

Client: <u>City of Cambridge</u>	Contractor: <u>Charter Environmental</u>	Test Pit No. <u>TP-201</u>
Project Name: <u>Tobin School</u>	Equipment: <u>Komatsu PC-228</u>	Logged By: <u>E. Benson</u>
Project Location: <u>197 Vassal Ln, Cambridge, MA</u>	Depth to Water: <u>12.5 ft bgs</u>	Date: <u>2/21/2018</u>
Project Number: <u>0139-220813</u>	Ground Surface EL: <u>~ 23.5 (CCB)</u>	Page: <u>2 of 4</u>

DEPTH (feet)	SOIL DESCRIPTION	STRATA CHANGE	EXCAV. EFFORT
15	15' - 18' : Wet, black, fine to coarse SAND and DEBRIS, some silt, little fine to coarse gravel	Waste Fill	E
16	- Debris consists of ash, brick, metal, wood and glass - PID: 0.2 ppm @ 10' bgs		
17			
18	18' - 22' : Wet, black, fine to coarse SAND and DEBRIS, some silt, little fine to coarse gravel		
19	- Debris consists of ash, brick, metal, wood and glass - Operator noted that minimal hydraulic effort was needed to push bucket		
20	from 15' to 22' bgs.		
21			
22			
23	- Test pit terminated at 22' bgs		
24			
25			
26			
27			
28			
29			

<u>T.P. DIMENSIONS</u>	<u>TEST PIT PLAN</u>	<u>BOULDER COUNT</u>
Width (ft): <u>5</u>	- See Boring Location Plan <u>Weather Conditions</u> - Clear, 65° to 70° F	6 in-12 in: <u>< 10% of matrix</u>
Length (ft): <u>12</u>		12 in-18 in: _____
Depth (ft): <u>22</u>		18 in-24 in: _____
Vol (ft ³): <u>1320</u>		24 in-30 in: _____
<u>DESCRIPTION</u> and : 35 to 50 % some : 20 to 35 % little : 10 to 20 % trace : 1 to 10 % moisture, color	<u>EQUIPMENT USED</u> 5 Ventis Four Gas Monitors 1 Landtec Gem 2000 Landfill Gas Monitor 1 Photoionization Detector	<u>EXCAVATION EFFORT</u> E : Easy M : Moderate D : Difficult

Remarks: - Approximately 3' to 4' of perched groundwater did not dissipate immediately while backfilling. Excavation capped with 8' x 12' Duramat overnight to allow groundwater to dissipate. Completed backfilling on 2/22/18.

Test Pit Log

Client: <u>City of Cambridge</u>	Contractor: <u>Charter Environmental</u>	Test Pit No. <u>TP-201</u>
Project Name: <u>Tobin School</u>	Equipment: <u>Komatsu PC-228</u>	Logged By: <u>E. Benson</u>
Project Location: <u>197 Vassal Ln, Cambridge, MA</u>	Depth to Water: <u>12.5 ft bgs</u>	Date: <u>2/21/2018</u>
Project Number: <u>0139-220813</u>	Ground Surface EL: <u>~ 23.5 (CCB)</u>	Page: <u>3 of 4</u>



-Exposed west sidewall with groundwater at approximately 12.5' bgs



-Bucket of waste fill material from approximately 13' bgs

Remarks:

Test Pit Log

Client: <u>City of Cambridge</u>	Contractor: <u>Charter Environmental</u>	Test Pit No. <u>TP-201</u>
Project Name: <u>Tobin School</u>	Equipment: <u>Komatsu PC-228</u>	Logged By: <u>E. Benson</u>
Project Location: <u>197 Vassal Ln, Cambridge, MA</u>	Depth to Water: <u>12.5 ft bgs</u>	Date: <u>2/21/2018</u>
Project Number: <u>0139-220813</u>	Ground Surface EL: <u>~ 23.5 (CCB)</u>	Page: <u>4 of 4</u>



-Bucket of waste fill material from approximately 15' bgs



-Bucket of waste fill material from approximately 15+' bgs

Remarks:




Test Pit Log

Client: <u>City of Cambridge</u>		Contractor: <u>Charter Environmental</u>		Test Pit No. <u>TP-203</u>																										
Project Name: <u>Tobin School</u>		Equipment: <u>Komatsu PC-228</u>		Logged By: <u>E. Benson</u>																										
Project Location: <u>197 Vassal Ln, Cambridge, MA</u>		Depth to Water: <u>9 ft bgs</u>		Date: <u>2/21/2018</u>																										
Project Number: <u>0139-220813</u>		Ground Surface EL: <u>~ 21 (CCB)</u>		Page: <u>1 of 4</u>																										
DEPTH (feet)	SOIL DESCRIPTION	STRATA CHANGE	EXCAV. EFFORT																											
	- Grass at ground surface	Topsoil	E																											
1	0 - 0.5' : Topsoil	Granular Fill	E																											
2	0.5' - 1.5' : Moist, light brown, fine to coarse SAND, some fine to coarse gravel, trace silt																													
	- PID: 0.0 ppm @ 1' bgs																													
3	1.5' - 3.5' : Moist, light brown to gray, fine to coarse SAND and fine to coarse GRAVEL, little silt, trace brick																													
4	- PID: 0.0 ppm @ 4' bgs																													
5	3.5' - 6' : Moist, brown to greenish gray, fine to coarse SAND, some fine to coarse gravel, some silt (reworked natural material)																													
6	- PID: 0.0 ppm @ 6' bgs	Waste Fill	E																											
7	6' - 10' : Moist, dark brown, fine to coarse SAND, some fine to coarse gravel, some silt, trace brick																													
8																														
▽ 9																														
	- Groundwater at 9' bgs.																													
10	- PID: 0.2 ppm @ 10' bgs																													
11	10' - 18' : Wet, black, fine to coarse SAND and DEBRIS, some silt, little fine to coarse gravel																													
	- Debris consists of ash, brick, metal, wood, granite, rubber, and glass																													
12	- 1.0' x 0.5' x 3.0' granite block @ 11' bgs																													
	- 0.25' x 0.5' x 5' metal car frame rail @ 11' bgs																													
13	- 1.0' x 3.0' x 3.0' granite block @ 12' bgs																													
	- PID: 2.2 ppm @ 13' bgs																													
14	- VOC odor and sheen on soil from 11'-15' bgs																													
	- PID: 8.6 ppm @ 14' bgs																													
15	- PID: 0.6 ppm @ 15' bgs																													
	- Strong VOC odor beyond 15' bgs																													
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 20%;">T.P. DIMENSIONS</th> <th style="width: 60%;">TEST PIT PLAN</th> <th style="width: 20%;">BOULDER COUNT</th> </tr> <tr> <td>Width (ft): <u>7</u></td> <td rowspan="4" style="text-align: center;">- See Boring Location Plan</td> <td>6 in-12 in: <u>< 10% of matrix</u></td> </tr> <tr> <td>Length (ft): <u>14</u></td> <td>12 in-18 in: _____</td> </tr> <tr> <td>Depth (ft): <u>18</u></td> <td>18 in-24 in: _____</td> </tr> <tr> <td>Vol (ft³): <u>1764</u></td> <td>24 in-30 in: _____</td> </tr> <tr> <td colspan="2" style="text-align: center;">Weather Conditions</td> <td></td> </tr> <tr> <td colspan="2" style="text-align: center;">- Clear, 65° to 70° F</td> <td></td> </tr> <tr> <td colspan="2" style="text-align: center;">EQUIPMENT USED</td> <td style="text-align: center;">EXCAVATION EFFORT</td> </tr> <tr> <td colspan="2" style="text-align: center;">DESCRIPTION and : 35 to 50 % some : 20 to 35 % little : 10 to 20 % trace : 1 to 10 % moisture, color</td> <td style="text-align: center;">E : Easy M : Moderate D : Difficult</td> </tr> <tr> <td colspan="2" style="text-align: center;">5 Ventis Four Gas Monitors 1 Landtec Gem 2000 Landfill Gas Monitor 1 Photoionization Detector</td> <td></td> </tr> </table>		T.P. DIMENSIONS	TEST PIT PLAN	BOULDER COUNT	Width (ft): <u>7</u>	- See Boring Location Plan	6 in-12 in: <u>< 10% of matrix</u>	Length (ft): <u>14</u>	12 in-18 in: _____	Depth (ft): <u>18</u>	18 in-24 in: _____	Vol (ft ³): <u>1764</u>	24 in-30 in: _____	Weather Conditions			- Clear, 65° to 70° F			EQUIPMENT USED		EXCAVATION EFFORT	DESCRIPTION and : 35 to 50 % some : 20 to 35 % little : 10 to 20 % trace : 1 to 10 % moisture, color		E : Easy M : Moderate D : Difficult	5 Ventis Four Gas Monitors 1 Landtec Gem 2000 Landfill Gas Monitor 1 Photoionization Detector				
T.P. DIMENSIONS	TEST PIT PLAN	BOULDER COUNT																												
Width (ft): <u>7</u>	- See Boring Location Plan	6 in-12 in: <u>< 10% of matrix</u>																												
Length (ft): <u>14</u>		12 in-18 in: _____																												
Depth (ft): <u>18</u>		18 in-24 in: _____																												
Vol (ft ³): <u>1764</u>		24 in-30 in: _____																												
Weather Conditions																														
- Clear, 65° to 70° F																														
EQUIPMENT USED		EXCAVATION EFFORT																												
DESCRIPTION and : 35 to 50 % some : 20 to 35 % little : 10 to 20 % trace : 1 to 10 % moisture, color		E : Easy M : Moderate D : Difficult																												
5 Ventis Four Gas Monitors 1 Landtec Gem 2000 Landfill Gas Monitor 1 Photoionization Detector																														

Remarks: - Gas Monitors placed approx. 20 feet from excavation and on person. Did not detect CO, H2S, or LEL. Oxygen reading 20.9%

Test Pit Log

Client: <u>City of Cambridge</u>	Contractor: <u>Charter Environmental</u>	Test Pit No. <u>TP-203</u>
Project Name: <u>Tobin School</u>	Equipment: <u>Komatsu PC-228</u>	Logged By: <u>E. Benson</u>
Project Location: <u>197 Vassal Ln, Cambridge, MA</u>	Depth to Water: <u>9 ft bgs</u>	Date: <u>2/21/2018</u>
Project Number: <u>0139-220813</u>	Ground Surface EL: <u>~ 21 (CCB)</u>	Page: <u>2 of 4</u>

DEPTH (feet)	SOIL DESCRIPTION	STRATA CHANGE	EXCAV. EFFORT
15	10' - 18' : Wet, black, fine to coarse SAND and DEBRIS, some silt, little fine to coarse gravel	Waste Fill	E
16	- PID: 0.6 ppm @ 15' bgs - Material excavated beyond 12' bgs behaved as a fluid with little cohesion.		
17	- Strong VOC odor beyond 15' bgs - North sidewall caved in at 15' bgs.		
18	- Test pit terminated at 18' bgs		
19	- Operator noted that minimal hydraulic effort was needed to push bucket from 15' to 18' bgs. Material was very loose.		
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
	-Exposed south sidewall with groundwater at approximately 9.0' bgs		

<u>T.P. DIMENSIONS</u>	<u>TEST PIT PLAN</u>	<u>BOULDER COUNT</u>
Width (ft): <u>7</u>	- See Boring Location Plan	6 in-12 in: <u>< 10% of matrix</u>
Length (ft): <u>14</u>		12 in-18 in: _____
Depth (ft): <u>18</u>		18 in-24 in: _____
Vol (ft ³): <u>1764</u>		24 in-30 in: _____
	<u>Weather Conditions</u>	
	- Clear, 65° to 70° F	
<u>DESCRIPTION</u>	<u>EQUIPMENT USED</u>	<u>EXCAVATION EFFORT</u>
and : 35 to 50 %	5 Ventis Four Gas Monitors	E : Easy
some : 20 to 35 %	1 Landtec Gem 2000 Landfill Gas Monitor	M : Moderate
little : 10 to 20 %	1 Photoionization Detector	D : Difficult
trace : 1 to 10 %		
moisture, color		

Remarks: - Approximately 3' to 4' of perched groundwater did not dissipate immediately while backfilling. An additional 3' pit was excavated adjacent to dissipate water but was unsuccessful. Two 8' x 12' Duramats capped excavations. Completed backfilling on 3/1/18.

Test Pit Log

Client: <u>City of Cambridge</u>	Contractor: <u>Charter Environmental</u>	Test Pit No. <u>TP-203</u>
Project Name: <u>Tobin School</u>	Equipment: <u>Komatsu PC-228</u>	Logged By: <u>E. Benson</u>
Project Location: <u>197 Vassal Ln, Cambridge, MA</u>	Depth to Water: <u>9 ft bgs</u>	Date: <u>2/21/2018</u>
Project Number: <u>0139-220813</u>	Ground Surface EL: <u>~ 21 (CCB)</u>	Page: <u>3 of 4</u>



-Bucket of waste fill material from approximately 10' bgs.



-Stockpile of waste fill material showing metal car frame removed at approximately 11' bgs.

Remarks:

Test Pit Log

Client: <u>City of Cambridge</u>	Contractor: <u>Charter Environmental</u>	Test Pit No. <u>TP-203</u>
Project Name: <u>Tobin School</u>	Equipment: <u>Komatsu PC-228</u>	Logged By: <u>E. Benson</u>
Project Location: <u>197 Vassal Ln, Cambridge, MA</u>	Depth to Water: <u>9 ft bgs</u>	Date: <u>2/21/2018</u>
Project Number: <u>0139-220813</u>	Ground Surface EL: <u>~ 21 (CCB)</u>	Page: <u>4 of 4</u>



-Bucket of waste fill material from approximately 12' bgs.



-Bucket of waste fill material from approximately 15' bgs.

Remarks:



Test Pit Log

Client: <u>City of Cambridge</u>	Contractor: <u>Charter Environmental</u>	Test Pit No.: <u>TP-204</u>
Project Name: <u>Tobin School</u>	Equipment: <u>Komatsu PC-228</u>	Logged By: <u>E. Benson</u>
Project Location: <u>197 Vassal Ln, Cambridge, MA</u>	Depth to Water: <u>7.5 ft bgs</u>	Date: <u>2/20/2018</u>
Project Number: <u>0139-220813</u>	Ground Surface EL: <u>~ 21 (CCB)</u>	Page: <u>1 of 4</u>

DEPTH (feet)	SOIL DESCRIPTION	STRATA CHANGE	EXCAV. EFFORT
	- Grass at ground surface	Topsoil	E
1	0 - 0.5' : Topsoil	Granular Fill	E
2	0.5' - 2' : Moist, dark brown, fine to coarse SAND, some fine to coarse gravel, some silt, trace root material		
	- PID: 0.0 ppm @ 2' bgs		
3	2' - 6' : Moist, brown to tan, fine to coarse SAND, some fine to coarse gravel, little silt, trace brick and asphalt		
4	- PID: 0.0 ppm @ 4' bgs		
5			
6		Waste Fill	E
7	6' - 8' : Moist, brown, fine to coarse SAND, some silt, little fine to coarse gravel, little ash, clay pipe, brick, wood, and metal; PID: 0.2 ppm @ 6.5' bgs		
8	- Groundwater at 7.5' bgs. - 0.2' x 0.5' x 4' metal debris and 1/4" x 2' x 3' sheet metal @ 8' bgs - PID: 0.8 ppm @ 8.5' bgs		
9	- Two 0.5' x 1' x 3.5' granite blocks @ 9' bgs		
10	8' - 11' : Wet, black, fine to coarse SAND, some fine to coarse gravel, some silt, some wood, ash, metal, granite, brick, and glass - VOC odor and sheen on soil from 8'-14' bgs		
11	11' - 14' : Wet, black, fine to coarse SAND, some debris, little silt, little fine to coarse gravel		
12	- Debris consists of ash, brick, metal, wood, granite, and glass		
13	- 1.0' x 3.0' x 3.0' granite block @ 11' bgs - 0.5' x 1.0' x 3.0' granite block @ 11.5' bgs - PID: 2.4 ppm @ 13' bgs		
14	- 1.0' x 2.0' x 2.0' granite block and 1/4" x 1.0' x 3.0' sheet metal @ 13' bgs - VOC odor and sheen on soil from 11'-15' bgs		
15	- PID: 5.2 ppm @ 14' bgs - PID: 0.2 ppm @ 15' bgs		

<u>T.P. DIMENSIONS</u>	<u>TEST PIT PLAN</u>	<u>BOULDER COUNT</u>
Width (ft): <u>8</u>	- See Boring Location Plan	6 in-12 in: <u>< 10% of matrix</u>
Length (ft): <u>12</u>		12 in-18 in: _____
Depth (ft): <u>16</u>		18 in-24 in: _____
Vol (ft ³): <u>1536</u>		24 in-30 in: _____
	<u>Weather Conditions</u>	
	- Clear, 60° to 65° F	
<u>DESCRIPTION</u>	<u>EQUIPMENT USED</u>	<u>EXCAVATION EFFORT</u>
and : 35 to 50 %	5 Ventis Four Gas Monitors	E : Easy
some : 20 to 35 %	1 Landtec Gem 2000 Landfill Gas Monitor	M : Moderate
little : 10 to 20 %	1 Photoionization Detector	D : Difficult
trace : 1 to 10 %		
moisture, color		

Remarks: - Gas Monitors placed approx. 20 feet from excavation and on person. Did not detect CO, H2S, or LEL. Oxygen reading 20.9%

Test Pit Log

Client: <u>City of Cambridge</u>	Contractor: <u>Charter Environmental</u>	Test Pit No.: <u>TP-204</u>
Project Name: <u>Tobin School</u>	Equipment: <u>Komatsu PC-228</u>	Logged By: <u>E. Benson</u>
Project Location: <u>197 Vassal Ln, Cambridge, MA</u>	Depth to Water: <u>7.5 ft bgs</u>	Date: <u>2/20/2018</u>
Project Number: <u>0139-220813</u>	Ground Surface EL: <u>~ 21 (CCB)</u>	Page: <u>2 of 4</u>

DEPTH (feet)	SOIL DESCRIPTION	STRATA CHANGE	EXCAV. EFFORT
15	- PID: 0.2 ppm @ 15' bgs	Waste Fill	E
	15' - 16' : Wet, greenish gray, CLAY & SILT, trace fine sand		
16	- PID: 0.0 ppm @ 16' bgs	Clay & Silt	E
	- Test pit terminated at 16' bgs		
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27	-Exposed west sidewall with groundwater at approximately 7.5' bgs		
28			
29			

<u>T.P. DIMENSIONS</u>	<u>TEST PIT PLAN</u>	<u>BOULDER COUNT</u>
Width (ft): <u>8</u>	- See Boring Location Plan	6 in-12 in: <u>< 10% of matrix</u>
Length (ft): <u>12</u>		12 in-18 in: _____
Depth (ft): <u>16</u>		18 in-24 in: _____
Vol (ft ³): <u>1536</u>		24 in-30 in: _____
	<u>Weather Conditions</u>	
	- Clear, 60° to 65° F	
<u>DESCRIPTION</u>	<u>EQUIPMENT USED</u>	<u>EXCAVATION EFFORT</u>
and : 35 to 50 %	5 Ventis Four Gas Monitors	E : Easy
some : 20 to 35 %	1 Landtec Gem 2000 Landfill Gas Monitor	M : Moderate
little : 10 to 20 %	1 Photoionization Detector	D : Difficult
trace : 1 to 10 %		
moisture, color		

Remarks: - Approximately 3' to 4' of perched groundwater did not dissipate immediately while backfilling. Excavation capped with two 8' x 12' Duramats overnight to allow groundwater to dissipate. Completed backfilling on 2/23/18.

Test Pit Log

Client: <u>City of Cambridge</u>	Contractor: <u>Charter Environmental</u>	Test Pit No. <u>TP-204</u>
Project Name: <u>Tobin School</u>	Equipment: <u>Komatsu PC-228</u>	Logged By: <u>E. Benson</u>
Project Location: <u>197 Vassal Ln, Cambridge, MA</u>	Depth to Water: <u>7.5 ft bgs</u>	Date: <u>2/20/2018</u>
Project Number: <u>0139-220813</u>	Ground Surface EL: <u>~ 21 (CCB)</u>	Page: <u>3 of 4</u>



-Bucket of waste fill material from approximately 8' bgs.



-Bucket of waste fill material from approximately 9' bgs.

Remarks:

Test Pit Log

Client: <u>City of Cambridge</u>	Contractor: <u>Charter Environmental</u>	Test Pit No. <u>TP-204</u>
Project Name: <u>Tobin School</u>	Equipment: <u>Komatsu PC-228</u>	Logged By: <u>E. Benson</u>
Project Location: <u>197 Vassal Ln, Cambridge, MA</u>	Depth to Water: <u>7.5 ft bgs</u>	Date: <u>2/20/2018</u>
Project Number: <u>0139-220813</u>	Ground Surface EL: <u>~ 21 (CCB)</u>	Page: <u>4 of 4</u>



-Bucket of waste fill material from approximately 13' bgs.




-Stockpile of waste fill material after completion of excavation.

Remarks:

ATTACHMENT H
PHASE 1 - MONITORING WELL LOGS

Monitoring Well Installation Log


Client: <u>City of Cambridge, MA</u>	Contractor: <u>New England Boring Contractor</u>	Boring/Well No.: <u>CDM-3 MW-D</u>
Project Name: <u>Tobin School</u>	Driller: <u>O. Cone</u>	Date Installed: <u>7/28/2017</u>
Project Location: <u>Cambridge, MA</u>	Ground EL: <u>21.0 ft</u>	Logged By: <u>N. Castonguay</u>
Project Number: <u>0139-220813</u>	Riser EL: <u>20.5 ft</u>	Page: <u>1 of 1</u>



Remarks:

Monitoring Well Installation Log


Client: <u>City of Cambridge, MA</u>	Contractor: <u>New England Boring Contractor</u>	Boring/Well No.: <u>CDM-3 MW-S</u>
Project Name: <u>Tobin School</u>	Driller: <u>O. Cone</u>	Date Installed: <u>8/1/2017</u>
Project Location: <u>Cambridge, MA</u>	Ground EL: <u>21 ft</u>	Logged By: <u>N. Castonguay</u>
Project Number: <u>0139-220813</u>	Riser EL: <u>20.7 ft</u>	Page: <u>1 of 1</u>



Remarks:

Monitoring Well Installation Log

Client: <u>City of Cambridge, MA</u>	Contractor: <u>New England Boring Contracto</u>	Boring/Well No.: <u>CDM-4 MW-D</u>
Project Name: <u>Tobin School</u>	Driller: <u>P. Schofield</u>	Date Installed: <u>8/7/2017</u>
Project Location: <u>Cambridge, MA</u>	Ground EL: <u>21.3 ft</u>	Logged By: <u>N. Castonguay</u>
Project Number <u>0139-220813</u>	Riser EL: <u>20.9 ft</u>	Page: <u>1 of 1</u>




NOTE: All depths are in feet below ground surface, unless noted otherwise.

Remarks:

Monitoring Well Installation Log


Client: <u>City of Cambridge, MA</u>	Contractor: <u>New England Boring Contractor</u>	Boring/Well No.: <u>CDM-4 MW-S</u>
Project Name: <u>Tobin School</u>	Driller: <u>P. Schofield</u>	Date Installed: <u>8/8/2017</u>
Project Location: <u>Cambridge, MA</u>	Ground EL: <u>21.5 ft</u>	Logged By: <u>N. Castonguay</u>
Project Number: <u>0139-220813</u>	Riser EL: <u>21.1 ft</u>	Page: <u>1 of 1</u>



Remarks:

Monitoring Well Installation Log


Client: <u>City of Cambridge, MA</u>	Contractor: <u>New England Boring Contractor</u>	Boring/Well No.: <u>CDM-7 MW-D</u>
Project Name: <u>Tobin School</u>	Driller: <u>P. Schofield</u>	Date Installed: <u>7/19/2017</u>
Project Location <u>Cambridge, MA</u>	Ground EL: <u>21.0 ft</u>	Logged By: <u>N. Castonguay</u>
Project Number: <u>0139-220813</u>	Riser EL: <u>20.6 ft</u>	Page: <u>1 of 1</u>



Remarks: Hollow-stem auger used.

Monitoring Well Installation Log


Client: <u>City of Cambridge, MA</u>	Contractor: <u>New England Boring Contractor</u>	Boring/Well No.: <u>CDM-7 MW-S</u>
Project Name: <u>Tobin School</u>	Driller: <u>P. Schofield</u>	Date Installed: <u>7/19/2017</u>
Project Location <u>Cambridge, MA</u>	Ground EL: <u>21.0 ft</u>	Logged By: <u>N. Castonguay</u>
Project Number: <u>0139-220813</u>	Riser EL: <u>20.7 ft</u>	Page: <u>1 of 1</u>



Remarks: Hollow-stem auger used.

Monitoring Well Installation Log


Client: <u>City of Cambridge, MA</u>	Contractor: <u>New England Boring Contractor</u>	Boring/Well No.: <u>CDM-9 MW-D</u>
Project Name: <u>Tobin School</u>	Driller: <u>P. Schofield</u>	Date Installed: <u>7/28/2017</u>
Project Location: <u>Cambridge, MA</u>	Ground EL: <u>21.4 ft</u>	Logged By: <u>N. Castonguay</u>
Project Number: <u>0139-220813</u>	Riser EL: <u>21.0 ft</u>	Page: <u>1 of 1</u>



Remarks:

Monitoring Well Installation Log


Client: <u>City of Cambridge, MA</u>	Contractor: <u>New England Boring Contractor</u>	Boring/Well No.: <u>CDM-9 MW-S</u>
Project Name: <u>Tobin School</u>	Driller: <u>P. Schofield</u>	Date Installed: <u>8/1/2017</u>
Project Location <u>Cambridge, MA</u>	Ground EL: <u>21.3 ft</u>	Logged By: <u>N. Castonguay</u>
Project Number: <u>0139-220813</u>	Riser EL: <u>21.0 ft</u>	Page: <u>1 of 1</u>



Remarks:

Monitoring Well Installation Log

Client: <u>City of Cambridge, MA</u>	Contractor: <u>New England Boring Contracto</u>	Boring/Well No.: <u>CDM-14 MW-D</u>
Project Name: <u>Tobin School</u>	Driller: <u>O. Cone</u>	Date Installed: <u>7/25/2017</u>
Project Location <u>Cambridge, MA</u>	Ground EL: <u>22.2 ft</u>	Logged By: <u>N. Castonguay</u>
Project Number: <u>0139-220813</u>	Riser EL: <u>21.0 ft</u>	Page: <u>1 of 1</u>




NOTE: All depths are in feet below ground surface, unless noted otherwise.

Remarks:

Monitoring Well Installation Log


Client: <u>City of Cambridge, MA</u>	Contractor: <u>New England Boring Contracto</u>	Boring/Well No.: <u>CDM-14 MW-S</u>
Project Name: <u>Tobin School</u>	Driller: <u>O. Cone</u>	Date Installed: <u>7/25/2017</u>
Project Location <u>Cambridge, MA</u>	Ground EL: <u>22.4 ft</u>	Logged By: <u>N. Castonguay</u>
Project Number: <u>0139-220813</u>	Riser EL: <u>22.1 ft</u>	Page: <u>1 of 1</u>



Remarks:

ATTACHMENT I
PHASE 1 - GEOTECHNICAL LABORATORY TEST RESULTS

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	4.6	24.9	8.9	19.8	20.8	21.0	

Test Results (ASTM C136 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
1"	100.0		
.75"	95.4		
.5"	83.4		
.375"	79.8		
#4	70.5		
#10	61.6		
#20	52.2		
#40	41.8		
#60	33.9		
#100	27.1		
#200	21.0		

Material Description

Dark gray Silty sand with gravel

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= SM AASHTO (M 145)= A-1-b

Coefficients

D₉₀= 15.9258 D₈₅= 13.5761 D₆₀= 1.6867
D₅₀= 0.7278 D₃₀= 0.1893 D₁₅= _____
D₁₀= _____ C_u= _____ C_c= _____

Remarks

As received MC = 9.1%

Date Received: 8/13/2017 Date Tested: 8/22/17
Tested By: RZ
Checked By: MP
Title: Laboratory Manager

* (no specification provided)


Source of Sample: CDM-1 Depth: 4-6'
Sample Number: S-3

Date Sampled: 8/4/2017

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813
--	--

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	38.2	17.4	18.1	13.3	13.0	

Test Results (ASTM C136 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
.75"	100.0		
.5"	87.1		
.375"	77.2		
#4	61.8		
#10	44.4		
#20	34.0		
#40	26.3		
#60	21.1		
#100	16.9		
#200	13.0		

Material Description

Dark brown-black silty sand with gravel

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= SM AASHTO (M 145)= A-1-a

Coefficients

D₉₀= 13.8416 D₈₅= 11.9578 D₆₀= 4.3473
D₅₀= 2.6963 D₃₀= 0.5920 D₁₅= 0.1101
D₁₀= _____ C_u= _____ C_c= _____

Remarks

As received MC = 23.8%

Date Received: 8/13/2017 Date Tested: 8/22/17
Tested By: RZ
Checked By: MP
Title: Laboratory Manager


* (no specification provided)

Source of Sample: CDM-1 Depth: 12-14' Date Sampled: 8/4/2017
Sample Number: S-7

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813
--	--

Figure

LIQUID AND PLASTIC LIMITS TEST REPORT




SOIL DATA								
SYMBOL	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-1	S-20	44-46'	29.9	19	39	20	CL
■	CDM-1	S-23	59-61'	34.9	21	40	19	CL

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
<p>Figure</p>	

Tested By: GW RZ _____ Checked By: MP

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	15.4	12.4	11.4	14.4	23.4	23.0

Test Results (ASTM D7928 & D6913 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3"	100.0		
2"	100.0		
1.5"	100.0		
1"	100.0		
.75"	100.0		
.5"	100.0		
.375"	97.7		
#4	84.6		
#10	72.2		
#20	65.5		
#40	60.8		
#60	56.7		
#100	52.5		
#200	46.4		
0.0396 mm.	40.9		
0.0290 mm.	36.8		
0.0186 mm.	34.7		
0.0112 mm.	30.1		
0.0080 mm.	27.5		
0.0058 mm.	24.4		
0.0042 mm.	21.2		
0.0030 mm.	17.6		
0.0013 mm.	13.2		

* (no specification provided)

Material Description

Gray silty sand with gravel

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= SM AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 6.1932 D₈₅= 4.8552 D₆₀= 0.3829
D₅₀= 0.1145 D₃₀= 0.0111 D₁₅= 0.0021
D₁₀= _____ C_u= _____ C_c= _____

Remarks

As received MC = 14.5%

Date Received: _____ Date Tested: 8/22/2017
Tested By: MP
Checked By: MP
Title: Laboratory Manager

Source of Sample: CDM-1 Depth: 69-71' Date Sampled: 8/7/2017
Sample Number: S-25

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813
--	--

Figure

CDM Smith

Geotechnical Engineering Laboratory

Standard Test Method for Moisture, Ash, and Organic Matter of Peat and Other Organic Soils (ASTM D2974)

Client: City of Cambridge
Project Name: Tobin School
Project Location: Cambridge, MA
Project Number: 00139-220813
Boring Number: CDM-2
Sample Number: S-4B
Sample Depth (ft): 6-8
Sample Date: 8/1/2017

Tested By: MP
Test Date: 8/22/2017
Procedure: C
Temperature: 440° C

AS RECEIVED MOISTURE CONTENT	
Tin Mass (g)	126.65
Wet Mass of Sample & Tin (g)	132.35
Dry Mass of Sample & Tin (g)	129.65
Mass of Water (g)	2.70
Mass of Dry Soil (g)	3.00
Moisture Content (%)	90.0

ASH CONTENT	
Porcelain Dish Mass (g)	126.65
Porcelain Dish + Oven Dried Soil (g)	129.65
Mass of Oven Dried Soil (g)	3.00
Mass of Dish & Burned Soil (g)	129.12
Mass of Burned Soil (g)	2.47
Mass of Organic Material (g)	0.53
Ash Content (%)	82.3
Organic Content (%)	17.7

CDM Smith

Geotechnical Engineering Laboratory

Standard Test Method for Moisture, Ash, and Organic Matter of Peat and Other Organic Soils (ASTM D2974)


Client: City of Cambridge
Project Name: Tobin School
Project Location: Cambridge, MA
Project Number: 00139-220813
Boring Number: CDM-2
Sample Number: S-5A
Sample Depth (ft): 8-10
Sample Date: 8/1/2017

Tested By: MP
Test Date: 8/22/2017
Procedure: C
Temperature: 440° C

AS RECEIVED MOISTURE CONTENT	
Tin Mass (g)	90.33
Wet Mass of Sample & Tin (g)	139.48
Dry Mass of Sample & Tin (g)	116.08
Mass of Water (g)	23.40
Mass of Dry Soil (g)	25.75
Moisture Content (%)	90.9

ASH CONTENT	
Porcelain Dish Mass (g)	90.33
Porcelain Dish + Oven Dried Soil (g)	116.08
Mass of Oven Dried Soil (g)	25.75
Mass of Dish & Burned Soil (g)	112.47
Mass of Burned Soil (g)	22.14
Mass of Organic Material (g)	3.61
Ash Content (%)	86.0
Organic Content (%)	14.0

LIQUID AND PLASTIC LIMITS TEST REPORT




SOIL DATA								
SYMBOL	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-2	S-3B	4-6'	23.0	21	40	19	CL
■	CDM-2	S-8	14-16'	25.9	20	41	21	CL
▲	CDM-2	S-15	34-36'	28.2	18	33	15	CL
◆	CDM-2	S-19	49-51'	10.8	12	16	4	CL-ML

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
<p>Figure</p>	

Tested By: ○ RZ □ GW ▲ GW ◆ RZ Checked By: MP

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	7.4	34.1	10.0	10.3	11.7	12.9	13.6

Test Results (ASTM D7928 & D6913 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3"	100.0		
2"	100.0		
1.5"	100.0		
1"	100.0		
.75"	92.6		
.5"	74.4		
.375"	67.2		
#4	58.5		
#10	48.5		
#20	42.9		
#40	38.2		
#60	34.9		
#100	31.0		
#200	26.5		
0.0382 mm.	24.2		
0.0278 mm.	22.5		
0.0182 mm.	20.4		
0.0109 mm.	17.9		
0.0079 mm.	16.6		
0.0057 mm.	14.5		
0.0038 mm.	12.0		
0.0033 mm.	11.1		
0.0026 mm.	10.1		

* (no specification provided)

Material Description

Gray silty gravel with sand

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= GM AASHTO (M 145)= A-2-4(0)

Coefficients

D₉₀= 17.9072 D₈₅= 16.0938 D₆₀= 5.4692
D₅₀= 2.3151 D₃₀= 0.1324 D₁₅= 0.0061
D₁₀= _____ C_u= _____ C_c= _____

Remarks

As received MC = 10.3%


Date Received: 8/1/2017 Date Tested: 8/24/2017
Tested By: MP
Checked By: MP
Title: Laboratory Manager

Source of Sample: CDM-2 Depth: 49-51' Date Sampled: 8/2/2017
Sample Number: S-18

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813
--	--

Figure

LIQUID AND PLASTIC LIMITS TEST REPORT




SOIL DATA								
SYMBOL	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-3	S-15	35-37'	28.3	19	41	22	CL

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
---	---

Figure

Tested By: GW Checked By: MP

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	6.2	18.0	9.3	23.3	27.5	15.7	

Test Results (ASTM D 422 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
1"	100.0		
.75"	93.8		
.5"	89.9		
.375"	83.5		
#4	75.8		
#10	66.5		
#20	55.4		
#40	43.2		
#60	33.2		
#100	24.1		
#200	15.7		

Material Description

Dark gray silty sand with gravel

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= SM AASHTO (M 145)= A-1-b

Coefficients

D₉₀= 12.7575 D₈₅= 10.1808 D₆₀= 1.1736
D₅₀= 0.6142 D₃₀= 0.2107 D₁₅= _____
D₁₀= _____ C_u= _____ C_c= _____

Remarks

As received MC = 10.6%

Date Received: 8/21/17 Date Tested: 8/30/17
Tested By: RZ
Checked By: MP
Title: Laboratory Manager

* (no specification provided)


Source of Sample: CDM-4 Depth: 2-4'
Sample Number: S-2

Date Sampled: 8/2/17

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813</p>
---	--

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	34.0	12.1	27.7	22.2	4.0	

Test Results (ASTM C136 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
.75"	100.0		
.5"	84.9		
.375"	79.2		
#4	66.0		
#10	53.9		
#20	40.4		
#40	26.2		
#60	16.5		
#100	9.2		
#200	4.0		

Material Description

Dark brown poorly graded sand with gravel

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= SP AASHTO (M 145)= _____

Coefficients

D₉₀= 14.8978 D₈₅= 12.7583 D₆₀= 3.2039
D₅₀= 1.5100 D₃₀= 0.5129 D₁₅= 0.2278
D₁₀= 0.1603 C_u= 19.99 C_c= 0.51

Remarks

As received MC = 38.5%


Date Received: _____ Date Tested: 8/22/17
Tested By: RZ
Checked By: MP
Title: Laboratory Manager

* (no specification provided)

Source of Sample: CDM-4 Depth: 18-20' Date Sampled: 8/2/2017
Sample Number: S-10

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813</p> <p style="text-align: right;">Figure</p>
---	---

LIQUID AND PLASTIC LIMITS TEST REPORT




SOIL DATA								
SYMBOL	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-4	S-20	44-46'	36.0	21	45	24	CL

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
---	---

Figure

Tested By: GW Checked By: MP

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	7.2	8.0	34.0	36.8	14.0	

Test Results (ASTM D 422 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
.75"	100.0		
.5"	99.5		
.375"	99.5		
#4	92.8		
#10	84.8		
#20	71.6		
#40	50.8		
#60	33.8		
#100	21.9		
#200	14.0		

Material Description

Gray silty sand

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= SM AASHTO (M 145)= A-2-4(0)

Coefficients

D₉₀= 3.5878 D₈₅= 2.0409 D₆₀= 0.5628
 D₅₀= 0.4145 D₃₀= 0.2173 D₁₅= 0.0840
 D₁₀= _____ C_u= _____ C_c= _____

Remarks

As received MC = 8.6%


Date Received: 8/18/17 Date Tested: 8/18/17
 Tested By: RZ
 Checked By: MP
 Title: Laboratory Manager

* (no specification provided)

Source of Sample: CDM-5 Depth: 2-4' Date Sampled: 8/4/17
 Sample Number: S-2

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813</p> <p style="text-align: right;">Figure</p>
---	---

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	8.4	27.1	10.4	23.6	16.6	13.9	

Test Results (ASTM D 422 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
1"	100.0		
.75"	91.6		
.5"	81.8		
.375"	74.5		
#4	64.5		
#10	54.1		
#20	41.3		
#40	30.5		
#60	23.6		
#100	18.3		
#200	13.9		

Material Description

Brown & black silty sand with gravel

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= SM AASHTO (M 145)= A-1-b

Coefficients

D₉₀= 17.9249 D₈₅= 14.5299 D₆₀= 3.1896
D₅₀= 1.4974 D₃₀= 0.4107 D₁₅= 0.0918
D₁₀= _____ C_u= _____ C_c= _____

Remarks

As received MC = 32.5%
Sample appears to be fill (slag & brick)

Date Received: 8/21/17 Date Tested: 8/30/17
Tested By: RZ
Checked By: MP
Title: Laboratory Manager


* (no specification provided)

Source of Sample: CDM-5 Depth: 6-8' Date Sampled: 8/4/17
Sample Number: S-4

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813
--	--

Figure

LIQUID AND PLASTIC LIMITS TEST REPORT




SOIL DATA								
SYMBOL	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-5	S-17	44-46'	43.9	20	41	21	CL

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
---	---

Figure

Tested By: RZ Checked By: GW

LIQUID AND PLASTIC LIMITS TEST REPORT




SOIL DATA								
SYMBOL	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-6	S-6	9-11'	25.2	20	39	19	CL

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
---	---

Figure

Tested By: GW Checked By: MP

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	25.6	7.7	29.9	23.0	13.8	

Test Results (ASTM C136 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
.75"	100.0		
.5"	95.4		
.375"	85.6		
#4	74.4		
#10	66.7		
#20	54.7		
#40	36.8		
#60	25.5		
#100	19.0		
#200	13.8		

Material Description

Dark gray silty sand with gravel

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= SM AASHTO (M 145)= A-1-b

Coefficients

D₉₀= 10.7845 D₈₅= 9.3448 D₆₀= 1.1356
D₅₀= 0.6976 D₃₀= 0.3175 D₁₅= 0.0903
D₁₀= _____ C_u= _____ C_c= _____

Remarks

As recieved MC = 15.2%

Date Received: 8/1/2017 Date Tested: 8/22/17
Tested By: RZ
Checked By: MP
Title: Laboratory Manager

* (no specification provided)


Source of Sample: CDM-7 Depth: 2-4'
Sample Number: S-2

Date Sampled: 7/17/2017

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813
--	--

Figure

LIQUID AND PLASTIC LIMITS TEST REPORT




SOIL DATA								
SYMBOL	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-7	S-15	39-41'	28.6	20	36	16	
■	CDM-7	S-19	59-61'	31.6	18	33	15	
▲	CDM-7	S-21b	69-71'	33.3	21	37	16	

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No.: 139-220813
--	---

Figure

Tested By: ○ GW □ RZ ▲ RZ Checked By: MP _____

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.3	20.4	56.3	23.0

Test Results (ASTM D7928 & D6913 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
#4	100.0		
#10	100.0		
#20	100.0		
#40	99.7		
#60	99.4		
#100	97.1		
#200	79.3		
0.0393 mm.	54.7		
0.0296 mm.	45.2		
0.0196 mm.	37.1		
0.0118 mm.	29.7		
0.0085 mm.	26.3		
0.0061 mm.	23.6		
0.0043 mm.	22.3		
0.0031 mm.	18.2		
0.0013 mm.	15.2		

* (no specification provided)

Material Description

Gray silt with sand

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.1054 D₈₅= 0.0888 D₆₀= 0.0453
D₅₀= 0.0345 D₃₀= 0.0121 D₁₅= _____
D₁₀= _____ C_u= _____ C_c= _____

Remarks

As received MC = 32.2%


Date Received: 8/1/2017 Date Tested: 8/22/2017
Tested By: MP
Checked By: MP
Title: Laboratory Manager

Source of Sample: CDM-7 Depth: 69-71' Date Sampled: 7/18/2017
Sample Number: S-21a

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813
--	--

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	22.4	27.9	11.9	16.0	8.8	13.0	

Test Results (ASTM C136 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3"	100.0		
2"	100.0		
1.5"	100.0		
1"	100.0		
.75"	77.6		
.5"	68.1		
.375"	59.0		
#4	49.7		
#10	37.8		
#20	28.4		
#40	21.8		
#60	18.5		
#100	15.8		
#200	13.0		

Material Description

Gray silty gravel with sand

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= GM AASHTO (M 145)= A-1-a

Coefficients

D₉₀= 22.1975 D₈₅= 20.9668 D₆₀= 9.8193
D₅₀= 4.9487 D₃₀= 1.0046 D₁₅= 0.1249
D₁₀= _____ C_u= _____ C_c= _____

Remarks

As received MC = 8.2%

Date Received: 8/1/2017 Date Tested: 8/22/2017
Tested By: RZ
Checked By: MP
Title: Laboratory Manager


* (no specification provided)

Source of Sample: CDM-7 Depth: 79-81' Date Sampled: 7/18/2017
Sample Number: S-23

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813
--	--

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	9.4	6.4	18.3	42.3	23.6	

Test Results (ASTM D 422 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
.75"	100.0		
.5"	97.3		
.375"	95.1		
#4	90.6		
#10	84.2		
#20	76.6		
#40	65.9		
#60	52.4		
#100	37.5		
#200	23.6		

Material Description

Gray silty sand

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= SM AASHTO (M 145)= A-2-4(0)

Coefficients

D₉₀= 4.3595 D₈₅= 2.2316 D₆₀= 0.3298
D₅₀= 0.2308 D₃₀= 0.1072 D₁₅= _____
D₁₀= _____ C_u= _____ C_c= _____

Remarks

As received MC = 14.8%


Date Received: 8/21/17 Date Tested: 8/31/17
Tested By: RZ
Checked By: MP
Title: Laboratory Manager

* (no specification provided)

Source of Sample: CDM-8 Depth: 4-6' Date Sampled: 7/18/17
Sample Number: S-3

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813</p> <p style="text-align: right;">Figure</p>
---	---

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	31.3	13.3	17.0	16.3	13.1	9.0

Test Results (ASTM D7928 & D6913 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
0.0433 mm.	17.5		
0.0314 mm.	15.4		
0.0200 mm.	14.8		
0.0118 mm.	13.0		
0.0085 mm.	11.8		
0.0061 mm.	10.3		
0.0044 mm.	8.2		
0.0034 mm.	6.9		
0.0027 mm.	5.7		
0.0014 mm.	3.8		

* (no specification provided)

Material Description

Gray silty sand with gravel

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= SM AASHTO (M 145)= A-1-b

Coefficients

D ₉₀ = 13.9625	D ₈₅ = 11.1171	D ₆₀ = 2.8871
D ₅₀ = 1.2444	D ₃₀ = 0.1809	D ₁₅ = 0.0265
D ₁₀ = 0.0058	C _u = 494.84	C _c = 1.94

Remarks

As received MC = 11.2%

Date Received: 8/1/2017 Date Tested: 8/24/2017

Tested By: MP/GW

Checked By: MP


Title: Laboratory Manager

Source of Sample: CDM-8 Depth: 50-52' Date Sampled: 7/19/2017
 Sample Number: S-17

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813
--	--

Figure

LIQUID AND PLASTIC LIMITS TEST REPORT




SOIL DATA								
SYMBOL	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-8	S-14	30-32'	35.3	24	49	25	CL
■	CDM-8	S-18	55-57'	9.4	16	20	4	CL-ML

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No.: 139-220813
--	---

Figure

Tested By: GW RZ _____ Checked By: MP

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	5.6	20.0	9.6	31.5	22.4	10.9	

Test Results (ASTM C136 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3"	100.0		
2"	100.0		
1.5"	100.0		
1"	100.0		
.75"	94.4		
.5"	87.8		
.375"	82.4		
#4	74.4		
#10	64.8		
#20	50.8		
#40	33.3		
#60	22.7		
#100	16.4		
#200	10.9		

Material Description

Brown-gray poorly graded sand with silt and gravel

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= SP-SM AASHTO (M 145)= A-1-b

Coefficients

D₉₀= 14.6216 D₈₅= 10.9477 D₆₀= 1.4085
D₅₀= 0.8210 D₃₀= 0.3679 D₁₅= 0.1289
D₁₀= _____ C_u= _____ C_c= _____

Remarks

As received MC = 10.9%

Date Received: 8/1/2017 Date Tested: 8/22/2017
Tested By: RZ
Checked By: MP
Title: Laboratory Manager

* (no specification provided)


Source of Sample: CDM-9 Depth: 2-4'
Sample Number: S-2

Date Sampled: 7/27/2017

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813
--	--

Figure

LIQUID AND PLASTIC LIMITS TEST REPORT




SOIL DATA								
SYMBOL	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-9	S-12	22-24'	28.4	18	34	16	CL
■	CDM-9	S-14	26-28'	25.1	16	31	15	CL

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No.: 139-220813
--	---

Figure

Tested By: RZ GW _____ Checked By: MP

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	19.9	10.7	35.5	23.8	10.1	

Test Results (ASTM C136 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3"	100.0		
2"	100.0		
1.5"	100.0		
1"	100.0		
.75"	100.0		
.5"	92.8		
.375"	88.8		
#4	80.1		
#10	69.4		
#20	53.4		
#40	33.9		
#60	22.0		
#100	15.4		
#200	10.1		

Material Description

Brown poorly graded sand with silt and gravel

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= SP-SM AASHTO (M 145)= A-1-b

Coefficients

D₉₀= 10.4869 D₈₅= 6.9981 D₆₀= 1.1348
D₅₀= 0.7472 D₃₀= 0.3656 D₁₅= 0.1445
D₁₀= _____ C_u= _____ C_c= _____

Remarks

As received MC = 5.1%

Date Received: 8/1/2017 Date Tested: 8/22/2017
Tested By: RZ
Checked By: MP
Title: Laboratory Manager


* (no specification provided)

Source of Sample: CDM-10 Depth: 0.5-2' Date Sampled: 7/31/2017
Sample Number: S-1

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813
--	--

Figure

LIQUID AND PLASTIC LIMITS TEST REPORT




SOIL DATA								
SYMBOL	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-10	S-6	10-12'	24.9	18	41	23	CL

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
---	---

Figure

Tested By: RZ Checked By: MP

LIQUID AND PLASTIC LIMITS TEST REPORT




SOIL DATA								
SYMBOL	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-11	S-10	18-20'	28.2	21	41	20	CL

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
---	---

Figure

Tested By: GW Checked By: MP

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.3	22.4	55.4	21.9

Test Results (ASTM D7928 & D6913 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
#4	100.0		
#10	100.0		
#20	99.8		
#40	99.7		
#60	99.6		
#100	96.3		
#200	77.3		
0.0387 mm.	51.9		
0.0284 mm.	46.9		
0.0190 mm.	38.1		
0.0116 mm.	29.4		
0.0084 mm.	25.6		
0.0060 mm.	23.1		
0.0043 mm.	20.6		
0.0031 mm.	16.9		
0.0013 mm.	13.7		

* (no specification provided)

Material Description

Gray silty clay with sand

Atterberg Limits (ASTM D 4318)

PL= 16 LL= 21 PI= 5

Classification

USCS (D 2487)= CL-ML AASHTO (M 145)= A-4(1)

Coefficients

D₉₀= 0.1098 D₈₅= 0.0927 D₆₀= 0.0499
D₅₀= 0.0351 D₃₀= 0.0121 D₁₅= 0.0024
D₁₀= C_u= C_c=

Remarks

As received MC = 28.8%


Date Received: 8/13/2017 Date Tested: 8/22/2017
Tested By: MP/GW
Checked By: MP
Title: Laboratory Manager

Source of Sample: CDM-12 Depth: 48-50' Date Sampled: 8/9/2017
Sample Number: S-13b

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813
--	--

Figure

LIQUID AND PLASTIC LIMITS TEST REPORT




SOIL DATA								
SYMBOL	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-12	S-6	14-16'	27.8	21	42	21	CL
■	CDM-12	S-13b	48-50'	28.8	16	21	5	CL-ML

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No.: 139-220813
--	---

Figure

Tested By: GW RZ _____ Checked By: MP

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	25.7	8.4	20.1	23.1	22.7	

Test Results (ASTM C136 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
.75"	100.0		
.5"	88.0		
.375"	85.0		
#4	74.3		
#10	65.9		
#20	56.5		
#40	45.8		
#60	37.7		
#100	30.7		
#200	22.7		

Material Description

Brown silty sand with gravel

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= SM AASHTO (M 145)= A-1-b

Coefficients

D₉₀= 13.9575 D₈₅= 9.5472 D₆₀= 1.1151
D₅₀= 0.5526 D₃₀= 0.1415 D₁₅= _____
D₁₀= _____ C_u= _____ C_c= _____

Remarks

As received MC = 6.7%

Date Received: 8/1/2017 Date Tested: 8/22/2017
Tested By: RZ
Checked By: MP
Title: Laboratory Manager

* (no specification provided)


Source of Sample: CDM-13 Depth: 2-4'
Sample Number: S-2

Date Sampled: 7/25/2017

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813</p>
---	--

Figure

LIQUID AND PLASTIC LIMITS TEST REPORT




SOIL DATA								
SYMBOL	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-13	S-17	44-46'	22.4	15	30	15	CL
■	CDM-13	S-20	59-61'	38.7	20	41	21	CL
▲	CDM-13	S-22	69-71'	38.1	19	42	23	CL
◆	CDM-13	S-23	74-76'	24.1	19	24	5	CL-ML

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No.: 139-220813
Figure	

Tested By: RZ Checked By: MP

LIQUID AND PLASTIC LIMITS TEST REPORT




SOIL DATA								
SYMBOL	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-14	S-18	55-57'	37.8	17	38	21	CL
■	CDM-14	S-19B	65-67'	22.6	NP	NV	NP	ML
▲	CDM-14	S-20	75-77'	22.5	17	28	11	CL

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
---	---

Figure

Tested By: GW Checked By: MP

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.4	4.7	46.2	48.7

Test Results (ASTM D7928 & D6913 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
#4	100.0		
#10	100.0		
#20	99.8		
#40	99.6		
#60	99.2		
#100	98.4		
#200	94.9		
0.0370 mm.	83.0		
0.0270 mm.	77.7		
0.0176 mm.	71.4		
0.0107 mm.	61.6		
0.0077 mm.	56.3		
0.0056 mm.	50.9		
0.0041 mm.	44.6		
0.0029 mm.	40.2		
0.0012 mm.	32.1		

Material Description

Gray-brown lean clay

Atterberg Limits (ASTM D 4318)

PL= 18 LL= 39 PI= 21

Classification

USCS (D 2487)= CL AASHTO (M 145)= A-6(20)

Coefficients

D₉₀= 0.0539 D₈₅= 0.0411 D₆₀= 0.0098
D₅₀= 0.0053 D₃₀= D₁₅=
D₁₀= C_u= C_c=

Remarks

As received MC = 17.6%

Date Received: 8/1/2017 Date Tested: 8/22/2017
Tested By: MP/GW
Checked By: MP
Title: Laboratory Manager


* (no specification provided)

Source of Sample: CDM-15B Depth: 6-8' Date Sampled: 7/20/2017
Sample Number: S-3

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813
--	--

Figure

LIQUID AND PLASTIC LIMITS TEST REPORT



SOIL DATA								
SYMBOL	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-15B	S-3	6-8'	17.6	18	39	21	CL
■	CDM-15B	S-5	10-12'	29.6	21	49	28	CL
▲	CDM-15B	S-17	54-56'	43.2	20	49	29	CL
◆	CDM-15B	S-19	69-71'	48.1	16	56	40	CH
▼	CDM-15B	S-20B	74-76'	28.8	NP	NV	NP	ML

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
<p>Figure</p>	

Tested By: ○ RZ □ RZ ▲ RZ ◆ RZ ▼ MP Checked By: MP _____



Geotechnical Engineering Laboratory

ISOTROPICALLY CONSOLIDATED UNDRAINED TRIAXIAL TEST SUMMARY - ASTM D4767

Client: City of Cambridge
Project: Tobin School
Location: Cambridge, MA
Project No: 00139-220813

Test Date: 8/21/2017
Exploration No: CDM-1
Sample No: ST-1
Depth (ft): 46 - 48

LL : 38
PL : 19
PI : 19
USCS: CL

Initial

Moisture Content (%):	29.9%
Dry Unit Weight (pcf):	94.3
Diameter (in):	2.862
Height (in):	5.715
Void Ratio (-):	0.820
Saturation (%):	100.5
Moisture Content (Trim.%):	29.9%
Cross Sectional Area (in ²):	6.433

Final

Moisture Content (%):	26.8%
Dry Unit Weight (pcf):	99.6
Height (in):	4.655
Void Ratio (-):	0.722
Saturation (%):	101.9
Cross Sectional Area (in ²):	8.172

End of Consolidation Data




A _c Evaluated using Method	B
Sample Saturated using Method	B
Moisture Content (%):	26.8%
Dry Unit Weight (pcf):	99.6
Height (in):	5.665
Void Ratio (-):	0.722
Saturation (%):	101.9
Cross Sectional Area (in ²):	6.143
Pore Pressure Parameter B (-):	1.00
Final Back Pressure (psi):	50
Consolidation Pressure (psi):	22.0

Shear Data

Shear Strain Rate (%/hr):	0.74
Max. Deviator Stress ^(*) (psi):	24.9
Strain at Failure (%):	9.5
Minor Eff. Pr. Stress ^(*) (psi):	9.8
Major Eff. Pr. Stress ^(*) (psi):	34.7
Undrained Strength Ratio (-):	0.57

Notes:

(*) Failure criterion: max. deviator stress or max deviator stress at strain = 15%, whichever is obtained first. No correction for membrane or filter paper applied



Remarks:

..... ESP

CDM Smith Geotechnical Engineering Laboratory

CRS CONSOLIDATION TEST SUMMARY - ASTM D4186

Client: City of Cambridge
Project: Tobin School
Location: Cambridge, MA
Project No: 00139-220813


Test Date: 8/25/2017
Exploration No: CDM-1
Sample No: ST-1
Depth (ft): 46-48
Sample Description: Lean clay

	<u>Initial</u>	<u>Final</u>
Wet Mass (g)	157.77	151.38
Dry Mass (g)	123.72	123.72
Moisture Content (%)	27.5	24.4
Moist Unit Weight (pcf)	122.4	130.3
Dry Unit Weight (pcf)	96.0	104.7
Diameter (in)	2.50	2.50
Height (in)^(*)	0.99	0.90
Specific Gravity²	2.7	2.7
Void Ratio (-)^(*)	0.755	0.608
Saturation (%)	98.5	108.2

Atterberg Limits:

LL : 63
PL : 29
PI : 34


Consolidation Strain Rate (%/hr): 1.0
Final Back Pressure (psi): 40
Seating Pressure (psi): 2



Notes:

1. Consolidation test performed in accordance with ASTM D4186.
 2. Value of Specific gravity Gs is assumed
- (*) Reported final data are taken at final deformation

Test Remarks:



Exploration No: CDM-1
Sample No: ST-1
Depth (ft): 46-48
Sample Description: Lean clay


Preconsolidation Pressure (psf): 5,000
Estimated In Situ Pressure (psf): 2,200
OCR: 2.27
Compression Ratio, CR: 0.110
Recompression Ratio, RR: 0.018

CDM Smith
 Geotechnical Engineering
 Laboratory

Client: City of Cambridge
Project: Tobin School
Location: Cambridge, MA
Project No: 00139-220813

**CONSTANT RATE OF STRAIN
 CONSOLIDATION TEST
 ASTM D4186**

LIQUID AND PLASTIC LIMITS TEST REPORT



SOIL DATA								
	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-1	ST-1	46-48'	27.4	19	38	19	CL

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
---	---

Figure

Tested By: RZ Checked By: MP

CDM Smith
Geotechnical Engineering Laboratory

**Standard Test Method for Laboratory Miniature Vane Shear Test for
Saturated Fine-Grained Clayey Soil (ASTM D4648)**

Client: City of Cambridge
Project Name: Tobin School
Project Location: Cambridge, MA
Project Number: 139-220813
Sample Number: CDM-1
Sample Location: ST-1
Sample Depth (ft): 46-48'
Sample Date: 8/7/2017
Lab ID: 45308287

Tested By: AS
Test Date: 8/18/2017

Moisture Content: 28.8%
Rotation Rate: 10° per minute
Vane Test Depth (ft): 46.5

Initial Shear Strength

Vane Dimensions: 3/4"H x 1/2"D
Spring #: 4

Maximum Degrees of Deflection: 94

Shear Strength (psf): 1450.11

Remolded Shear Strength


Vane Dimensions: 3/4"H x 1/2"D Vane Revolutions
Spring #: 4 for Remold 6

Maximum Degrees of Deflection: 31

Shear Strength (psf): 478.23

Calibration Curves Attached
Lab Vane Apparatus: Wykehem Farrance, Model #23541

LIQUID AND PLASTIC LIMITS TEST REPORT



SOIL DATA								
	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-2	ST-1	41-43'	34.3	20	45	25	CL

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
---	---

Figure

Tested By: RZ Checked By: MP

CDM Smith
Geotechnical Engineering Laboratory

**Standard Test Method for Laboratory Miniature Vane Shear Test for
Saturated Fine-Grained Clayey Soil (ASTM D4648)**

Client: City of Cambridge
Project Name: Tobin School
Project Location: Cambridge, MA
Project Number: 139-220813
Sample Number: CDM-2
Sample Location: ST-1
Sample Depth (ft): 41-43'
Sample Date: 8/2/2017
Lab ID: 453082088

Tested By: AS
Test Date: 8/18/2017

Moisture Content: 33.1%
Rotation Rate: 10° per minute
Vane Test Depth (ft): 41.5

Initial Shear Strength

Vane Dimensions: 3/4"H x 1/2"D
Spring #: 4

Maximum Degrees of Deflection: 186

Shear Strength (psf): 2869.36

Remolded Shear Strength

Vane Dimensions: 3/4"H x 1/2"D Vane Revolutions
Spring #: 4 for Remold 6

Maximum Degrees of Deflection: 101

Shear Strength (psf): 1558.09

Calibration Curves Attached
Lab Vane Apparatus: Wykehem Farrance, Model #23541

CDM Smith Geotechnical Engineering Laboratory

CRS CONSOLIDATION TEST SUMMARY - ASTM D4186


Client: City of Cambridge
Project: Tobin School
Location: Cambridge, MA
Project No: 00139-220813

Test Date: 9/8/2017
Exploration No: CDM-4
Sample No: ST-1
Depth (ft): 36-38
Sample Description: Lean clay

	<u>Initial</u>	<u>Final</u>
Wet Mass (g)	160.79	156.26
Dry Mass (g)	129.16	127.28
Moisture Content (%)	24.5	22.8
Moist Unit Weight (pcf)	124.8	136.3
Dry Unit Weight (pcf)	100.2	111.0
Diameter (in)	2.50	2.50
Height (in)^(*)	0.99	0.89
Specific Gravity²	2.7	2.7
Void Ratio (-)^(*)	0.681	0.518
Saturation (%)	97.1	118.8

Atterberg Limits:
LL : 45
PL : 21
PI : 24


Consolidation Strain Rate (%/hr): 1.0
Final Back Pressure (psi): 40
Seating Pressure (psi): 2



Notes:

1. Consolidation test performed in accordance with ASTM D4186.
 2. Value of Specific gravity G_s is assumed
- (*) Reported final data are taken at final deformation

Test Remarks:




Exploration No:	CDM-4	Preconsolidation Pressure (psf):	6,000
Sample No:	ST-1	Estimated In Situ Pressure (psf):	2,100
Depth (ft):	36-38	OCR:	2.86
Sample Description:	Lean clay	Compression Ratio, CR:	0.131
		Recompression Ratio, RR:	0.015

CDM Smith
 Geotechnical Engineering
 Laboratory

Client: City of Cambridge
Project: Tobin School
Location: Cambridge, MA
Project No: 00139-220813

**CONSTANT RATE OF STRAIN
 CONSOLIDATION TEST
 ASTM D4186**

LIQUID AND PLASTIC LIMITS TEST REPORT



SOIL DATA								
	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-4	ST-1	36-38'	30.7	21	45	24	CL

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
---	---

Figure

Tested By: RZ Checked By: MP

CDM Smith
Geotechnical Engineering Laboratory

**Standard Test Method for Laboratory Miniature Vane Shear Test for
Saturated Fine-Grained Clayey Soil (ASTM D4648)**

Client: City of Cambridge
Project Name: Tobin School
Project Location: Cambridge, MA
Project Number: 139-220813
Sample Number: CDM-4
Sample Location: ST-1
Sample Depth (ft): 36-38'
Sample Date: 8/2/2017
Lab ID: 453082089

Tested By: AS
Test Date: 8/18/2017

Moisture Content: 29.1%
Rotation Rate: 10° per minute
Vane Test Depth (ft): 36.5

Initial Shear Strength

Vane Dimensions: 3/4"H x 1/2"D
Spring #: 4

Maximum Degrees of Deflection: 149.5

Shear Strength (psf): 2306.29

Remolded Shear Strength

Vane Dimensions: 3/4"H x 1/2"D Vane Revolutions
Spring #: 4 for Remold 6

Maximum Degrees of Deflection: 106.5

Shear Strength (psf): 1642.94

Calibration Curves Attached
Lab Vane Apparatus: Wykehem Farrance, Model #23541

CDM Smith Geotechnical Engineering Laboratory

CRS CONSOLIDATION TEST SUMMARY - ASTM D4186

Client: City of Cambridge
Project: Tobin School
Location: Cambridge, MA
Project No: 00139-220813


Test Date: 8/31/2017
Exploration No: CDM-4
Sample No: ST-2
Depth (ft): 48-50
Sample Description: Lean clay

	<u>Initial</u>	<u>Final</u>
Wet Mass (g)	162.80	157.62
Dry Mass (g)	128.58	128.58
Moisture Content (%):	26.6	24.9
Moist Unit Weight (pcf):	126.3	133.9
Dry Unit Weight (pcf):	99.8	107.2
Diameter (in):	2.50	2.50
Height (in) ^(*) :	0.99	0.91
Specific Gravity ²	2.7	2.7
Void Ratio (-) ^(*) :	0.688	0.572
Saturation (%):	104.4	117.5

Atterberg Limits:

LL : 30
PL : 19
PI : 11


Consolidation Strain Rate (%/hr): 1.0
Final Back Pressure (psi): 40
Seating Pressure (psi): 2



Notes:

1. Consolidation test performed in accordance with ASTM D4186.
 2. Value of Specific gravity G_s is assumed
- (*) Reported final data are taken at final deformation

Test Remarks:



Exploration No: CDM-4
Sample No: ST-2
Depth (ft): 48-50
Sample Description: Lean clay


Preconsolidation Pressure (psf): 5,500
Estimated In Situ Pressure (psf): 3,300
OCR: 1.67
Compression Ratio, CR: 0.080
Recompression Ratio, RR: 0.018

CDM Smith
 Geotechnical Engineering
 Laboratory

Client: City of Cambridge
Project: Tobin School
Location: Cambridge, MA
Project No: 00139-220813

**CONSTANT RATE OF STRAIN
 CONSOLIDATION TEST
 ASTM D4186**

LIQUID AND PLASTIC LIMITS TEST REPORT



SOIL DATA								
	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-4	ST-2	48-50'	25.8	19	30	11	CL

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
---	---

Figure

Tested By: RZ Checked By: MP

CDM Smith
Geotechnical Engineering Laboratory

**Standard Test Method for Laboratory Miniature Vane Shear Test for
Saturated Fine-Grained Clayey Soil (ASTM D4648)**

Client: City of Cambridge
Project Name: Tobin School
Project Location: Cambridge, MA
Project Number: 139-220813
Sample Number: CDM-4
Sample Location: ST-2
Sample Depth (ft): 48-50'
Sample Date: 8/3/2017
Lab ID: 453082090

Tested By: AS
Test Date: 8/18/2017

Moisture Content: 29.7%
Rotation Rate: 10° per minute
Vane Test Depth (ft): 49.5

Initial Shear Strength

Vane Dimensions: 3/4"H x 1/2"D
Spring #: 4

Maximum Degrees of Deflection: 104

Shear Strength (psf): 1604.37

Remolded Shear Strength


Vane Dimensions: 3/4"H x 1/2"D Vane Revolutions
Spring #: 4 for Remold 6

Maximum Degrees of Deflection: 89.5

Shear Strength (psf): 1380.69

Calibration Curves Attached
Lab Vane Apparatus: Wykehem Farrance, Model #23541

LIQUID AND PLASTIC LIMITS TEST REPORT



SOIL DATA								
	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-5	ST-1	30-32'	45.0	21	52	31	CH

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
<p>Figure</p>	

Tested By: RZ Checked By: MP

CDM Smith
Geotechnical Engineering Laboratory

**Standard Test Method for Laboratory Miniature Vane Shear Test for
Saturated Fine-Grained Clayey Soil (ASTM D4648)**

Client: City of Cambridge
Project Name: Tobin School
Project Location: Cambridge, MA
Project Number: 139-220813
Sample Number: CDM-5
Sample Location: ST-1
Sample Depth (ft): 30-32'
Sample Date: 8/7/2017
Lab ID: 453082091

Tested By: AS
Test Date: 8/18/2017

Moisture Content: 38.1%
Rotation Rate: 10° per minute
Vane Test Depth (ft): 31

Initial Shear Strength

Vane Dimensions: 3/4"H x 1/2"D
Spring #: 4

Maximum Degrees of Deflection: 26

Shear Strength (psf): 401.09

Remolded Shear Strength

Vane Dimensions: 3/4"H x 1/2"D Vane Revolutions
Spring #: 4 for Remold 6

Maximum Degrees of Deflection: 16

Shear Strength (psf): 246.83

Calibration Curves Attached
Lab Vane Apparatus: Wykehem Farrance, Model #23541



Geotechnical Engineering Laboratory

ISOTROPICALLY CONSOLIDATED UNDRAINED TRIAXIAL TEST SUMMARY - ASTM D4767

Client: City of Cambridge
Project: Tobin School
Location: Cambridge, MA
Project No: 00139-220813

Test Date: 8/22/2017
Exploration No: CDM-8
Sample No: ST-1
Depth (ft): 40 - 42

LL : 30
PL : 18
PI : 12
USCS: CL

Initial

Moisture Content (%):	25.6%
Dry Unit Weight (pcf):	100.7
Diameter (in):	2.880
Height (in):	5.580
Void Ratio (-):	0.704
Saturation (%):	100.1
Moisture Content (Trim.%):	25.6%
Cross Sectional Area (in ²):	6.514

Final

Moisture Content (%):	23.8%
Dry Unit Weight (pcf):	104.3
Height (in):	4.555
Void Ratio (-):	0.645
Saturation (%):	101.4
Cross Sectional Area (in ²):	7.710

End of Consolidation Data




A _c Evaluated using Method	B
Sample Saturated using Method	B
Moisture Content (%):	23.8%
Dry Unit Weight (pcf):	104.3
Height (in):	5.540
Void Ratio (-):	0.645
Saturation (%):	101.4
Cross Sectional Area (in ²):	6.339
Pore Pressure Parameter B (-):	1.00
Final Back Pressure (psi):	40
Consolidation Pressure (psi):	17.0

Shear Data

Shear Strain Rate (%/hr):	0.73
Max. Deviator Stress ^(*) (psi):	46.1
Strain at Failure (%):	13.9
Minor Eff. Pr. Stress ^(*) (psi):	16.9
Major Eff. Pr. Stress ^(*) (psi):	63.0
Undrained Strength Ratio (-):	1.36

Notes:

(*) Failure criterion: max. deviator stress or max deviator stress at strain = 15%, whichever is obtained first. No correction for membrane or filter paper applied



Remarks:

CDM Smith Geotechnical Engineering Laboratory

CRS CONSOLIDATION TEST SUMMARY - ASTM D4186

Client: City of Cambridge
Project: Tobin School
Location: Cambridge, MA
Project No: 00139-220813


Test Date: 8/25/2017
Exploration No: CDM-8
Sample No: ST-1
Depth (ft): 40-42
Sample Description: Lean clay

	<u>Initial</u>	<u>Final</u>
Wet Mass (g)	154.38	150.42
Dry Mass (g)	119.80	119.80
Moisture Content (%):	28.9	28.8
Moist Unit Weight (pcf):	119.8	123.4
Dry Unit Weight (pcf):	93.0	95.8
Diameter (in):	2.50	2.50
Height (in) ^(*) :	0.99	0.95
Specific Gravity ²	2.7	2.7
Void Ratio (-) ^(*) :	0.812	0.759
Saturation (%):	96.0	102.6

Atterberg Limits:

LL : 30
PL : 18
PI : 12


Consolidation Strain Rate (%/hr): 1.0
Final Back Pressure (psi): 40
Seating Pressure (psi): 2



Notes:

1. Consolidation test performed in accordance with ASTM D4186.
 2. Value of Specific gravity G_s is assumed
- (*) Reported final data are taken at final deformation

Test Remarks:



Exploration No: CDM-8
Sample No: ST-1
Depth (ft): 40-42
Sample Description: Lean clay


Preconsolidation Pressure (psf): 6,000
Estimated In Situ Pressure (psf): 1,700
OCR: 3.53
Compression Ratio, CR: 0.117
Recompression Ratio, RR: 0.011

CDM Smith
 Geotechnical Engineering
 Laboratory

Client: City of Cambridge
Project: Tobin School
Location: Cambridge, MA
Project No: 00139-220813

**CONSTANT RATE OF STRAIN
 CONSOLIDATION TEST
 ASTM D4186**

LIQUID AND PLASTIC LIMITS TEST REPORT



SOIL DATA								
	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-8	ST-1	40-42'	26.2	18	30	12	CL

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
---	---

Figure

Tested By: GW Checked By: MP

CDM Smith
Geotechnical Engineering Laboratory

**Standard Test Method for Laboratory Miniature Vane Shear Test for
Saturated Fine-Grained Clayey Soil (ASTM D4648)**

Client: City of Cambridge
Project Name: Tobin School
Project Location: Cambridge, MA
Project Number: 139-220813
Sample Number: CDM-8
Sample Location: ST-1
Sample Depth (ft): 40-42'
Sample Date: 7/19/2017
Lab ID: 453082092

Tested By: AS
Test Date: 8/18/2017

Moisture Content: 39.4%
Rotation Rate: 10° per minute
Vane Test Depth (ft): 41.5

Initial Shear Strength

Vane Dimensions: 3/4"H x 1/2"D
Spring #: 4

Maximum Degrees of Deflection: 118

Shear Strength (psf): 1820.35

Remolded Shear Strength


Vane Dimensions: 3/4"H x 1/2"D Vane Revolutions
Spring #: 4 for Remold 6

Maximum Degrees of Deflection: 48.5

Shear Strength (psf): 748.19

Calibration Curves Attached
Lab Vane Apparatus: Wykehem Farrance, Model #23541

LIQUID AND PLASTIC LIMITS TEST REPORT



SOIL DATA								
	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-10	ST-1	20-22'	35.5	21	40	19	CL

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
---	---

Figure

Tested By: RZ Checked By: MP

CDM Smith
Geotechnical Engineering Laboratory

**Standard Test Method for Laboratory Miniature Vane Shear Test for
Saturated Fine-Grained Clayey Soil (ASTM D4648)**

Client: City of Cambridge
Project Name: Tobin School
Project Location: Cambridge, MA
Project Number: 139-220813
Sample Number: CDM-10
Sample Location: ST-1
Sample Depth (ft): 20-22'
Sample Date: 7/31/2017
Lab ID: 453082093

Tested By: AS
Test Date: 8/18/2017

Moisture Content: 33.4%
Rotation Rate: 10° per minute
Vane Test Depth (ft): 20.5

Initial Shear Strength

Vane Dimensions: 3/4"H x 1/2"D
Spring #: 4

Maximum Degrees of Deflection: 80

Shear Strength (psf): 1234.13

Remolded Shear Strength


Vane Dimensions: 3/4"H x 1/2"D Vane Revolutions
Spring #: 4 for Remold 6

Maximum Degrees of Deflection: 24

Shear Strength (psf): 370.24

Calibration Curves Attached
Lab Vane Apparatus: Wykehem Farrance, Model #23541

LIQUID AND PLASTIC LIMITS TEST REPORT



SOIL DATA								
	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-15	ST-1	18-20'	28.6	22	38	16	CL

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
---	---

Figure

Tested By: GW Checked By: MP

CDM Smith
Geotechnical Engineering Laboratory

**Standard Test Method for Laboratory Miniature Vane Shear Test for
Saturated Fine-Grained Clayey Soil (ASTM D4648)**

Client: City of Cambridge
Project Name: Tobin School
Project Location: Cambridge, MA
Project Number: 139-220813
Sample Number: CDM-15
Sample Location: ST-1
Sample Depth (ft): 18-20'
Sample Date: 7/20/2017
Lab ID: 453082094

Tested By: AS
Test Date: 8/18/2017

Moisture Content: 28.6%
Rotation Rate: 10° per minute
Vane Test Depth (ft): 19

Initial Shear Strength

Vane Dimensions: 3/4"H x 1/2"D
Spring #: 4

Maximum Degrees of Deflection: 166

Shear Strength (psf): 2560.83

Remolded Shear Strength

Vane Dimensions: 3/4"H x 1/2"D Vane Revolutions
Spring #: 4 for Remold 6

Maximum Degrees of Deflection: 47

Shear Strength (psf): 725.05

Calibration Curves Attached
Lab Vane Apparatus: Wykehem Farrance, Model #23541



Geotechnical Engineering Laboratory

ISOTROPICALLY CONSOLIDATED UNDRAINED TRIAXIAL TEST SUMMARY - ASTM D4767

Client: City of Cambridge
Project: Tobin School
Location: Cambridge, MA
Project No: 00139-220813

Test Date: 8/23/2017
Exploration No: CDM-15
Sample No: ST-2
Depth (ft): 31 - 33

LL : 34
PL : 19
PI : 15
USCS: CL

Initial

Moisture Content (%):	28.9%
Dry Unit Weight (pcf):	96.4
Diameter (in):	2.870
Height (in):	5.705
Void Ratio (-):	0.781
Saturation (%):	101.8
Moisture Content (Trim.%):	28.9%
Cross Sectional Area (in ²):	6.469

Final

Moisture Content (%):	27.7%
Dry Unit Weight (pcf):	99.2
Height (in):	4.667
Void Ratio (-):	0.730
Saturation (%):	104.4
Cross Sectional Area (in ²):	7.690

End of Consolidation Data




A _c Evaluated using Method	B
Sample Saturated using Method	B
Moisture Content (%):	27.7%
Dry Unit Weight (pcf):	99.2
Height (in):	5.685
Void Ratio (-):	0.730
Saturation (%):	104.4
Cross Sectional Area (in ²):	6.313
Pore Pressure Parameter B (-):	1.00
Final Back Pressure (psi):	40
Consolidation Pressure (psi):	15.0

Shear Data

Shear Strain Rate (%/hr):	0.75
Max. Deviator Stress ^(*) (psi):	25.5
Strain at Failure (%):	14.5
Minor Eff. Pr. Stress ^(*) (psi):	9.7
Major Eff. Pr. Stress ^(*) (psi):	35.2
Undrained Strength Ratio (-):	0.85

Notes:

(*) Failure criterion: max. deviator stress or max deviator stress at strain = 15%, whichever is obtained first. No correction for membrane or filter paper applied



Remarks:

CDM Smith Geotechnical Engineering Laboratory

CRS CONSOLIDATION TEST SUMMARY - ASTM D4186

Client: City of Cambridge
Project: Tobin School
Location: Cambridge, MA
Project No: 00139-220813


Test Date: 8/25/2017
Exploration No: CDM-15
Sample No: ST-2
Depth (ft): 31-33
Sample Description: Lean clay

	<u>Initial</u>	<u>Final</u>
Wet Mass (g)	157.56	151.40
Dry Mass (g)	123.58	123.58
Moisture Content (%):	27.5	23.8
Moist Unit Weight (pcf):	122.3	131.2
Dry Unit Weight (pcf):	95.9	106.0
Diameter (in):	2.50	2.50
Height (in) ^(*) :	0.993	0.895
Specific Gravity ²	2.7	2.7
Void Ratio (-) ^(*) :	0.757	0.589
Saturation (%):	98.1	109.0

Atterberg Limits:

LL : 34
PL : 19
PI : 15


Consolidation Strain Rate (%/hr): 1.0
Final Back Pressure (psi): 40
Seating Pressure (psi): 2



Notes:

1. Consolidation test performed in accordance with ASTM D4186.
 2. Value of Specific gravity Gs is assumed
- (*) Reported final data are taken at final deformation

Test Remarks:



Exploration No: CDM-15
Sample No: ST-2
Depth (ft): 31-33
Sample Description: Lean clay


Preconsolidation Pressure (psf): 3,500
Estimated In Situ Pressure (psf): 1,200
OCR: 2.92
Compression Ratio, CR: 0.107
Recompression Ratio, RR: 0.017

CDM Smith
 Geotechnical Engineering
 Laboratory

Client: City of Cambridge
Project: Tobin School
Location: Cambridge, MA
Project No: 00139-220813

**CONSTANT RATE OF STRAIN
 CONSOLIDATION TEST
 ASTM D4186**

LIQUID AND PLASTIC LIMITS TEST REPORT



SOIL DATA								
	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-15	ST-2	31-33'	30.7	19	34	15	CL

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
---	---

Figure

Tested By: RZ Checked By: MP

CDM Smith
Geotechnical Engineering Laboratory

**Standard Test Method for Laboratory Miniature Vane Shear Test for
Saturated Fine-Grained Clayey Soil (ASTM D4648)**

Client: City of Cambridge
Project Name: Tobin School
Project Location: Cambridge, MA
Project Number: 139-220813
Sample Number: CDM-15
Sample Location: ST-2
Sample Depth (ft): 31-33'
Sample Date: 7/20/2017
Lab ID: 453082095

Tested By: AS
Test Date: 8/18/2017

Moisture Content: 29.6%
Rotation Rate: 10° per minute
Vane Test Depth (ft): 32.1

Initial Shear Strength

Vane Dimensions: 3/4"H x 1/2"D
Spring #: 4

Maximum Degrees of Deflection: 85

Shear Strength (psf): 1311.27

Remolded Shear Strength

Vane Dimensions: 3/4"H x 1/2"D Vane Revolutions
Spring #: 4 for Remold 6

Maximum Degrees of Deflection: 70.5

Shear Strength (psf): 1087.58

Calibration Curves Attached
Lab Vane Apparatus: Wykehem Farrance, Model #23541

ATTACHMENT J
PHASE 2 - GEOTECHNICAL LABORATORY TEST RESULTS

CDM Smith
Geotechnical Engineering Laboratory

**Standard Test Method for Moisture, Ash, and Organic Matter of Peat and
Other Organic Soils(ASTM D2974)**

Client:	City of Cambridge	
Project Name:	Tobin School	Tested By: <u>AS</u>
Project Location:	Cambridge, MA	Test Date: <u>3/6/2018</u>
Project Number:	00139-220813	
Boring Number:	CDM-101B	Procedure: <u>C</u>
Sample Number:	S-4	Temperature: <u>440° C</u>
Sample Depth (ft):	7-9	
Sample Date:	2/1/2018	

AS RECEIVED MOISTURE CONTENT	
Tin Mass (g)	64.49
Wet Mass of Sample & Tin (g)	123.98
Dry Mass of Sample & Tin (g)	97.11
Mass of Water (g)	26.87
Mass of Dry Soil (g)	32.62
Moisture Content (%)	82.4

ASH CONTENT	
Porcelain Dish Mass (g)	64.49
Porcelain Dish + Oven Dried Soil (g)	97.11
Mass of Oven Dried Soil (g)	32.62
Mass of Dish & Burned Soil (g)	91.58
Mass of Burned Soil (g)	27.09
Mass of Organic Material (g)	5.53
Ash Content (%)	83.0
Organic Content (%)	17.0

CDM Smith
Geotechnical Engineering Laboratory


**Standard Test Method for Moisture, Ash, and Organic Matter of Peat and
Other Organic Soils (ASTM D2974)**

Client:	City of Cambridge	
Project Name:	Tobin School	Tested By: <u>AS</u>
Project Location:	Cambridge, MA	Test Date: <u>3/6/2018</u>
Project Number:	00139-220813	
Boring Number:	CDM-102B	Procedure: <u>C</u>
Sample Number:	S-4B	Temperature: <u>440° C</u>
Sample Depth (ft):	7-9	
Sample Date:	1/26/2018	

AS RECEIVED MOISTURE CONTENT	
Tin Mass (g)	126.69
Wet Mass of Sample & Tin (g)	197.71
Dry Mass of Sample & Tin (g)	167.47
Mass of Water (g)	30.24
Mass of Dry Soil (g)	40.78
Moisture Content (%)	74.2

ASH CONTENT	
Porcelain Dish Mass (g)	126.69
Porcelain Dish + Oven Dried Soil (g)	167.47
Mass of Oven Dried Soil (g)	40.78
Mass of Dish & Burned Soil (g)	159.81
Mass of Burned Soil (g)	33.12
Mass of Organic Material (g)	7.66
Ash Content (%)	81.2
Organic Content (%)	18.8

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	40.8	19.9	14.5	10.3	9.9	4.6

Test Results (ASTM D6913 & D7928 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
.75	100.0		
.5	85.2		
.375	79.1		
#4	59.2		
#10	39.3		
#20	31.7		
#40	24.8		
#60	20.7		
#100	17.6		
#200	14.5		
0.0477 mm.	13.7		
0.0339 mm.	12.9		
0.0219 mm.	10.6		
0.0128 mm.	8.6		
0.0092 mm.	6.9		
0.0065 mm.	5.7		
0.0047 mm.	4.3		
0.0033 mm.	2.7		
0.0014 mm.	2.0		

* (no specification provided)

Material Description

Brown silty sand with gravel

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= SM AASHTO (M 145)= A-1-a

Coefficients

D ₉₀ = 14.7879	D ₈₅ = 12.5970	D ₆₀ = 4.8837
D ₅₀ = 3.4152	D ₃₀ = 0.7094	D ₁₅ = 0.0867
D ₁₀ = 0.0190	C _u = 257.65	C _c = 5.44

Remarks


As recieved MC = 45.4%

Date Received: _____	Date Tested: 3/6/18
Tested By: MP _____	
Checked By: MP _____	
Title: Laboratory Manager _____	

Source of Sample: CDM-103 Depth: 15-17' Date Sampled: 1/25/18
 Sample Number: S-8

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No: 139-220813</p> <p style="text-align: right;">Figure</p>
---	--

LIQUID AND PLASTIC LIMITS TEST REPORT




SOIL DATA								
SYMBOL	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-103	S-11	21-23'	25.1	NP	NV	NP	ML

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
---	---

Figure

Tested By: SB Checked By: MP

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	17.7	32.2	11.9	17.0	11.7	9.5	

Test Results (ASTM D6913 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
1"	100.0		
.75"	82.3		
.5"	66.5		
.375"	63.3		
#4	50.1		
#10	38.2		
#20	29.3		
#40	21.2		
#60	15.8		
#100	12.2		
#200	9.5		

* (no specification provided)

Material Description

Dark brown well-graded gravel with silt and sand (Urban fill)

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= GW-GM AASHTO (M 145)= A-1-a

Coefficients

D ₉₀ = 21.7112	D ₈₅ = 19.9792	D ₆₀ = 7.6036
D ₅₀ = 4.7233	D ₃₀ = 0.9066	D ₁₅ = 0.2280
D ₁₀ = 0.0865	C _u = 87.88	C _c = 1.25

Remarks

As received MC = 29.8%

Date Received: 3/5/18 Date Tested: 3/6/18

Tested By: MP


Checked By: MP

Title: Laboratory Manager

Source of Sample: CDM-104 Depth: 12-14' Date Sampled: 1/24/18
 Sample Number: S-7

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No: 139-220813</p> <p style="text-align: right;">Figure</p>
---	--

LIQUID AND PLASTIC LIMITS TEST REPORT



SOIL DATA								
SYMBOL	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-104	S-17	32-34'	32.3	21	40	19	CL

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
---	---

Figure

Tested By: SB Checked By: MP

CDM Smith
Geotechnical Engineering Laboratory


**Standard Test Method for Moisture, Ash, and Organic Matter of Peat and
Other Organic Soils(ASTM D2974)**

Client:	City of Cambridge		
Project Name:	Tobin School	Tested By:	AS
Project Location:	Cambridge, MA	Test Date:	3/6/2018
Project Number:	00139-220813		
Boring Number:	CDM-105	Procedure:	C
Sample Number:	S-4B	Temperature:	440° C
Sample Depth (ft):	6-8		
Sample Date:	1/23/2018		

AS RECEIVED MOISTURE CONTENT	
Tin Mass (g)	90.34
Wet Mass of Sample & Tin (g)	182.59
Dry Mass of Sample & Tin (g)	165.38
Mass of Water (g)	17.21
Mass of Dry Soil (g)	75.04
Moisture Content (%)	22.9

ASH CONTENT	
Porcelain Dish Mass (g)	90.34
Porcelain Dish + Oven Dried Soil (g)	165.38
Mass of Oven Dried Soil (g)	75.04
Mass of Dish & Burned Soil (g)	163.58
Mass of Burned Soil (g)	73.24
Mass of Organic Material (g)	1.80
Ash Content (%)	97.6
Organic Content (%)	2.4

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	14.0	54.6	21.4	5.5	2.7	1.8	

Test Results (ASTM D6913 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
1.5"	100.0		
1"	86.0		
.75"	86.0		
.5"	75.9		
.375"	70.4		
#4	31.4		
#10	10.0		
#20	6.1		
#40	4.5		
#60	3.5		
#100	2.6		
#200	1.8		

* (no specification provided)

Material Description

Dark brown poorly graded gravel with sand (Urban fill)

Atterberg Limits (ASTM D 4318)

PL= LL= PI=

Classification

USCS (D 2487)= GP AASHTO (M 145)= A-1-a

Coefficients

D₉₀= 30.1834 D₈₅= 17.7268 D₆₀= 7.5528
D₅₀= 6.4198 D₃₀= 4.6206 D₁₅= 2.9615
D₁₀= 2.0012 C_u= 3.77 C_c= 1.41

Remarks


As received MC = 22.1%

Date Received: 3/5/18 Date Tested: 3/6/18
Tested By: MP
Checked By: MP
Title: Laboratory Manager

Source of Sample: CDM-106 Depth: 10-12' Date Sampled: 1/23/18
Sample Number: S-6

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813</p> <p style="text-align: right;">Figure</p>
---	---

LIQUID AND PLASTIC LIMITS TEST REPORT



SOIL DATA								
SYMBOL	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-106	S-9	16-18'	29.9	22	44	22	CL

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
---	---

Figure

Tested By: SB Checked By: MP

CDM Smith
Geotechnical Engineering Laboratory

**Standard Test Method for Moisture, Ash, and Organic Matter of Peat and
Other Organic Soils(ASTM D2974)**

Client:	City of Cambridge		
Project Name:	Tobin School	Tested By:	AS
Project Location:	Cambridge, MA	Test Date:	3/6/2018
Project Number:	00139-220813		
Boring Number:	CDM-108	Procedure:	C
Sample Number:	S-4B	Temperature:	440° C
Sample Depth (ft):	7-9		
Sample Date:	1/30/2018		

AS RECEIVED MOISTURE CONTENT	
Tin Mass (g)	78.18
Wet Mass of Sample & Tin (g)	142.35
Dry Mass of Sample & Tin (g)	115.68
Mass of Water (g)	26.67
Mass of Dry Soil (g)	37.50
Moisture Content (%)	71.1

ASH CONTENT	
Porcelain Dish Mass (g)	78.18
Porcelain Dish + Oven Dried Soil (g)	115.68
Mass of Oven Dried Soil (g)	37.50
Mass of Dish & Burned Soil (g)	109.12
Mass of Burned Soil (g)	30.94
Mass of Organic Material (g)	6.56
Ash Content (%)	82.5
Organic Content (%)	17.5

CDM Smith
Geotechnical Engineering Laboratory


**Standard Test Method for Moisture, Ash, and Organic Matter of Peat and
Other Organic Soils(ASTM D2974)**

Client:	City of Cambridge		
Project Name:	Tobin School	Tested By:	AS
Project Location:	Cambridge, MA	Test Date:	3/6/2018
Project Number:	00139-220813		
Boring Number:	CDM-109	Procedure:	C
Sample Number:	S-4A	Temperature:	440° C
Sample Depth (ft):	7-9		
Sample Date:	1/30/2018		

AS RECEIVED MOISTURE CONTENT	
Tin Mass (g)	96.92
Wet Mass of Sample & Tin (g)	184.40
Dry Mass of Sample & Tin (g)	155.67
Mass of Water (g)	28.73
Mass of Dry Soil (g)	58.75
Moisture Content (%)	48.9

ASH CONTENT	
Porcelain Dish Mass (g)	96.92
Porcelain Dish + Oven Dried Soil (g)	155.67
Mass of Oven Dried Soil (g)	58.75
Mass of Dish & Burned Soil (g)	149.47
Mass of Burned Soil (g)	52.55
Mass of Organic Material (g)	6.20
Ash Content (%)	89.4
Organic Content (%)	10.6

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	5.5	41.8	45.7	7.0

Test Results (ASTM D6913 & D7928 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
#10	100.0		
#20	99.4		
#40	94.5		
#60	86.0		
#100	78.6		
#200	52.7		
0.0461 mm.	31.0		
0.0341 mm.	21.4		
0.0221 mm.	15.8		
0.0130 mm.	11.0		
0.0093 mm.	9.0		
0.0066 mm.	7.6		
0.0047 mm.	6.9		
0.0033 mm.	6.2		
0.0014 mm.	4.8		

* (no specification provided)

Material Description

Brown sandy silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI= NP

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.3216 D₈₅= 0.2319 D₆₀= 0.0881
D₅₀= 0.0707 D₃₀= 0.0449 D₁₅= 0.0201
D₁₀= 0.0112 C_u= 7.83 C_c= 2.04

Remarks

As recieved MC = 24.6%


Date Received: _____ Date Tested: 3/6/18
Tested By: MP
Checked By: MP
Title: Laboratory Manager

Source of Sample: CDM-109 Depth: 7-9' Date Sampled: 1/30/18
Sample Number: S-4B

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813
--	--

Figure

LIQUID AND PLASTIC LIMITS TEST REPORT




SOIL DATA								
SYMBOL	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-109	S-4B	7-9'	24.6	NP	NV	NP	ML

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
---	---

Figure

Tested By: SB Checked By: MP

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.5	2.9	21.8	62.7	12.1	

Test Results (ASTM D6913 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
.375"	100.0		
#4	99.5		
#10	96.6		
#20	90.2		
#40	74.8		
#60	49.0		
#100	30.4		
#200	12.1		

Material Description

Gray silty sand

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= SM AASHTO (M 145)= A-2-4(0)

Coefficients

D₉₀= 0.8376 D₈₅= 0.6005 D₆₀= 0.3116
D₅₀= 0.2553 D₃₀= 0.1481 D₁₅= 0.0844
D₁₀= _____ C_u= _____ C_c= _____

Remarks

As received MC = 18.9%

Date Received: 3/5/18 Date Tested: 3/6/18
Tested By: MP/SB
Checked By: MP
Title: Laboratory Manager


* (no specification provided)

Source of Sample: CDM-109 Depth: 9-11' Date Sampled: 1/30/18
Sample Number: S-5B

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813
--	--

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	10.3	7.6	34.7	34.1	13.3	

Test Results (ASTM D6913 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
.5"	100.0		
.375"	95.7		
#4	89.7		
#10	82.1		
#20	68.1		
#40	47.4		
#60	33.5		
#100	23.1		
#200	13.3		

Material Description

Dark brown silty sand

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= SM AASHTO (M 145)= A-1-b

Coefficients

D₉₀= 4.9347 D₈₅= 2.6658 D₆₀= 0.6381
D₅₀= 0.4629 D₃₀= 0.2136 D₁₅= 0.0858
D₁₀= _____ C_u= _____ C_c= _____

Remarks

As received MC = 29.7%

Date Received: 3/5/18 Date Tested: 3/6/18
Tested By: MP
Checked By: MP
Title: Laboratory Manager

* (no specification provided)

Source of Sample: CDM-110 Depth: 5-7' Date Sampled: 1/29/18
Sample Number: S-3

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813
--	--

Figure

CDM Smith
Geotechnical Engineering Laboratory


**Standard Test Method for Moisture, Ash, and Organic Matter of Peat and
Other Organic Soils(ASTM D2974)**

Client:	City of Cambridge	
Project Name:	Tobin School	Tested By: <u>AS</u>
Project Location:	Cambridge, MA	Test Date: <u>3/6/2018</u>
Project Number:	00139-220813	
Boring Number:	CDM-110	Procedure: <u>C</u>
Sample Number:	S-4A	Temperature: <u>440° C</u>
Sample Depth (ft):	7-9	
Sample Date:	1/29/2018	

AS RECEIVED MOISTURE CONTENT	
Tin Mass (g)	105.34
Wet Mass of Sample & Tin (g)	182.33
Dry Mass of Sample & Tin (g)	167.25
Mass of Water (g)	15.08
Mass of Dry Soil (g)	61.91
Moisture Content (%)	24.4

ASH CONTENT	
Porcelain Dish Mass (g)	105.34
Porcelain Dish + Oven Dried Soil (g)	167.25
Mass of Oven Dried Soil (g)	61.91
Mass of Dish & Burned Soil (g)	161.45
Mass of Burned Soil (g)	56.11
Mass of Organic Material (g)	5.80
Ash Content (%)	90.6
Organic Content (%)	9.4

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	17.5	11.1	23.7	22.5	25.2	

Test Results (ASTM D6913 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
.75"	100.0		
.5"	94.8		
.375"	90.2		
#4	82.5		
#10	71.4		
#20	59.4		
#40	47.7		
#60	38.8		
#100	31.8		
#200	25.2		

Material Description

Brown silty sand with gravel
(Urban fill)

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= SM AASHTO (M 145)= A-1-b

Coefficients

D₉₀= 9.3881 D₈₅= 6.0823 D₆₀= 0.8831
D₅₀= 0.4859 D₃₀= 0.1277 D₁₅= _____
D₁₀= _____ C_u= _____ C_c= _____

Remarks

As received MC = 10.1%


Date Received: 3/5/18 Date Tested: 3/6/18
Tested By: MP
Checked By: MP
Title: Laboratory Manager

* (no specification provided)

Source of Sample: CDM-112 Depth: 4-6' Date Sampled: 1/26/18
Sample Number: S-3

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813</p> <p style="text-align: right;">Figure</p>
---	---

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.5	2.4	16.5	29.8	50.8

Test Results (ASTM D6913 & D7928 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
#4	100.0		
#10	99.5		
#20	98.5		
#40	97.1		
#60	93.3		
#100	86.6		
#200	80.6		
0.0369 mm.	76.0		
0.0268 mm.	72.1		
0.0173 mm.	68.9		
0.0104 mm.	62.7		
0.0076 mm.	57.2		
0.0055 mm.	52.5		
0.0040 mm.	46.2		
0.0029 mm.	40.7		
0.0012 mm.	29.8		

* (no specification provided)

Material Description

Brown lean clay with sand

Atterberg Limits (ASTM D 4318)

PL= 15 LL= 27 PI= 12

Classification

USCS (D 2487)= CL AASHTO (M 145)= A-6(8)

Coefficients

D₉₀= 0.1930 D₈₅= 0.1307 D₆₀= 0.0089
D₅₀= 0.0048 D₃₀= 0.0013 D₁₅=
D₁₀= C_u= C_c=

Remarks

As recieved MC = 28.0%

Date Received: Date Tested: 3/6/18

Tested By: MP

Checked By: MP


Title: Laboratory Manager

Source of Sample: CDM-115 Depth: 12-14' Date Sampled: 2/2/18
Sample Number: S-7

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813
--	--

Figure

LIQUID AND PLASTIC LIMITS TEST REPORT




SOIL DATA								
SYMBOL	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-115	S-7	12-14'	28.0	15	27	12	CL

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
---	---

Figure

Tested By: SB Checked By: MP

LIQUID AND PLASTIC LIMITS TEST REPORT




SOIL DATA								
SYMBOL	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-115	S-7	12-14'	28.0	15	27	12	CL

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
---	---

Figure

Tested By: SB Checked By: MP

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	20.3	6.7	6.8	28.9	23.6	13.7	

Test Results (ASTM D6913 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
1"	100.0		
.75"	79.7		
.5"	78.5		
.375"	78.3		
#4	73.0		
#10	66.2		
#20	54.3		
#40	37.3		
#60	26.6		
#100	19.3		
#200	13.7		

Material Description

Dark gray silty sand with gravel
(Urban fill with strong odor)

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= SM AASHTO (M 145)= A-1-b

Coefficients

D₉₀= 22.5223 D₈₅= 21.0193 D₆₀= 1.1677
D₅₀= 0.7048 D₃₀= 0.3017 D₁₅= 0.0918
D₁₀= _____ C_u= _____ C_c= _____

Remarks

As received MC = 16.4%

Date Received: 3/5/18 Date Tested: 3/6/18
Tested By: MP
Checked By: MP
Title: Laboratory Manager


* (no specification provided)

Source of Sample: CDM-118 Depth: 6-8' Date Sampled: 1/31/18
Sample Number: S-4

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813
--	--

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	35.2	20.0	22.4	10.3	12.1	

Test Results (ASTM D6913 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
.75"	100.0		
.5"	89.5		
.375"	85.7		
#4	64.8		
#10	44.8		
#20	30.4		
#40	22.4		
#60	17.8		
#100	14.7		
#200	12.1		

Material Description

Gray silty sand with gravel
(Urban fill)

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= SM AASHTO (M 145)= A-1-a

Coefficients

D₉₀= 13.0711 D₈₅= 9.1702 D₆₀= 4.0307
D₅₀= 2.6235 D₃₀= 0.8243 D₁₅= 0.1586
D₁₀= _____ C_u= _____ C_c= _____

Remarks

As received MC = 55.3%

Date Received: 3/5/18 Date Tested: 3/6/18
Tested By: MP
Checked By: MP
Title: Laboratory Manager


* (no specification provided)

Source of Sample: CDM-118 Depth: 18-20' Date Sampled: 1/31/18
Sample Number: S-10A

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813
--	--

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	27.8	17.6	31.3	14.2	9.1	

Test Results (ASTM D6913 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
.75"	100.0		
.5"	90.4		
.375"	85.0		
#4	72.2		
#10	54.6		
#20	36.3		
#40	23.3		
#60	16.6		
#100	12.2		
#200	9.1		

Material Description

Dark gray well-graded sand with silt and gravel

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= SW-SM AASHTO (M 145)= A-1-b

Coefficients

D₉₀= 12.4284 D₈₅= 9.5463 D₆₀= 2.5795
D₅₀= 1.6122 D₃₀= 0.6217 D₁₅= 0.2131
D₁₀= 0.0956 C_u= 26.98 C_c= 1.57

Remarks

As received MC = 54.1%


Date Received: 3/5/18 Date Tested: 3/6/18
Tested By: MP
Checked By: MP
Title: Laboratory Manager

* (no specification provided)

Source of Sample: CDM-119 Depth: 20-22' Date Sampled: 1/31/18
Sample Number: S-11

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813</p> <p style="text-align: right;">Figure</p>
---	---

LIQUID AND PLASTIC LIMITS TEST REPORT




SOIL DATA								
SYMBOL	SOURCE	SAMPLE NO.	DEPTH	NATURAL WATER CONTENT (%)	PLASTIC LIMIT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	USCS
●	CDM-119	S-18	34-36'	28.4	20	39	19	CL

<p>CDM Smith</p> <p>Boston, Massachusetts</p>	<p>Client: City of Cambridge</p> <p>Project: Tobin School Cambridge, MA</p> <p>Project No.: 139-220813</p>
---	---

Figure

Tested By: SB Checked By: MP

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	23.2	11.7	19.7	17.6	27.8	

Test Results (ASTM D6913 & ASTM D1140)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
.75"	100.0		
.5"	93.5		
.375"	90.3		
#4	76.8		
#10	65.1		
#20	54.2		
#40	45.4		
#60	38.5		
#100	33.3		
#200	27.8		

Material Description

Brown & gray silty sand with gravel
(Urban fill)

Atterberg Limits (ASTM D 4318)

PL= _____ LL= _____ PI= _____

Classification

USCS (D 2487)= SM AASHTO (M 145)= A-2-4(0)

Coefficients

D₉₀= 9.3001 D₈₅= 7.0299 D₆₀= 1.3225
D₅₀= 0.6090 D₃₀= 0.1000 D₁₅= _____
D₁₀= _____ C_u= _____ C_c= _____

Remarks

As received MC = 77.6%

Date Received: 3/5/18 Date Tested: 3/6/18
Tested By: MP
Checked By: MP
Title: Laboratory Manager

* (no specification provided)

Source of Sample: CDM-120 Depth: 9-11' Date Sampled: 2/1/18
Sample Number: S-5

CDM Smith Boston, Massachusetts	Client: City of Cambridge Project: Tobin School Cambridge, MA Project No: 139-220813
--	--

Figure

ATTACHMENT K
SLUG TESTING RESULTS

**TABLE 1
SUMMARY OF HYDRAULIC CONDUCTIVITY
TOBIN SCHOOL
CAMBRIDGE, MASSACHUSETTS**

WELL IDENTIFICATION	SCREENED INTERVAL		HYDRAULIC CONDUCTIVITY (ft/day)		HYDRAULIC CONDUCTIVITY (cm/sec)	
	DEPTH (BGS)	STRATA	FALLING	RISING	FALLING	RISING
MW-3S	3-13	FILL/WASTE	13.60	27.05	4.80E-03	9.54E-03
MW-3D	14-24	WASTE	7.57	18.59	2.67E-03	6.56E-03
MW-4S	3-18	Fill/WASTE	6.27	6.53	2.21E-03	2.31E-03
MW-4D	20-30	WASTE	14.05	10.02	4.96E-03	3.53E-03
MW-7S	3-13	FILL/WASTE	8.78	22.85	3.10E-03	8.06E-03
MW-7D	7-17	WASTE	8.85	11.40	3.12E-03	4.02E-03
MW-9S	2-12	FILL/WASTE	2.50	8.38	8.82E-04	2.96E-03
MW-9D	12-22	WASTE	6.47	4.57	2.28E-03	1.61E-03
MW-14S	2-12	FILL/WASTE	0.21	1.45	7.24E-05	5.12E-04
MW-14D	12-22	WASTE	2.35	15.90	8.28E-04	5.61E-03

NOTES:

- All wells constructed using 2 " Schedule 40 PVC Riser and 2" (.01") Slot Schedule 40 PVC Screen
- Slug Testing completed on 3/1/2018

TABLE 2
SUMMARY OF AQTESOLV INPUT PARAMETERS
TOBIN SCHOOL
CAMBRIDGE, MASSACHUSETTS


Well ID	DTW from top of PVC (Static)	DTB from top of PVC	PVC Diff from GS	DTW from GS	DTB from GS	Static Water Column Height	Top of Screen from GS	Bottom of Screen from GS	Sat Thickness Aquifer	Kv/Kh	Depth to Top of Well Screen from Static	Well Diameter (inches)	Inside Radius of Well Casing	Borehole Diameter (inches)	Radius of Well including filter pack	Screen Length	Total Well Penetration Depth
MW-3S	5.78	11.58	0.3	6.08	11.88	5.80	1.88	11.88	5.80	0.1	0.00	2	0.083	4	0.167	5.8	5.80
MW-3D	5.81	23.13	0.5	6.31	23.63	17.32	13.63	23.63	10	0.1	7.32	2	0.083	4	0.167	10	17.32
MW-4S	6.3	18.5	0.4	6.7	18.9	12.20	3.90	18.90	12.20	0.1	0.00	2	0.083	4	0.167	12.2	12.20
MW-4D	6.19	29.55	0.4	6.59	29.95	23.36	19.95	29.95	10	0.1	13.36	2	0.083	4	0.167	10	23.36
MW-7S	6.03	12.35	0.3	6.33	12.65	6.32	2.65	12.65	6.32	0.1	0.00	2	0.083	8	0.333	6.32	6.32
MW-7D	6.14	16.55	0.4	6.54	16.95	10.41	6.95	16.95	10	0.1	0.41	2	0.083	8	0.333	10	10.41
MW-9S	6.15	11.7	0.3	6.45	12.00	5.55	2.00	12.00	5.55	0.1	0.00	2	0.083	4	0.167	5.55	5.55
MW-9D	6.11	21.6	0.4	6.51	22.00	15.49	12.00	22.00	10	0.1	5.49	2	0.083	4	0.167	10	15.49
MW-14S	7.34	11.7	0.3	7.64	12.00	4.36	2.00	12.00	4.36	0.1	0.00	2	0.083	4	0.167	4.36	4.36
MW-14D	7.35	20.8	1.2	8.55	22.00	13.45	12.00	22.00	10	0.1	3.45	2	0.083	4	0.167	10	13.45

All units measured in feet unless otherwise noted

GS = Ground Surface

Aquifer Anisotropy Ratio: Kv = 0.2 ft/day Kh = 2.0 ft/day

Well ID	Initial Displacement (feet)
MW-3S FALLING	1.49
MW-3S RISING	6.21
MW-3D FALLING	1.14
MW-3D RISING	2.41
MW-4S FALLING	3.27
MW-4S RISING	3.25
MW-4D FALLING	0.98
MW-4D RISING	0.91
MW-7S FALLING	4.73
MW-7S RISING	5.75
MW-7D FALLING	2.50
MW-7D RISING	3.61
MW-9S FALLING	3.41
MW-9S RISING	4.97
MW-9D FALLING	5.00
MW-9D RISING	2.33
MW-14S FALLING	3.22
MW-14S RISING	5.25
MW-14D FALLING	2.27
MW-14D RISING	1.81



MW-3S RISING

Data Set: C:\...\MW-3S RISING.aqt
 Date: 04/10/18

Time: 10:39:03

PROJECT INFORMATION

Company: CDM Smith
 Client: City of Cambridge
 Project: 220813
 Location: Cambridge, MA
 Test Well: MW-3S RISING
 Test Date: 03/01/18

AQUIFER DATA

Saturated Thickness: 5.8 ft

Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MW-3S)


Initial Displacement: 6.21 ft
 Total Well Penetration Depth: 5.8 ft
 Casing Radius: 0.083 ft

Static Water Column Height: 5.8 ft
 Screen Length: 5.8 ft
 Well Radius: 0.167 ft

SOLUTION

Aquifer Model: Unconfined
 K = 27.05 ft/day

Solution Method: Springer-Gelhar
 Le = 1. ft



MW-3D FALLING

Data Set: C:\...\MW-3D FALLING.aqt
 Date: 04/10/18

Time: 10:37:43

PROJECT INFORMATION

Company: CDM Smith
 Client: City of Cambridge
 Project: 220813
 Location: Cambridge, MA
 Test Well: MW-3D FALLING
 Test Date: 03/01/18

AQUIFER DATA

Saturated Thickness: 10. ft

Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MW-3D)


Initial Displacement: 1.14 ft
 Total Well Penetration Depth: 17.32 ft
 Casing Radius: 0.083 ft

Static Water Column Height: 17.32 ft
 Screen Length: 10. ft
 Well Radius: 0.167 ft

SOLUTION

Aquifer Model: Unconfined
 K = 7.573 ft/day

Solution Method: Springer-Gelhar
 Le = 1. ft



MW-3D RISING

Data Set: C:\...\MW-3D RISING.aqt
 Date: 04/10/18

Time: 10:38:14

PROJECT INFORMATION

Company: CDM Smith
 Client: City of Cambridge
 Project: 220813
 Location: Cambridge, MA
 Test Well: MW-3D RISING
 Test Date: 03/01/18

AQUIFER DATA

Saturated Thickness: 10. ft

Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MW-3D)


Initial Displacement: 2.41 ft
 Total Well Penetration Depth: 17.32 ft
 Casing Radius: 0.083 ft

Static Water Column Height: 17.32 ft
 Screen Length: 10. ft
 Well Radius: 0.167 ft

SOLUTION

Aquifer Model: Unconfined
 K = 18.59 ft/day

Solution Method: Springer-Gelhar
 Le = 1. ft



MW-4S FALLING

Data Set: C:\...\MW-4S FALLING.aqt
 Date: 04/10/18

Time: 10:40:30

PROJECT INFORMATION

Company: CDM Smith
 Client: City of Cambridge
 Project: 220813
 Location: Cambridge, MA
 Test Well: MW-4S FALLING
 Test Date: 03/01/18

AQUIFER DATA

Saturated Thickness: 12.2 ft

Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MW-4S)


Initial Displacement: 3.27 ft
 Total Well Penetration Depth: 12.2 ft
 Casing Radius: 0.083 ft

Static Water Column Height: 12.2 ft
 Screen Length: 12.2 ft
 Well Radius: 0.167 ft

SOLUTION

Aquifer Model: Unconfined
 K = 6.27 ft/day

Solution Method: Bouwer-Rice
 y0 = 1.006 ft



MW-4S RISING

Data Set: C:\...\MW-4S RISING.aqt
 Date: 04/10/18

Time: 10:40:53

PROJECT INFORMATION

Company: CDM Smith
 Client: City of Cambridge
 Project: 220813
 Location: Cambridge, MA
 Test Well: MW-4S RISING
 Test Date: 03/01/18

AQUIFER DATA

Saturated Thickness: 12.2 ft

Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MW-4S)


Initial Displacement: 3.25 ft
 Total Well Penetration Depth: 12.2 ft
 Casing Radius: 0.083 ft

Static Water Column Height: 12.2 ft
 Screen Length: 12.2 ft
 Well Radius: 0.167 ft

SOLUTION

Aquifer Model: Unconfined
 K = 6.534 ft/day

Solution Method: Bouwer-Rice
 y0 = 6.714 ft



MW-4D RISING

Data Set: C:\...\MW-4D RISING.aqt
 Date: 04/10/18

Time: 10:40:08

PROJECT INFORMATION

Company: CDM Smith
 Client: City of Cambridge
 Project: 220813
 Location: Cambridge, MA
 Test Well: MW-4D RISING
 Test Date: 03/01/18

AQUIFER DATA

Saturated Thickness: 10. ft

Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MW-4D)


Initial Displacement: 0.91 ft
 Total Well Penetration Depth: 23.36 ft
 Casing Radius: 0.083 ft

Static Water Column Height: 23.36 ft
 Screen Length: 10. ft
 Well Radius: 0.167 ft

SOLUTION

Aquifer Model: Unconfined
 K = 10.02 ft/day

Solution Method: Springer-Gelhar
 Le = 1. ft



MW-7S FALLING

Data Set: C:\...\MW-7S FALLING.aqt
 Date: 04/10/18

Time: 10:42:04

PROJECT INFORMATION

Company: CDM Smith
 Client: City of Cambridge
 Project: 220813
 Location: Cambridge, MA
 Test Well: MW-7S FALLING
 Test Date: 03/01/18

AQUIFER DATA

Saturated Thickness: 6.32 ft

Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MW-7S)


Initial Displacement: 4.73 ft
 Total Well Penetration Depth: 6.32 ft
 Casing Radius: 0.083 ft

Static Water Column Height: 6.32 ft
 Screen Length: 6.32 ft
 Well Radius: 0.333 ft

SOLUTION

Aquifer Model: Unconfined
 K = 8.766 ft/day

Solution Method: Bouwer-Rice
 y0 = 0.3712 ft



MW-7S RISING

Data Set: C:\...\MW-7S RISING.aqt
 Date: 04/10/18

Time: 10:42:25

PROJECT INFORMATION

Company: CDM Smith
 Client: City of Cambridge
 Project: 220813
 Location: Cambridge, MA
 Test Well: MW-7S RISING
 Test Date: 03/01/18

AQUIFER DATA

Saturated Thickness: 6.32 ft

Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MW-7S)


Initial Displacement: 5.75 ft
 Total Well Penetration Depth: 6.32 ft
 Casing Radius: 0.083 ft

Static Water Column Height: 6.32 ft
 Screen Length: 6.32 ft
 Well Radius: 0.333 ft

SOLUTION

Aquifer Model: Unconfined
 K = 22.85 ft/day

Solution Method: Bouwer-Rice
 y0 = 9.751 ft



MW-7D FALLING

Data Set: C:\...\MW-7D FALLING.aqt
 Date: 04/10/18

Time: 10:41:13

PROJECT INFORMATION

Company: CDM Smith
 Client: City of Cambridge
 Project: 220813
 Location: Cambridge, MA
 Test Well: MW-7D FALLING
 Test Date: 03/01/18

AQUIFER DATA

Saturated Thickness: 10. ft

Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MW-7D)


Initial Displacement: 2.5 ft
 Total Well Penetration Depth: 10.41 ft
 Casing Radius: 0.083 ft

Static Water Column Height: 10.41 ft
 Screen Length: 10. ft
 Well Radius: 0.333 ft

SOLUTION

Aquifer Model: Unconfined
 K = 8.848 ft/day

Solution Method: Springer-Gelhar
 Le = 1. ft



MW-7D RISING

Data Set: C:\...\MW-7D RISING.aqt
 Date: 04/10/18

Time: 10:41:36

PROJECT INFORMATION

Company: CDM Smith
 Client: City of Cambridge
 Project: 220813
 Location: Cambridge, MA
 Test Well: MW-7D RISING
 Test Date: 03/01/18

AQUIFER DATA

Saturated Thickness: 10. ft

Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MW-7D)


Initial Displacement: 3.61 ft
 Total Well Penetration Depth: 10.41 ft
 Casing Radius: 0.083 ft

Static Water Column Height: 10.41 ft
 Screen Length: 10. ft
 Well Radius: 0.333 ft

SOLUTION

Aquifer Model: Unconfined
 K = 11.4 ft/day

Solution Method: Springer-Gelhar
 Le = 1. ft



MW-9S FALLING

Data Set: C:\...\MW-9S FALLING.aqt
 Date: 04/10/18

Time: 10:43:34

PROJECT INFORMATION

Company: CDM Smith
 Client: City of Cambridge
 Project: 220813
 Location: Cambridge, MA
 Test Well: MW-9S FALLING
 Test Date: 03/01/18

AQUIFER DATA

Saturated Thickness: 5.55 ft

Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MW-9S)


Initial Displacement: 3.41 ft
 Total Well Penetration Depth: 5.55 ft
 Casing Radius: 0.083 ft

Static Water Column Height: 5.55 ft
 Screen Length: 5.55 ft
 Well Radius: 0.167 ft

SOLUTION

Aquifer Model: Unconfined
 K = 2.501 ft/day

Solution Method: Bouwer-Rice
 y0 = 1.225 ft



MW-9S RISING

Data Set: C:\...\MW-9S RISING.aqt
 Date: 04/10/18

Time: 10:44:06

PROJECT INFORMATION

Company: CDM Smith
 Client: City of Cambridge
 Project: 220813
 Location: Cambridge, MA
 Test Well: MW-9S RISING
 Test Date: 03/01/18

AQUIFER DATA

Saturated Thickness: 5.55 ft

Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MW-9S)


Initial Displacement: 4.97 ft
 Total Well Penetration Depth: 5.55 ft
 Casing Radius: 0.083 ft

Static Water Column Height: 5.55 ft
 Screen Length: 5.55 ft
 Well Radius: 0.167 ft

SOLUTION

Aquifer Model: Unconfined
 K = 8.384 ft/day

Solution Method: Bouwer-Rice
 y0 = 2.149 ft



MW-9D FALLING

Data Set: C:\...\MW-9D FALLING.aqt
 Date: 04/10/18

Time: 10:42:48

PROJECT INFORMATION

Company: CDM Smith
 Client: City of Cambridge
 Project: 220813
 Location: Cambridge, MA
 Test Well: MW-9D FALLING
 Test Date: 03/01/18

AQUIFER DATA

Saturated Thickness: 10. ft

Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MW-9D)


Initial Displacement: 5. ft
 Total Well Penetration Depth: 15.49 ft
 Casing Radius: 0.083 ft

Static Water Column Height: 15.49 ft
 Screen Length: 10. ft
 Well Radius: 0.167 ft

SOLUTION

Aquifer Model: Unconfined
 K = 6.473 ft/day

Solution Method: Springer-Gelhar
 Le = 1. ft



MW-9D RISING

Data Set: C:\...\MW-9D RISING.aqt
 Date: 04/10/18

Time: 10:43:10

PROJECT INFORMATION

Company: CDM Smith
 Client: City of Cambridge
 Project: 220813
 Location: Cambridge, MA
 Test Well: MW-9D RISING
 Test Date: 03/01/18

AQUIFER DATA

Saturated Thickness: 10. ft

Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MW-9D)


Initial Displacement: 2.33 ft
 Total Well Penetration Depth: 15.49 ft
 Casing Radius: 0.083 ft

Static Water Column Height: 15.49 ft
 Screen Length: 10. ft
 Well Radius: 0.167 ft

SOLUTION

Aquifer Model: Unconfined
 K = 4.565 ft/day

Solution Method: Springer-Gelhar
 Le = 1. ft



MW-14S FALLING

Data Set: C:\...\MW-14S FALLING.aqt
 Date: 04/10/18

Time: 10:45:10

PROJECT INFORMATION

Company: CDM Smith
 Client: City of Cambridge
 Project: 220813
 Location: Cambridge, MA
 Test Well: MW-14S FALLING
 Test Date: 03/01/18

AQUIFER DATA

Saturated Thickness: 4.36 ft

Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MW-14S)


Initial Displacement: 3.22 ft
 Total Well Penetration Depth: 4.36 ft
 Casing Radius: 0.083 ft

Static Water Column Height: 4.36 ft
 Screen Length: 4.36 ft
 Well Radius: 0.167 ft

SOLUTION

Aquifer Model: Unconfined
 K = 0.2051 ft/day

Solution Method: Bouwer-Rice
 y0 = 1.399 ft



MW-14S RISING

Data Set: C:\...\MW-14S RISING.aqt
 Date: 04/10/18

Time: 10:45:31

PROJECT INFORMATION

Company: CDM Smith
 Client: City of Cambridge
 Project: 220813
 Location: Cambridge, MA
 Test Well: MW-14S RISING
 Test Date: 03/01/18

AQUIFER DATA

Saturated Thickness: 4.36 ft

Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MW-14S)


Initial Displacement: 5.25 ft
 Total Well Penetration Depth: 4.36 ft
 Casing Radius: 0.083 ft

Static Water Column Height: 4.36 ft
 Screen Length: 4.36 ft
 Well Radius: 0.167 ft

SOLUTION

Aquifer Model: Unconfined
 K = 1.451 ft/day

Solution Method: Bouwer-Rice
 y0 = 3.066 ft



MW-14D FALLING

Data Set: C:\...\MW-14D FALLING.aqt
 Date: 04/10/18

Time: 10:44:30

PROJECT INFORMATION

Company: CDM Smith
 Client: City of Cambridge
 Project: 220813
 Location: Cambridge, MA
 Test Well: MW-14D FALLING
 Test Date: 03/01/18

AQUIFER DATA

Saturated Thickness: 10. ft

Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MW-14D)


Initial Displacement: 2.27 ft
 Total Well Penetration Depth: 13.45 ft
 Casing Radius: 0.083 ft

Static Water Column Height: 13.45 ft
 Screen Length: 10. ft
 Well Radius: 0.167 ft

SOLUTION

Aquifer Model: Unconfined
 K = 2.348 ft/day

Solution Method: Bouwer-Rice
 y0 = 0.1213 ft



MW-14D RISING

Data Set: C:\...\MW-14D RISING.aqt
 Date: 04/10/18

Time: 10:44:50

PROJECT INFORMATION

Company: CDM Smith
 Client: City of Cambridge
 Project: 220813
 Location: Cambridge, MA
 Test Well: MW-14D RISING
 Test Date: 03/01/18

AQUIFER DATA

Saturated Thickness: 10. ft

Anisotropy Ratio (Kz/Kr): 0.1

WELL DATA (MW-14D)

Initial Displacement: 1.81 ft
 Total Well Penetration Depth: 13.45 ft
 Casing Radius: 0.083 ft

Static Water Column Height: 13.45 ft
 Screen Length: 10. ft
 Well Radius: 0.167 ft

SOLUTION

Aquifer Model: Unconfined
 K = 15.9 ft/day

Solution Method: Springer-Gelhar
 Le = 1. ft

ATTACHMENT L
DRUM DISPOSAL MANIFEST

5435

Please print or type. (Form designed for use on elite (12-pitch) typewriter.) SB 1800831485-002 SC PPW 10/10/2017 Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number MP6173496600	2. Page 1 of 1	3. Emergency Response Phone (800)483-3718	4. Manifest Tracking Number 011586386 FLE			
5. Generator's Name and Mailing Address Tobin School 197 Vassal Lane Cambridge, MA 02138				Generator's Site Address (if different than mailing address) SAME				
Generator's Phone: (617)349-6600								
6. Transporter 1 Company Name Clean Harbors Environmental Services, Inc.				U.S. EPA ID Number MAD039322250				
7. Transporter 2 Company Name				U.S. EPA ID Number				
8. Designated Facility Name and Site Address Clean Harbors of Braintree Inc 1 Hill Avenue Braintree, MA 02184				U.S. EPA ID Number MAD053452637				
Facility's Phone: (781)380-7100								
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes		
		No.	Type					
x	NA3082, HAZARDOUS WASTE, LIQUID, N.O.S., (ARSENIC, LEAD), 9. PG III	2	DM	40	G	D004	D005	D006
						D007	D008	D010
14. Special Handling Instructions and Additional Information 1. CH1497929 ERG#171 (L x 55 dm)								
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.								
Generator's/Offeror's Printed/Typed Name Brendon Roy				Signature <i>[Signature]</i>		Month Day Year 2 21 18		
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____								
17. Transporter Acknowledgment of Receipt of Materials								
Transporter 1 Printed/Typed Name Rich Hurcombe				Signature <i>[Signature]</i>		Month Day Year 2 21 18		
Transporter 2 Printed/Typed Name				Signature		Month Day Year		
18. Discrepancy								
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection								
18b. Alternate Facility (or Generator)				Manifest Reference Number:				
Facility's Phone:				U.S. EPA ID Number				
18c. Signature of Alternate Facility (or Generator)				Signature		Month Day Year		
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)								
1. H141		2.		3.		4.		
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a								
Printed/Typed Name Rich Hurcombe				Signature <i>[Signature]</i>		Month Day Year 2 21 18		

EPA Form 8700-22 (Rev. 3-05) Previous editions are obsolete. DESIGNATED FACILITY TO DESTINATION STATE (IF REQUIRED) Clean Harbors has the appropriate permits for and will accept the waste the generator is shipping.

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number MP 6173496600	2. Page 1 of 1	3. Emergency Response Phone (800) 483-3718	4. Manifest Tracking Number 010919441 FLE	
5. Generator's Name and Mailing Address John School 197 Vassal Lane Cambridge, MA 02138 Generator's Phone: (617) 349-8600			Generator's Site Address (if different than mailing address) SAME			
6. Transporter 1 Company Name Clean Harbors Environmental Services, Inc.			U.S. EPA ID Number MAD039322250			
7. Transporter 2 Company Name			U.S. EPA ID Number			
8. Designated Facility Name and Site Address Spring Grove Resource Recovery Inc. 4879 Spring Grove Avenue Cincinnati, OH 45232 Facility's Phone: (513) 681-6738			U.S. EPA ID Number OHD000816629			
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes
		No.	Type			
	1. NON DOT REGULATED MATERIAL, (WATER)	9	DM	490	G	MA99
	2. NON DOT REGULATED MATERIAL, (SOIL, WATER), (DRILL CUTTINGS)	5	DM	3500	P	MA99
	3.					
	4.					
14. Special Handling Instructions and Additional Information 1. CR1496057 (9X55DM) 2. CR1496058 (5X55DM)						
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.						
Generator's/Offeror's Printed/Typed Name			Signature		Month Day Year	
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____						
17. Transporter Acknowledgment of Receipt of Materials						
Transporter 1 Printed/Typed Name			Signature		Month Day Year	
Transporter 2 Printed/Typed Name			Signature		Month Day Year	
18. Discrepancy						
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection						
Manifest Reference Number: _____						
18b. Alternate Facility (or Generator)					U.S. EPA ID Number	
Facility's Phone: _____						
18c. Signature of Alternate Facility (or Generator)					Month Day Year	
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)						
1. H141		2. H141		3.		4.
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a						
Printed/Typed Name			Signature		Month Day Year	

5435

UNIFORM HAZARDOUS WASTE MANIFEST	1. Generator ID Number MP 6173496600	2. Page 1 of 1	3. Emergency Response Phone (800) 483-3718	4. Manifest Tracking Number 010919439 FLE
---	--	--------------------------	--	---

5. Generator's Name and Mailing Address Tobin School 197 Vassal Lane Cambridge, MA 02138 Generator's Phone: (617) 349-6600	Generator's Site Address (if different than mailing address) SAME
--	---

6. Transporter 1 Company Name Clean Harbors Environmental Services, Inc.	U.S. EPA ID Number MAD039322250
--	---


7. Transporter 2 Company Name	U.S. EPA ID Number
-------------------------------	--------------------

8. Designated Facility Name and Site Address Clean Harbors of Braintree Inc 1 Hill Avenue Braintree, MA 02184 Facility's Phone: (781) 380-7100	U.S. EPA ID Number MAD053452637
--	---


9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes		
		No.	Type			D004	D005	D006
x	1. NA3082, HAZARDOUS WASTE, LIQUID, N.O.S., (ARSENIC, LEAD), 9, PG III	15	DM	825	G	D004	D005	D006
	2.					D007	D008	D010
	3.							
	4.							

14. Special Handling Instructions and Additional Information 1. CER1497929 EBC#171 (15x550m)
--

15. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

Generator's/Offeror's Printed/Typed Name Brendan Roy	Signature 	Month 8	Day 28	Year 17
--	---	-------------------	------------------	-------------------

16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____


17. Transporter Acknowledgment of Receipt of Materials				
Transporter 1 Printed/Typed Name Rich Hurcombe	Signature 	Month 8	Day 28	Year 17
Transporter 2 Printed/Typed Name	Signature	Month	Day	Year

18. Discrepancy					
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection					

18b. Alternate Facility (or Generator)	Manifest Reference Number: _____ U.S. EPA ID Number _____
--	---



18c. Signature of Alternate Facility (or Generator)	Month	Day	Year
---	-------	-----	------

19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)			
1. H141	2.	3.	4.

20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a				
Printed/Typed Name Huyen Hoang	Signature 	Month 8	Day 29	Year 17

5435

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number MR 6173496600	2. Page 1 of 1	3. Emergency Response Phone (800) 483-3718	4. Manifest Tracking Number 010919440 FLE				
5. Generator's Name and Mailing Address Tooth School 197 Vassal Lane Cambridge, MA 02138 (617) 349-6600				Generator's Site Address (if different than mailing address) SAME					
6. Transporter 1 Company Name Clean Harbors Environmental Services, Inc.				U.S. EPA ID Number MAD039322250					
7. Transporter 2 Company Name				U.S. EPA ID Number					
8. Designated Facility Name and Site Address Clean Harbors El Dorado LLC 309 American Circle El Dorado, AR 71730 Facility's Phone: (870) 863-7173				U.S. EPA ID Number ARD069748192					
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit WL/Vol.	13. Waste Codes			
		No.	Type			D004	D005	D006	D007
X	1. NA3077, HAZARDOUS WASTE, SOLID, N.O.S., (ARSENIC, LEAD), 9, PG III	7	DM	4550	P				
	2.								
	3.								
	4.								
14. Special Handling Instructions and Additional Information 1. CBI 494111 ERG#171 (7XSSPM)									
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.									
Generator's/Offeror's Printed/Typed Name Brendan Roy				Signature 		Month Day Year 8 28 17			
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____									
17. Transporter Acknowledgment of Receipt of Materials									
Transporter 1 Printed/Typed Name Rich Hurcombe				Signature 		Month Day Year 8 28 17			
Transporter 2 Printed/Typed Name				Signature		Month Day Year			
18. Discrepancy									
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection									
18b. Alternate Facility (or Generator) Manifest Reference Number: _____ U.S. EPA ID Number: _____									
18c. Signature of Alternate Facility (or Generator) Month Day Year									
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)									
1. H040		2.		3.		4.			
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a									
Printed/Typed Name				Signature		Month Day Year			

5725

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

UNIFORM HAZARDOUS WASTE MANIFEST	1. Generator ID Number MP 6173496600	2. Page 1 of 1	3. Emergency Response Phone (800) 483-3718	4. Manifest Tracking Number 010919657 FLE
----------------------------------	--	--------------------------	--	---

5. Generator's Name and Mailing Address Tobin School 197 Yassal Lane Cambridge, MA 02138	Generator's Site Address (if different than mailing address) SAME
Generator's Phone: (617) 349-6600	

6. Transporter 1 Company Name Clean Harbors Environmental Services, Inc.	U.S. EPA ID Number MAD039322250
--	---

7. Transporter 2 Company Name	U.S. EPA ID Number
-------------------------------	--------------------

8. Designated Facility Name and Site Address Clean Harbors El Dorado LLC 309 American Circle El Dorado, AR 71730	U.S. EPA ID Number ARD069748192
Facility's Phone: (870) 863-7173	

9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes		
		No.	Type					
x	1. UN3266, WASTE CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (ARSENIC, SODIUM HYDROXIDE), 8, PG II	XXI	DF	700	P	D002	D004	D005
	2.					D006	D007	D008
	3.							
	4.							

14. Special Handling Instructions and Additional Information 1. CM1511538 ERG#154 1 OVERPACK
--

15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

Generator's/Offeror's Printed/Typed Name Greg Esh Project Engineer	Signature <i>[Signature]</i>	Month Day Year 18 13 17
--	---------------------------------	-----------------------------------

16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S.	Port of entry/exit: Date leaving U.S.:
--	---

17. Transporter Acknowledgment of Receipt of Materials		
Transporter 1 Printed/Typed Name Shawn Giles	Signature <i>[Signature]</i>	Month Day Year 18 13 17
Transporter 2 Printed/Typed Name	Signature	Month Day Year

18. Discrepancy
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection

18b. Alternate Facility (or Generator)	Manifest Reference Number:	U.S. EPA ID Number
Facility's Phone:		
18c. Signature of Alternate Facility (or Generator)	Month Day Year	

19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)
1. H040 2. 3. 4.

20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a		
Printed/Typed Name Charleea Thompson	Signature <i>[Signature]</i>	Month Day Year 9 16 17

EPA Form 8700-22 (Rev. 3-05) Previous editions are obsolete. **Clean Harbors has the appropriate permits for and will accept the waste the generator is shipping.** DESIGNATED FACILITY TO DESTINATION STATE (IF REQUIRED)

ATTACHMENT M
SOIL AND GROUNDWATER ANALYTICAL LABORATORY
DATA



ANALYTICAL REPORT

Lab Number:	L1728684
Client:	CDM Smith, Inc. 75 State Street Suite 701 Boston, MA 02109
ATTN:	Nicholas Castonguay
Phone:	(617) 452-6721
Project Name:	TOBIN SCHOOL
Project Number:	0139-220813
Report Date:	08/23/17

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), NJ NELAP (MA935), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-14-00197).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L1728684-01	MW-7S	WATER	CAMBRIDGE, MA	08/16/17 10:50	08/16/17
L1728684-02	MW-7D	WATER	CAMBRIDGE, MA	08/16/17 11:00	08/16/17
L1728684-03	MW-14S	WATER	CAMBRIDGE, MA	08/16/17 12:50	08/16/17
L1728684-04	MW-14D	WATER	CAMBRIDGE, MA	08/16/17 13:00	08/16/17

Project Name: TOBIN SCHOOL

Lab Number: L1728684

Project Number: 0139-220813

Report Date: 08/23/17

MADEP MCP Response Action Analytical Report Certification

This form provides certifications for all samples performed by MCP methods. Please refer to the Sample Results and Container Information sections of this report for specification of MCP methods used for each analysis. The following questions pertain only to MCP Analytical Methods.

An affirmative response to questions A through F is required for "Presumptive Certainty" status		
A	Were all samples received in a condition consistent with those described on the Chain-of-Custody, properly preserved (including temperature) in the field or laboratory, and prepared/analyzed within method holding times?	YES
B	Were the analytical method(s) and all associated QC requirements specified in the selected CAM protocol(s) followed?	YES
C	Were all required corrective actions and analytical response actions specified in the selected CAM protocol(s) implemented for all identified performance standard non-conformances?	YES
D	Does the laboratory report comply with all the reporting requirements specified in CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data?"	YES
E a.	VPH, EPH, and APH Methods only: Was each method conducted without significant modification(s)? (Refer to the individual method(s) for a list of significant modifications).	YES
E b.	APH and TO-15 Methods only: Was the complete analyte list reported for each method?	N/A
F	Were all applicable CAM protocol QC and performance standard non-conformances identified and evaluated in a laboratory narrative (including all "No" responses to Questions A through E)?	YES
A response to questions G, H and I is required for "Presumptive Certainty" status		
G	Were the reporting limits at or below all CAM reporting limits specified in the selected CAM protocol(s)?	NO
H	Were all QC performance standards specified in the CAM protocol(s) achieved?	NO
I	Were results reported for the complete analyte list specified in the selected CAM protocol(s)?	NO
For any questions answered "No", please refer to the case narrative section on the following page(s).		

Please note that sample matrix information is located in the Sample Results section of this report.



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

Case Narrative (continued)

MCP Related Narratives

Volatile Organics

In reference to question H:

The initial calibration, associated with L1728684-01 through -04, did not meet the method required minimum response factor on the lowest calibration standard for acetone (0.0774), 4-methyl-2-pentanone (0.0623), and 1,4-dioxane (0.0015), as well as the average response factor for acetone, 2-butanone, 4-methyl-2-pentanone, and 1,4-dioxane. The initial calibration verification is outside acceptance criteria for carbon disulfide (69%) and 2,2-dichloropropane (66%), but within overall method criteria.

The continuing calibration standard, associated with L1728684-01 through -04, is outside the acceptance criteria for several compounds; however, it is within overall method allowances. A copy of the continuing calibration standard is included as an addendum to this report.

EPH

In reference to question I:

All samples were analyzed for a subset of MCP analytes per the Chain of Custody.

Metals

In reference to question G:

L1728684-01 through -04: One or more of the target analytes did not achieve the requested CAM reporting limits.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Melissa Cripps

Title: Technical Director/Representative

Date: 08/23/17

ORGANICS

VOLATILES

Project Name: TOBIN SCHOOL

Lab Number: L1728684

Project Number: 0139-220813

Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-01
 Client ID: MW-7S
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 10:50
 Date Received: 08/16/17
 Field Prep: Not Specified

Matrix: Water
 Analytical Method: 97,8260C
 Analytical Date: 08/18/17 10:40
 Analyst: BD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1728684

Project Number: 0139-220813

Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-01

Date Collected: 08/16/17 10:50

Client ID: MW-7S

Date Received: 08/16/17

Sample Location: CAMBRIDGE, MA

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	ND		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylene (Total)	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
1,2-Dichloroethene (total)	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	2.0	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	26		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-01
Client ID: MW-7S
Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 10:50
Date Received: 08/16/17
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Volatile Organics - Westborough Lab

Ethyl ether	ND		ug/l	2.0	--	1
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	126		70-130
Toluene-d8	104		70-130
4-Bromofluorobenzene	102		70-130
Dibromofluoromethane	116		70-130

Project Name: TOBIN SCHOOL

Lab Number: L1728684

Project Number: 0139-220813

Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-02
 Client ID: MW-7D
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 11:00
 Date Received: 08/16/17
 Field Prep: Not Specified

Matrix: Water
 Analytical Method: 97,8260C
 Analytical Date: 08/18/17 11:11
 Analyst: BD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1728684

Project Number: 0139-220813

Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-02
 Client ID: MW-7D
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 11:00
 Date Received: 08/16/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	2.7		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylene (Total)	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
1,2-Dichloroethene (total)	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	2.0	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-02
 Client ID: MW-7D
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 11:00
 Date Received: 08/16/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Volatile Organics - Westborough Lab

Ethyl ether	ND		ug/l	2.0	--	1
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	124		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	102		70-130
Dibromofluoromethane	113		70-130

Project Name: TOBIN SCHOOL

Lab Number: L1728684

Project Number: 0139-220813

Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-03
 Client ID: MW-14S
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 12:50
 Date Received: 08/16/17
 Field Prep: Not Specified

Matrix: Water
 Analytical Method: 97,8260C
 Analytical Date: 08/18/17 11:42
 Analyst: BD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1728684

Project Number: 0139-220813

Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-03
 Client ID: MW-14S
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 12:50
 Date Received: 08/16/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	ND		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylene (Total)	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
1,2-Dichloroethene (total)	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	21		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	2.0	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-03
Client ID: MW-14S
Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 12:50
Date Received: 08/16/17
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Volatile Organics - Westborough Lab

Ethyl ether	ND		ug/l	2.0	--	1
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	128		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	116		70-130

Project Name: TOBIN SCHOOL

Lab Number: L1728684

Project Number: 0139-220813

Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-04
 Client ID: MW-14D
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 13:00
 Date Received: 08/16/17
 Field Prep: Not Specified

Matrix: Water
 Analytical Method: 97,8260C
 Analytical Date: 08/18/17 12:15
 Analyst: BD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1728684

Project Number: 0139-220813

Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-04
 Client ID: MW-14D
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 13:00
 Date Received: 08/16/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	ND		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylene (Total)	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
1,2-Dichloroethene (total)	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	2.0	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-04
Client ID: MW-14D
Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 13:00
Date Received: 08/16/17
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Volatile Organics - Westborough Lab

Ethyl ether	ND		ug/l	2.0	--	1
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	126		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	104		70-130
Dibromofluoromethane	115		70-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8260C
Analytical Date: 08/18/17 05:57
Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
MCP Volatile Organics - Westborough Lab for sample(s): 01-04 Batch: WG1033265-5					
Methylene chloride	ND		ug/l	2.0	--
1,1-Dichloroethane	ND		ug/l	1.0	--
Chloroform	ND		ug/l	1.0	--
Carbon tetrachloride	ND		ug/l	1.0	--
1,2-Dichloropropane	ND		ug/l	1.0	--
Dibromochloromethane	ND		ug/l	1.0	--
1,1,2-Trichloroethane	ND		ug/l	1.0	--
Tetrachloroethene	ND		ug/l	1.0	--
Chlorobenzene	ND		ug/l	1.0	--
Trichlorofluoromethane	ND		ug/l	2.0	--
1,2-Dichloroethane	ND		ug/l	1.0	--
1,1,1-Trichloroethane	ND		ug/l	1.0	--
Bromodichloromethane	ND		ug/l	1.0	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
1,3-Dichloropropene, Total	ND		ug/l	0.50	--
1,1-Dichloropropene	ND		ug/l	2.0	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	1.0	--
Ethylbenzene	ND		ug/l	1.0	--
Chloromethane	ND		ug/l	2.0	--
Bromomethane	ND		ug/l	2.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	2.0	--
1,1-Dichloroethene	ND		ug/l	1.0	--
trans-1,2-Dichloroethene	ND		ug/l	1.0	--
Trichloroethene	ND		ug/l	1.0	--

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8260C
Analytical Date: 08/18/17 05:57
Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
MCP Volatile Organics - Westborough Lab for sample(s): 01-04 Batch: WG1033265-5					
1,2-Dichlorobenzene	ND		ug/l	1.0	--
1,3-Dichlorobenzene	ND		ug/l	1.0	--
1,4-Dichlorobenzene	ND		ug/l	1.0	--
Methyl tert butyl ether	ND		ug/l	2.0	--
p/m-Xylene	ND		ug/l	2.0	--
o-Xylene	ND		ug/l	1.0	--
Xylene (Total)	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	1.0	--
1,2-Dichloroethene (total)	ND		ug/l	1.0	--
Dibromomethane	ND		ug/l	2.0	--
1,2,3-Trichloropropane	ND		ug/l	2.0	--
Styrene	ND		ug/l	1.0	--
Dichlorodifluoromethane	ND		ug/l	2.0	--
Acetone	ND		ug/l	5.0	--
Carbon disulfide	ND		ug/l	2.0	--
2-Butanone	ND		ug/l	5.0	--
4-Methyl-2-pentanone	ND		ug/l	5.0	--
2-Hexanone	ND		ug/l	5.0	--
Bromochloromethane	ND		ug/l	2.0	--
Tetrahydrofuran	ND		ug/l	2.0	--
2,2-Dichloropropane	ND		ug/l	2.0	--
1,2-Dibromoethane	ND		ug/l	2.0	--
1,3-Dichloropropane	ND		ug/l	2.0	--
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--
Bromobenzene	ND		ug/l	2.0	--
n-Butylbenzene	ND		ug/l	2.0	--
sec-Butylbenzene	ND		ug/l	2.0	--
tert-Butylbenzene	ND		ug/l	2.0	--
o-Chlorotoluene	ND		ug/l	2.0	--

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 97,8260C
Analytical Date: 08/18/17 05:57
Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
MCP Volatile Organics - Westborough Lab for sample(s): 01-04 Batch: WG1033265-5					
p-Chlorotoluene	ND		ug/l	2.0	--
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--
Hexachlorobutadiene	ND		ug/l	0.60	--
Isopropylbenzene	ND		ug/l	2.0	--
p-Isopropyltoluene	ND		ug/l	2.0	--
Naphthalene	ND		ug/l	2.0	--
n-Propylbenzene	ND		ug/l	2.0	--
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--
Ethyl ether	ND		ug/l	2.0	--
Isopropyl Ether	ND		ug/l	2.0	--
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--
1,4-Dioxane	ND		ug/l	250	--
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND		ug/l	2.0	--
tert-Butyl Alcohol	ND		ug/l	10	--
2-Chloroethylvinyl ether	ND		ug/l	10	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	117		70-130
Toluene-d8	105		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	108		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1728684

Report Date: 08/23/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP Volatile Organics - Westborough Lab Associated sample(s): 01-04 Batch: WG1033265-3 WG1033265-4								
Methylene chloride	100		97		70-130	3		20
1,1-Dichloroethane	110		100		70-130	10		20
Chloroform	110		100		70-130	10		20
Carbon tetrachloride	110		100		70-130	10		20
1,2-Dichloropropane	100		100		70-130	0		20
Dibromochloromethane	110		110		70-130	0		20
1,1,2-Trichloroethane	110		110		70-130	0		20
Tetrachloroethene	110		110		70-130	0		20
Chlorobenzene	110		100		70-130	10		20
Trichlorofluoromethane	120		110		70-130	9		20
1,2-Dichloroethane	100		100		70-130	0		20
1,1,1-Trichloroethane	120		110		70-130	9		20
Bromodichloromethane	99		95		70-130	4		20
trans-1,3-Dichloropropene	110		100		70-130	10		20
cis-1,3-Dichloropropene	95		91		70-130	4		20
1,1-Dichloropropene	110		100		70-130	10		20
Bromoform	99		95		70-130	4		20
1,1,2,2-Tetrachloroethane	110		110		70-130	0		20
Benzene	110		100		70-130	10		20
Toluene	100		110		70-130	10		20
Ethylbenzene	120		110		70-130	9		20
Chloromethane	90		86		70-130	5		20
Bromomethane	120		120		70-130	0		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Lab Number: L1728684

Project Number: 0139-220813

Report Date: 08/23/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP Volatile Organics - Westborough Lab Associated sample(s): 01-04 Batch: WG1033265-3 WG1033265-4								
Vinyl chloride	130		120		70-130	8		20
Chloroethane	120		110		70-130	9		20
1,1-Dichloroethene	110		110		70-130	0		20
trans-1,2-Dichloroethene	100		98		70-130	2		20
Trichloroethene	100		100		70-130	0		20
1,2-Dichlorobenzene	110		100		70-130	10		20
1,3-Dichlorobenzene	110		110		70-130	0		20
1,4-Dichlorobenzene	110		100		70-130	10		20
Methyl tert butyl ether	94		92		70-130	2		20
p/m-Xylene	110		110		70-130	0		20
o-Xylene	115		110		70-130	4		20
cis-1,2-Dichloroethene	100		100		70-130	0		20
Dibromomethane	100		99		70-130	1		20
1,2,3-Trichloropropane	110		100		70-130	10		20
Styrene	115		115		70-130	0		20
Dichlorodifluoromethane	98		92		70-130	6		20
Acetone	90		82		70-130	9		20
Carbon disulfide	82		78		70-130	5		20
2-Butanone	82		76		70-130	8		20
4-Methyl-2-pentanone	95		93		70-130	2		20
2-Hexanone	89		87		70-130	2		20
Bromochloromethane	100		100		70-130	0		20
Tetrahydrofuran	87		84		70-130	4		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1728684

Report Date: 08/23/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	RPD	
	%Recovery	Qual	%Recovery	Qual			Qual	Limits
MCP Volatile Organics - Westborough Lab Associated sample(s): 01-04 Batch: WG1033265-3 WG1033265-4								
2,2-Dichloropropane	110		110		70-130	0		20
1,2-Dibromoethane	110		110		70-130	0		20
1,3-Dichloropropane	110		110		70-130	0		20
1,1,1,2-Tetrachloroethane	120		120		70-130	0		20
Bromobenzene	110		110		70-130	0		20
n-Butylbenzene	120		120		70-130	0		20
sec-Butylbenzene	120		120		70-130	0		20
tert-Butylbenzene	120		110		70-130	9		20
o-Chlorotoluene	110		110		70-130	0		20
p-Chlorotoluene	110		100		70-130	10		20
1,2-Dibromo-3-chloropropane	100		98		70-130	2		20
Hexachlorobutadiene	100		100		70-130	0		20
Isopropylbenzene	110		110		70-130	0		20
p-Isopropyltoluene	120		120		70-130	0		20
Naphthalene	120		120		70-130	0		20
n-Propylbenzene	110		110		70-130	0		20
1,2,3-Trichlorobenzene	110		100		70-130	10		20
1,2,4-Trichlorobenzene	110		110		70-130	0		20
1,3,5-Trimethylbenzene	120		110		70-130	9		20
1,2,4-Trimethylbenzene	120		110		70-130	9		20
Ethyl ether	110		110		70-130	0		20
Isopropyl Ether	100		100		70-130	0		20
Ethyl-Tert-Butyl-Ether	110		110		70-130	0		20

Lab Control Sample Analysis Batch Quality Control

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	RPD	
	%Recovery	Qual	%Recovery	Qual			Qual	Limits
MCP Volatile Organics - Westborough Lab Associated sample(s): 01-04 Batch: WG1033265-3 WG1033265-4								
Tertiary-Amyl Methyl Ether	100		97		70-130	3		20
1,4-Dioxane	100		96		70-130	4		20
1,1,2-Trichloro-1,2,2-Trifluoroethane	130		120		70-130	8		20
tert-Butyl Alcohol	112		114		70-130	2		20
2-Chloroethylvinyl ether	100		100		70-130	0		20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
1,2-Dichloroethane-d4	105		111		70-130
Toluene-d8	106		107		70-130
4-Bromofluorobenzene	101		98		70-130
Dibromofluoromethane	102		103		70-130

SEMIVOLATILES

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-01
 Client ID: MW-7S
 Sample Location: CAMBRIDGE, MA
 Matrix: Water
 Analytical Method: 97,8270D
 Analytical Date: 08/21/17 12:26
 Analyst: EK

Date Collected: 08/16/17 10:50
 Date Received: 08/16/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/18/17 21:52

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	2.6		ug/l	2.0	--	1
Acetophenone	ND		ug/l	5.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-01
 Client ID: MW-7S
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 10:50
 Date Received: 08/16/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics - Westborough Lab

2,4-Dinitrophenol	ND		ug/l	20	--	1
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	48		15-110
Phenol-d6	35		15-110
Nitrobenzene-d5	83		30-130
2-Fluorobiphenyl	84		30-130
2,4,6-Tribromophenol	99		15-110
4-Terphenyl-d14	90		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-01
 Client ID: MW-7S
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 10:50
 Date Received: 08/16/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/17/17 11:00

Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 08/19/17 01:43
 Analyst: TJ

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab

1,4-Dioxane	ND		ug/l	0.147	--	1
-------------	----	--	------	-------	----	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
-----------	------------	-----------	---------------------

1,4-Dioxane-d8	21		15-110
----------------	----	--	--------

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-01
 Client ID: MW-7S
 Sample Location: CAMBRIDGE, MA
 Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 08/21/17 10:35
 Analyst: DV

Date Collected: 08/16/17 10:50
 Date Received: 08/16/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/18/17 21:54

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics by SIM - Westborough Lab						
Acenaphthene	5.7		ug/l	0.10	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	1.8		ug/l	0.10	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	10		ug/l	0.10	--	1
Benzo(a)anthracene	0.11		ug/l	0.10	--	1
Benzo(a)pyrene	ND		ug/l	0.10	--	1
Benzo(b)fluoranthene	ND		ug/l	0.10	--	1
Benzo(k)fluoranthene	ND		ug/l	0.10	--	1
Chrysene	0.13		ug/l	0.10	--	1
Acenaphthylene	ND		ug/l	0.10	--	1
Anthracene	2.0		ug/l	0.10	--	1
Benzo(ghi)perylene	ND		ug/l	0.10	--	1
Fluorene	4.1		ug/l	0.10	--	1
Phenanthrene	9.9		ug/l	0.10	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	--	1
Pyrene	1.3		ug/l	0.10	--	1
2-Methylnaphthalene	2.8		ug/l	0.10	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: TOBIN SCHOOL**Lab Number:** L1728684**Project Number:** 0139-220813**Report Date:** 08/23/17**SAMPLE RESULTS**

Lab ID: L1728684-01

Date Collected: 08/16/17 10:50

Client ID: MW-7S

Date Received: 08/16/17

Sample Location: CAMBRIDGE, MA

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics by SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	41		15-110
Phenol-d6	32		15-110
Nitrobenzene-d5	83		30-130
2-Fluorobiphenyl	81		30-130
2,4,6-Tribromophenol	105		15-110
4-Terphenyl-d14	65		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-02
Client ID: MW-7D
Sample Location: CAMBRIDGE, MA

Matrix: Water
Analytical Method: 97,8270D
Analytical Date: 08/21/17 12:52
Analyst: EK

Date Collected: 08/16/17 11:00
Date Received: 08/16/17
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/18/17 21:52

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
Acetophenone	ND		ug/l	5.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-02
 Client ID: MW-7D
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 11:00
 Date Received: 08/16/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics - Westborough Lab

2,4-Dinitrophenol	ND		ug/l	20	--	1
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	45		15-110
Phenol-d6	31		15-110
Nitrobenzene-d5	79		30-130
2-Fluorobiphenyl	77		30-130
2,4,6-Tribromophenol	94		15-110
4-Terphenyl-d14	84		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-02
 Client ID: MW-7D
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 11:00
 Date Received: 08/16/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/17/17 11:00

Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 08/19/17 02:24
 Analyst: TJ

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab

1,4-Dioxane	ND		ug/l	0.144	--	1
-------------	----	--	------	-------	----	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
-----------	------------	-----------	---------------------

1,4-Dioxane-d8	19		15-110
----------------	----	--	--------

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-02
 Client ID: MW-7D
 Sample Location: CAMBRIDGE, MA
 Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 08/21/17 11:04
 Analyst: DV

Date Collected: 08/16/17 11:00
 Date Received: 08/16/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/18/17 21:54

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics by SIM - Westborough Lab						
Acenaphthene	1.6		ug/l	0.10	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	0.27		ug/l	0.10	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	0.39		ug/l	0.10	--	1
Benzo(a)anthracene	ND		ug/l	0.10	--	1
Benzo(a)pyrene	ND		ug/l	0.10	--	1
Benzo(b)fluoranthene	ND		ug/l	0.10	--	1
Benzo(k)fluoranthene	ND		ug/l	0.10	--	1
Chrysene	ND		ug/l	0.10	--	1
Acenaphthylene	ND		ug/l	0.10	--	1
Anthracene	0.23		ug/l	0.10	--	1
Benzo(ghi)perylene	ND		ug/l	0.10	--	1
Fluorene	0.80		ug/l	0.10	--	1
Phenanthrene	1.1		ug/l	0.10	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	--	1
Pyrene	0.21		ug/l	0.10	--	1
2-Methylnaphthalene	0.14		ug/l	0.10	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1728684

Project Number: 0139-220813

Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-02

Date Collected: 08/16/17 11:00

Client ID: MW-7D

Date Received: 08/16/17

Sample Location: CAMBRIDGE, MA

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics by SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	48		15-110
Phenol-d6	38		15-110
Nitrobenzene-d5	100		30-130
2-Fluorobiphenyl	95		30-130
2,4,6-Tribromophenol	133	Q	15-110
4-Terphenyl-d14	77		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-03
 Client ID: MW-14S
 Sample Location: CAMBRIDGE, MA
 Matrix: Water
 Analytical Method: 97,8270D
 Analytical Date: 08/21/17 13:18
 Analyst: EK

Date Collected: 08/16/17 12:50
 Date Received: 08/16/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/18/17 21:52

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
Acetophenone	ND		ug/l	5.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-03
 Client ID: MW-14S
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 12:50
 Date Received: 08/16/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics - Westborough Lab

2,4-Dinitrophenol	ND		ug/l	20	--	1
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	19		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	52		15-110
Phenol-d6	35		15-110
Nitrobenzene-d5	90		30-130
2-Fluorobiphenyl	89		30-130
2,4,6-Tribromophenol	106		15-110
4-Terphenyl-d14	94		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-03
 Client ID: MW-14S
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 12:50
 Date Received: 08/16/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/17/17 11:00

Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 08/19/17 03:06
 Analyst: TJ

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab

1,4-Dioxane	ND		ug/l	0.144	--	1
-------------	----	--	------	-------	----	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
-----------	------------	-----------	---------------------

1,4-Dioxane-d8	21		15-110
----------------	----	--	--------

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-03
 Client ID: MW-14S
 Sample Location: CAMBRIDGE, MA
 Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 08/21/17 11:32
 Analyst: DV

Date Collected: 08/16/17 12:50
 Date Received: 08/16/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/18/17 21:54

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics by SIM - Westborough Lab						
Acenaphthene	2.0		ug/l	0.10	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	1.3		ug/l	0.10	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	0.96		ug/l	0.10	--	1
Benzo(a)anthracene	0.32		ug/l	0.10	--	1
Benzo(a)pyrene	0.25		ug/l	0.10	--	1
Benzo(b)fluoranthene	0.32		ug/l	0.10	--	1
Benzo(k)fluoranthene	0.13		ug/l	0.10	--	1
Chrysene	0.36		ug/l	0.10	--	1
Acenaphthylene	ND		ug/l	0.10	--	1
Anthracene	0.78		ug/l	0.10	--	1
Benzo(ghi)perylene	0.16		ug/l	0.10	--	1
Fluorene	2.6		ug/l	0.10	--	1
Phenanthrene	4.2		ug/l	0.10	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--	1
Indeno(1,2,3-cd)pyrene	0.18		ug/l	0.10	--	1
Pyrene	0.90		ug/l	0.10	--	1
2-Methylnaphthalene	0.29		ug/l	0.10	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1728684

Project Number: 0139-220813

Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-03

Date Collected: 08/16/17 12:50

Client ID: MW-14S

Date Received: 08/16/17

Sample Location: CAMBRIDGE, MA

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics by SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	44		15-110
Phenol-d6	35		15-110
Nitrobenzene-d5	94		30-130
2-Fluorobiphenyl	93		30-130
2,4,6-Tribromophenol	113	Q	15-110
4-Terphenyl-d14	77		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-04
 Client ID: MW-14D
 Sample Location: CAMBRIDGE, MA
 Matrix: Water
 Analytical Method: 97,8270D
 Analytical Date: 08/21/17 13:45
 Analyst: EK

Date Collected: 08/16/17 13:00
 Date Received: 08/16/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/18/17 21:52

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
Acetophenone	ND		ug/l	5.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-04
 Client ID: MW-14D
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 13:00
 Date Received: 08/16/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics - Westborough Lab

2,4-Dinitrophenol	ND		ug/l	20	--	1
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	54		15-110
Phenol-d6	36		15-110
Nitrobenzene-d5	90		30-130
2-Fluorobiphenyl	89		30-130
2,4,6-Tribromophenol	105		15-110
4-Terphenyl-d14	97		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-04
 Client ID: MW-14D
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 13:00
 Date Received: 08/16/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/17/17 11:00

Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 08/19/17 03:47
 Analyst: TJ

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab

1,4-Dioxane	ND		ug/l	0.144	--	1
-------------	----	--	------	-------	----	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
-----------	------------	-----------	---------------------

1,4-Dioxane-d8	17		15-110
----------------	----	--	--------

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-04
Client ID: MW-14D
Sample Location: CAMBRIDGE, MA

Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 08/21/17 12:01
Analyst: DV

Date Collected: 08/16/17 13:00
Date Received: 08/16/17
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/18/17 21:54

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics by SIM - Westborough Lab						
Acenaphthene	3.0		ug/l	0.10	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	0.91		ug/l	0.10	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	0.26		ug/l	0.10	--	1
Benzo(a)anthracene	0.33		ug/l	0.10	--	1
Benzo(a)pyrene	0.28		ug/l	0.10	--	1
Benzo(b)fluoranthene	0.40		ug/l	0.10	--	1
Benzo(k)fluoranthene	0.16		ug/l	0.10	--	1
Chrysene	0.37		ug/l	0.10	--	1
Acenaphthylene	0.13		ug/l	0.10	--	1
Anthracene	0.55		ug/l	0.10	--	1
Benzo(ghi)perylene	0.27		ug/l	0.10	--	1
Fluorene	1.4		ug/l	0.10	--	1
Phenanthrene	1.9		ug/l	0.10	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--	1
Indeno(1,2,3-cd)pyrene	0.26		ug/l	0.10	--	1
Pyrene	0.66		ug/l	0.10	--	1
2-Methylnaphthalene	0.14		ug/l	0.10	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: TOBIN SCHOOL**Lab Number:** L1728684**Project Number:** 0139-220813**Report Date:** 08/23/17**SAMPLE RESULTS**

Lab ID: L1728684-04

Date Collected: 08/16/17 13:00

Client ID: MW-14D

Date Received: 08/16/17

Sample Location: CAMBRIDGE, MA

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics by SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	45		15-110
Phenol-d6	35		15-110
Nitrobenzene-d5	96		30-130
2-Fluorobiphenyl	90		30-130
2,4,6-Tribromophenol	115	Q	15-110
4-Terphenyl-d14	71		30-130

Project Name: TOBIN SCHOOL

Lab Number: L1728684

Project Number: 0139-220813

Report Date: 08/23/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 97,8270D-SIM

Extraction Method: EPA 3510C

Analytical Date: 08/18/17 11:03

Extraction Date: 08/17/17 11:00

Analyst: TJ

Parameter	Result	Qualifier	Units	RL	MDL
MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab for sample(s): 01-04 Batch: WG1032818-1					
1,4-Dioxane	ND		ug/l	0.150	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	20		15-110

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8270D
Analytical Date: 08/21/17 09:49
Analyst: EK

Extraction Method: EPA 3510C
Extraction Date: 08/18/17 21:52

Parameter	Result	Qualifier	Units	RL	MDL
MCP Semivolatile Organics - Westborough Lab for sample(s): 01-04 Batch: WG1033450-1					
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--
1,2-Dichlorobenzene	ND		ug/l	2.0	--
1,3-Dichlorobenzene	ND		ug/l	2.0	--
1,4-Dichlorobenzene	ND		ug/l	2.0	--
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--
2,4-Dinitrotoluene	ND		ug/l	5.0	--
2,6-Dinitrotoluene	ND		ug/l	5.0	--
Azobenzene	ND		ug/l	2.0	--
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--
Isophorone	ND		ug/l	5.0	--
Nitrobenzene	ND		ug/l	2.0	--
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--
Butyl benzyl phthalate	ND		ug/l	5.0	--
Di-n-butylphthalate	ND		ug/l	5.0	--
Di-n-octylphthalate	ND		ug/l	5.0	--
Diethyl phthalate	ND		ug/l	5.0	--
Dimethyl phthalate	ND		ug/l	5.0	--
Aniline	ND		ug/l	2.0	--
4-Chloroaniline	ND		ug/l	5.0	--
Dibenzofuran	ND		ug/l	2.0	--
Acetophenone	ND		ug/l	5.0	--
2,4,6-Trichlorophenol	ND		ug/l	5.0	--
2-Chlorophenol	ND		ug/l	2.0	--
2,4-Dichlorophenol	ND		ug/l	5.0	--
2,4-Dimethylphenol	ND		ug/l	5.0	--
2-Nitrophenol	ND		ug/l	10	--

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8270D
Analytical Date: 08/21/17 09:49
Analyst: EK

Extraction Method: EPA 3510C
Extraction Date: 08/18/17 21:52

Parameter	Result	Qualifier	Units	RL	MDL
MCP Semivolatile Organics - Westborough Lab for sample(s): 01-04 Batch: WG1033450-1					
4-Nitrophenol	ND		ug/l	10	--
2,4-Dinitrophenol	ND		ug/l	20	--
Phenol	ND		ug/l	5.0	--
2-Methylphenol	ND		ug/l	5.0	--
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--
2,4,5-Trichlorophenol	ND		ug/l	5.0	--
Pyridine	ND		ug/l	3.5	--

Tentatively Identified Compounds

No Tentatively Identified Compounds ND ug/l

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	54		15-110
Phenol-d6	38		15-110
Nitrobenzene-d5	94		30-130
2-Fluorobiphenyl	87		30-130
2,4,6-Tribromophenol	111	Q	15-110
4-Terphenyl-d14	107		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8270D-SIM
Analytical Date: 08/21/17 09:09
Analyst: DV

Extraction Method: EPA 3510C
Extraction Date: 08/18/17 21:54

Parameter	Result	Qualifier	Units	RL	MDL
MCP Semivolatile Organics by SIM - Westborough Lab for sample(s): 01-04 Batch: WG1033451-1					
Acenaphthene	ND		ug/l	0.10	--
2-Chloronaphthalene	ND		ug/l	0.20	--
Fluoranthene	ND		ug/l	0.10	--
Hexachlorobutadiene	ND		ug/l	0.50	--
Naphthalene	ND		ug/l	0.10	--
Benzo(a)anthracene	ND		ug/l	0.10	--
Benzo(a)pyrene	ND		ug/l	0.10	--
Benzo(b)fluoranthene	ND		ug/l	0.10	--
Benzo(k)fluoranthene	ND		ug/l	0.10	--
Chrysene	ND		ug/l	0.10	--
Acenaphthylene	ND		ug/l	0.10	--
Anthracene	ND		ug/l	0.10	--
Benzo(ghi)perylene	ND		ug/l	0.10	--
Fluorene	ND		ug/l	0.10	--
Phenanthrene	ND		ug/l	0.10	--
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	--
Pyrene	ND		ug/l	0.10	--
2-Methylnaphthalene	ND		ug/l	0.10	--
Pentachlorophenol	ND		ug/l	0.80	--
Hexachlorobenzene	ND		ug/l	0.80	--
Hexachloroethane	ND		ug/l	0.80	--

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

**Method Blank Analysis
 Batch Quality Control**

Analytical Method: 97,8270D-SIM
 Analytical Date: 08/21/17 09:09
 Analyst: DV

Extraction Method: EPA 3510C
 Extraction Date: 08/18/17 21:54

Parameter	Result	Qualifier	Units	RL	MDL
MCP Semivolatile Organics by SIM - Westborough Lab for sample(s): 01-04 Batch: WG1033451-1					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	45		15-110
Phenol-d6	36		15-110
Nitrobenzene-d5	89		30-130
2-Fluorobiphenyl	82		30-130
2,4,6-Tribromophenol	112	Q	15-110
4-Terphenyl-d14	82		30-130

Lab Control Sample Analysis Batch Quality Control

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab Associated sample(s): 01-04 Batch: WG1032818-2 WG1032818-3								
1,4-Dioxane	130		131		40-140	1		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,4-Dioxane-d8	21		22		15-110

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1728684

Report Date: 08/23/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
MCP Semivolatile Organics - Westborough Lab Associated sample(s): 01-04 Batch: WG1033450-2 WG1033450-3								
1,2,4-Trichlorobenzene	57		54		40-140	5		20
Bis(2-chloroethyl)ether	72		69		40-140	4		20
1,2-Dichlorobenzene	55		52		40-140	6		20
1,3-Dichlorobenzene	54		51		40-140	6		20
1,4-Dichlorobenzene	54		51		40-140	6		20
3,3'-Dichlorobenzidine	68		67		40-140	1		20
2,4-Dinitrotoluene	93		94		40-140	1		20
2,6-Dinitrotoluene	86		90		40-140	5		20
Azobenzene	86		84		40-140	2		20
4-Bromophenyl phenyl ether	77		75		40-140	3		20
Bis(2-chloroisopropyl)ether	61		58		40-140	5		20
Bis(2-chloroethoxy)methane	78		75		40-140	4		20
Isophorone	86		85		40-140	1		20
Nitrobenzene	79		77		40-140	3		20
Bis(2-ethylhexyl)phthalate	77		75		40-140	3		20
Butyl benzyl phthalate	81		89		40-140	9		20
Di-n-butylphthalate	90		90		40-140	0		20
Di-n-octylphthalate	75		75		40-140	0		20
Diethyl phthalate	88		89		40-140	1		20
Dimethyl phthalate	84		88		40-140	5		20
Aniline	48		54		40-140	12		20
4-Chloroaniline	60		63		40-140	5		20
Dibenzofuran	70		66		40-140	6		20

Lab Control Sample Analysis Batch Quality Control

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	RPD	
	%Recovery	Qual	%Recovery	Qual			Qual	Limits
MCP Semivolatile Organics - Westborough Lab Associated sample(s): 01-04 Batch: WG1033450-2 WG1033450-3								
Acetophenone	82		81		40-140	1		20
2,4,6-Trichlorophenol	85		85		30-130	0		20
2-Chlorophenol	72		71		30-130	1		20
2,4-Dichlorophenol	82		81		30-130	1		20
2,4-Dimethylphenol	99		97		30-130	2		20
2-Nitrophenol	84		82		30-130	2		20
4-Nitrophenol	54		55		30-130	2		20
2,4-Dinitrophenol	69		79		30-130	14		20
Phenol	37		36		30-130	3		20
2-Methylphenol	72		70		30-130	3		20
3-Methylphenol/4-Methylphenol	68		66		30-130	3		20
2,4,5-Trichlorophenol	85		87		30-130	2		20
Pyridine	24	Q	30	Q	40-140	22	Q	20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	52		50		15-110
Phenol-d6	38		37		15-110
Nitrobenzene-d5	86		84		30-130
2-Fluorobiphenyl	79		78		30-130
2,4,6-Tribromophenol	95		96		15-110
4-Terphenyl-d14	84		87		30-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1728684

Report Date: 08/23/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP Semivolatile Organics by SIM - Westborough Lab Associated sample(s): 01-04 Batch: WG1033451-2 WG1033451-3								
Acenaphthene	67		64		40-140	5		20
2-Chloronaphthalene	60		54		40-140	11		20
Fluoranthene	68		73		40-140	7		20
Hexachlorobutadiene	69		61		40-140	12		20
Naphthalene	63		55		40-140	14		20
Benzo(a)anthracene	83		90		40-140	8		20
Benzo(a)pyrene	84		91		40-140	8		20
Benzo(b)fluoranthene	80		86		40-140	7		20
Benzo(k)fluoranthene	82		93		40-140	13		20
Chrysene	89		95		40-140	7		20
Acenaphthylene	67		63		40-140	6		20
Anthracene	70		76		40-140	8		20
Benzo(ghi)perylene	93		92		40-140	1		20
Fluorene	68		67		40-140	1		20
Phenanthrene	72		76		40-140	5		20
Dibenzo(a,h)anthracene	91		94		40-140	3		20
Indeno(1,2,3-cd)pyrene	91		92		40-140	1		20
Pyrene	68		72		40-140	6		20
2-Methylnaphthalene	62		56		40-140	10		20
Pentachlorophenol	84		94		30-130	11		20
Hexachlorobenzene	86		92		40-140	7		20
Hexachloroethane	74		63		40-140	16		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1728684

Report Date: 08/23/17

Parameter	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>%Recovery</i> Limits	<i>RPD</i>	<i>Qual</i>	<i>RPD</i> Limits
-----------	-------------------------	-------------	--------------------------	-------------	----------------------------	------------	-------------	----------------------

MCP Semivolatile Organics by SIM - Westborough Lab Associated sample(s): 01-04 Batch: WG1033451-2 WG1033451-3

<i>Surrogate</i>	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>Acceptance</i> <i>Criteria</i>
2-Fluorophenol	41		47		15-110
Phenol-d6	32		43		15-110
Nitrobenzene-d5	80		70		30-130
2-Fluorobiphenyl	74		68		30-130
2,4,6-Tribromophenol	98		104		15-110
4-Terphenyl-d14	65		70		30-130

PETROLEUM HYDROCARBONS

Project Name: TOBIN SCHOOL

Lab Number: L1728684

Project Number: 0139-220813

Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-01
 Client ID: MW-7S
 Sample Location: CAMBRIDGE, MA
 Matrix: Water
 Analytical Method: 98,EPH-04-1.1
 Analytical Date: 08/19/17 23:02
 Analyst: SR

Date Collected: 08/16/17 10:50
 Date Received: 08/16/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/17/17 20:57
 Cleanup Method1: EPH-04-1
 Cleanup Date1: 08/19/17

Quality Control Information

Condition of sample received: Satisfactory
 Aqueous Preservative: Laboratory Provided Preserved Container
 Sample Temperature upon receipt: Received on Ice
 Sample Extraction method: Extracted Per the Method

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Extractable Petroleum Hydrocarbons - Westborough Lab						
C9-C18 Aliphatics	ND		ug/l	100	--	1
C19-C36 Aliphatics	ND		ug/l	100	--	1
C11-C22 Aromatics	127		ug/l	100	--	1
C11-C22 Aromatics, Adjusted	105		ug/l	100	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	51		40-140
o-Terphenyl	93		40-140
2-Fluorobiphenyl	87		40-140
2-Bromonaphthalene	85		40-140

Project Name: TOBIN SCHOOL

Lab Number: L1728684

Project Number: 0139-220813

Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-02
 Client ID: MW-7D
 Sample Location: CAMBRIDGE, MA
 Matrix: Water
 Analytical Method: 98,EPH-04-1.1
 Analytical Date: 08/19/17 23:33
 Analyst: SR

Date Collected: 08/16/17 11:00
 Date Received: 08/16/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/17/17 20:57
 Cleanup Method1: EPH-04-1
 Cleanup Date1: 08/19/17

Quality Control Information

Condition of sample received: Satisfactory
 Aqueous Preservative: Laboratory Provided Preserved Container
 Sample Temperature upon receipt: Received on Ice
 Sample Extraction method: Extracted Per the Method

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Extractable Petroleum Hydrocarbons - Westborough Lab						
C9-C18 Aliphatics	ND		ug/l	100	--	1
C19-C36 Aliphatics	ND		ug/l	100	--	1
C11-C22 Aromatics	ND		ug/l	100	--	1
C11-C22 Aromatics, Adjusted	ND		ug/l	100	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	47		40-140
o-Terphenyl	73		40-140
2-Fluorobiphenyl	71		40-140
2-Bromonaphthalene	66		40-140

Project Name: TOBIN SCHOOL

Lab Number: L1728684

Project Number: 0139-220813

Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-04
 Client ID: MW-14D
 Sample Location: CAMBRIDGE, MA
 Matrix: Water
 Analytical Method: 98,EPH-04-1.1
 Analytical Date: 08/20/17 00:05
 Analyst: SR

Date Collected: 08/16/17 13:00
 Date Received: 08/16/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/17/17 20:57
 Cleanup Method1: EPH-04-1
 Cleanup Date1: 08/19/17

Quality Control Information

Condition of sample received: Satisfactory
 Aqueous Preservative: Laboratory Provided Preserved Container
 Sample Temperature upon receipt: Received on Ice
 Sample Extraction method: Extracted Per the Method

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Extractable Petroleum Hydrocarbons - Westborough Lab						
C9-C18 Aliphatics	ND		ug/l	100	--	1
C19-C36 Aliphatics	ND		ug/l	100	--	1
C11-C22 Aromatics	ND		ug/l	100	--	1
C11-C22 Aromatics, Adjusted	ND		ug/l	100	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	59		40-140
o-Terphenyl	92		40-140
2-Fluorobiphenyl	84		40-140
2-Bromonaphthalene	81		40-140

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 98,EPH-04-1.1
Analytical Date: 08/17/17 19:00
Analyst: SR

Extraction Method: EPA 3510C
Extraction Date: 08/16/17 21:50
Cleanup Method: EPH-04-1
Cleanup Date: 08/17/17

Parameter	Result	Qualifier	Units	RL	MDL
Extractable Petroleum Hydrocarbons - Westborough Lab for sample(s): 01-02,04 Batch: WG1032655-1					
C9-C18 Aliphatics	ND		ug/l	100	--
C19-C36 Aliphatics	ND		ug/l	100	--
C11-C22 Aromatics	ND		ug/l	100	--
C11-C22 Aromatics, Adjusted	ND		ug/l	100	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	51		40-140
o-Terphenyl	52		40-140
2-Fluorobiphenyl	57		40-140
2-Bromonaphthalene	56		40-140

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1728684

Report Date: 08/23/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Extractable Petroleum Hydrocarbons - Westborough Lab Associated sample(s): 01-02,04 Batch: WG1032655-2 WG1032655-3								
C9-C18 Aliphatics	65		66		40-140	2		25
C19-C36 Aliphatics	78		78		40-140	0		25
C11-C22 Aromatics	66		81		40-140	20		25
Naphthalene	47		60		40-140	24		25
2-Methylnaphthalene	51		62		40-140	19		25
Acenaphthylene	57		70		40-140	20		25
Acenaphthene	58		70		40-140	19		25
Fluorene	61		75		40-140	21		25
Phenanthrene	63		79		40-140	23		25
Anthracene	66		82		40-140	22		25
Fluoranthene	66		84		40-140	24		25
Pyrene	68		86		40-140	23		25
Benzo(a)anthracene	66		84		40-140	24		25
Chrysene	68		86		40-140	23		25
Benzo(b)fluoranthene	68		85		40-140	22		25
Benzo(k)fluoranthene	67		85		40-140	24		25
Benzo(a)pyrene	65		82		40-140	23		25
Indeno(1,2,3-cd)Pyrene	65		84		40-140	26	Q	25
Dibenzo(a,h)anthracene	67		86		40-140	25		25
Benzo(ghi)perylene	62		81		40-140	27	Q	25
Nonane (C9)	47		48		30-140	2		25
Decane (C10)	55		56		40-140	2		25
Dodecane (C12)	63		63		40-140	0		25

Lab Control Sample Analysis Batch Quality Control

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	RPD	
	%Recovery	Qual	%Recovery	Qual			Qual	Limits
Extractable Petroleum Hydrocarbons - Westborough Lab Associated sample(s): 01-02,04 Batch: WG1032655-2 WG1032655-3								
Tetradecane (C14)	69		67		40-140	3		25
Hexadecane (C16)	73		73		40-140	0		25
Octadecane (C18)	75		76		40-140	1		25
Nonadecane (C19)	74		76		40-140	3		25
Eicosane (C20)	75		77		40-140	3		25
Docosane (C22)	75		77		40-140	3		25
Tetracosane (C24)	75		78		40-140	4		25
Hexacosane (C26)	75		78		40-140	4		25
Octacosane (C28)	75		78		40-140	4		25
Triacontane (C30)	75		77		40-140	3		25
Hexatriacontane (C36)	73		77		40-140	5		25

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
Chloro-Octadecane	61		64		40-140
o-Terphenyl	70		86		40-140
2-Fluorobiphenyl	63		81		40-140
2-Bromonaphthalene	63		81		40-140
% Naphthalene Breakthrough	0		0		
% 2-Methylnaphthalene Breakthrough	0		0		

PCBS

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-01
Client ID: MW-7S
Sample Location: CAMBRIDGE, MA

Matrix: Water
Analytical Method: 97,8082A
Analytical Date: 08/21/17 21:27
Analyst: JA

Date Collected: 08/16/17 10:50
Date Received: 08/16/17
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/18/17 14:04
Cleanup Method: EPA 3665A
Cleanup Date: 08/19/17
Cleanup Method: EPA 3660B
Cleanup Date: 08/19/17

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
MCP Polychlorinated Biphenyls - Westborough Lab							
Aroclor 1016	ND		ug/l	0.250	--	1	A
Aroclor 1221	ND		ug/l	0.250	--	1	A
Aroclor 1232	ND		ug/l	0.250	--	1	A
Aroclor 1242	ND		ug/l	0.250	--	1	A
Aroclor 1248	ND		ug/l	0.250	--	1	A
Aroclor 1254	ND		ug/l	0.250	--	1	A
Aroclor 1260	ND		ug/l	0.250	--	1	A
Aroclor 1262	ND		ug/l	0.250	--	1	A
Aroclor 1268	ND		ug/l	0.250	--	1	A
PCBs, Total	ND		ug/l	0.250	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	68		30-150	A
Decachlorobiphenyl	91		30-150	A
2,4,5,6-Tetrachloro-m-xylene	65		30-150	B
Decachlorobiphenyl	72		30-150	B

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-02
Client ID: MW-7D
Sample Location: CAMBRIDGE, MA

Matrix: Water
Analytical Method: 97,8082A
Analytical Date: 08/21/17 21:40
Analyst: JA

Date Collected: 08/16/17 11:00
Date Received: 08/16/17
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/18/17 14:04
Cleanup Method: EPA 3665A
Cleanup Date: 08/19/17
Cleanup Method: EPA 3660B
Cleanup Date: 08/19/17

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
MCP Polychlorinated Biphenyls - Westborough Lab							
Aroclor 1016	ND		ug/l	0.250	--	1	A
Aroclor 1221	ND		ug/l	0.250	--	1	A
Aroclor 1232	ND		ug/l	0.250	--	1	A
Aroclor 1242	ND		ug/l	0.250	--	1	A
Aroclor 1248	ND		ug/l	0.250	--	1	A
Aroclor 1254	ND		ug/l	0.250	--	1	A
Aroclor 1260	ND		ug/l	0.250	--	1	A
Aroclor 1262	ND		ug/l	0.250	--	1	A
Aroclor 1268	ND		ug/l	0.250	--	1	A
PCBs, Total	ND		ug/l	0.250	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	78		30-150	A
Decachlorobiphenyl	69		30-150	A
2,4,5,6-Tetrachloro-m-xylene	69		30-150	B
Decachlorobiphenyl	65		30-150	B

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-03
Client ID: MW-14S
Sample Location: CAMBRIDGE, MA

Matrix: Water
Analytical Method: 97,8082A
Analytical Date: 08/21/17 21:54
Analyst: JA

Date Collected: 08/16/17 12:50
Date Received: 08/16/17
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/18/17 14:04
Cleanup Method: EPA 3665A
Cleanup Date: 08/19/17
Cleanup Method: EPA 3660B
Cleanup Date: 08/19/17

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
MCP Polychlorinated Biphenyls - Westborough Lab							
Aroclor 1016	ND		ug/l	0.250	--	1	A
Aroclor 1221	ND		ug/l	0.250	--	1	A
Aroclor 1232	ND		ug/l	0.250	--	1	A
Aroclor 1242	ND		ug/l	0.250	--	1	A
Aroclor 1248	ND		ug/l	0.250	--	1	A
Aroclor 1254	ND		ug/l	0.250	--	1	A
Aroclor 1260	ND		ug/l	0.250	--	1	A
Aroclor 1262	ND		ug/l	0.250	--	1	A
Aroclor 1268	ND		ug/l	0.250	--	1	A
PCBs, Total	ND		ug/l	0.250	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	72		30-150	A
Decachlorobiphenyl	61		30-150	A
2,4,5,6-Tetrachloro-m-xylene	64		30-150	B
Decachlorobiphenyl	51		30-150	B

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-04
Client ID: MW-14D
Sample Location: CAMBRIDGE, MA

Matrix: Water
Analytical Method: 97,8082A
Analytical Date: 08/21/17 22:08
Analyst: JA

Date Collected: 08/16/17 13:00
Date Received: 08/16/17
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/18/17 14:04
Cleanup Method: EPA 3665A
Cleanup Date: 08/19/17
Cleanup Method: EPA 3660B
Cleanup Date: 08/19/17

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
MCP Polychlorinated Biphenyls - Westborough Lab							
Aroclor 1016	ND		ug/l	0.250	--	1	A
Aroclor 1221	ND		ug/l	0.250	--	1	A
Aroclor 1232	ND		ug/l	0.250	--	1	A
Aroclor 1242	ND		ug/l	0.250	--	1	A
Aroclor 1248	ND		ug/l	0.250	--	1	A
Aroclor 1254	ND		ug/l	0.250	--	1	A
Aroclor 1260	ND		ug/l	0.250	--	1	A
Aroclor 1262	ND		ug/l	0.250	--	1	A
Aroclor 1268	ND		ug/l	0.250	--	1	A
PCBs, Total	ND		ug/l	0.250	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	70		30-150	A
Decachlorobiphenyl	46		30-150	A
2,4,5,6-Tetrachloro-m-xylene	64		30-150	B
Decachlorobiphenyl	42		30-150	B

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 97,8082A
Analytical Date: 08/21/17 20:18
Analyst: JA

Extraction Method: EPA 3510C
Extraction Date: 08/18/17 14:04
Cleanup Method: EPA 3665A
Cleanup Date: 08/19/17
Cleanup Method: EPA 3660B
Cleanup Date: 08/19/17

Parameter	Result	Qualifier	Units	RL	MDL	Column
MCP Polychlorinated Biphenyls - Westborough Lab for sample(s): 01-04 Batch: WG1033344-1						
Aroclor 1016	ND		ug/l	0.250	--	A
Aroclor 1221	ND		ug/l	0.250	--	A
Aroclor 1232	ND		ug/l	0.250	--	A
Aroclor 1242	ND		ug/l	0.250	--	A
Aroclor 1248	ND		ug/l	0.250	--	A
Aroclor 1254	ND		ug/l	0.250	--	A
Aroclor 1260	ND		ug/l	0.250	--	A
Aroclor 1262	ND		ug/l	0.250	--	A
Aroclor 1268	ND		ug/l	0.250	--	A
PCBs, Total	ND		ug/l	0.250	--	A

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	72		30-150	A
Decachlorobiphenyl	75		30-150	A
2,4,5,6-Tetrachloro-m-xylene	80		30-150	B
Decachlorobiphenyl	73		30-150	B

Lab Control Sample Analysis Batch Quality Control

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
MCP Polychlorinated Biphenyls - Westborough Lab Associated sample(s): 01-04 Batch: WG1033344-2 WG1033344-3									
Aroclor 1016	65		64		40-140	1		20	A
Aroclor 1260	77		74		40-140	3		20	A

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	75		73		30-150	A
Decachlorobiphenyl	81		79		30-150	A
2,4,5,6-Tetrachloro-m-xylene	80		79		30-150	B
Decachlorobiphenyl	78		77		30-150	B

METALS

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-01
 Client ID: MW-7S
 Sample Location: CAMBRIDGE, MA
 Matrix: Water

Date Collected: 08/16/17 10:50
 Date Received: 08/16/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
MCP Total Metals - Mansfield Lab											
Antimony, Total	ND		mg/l	0.0040	--	1	08/17/17 12:42	08/22/17 13:58	EPA 3005A	97,6020A	AM
Arsenic, Total	ND		mg/l	0.005	--	1	08/17/17 12:42	08/17/17 19:12	EPA 3005A	97,6010C	MC
Barium, Total	3.66		mg/l	0.010	--	1	08/17/17 12:42	08/17/17 19:12	EPA 3005A	97,6010C	MC
Beryllium, Total	ND		mg/l	0.0005	--	1	08/17/17 12:42	08/22/17 13:58	EPA 3005A	97,6020A	AM
Cadmium, Total	ND		mg/l	0.004	--	1	08/17/17 12:42	08/17/17 19:12	EPA 3005A	97,6010C	MC
Chromium, Total	ND		mg/l	0.010	--	1	08/17/17 12:42	08/17/17 19:12	EPA 3005A	97,6010C	MC
Lead, Total	ND		mg/l	0.010	--	1	08/17/17 12:42	08/17/17 19:12	EPA 3005A	97,6010C	MC
Mercury, Total	ND		mg/l	0.0002	--	1	08/18/17 11:15	08/18/17 18:40	EPA 7470A	97,7470A	MG
Nickel, Total	ND		mg/l	0.025	--	1	08/17/17 12:42	08/17/17 19:12	EPA 3005A	97,6010C	MC
Selenium, Total	ND		mg/l	0.010	--	1	08/17/17 12:42	08/17/17 19:12	EPA 3005A	97,6010C	MC
Silver, Total	ND		mg/l	0.007	--	1	08/17/17 12:42	08/17/17 19:12	EPA 3005A	97,6010C	MC
Thallium, Total	ND		mg/l	0.0005	--	1	08/17/17 12:42	08/22/17 13:58	EPA 3005A	97,6020A	AM
Vanadium, Total	ND		mg/l	0.010	--	1	08/17/17 12:42	08/17/17 19:12	EPA 3005A	97,6010C	MC
Zinc, Total	ND		mg/l	0.050	--	1	08/17/17 12:42	08/17/17 19:12	EPA 3005A	97,6010C	MC



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-02
 Client ID: MW-7D
 Sample Location: CAMBRIDGE, MA
 Matrix: Water

Date Collected: 08/16/17 11:00
 Date Received: 08/16/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
MCP Total Metals - Mansfield Lab											
Antimony, Total	ND		mg/l	0.0040	--	1	08/17/17 12:42	08/22/17 14:02	EPA 3005A	97,6020A	AM
Arsenic, Total	ND		mg/l	0.005	--	1	08/17/17 12:42	08/17/17 19:17	EPA 3005A	97,6010C	MC
Barium, Total	2.06		mg/l	0.010	--	1	08/17/17 12:42	08/17/17 19:17	EPA 3005A	97,6010C	MC
Beryllium, Total	ND		mg/l	0.0005	--	1	08/17/17 12:42	08/22/17 14:02	EPA 3005A	97,6020A	AM
Cadmium, Total	ND		mg/l	0.004	--	1	08/17/17 12:42	08/17/17 19:17	EPA 3005A	97,6010C	MC
Chromium, Total	ND		mg/l	0.010	--	1	08/17/17 12:42	08/17/17 19:17	EPA 3005A	97,6010C	MC
Lead, Total	0.014		mg/l	0.010	--	1	08/17/17 12:42	08/17/17 19:17	EPA 3005A	97,6010C	MC
Mercury, Total	ND		mg/l	0.0002	--	1	08/18/17 11:15	08/18/17 18:42	EPA 7470A	97,7470A	MG
Nickel, Total	ND		mg/l	0.025	--	1	08/17/17 12:42	08/17/17 19:17	EPA 3005A	97,6010C	MC
Selenium, Total	ND		mg/l	0.010	--	1	08/17/17 12:42	08/17/17 19:17	EPA 3005A	97,6010C	MC
Silver, Total	ND		mg/l	0.007	--	1	08/17/17 12:42	08/17/17 19:17	EPA 3005A	97,6010C	MC
Thallium, Total	ND		mg/l	0.0005	--	1	08/17/17 12:42	08/22/17 14:02	EPA 3005A	97,6020A	AM
Vanadium, Total	ND		mg/l	0.010	--	1	08/17/17 12:42	08/17/17 19:17	EPA 3005A	97,6010C	MC
Zinc, Total	ND		mg/l	0.050	--	1	08/17/17 12:42	08/17/17 19:17	EPA 3005A	97,6010C	MC



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-03
 Client ID: MW-14S
 Sample Location: CAMBRIDGE, MA
 Matrix: Water

Date Collected: 08/16/17 12:50
 Date Received: 08/16/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
MCP Total Metals - Mansfield Lab											
Antimony, Total	ND		mg/l	0.0040	--	1	08/17/17 12:42	08/22/17 14:06	EPA 3005A	97,6020A	AM
Arsenic, Total	0.011		mg/l	0.005	--	1	08/17/17 12:42	08/17/17 19:22	EPA 3005A	97,6010C	MC
Barium, Total	0.492		mg/l	0.010	--	1	08/17/17 12:42	08/17/17 19:22	EPA 3005A	97,6010C	MC
Beryllium, Total	ND		mg/l	0.0005	--	1	08/17/17 12:42	08/22/17 14:06	EPA 3005A	97,6020A	AM
Cadmium, Total	ND		mg/l	0.004	--	1	08/17/17 12:42	08/17/17 19:22	EPA 3005A	97,6010C	MC
Chromium, Total	ND		mg/l	0.010	--	1	08/17/17 12:42	08/17/17 19:22	EPA 3005A	97,6010C	MC
Lead, Total	0.065		mg/l	0.010	--	1	08/17/17 12:42	08/17/17 19:22	EPA 3005A	97,6010C	MC
Mercury, Total	ND		mg/l	0.0002	--	1	08/18/17 11:15	08/18/17 18:44	EPA 7470A	97,7470A	MG
Nickel, Total	ND		mg/l	0.025	--	1	08/17/17 12:42	08/17/17 19:22	EPA 3005A	97,6010C	MC
Selenium, Total	ND		mg/l	0.010	--	1	08/17/17 12:42	08/17/17 19:22	EPA 3005A	97,6010C	MC
Silver, Total	ND		mg/l	0.007	--	1	08/17/17 12:42	08/17/17 19:22	EPA 3005A	97,6010C	MC
Thallium, Total	ND		mg/l	0.0005	--	1	08/17/17 12:42	08/22/17 14:06	EPA 3005A	97,6020A	AM
Vanadium, Total	ND		mg/l	0.010	--	1	08/17/17 12:42	08/17/17 19:22	EPA 3005A	97,6010C	MC
Zinc, Total	0.234		mg/l	0.050	--	1	08/17/17 12:42	08/17/17 19:22	EPA 3005A	97,6010C	MC



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

SAMPLE RESULTS

Lab ID: L1728684-04
 Client ID: MW-14D
 Sample Location: CAMBRIDGE, MA
 Matrix: Water

Date Collected: 08/16/17 13:00
 Date Received: 08/16/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
MCP Total Metals - Mansfield Lab											
Antimony, Total	ND		mg/l	0.0040	--	1	08/17/17 12:42	08/22/17 14:10	EPA 3005A	97,6020A	AM
Arsenic, Total	ND		mg/l	0.005	--	1	08/17/17 12:42	08/17/17 19:27	EPA 3005A	97,6010C	MC
Barium, Total	0.795		mg/l	0.010	--	1	08/17/17 12:42	08/17/17 19:27	EPA 3005A	97,6010C	MC
Beryllium, Total	ND		mg/l	0.0005	--	1	08/17/17 12:42	08/22/17 14:10	EPA 3005A	97,6020A	AM
Cadmium, Total	ND		mg/l	0.004	--	1	08/17/17 12:42	08/17/17 19:27	EPA 3005A	97,6010C	MC
Chromium, Total	ND		mg/l	0.010	--	1	08/17/17 12:42	08/17/17 19:27	EPA 3005A	97,6010C	MC
Lead, Total	ND		mg/l	0.010	--	1	08/17/17 12:42	08/17/17 19:27	EPA 3005A	97,6010C	MC
Mercury, Total	ND		mg/l	0.0002	--	1	08/18/17 11:15	08/18/17 18:45	EPA 7470A	97,7470A	MG
Nickel, Total	ND		mg/l	0.025	--	1	08/17/17 12:42	08/17/17 19:27	EPA 3005A	97,6010C	MC
Selenium, Total	ND		mg/l	0.010	--	1	08/17/17 12:42	08/17/17 19:27	EPA 3005A	97,6010C	MC
Silver, Total	ND		mg/l	0.007	--	1	08/17/17 12:42	08/17/17 19:27	EPA 3005A	97,6010C	MC
Thallium, Total	ND		mg/l	0.0005	--	1	08/17/17 12:42	08/22/17 14:10	EPA 3005A	97,6020A	AM
Vanadium, Total	ND		mg/l	0.010	--	1	08/17/17 12:42	08/17/17 19:27	EPA 3005A	97,6010C	MC
Zinc, Total	ND		mg/l	0.050	--	1	08/17/17 12:42	08/17/17 19:27	EPA 3005A	97,6010C	MC



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
MCP Total Metals - Mansfield Lab for sample(s): 01-04 Batch: WG1032891-1									
Antimony, Total	ND	mg/l	0.0040	--	1	08/17/17 12:42	08/22/17 13:46	97,6020A	AM
Beryllium, Total	ND	mg/l	0.0005	--	1	08/17/17 12:42	08/22/17 13:46	97,6020A	AM
Thallium, Total	ND	mg/l	0.0005	--	1	08/17/17 12:42	08/22/17 13:46	97,6020A	AM

Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
MCP Total Metals - Mansfield Lab for sample(s): 01-04 Batch: WG1032986-1									
Arsenic, Total	ND	mg/l	0.005	--	1	08/17/17 12:42	08/17/17 18:44	97,6010C	MC
Barium, Total	ND	mg/l	0.010	--	1	08/17/17 12:42	08/17/17 18:44	97,6010C	MC
Cadmium, Total	ND	mg/l	0.004	--	1	08/17/17 12:42	08/17/17 18:44	97,6010C	MC
Chromium, Total	ND	mg/l	0.010	--	1	08/17/17 12:42	08/17/17 18:44	97,6010C	MC
Lead, Total	ND	mg/l	0.010	--	1	08/17/17 12:42	08/17/17 18:44	97,6010C	MC
Nickel, Total	ND	mg/l	0.025	--	1	08/17/17 12:42	08/17/17 18:44	97,6010C	MC
Selenium, Total	ND	mg/l	0.010	--	1	08/17/17 12:42	08/17/17 18:44	97,6010C	MC
Silver, Total	ND	mg/l	0.007	--	1	08/17/17 12:42	08/17/17 18:44	97,6010C	MC
Vanadium, Total	ND	mg/l	0.010	--	1	08/17/17 12:42	08/17/17 18:44	97,6010C	MC
Zinc, Total	ND	mg/l	0.050	--	1	08/17/17 12:42	08/17/17 18:44	97,6010C	MC

Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
MCP Total Metals - Mansfield Lab for sample(s): 01-04 Batch: WG1033261-1									
Mercury, Total	ND	mg/l	0.0002	--	1	08/18/17 11:15	08/18/17 18:24	97,7470A	MG



Project Name: TOBIN SCHOOL

Lab Number: L1728684

Project Number: 0139-220813

Report Date: 08/23/17

Method Blank Analysis Batch Quality Control

Prep Information

Digestion Method: EPA 7470A

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1728684

Report Date: 08/23/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
MCP Total Metals - Mansfield Lab Associated sample(s): 01-04 Batch: WG1032891-2 WG1032891-3								
Antimony, Total	95		98		80-120	3		20
Beryllium, Total	97		99		80-120	2		20
Thallium, Total	91		92		80-120	1		20
MCP Total Metals - Mansfield Lab Associated sample(s): 01-04 Batch: WG1032986-2 WG1032986-3								
Arsenic, Total	93		94		80-120	1		20
Barium, Total	96		98		80-120	2		20
Cadmium, Total	102		103		80-120	1		20
Chromium, Total	104		106		80-120	2		20
Lead, Total	94		94		80-120	0		20
Nickel, Total	100		101		80-120	1		20
Selenium, Total	100		100		80-120	0		20
Silver, Total	98		102		80-120	4		20
Vanadium, Total	106		108		80-120	2		20
Zinc, Total	100		101		80-120	1		20
MCP Total Metals - Mansfield Lab Associated sample(s): 01-04 Batch: WG1033261-2 WG1033261-3								
Mercury, Total	106		108		80-120	2		20

Project Name: TOBIN SCHOOL

Lab Number: L1728684

Project Number: 0139-220813

Report Date: 08/23/17

Sample Receipt and Container Information

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
A	Absent
B	Absent
C	Absent
D	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1728684-01A	Vial HCl preserved	B	NA		5.3	Y	Absent		MCP-8260-10(14)
L1728684-01B	Vial HCl preserved	B	NA		5.3	Y	Absent		MCP-8260-10(14)
L1728684-01C	Vial HCl preserved	B	NA		5.3	Y	Absent		MCP-8260-10(14)
L1728684-01D	Plastic 250ml HNO3 preserved	B	<2	<2	5.3	Y	Absent		MCP-CR-6010T-10(180),MCP-BE-6020T-10(180),MCP-7470T-10(28),MCP-AS-6010T-10(180),MCP-TL-6020T-10(180),MCP-CD-6010T-10(180),MCP-AG-6010T-10(180),MCP-ZN-6010T-10(180),MCP-SE-6010T-10(180),MCP-BA-6010T-10(180),MCP-SB-6020T-10(180),MCP-V-6010T-10(180),MCP-NI-6010T-10(180),MCP-PB-6010T-10(180)
L1728684-01E	Amber 500ml unpreserved	B	7	7	5.3	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1728684-01F	Amber 500ml unpreserved	B	7	7	5.3	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1728684-01G	Amber 1000ml unpreserved	B	7	7	5.3	Y	Absent		MCP-8082-10(365)
L1728684-01H	Amber 1000ml unpreserved	B	7	7	5.3	Y	Absent		MCP-8082-10(365)
L1728684-01I	Amber 1000ml unpreserved	B	7	7	5.3	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1728684-01J	Amber 1000ml unpreserved	B	7	7	5.3	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1728684-01K	Amber 1000ml HCl preserved	B	<2	<2	5.3	Y	Absent		EPH-10(14)
L1728684-01L	Amber 1000ml HCl preserved	B	<2	<2	5.3	Y	Absent		EPH-10(14)
L1728684-02A	Vial HCl preserved	A	NA		5.0	Y	Absent		MCP-8260-10(14)
L1728684-02B	Vial HCl preserved	A	NA		5.0	Y	Absent		MCP-8260-10(14)
L1728684-02C	Vial HCl preserved	A	NA		5.0	Y	Absent		MCP-8260-10(14)

Project Name: TOBIN SCHOOL

Lab Number: L1728684

Project Number: 0139-220813

Report Date: 08/23/17

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1728684-02D	Plastic 250ml HNO3 preserved	A	<2	<2	5.0	Y	Absent		MCP-CR-6010T-10(180),MCP-BE-6020T-10(180),MCP-7470T-10(28),MCP-AS-6010T-10(180),MCP-TL-6020T-10(180),MCP-CD-6010T-10(180),MCP-AG-6010T-10(180),MCP-ZN-6010T-10(180),MCP-SE-6010T-10(180),MCP-BA-6010T-10(180),MCP-SB-6020T-10(180),MCP-V-6010T-10(180),MCP-NI-6010T-10(180),MCP-PB-6010T-10(180)
L1728684-02E	Amber 500ml unpreserved	A	7	7	5.0	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1728684-02F	Amber 500ml unpreserved	A	7	7	5.0	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1728684-02G	Amber 1000ml unpreserved	A	7	7	5.0	Y	Absent		MCP-8082-10(365)
L1728684-02H	Amber 1000ml unpreserved	A	7	7	5.0	Y	Absent		MCP-8082-10(365)
L1728684-02I	Amber 1000ml unpreserved	A	7	7	5.0	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1728684-02J	Amber 1000ml unpreserved	A	7	7	5.0	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1728684-02K	Amber 1000ml HCl preserved	A	<2	<2	5.0	Y	Absent		EPH-10(14)
L1728684-02L	Amber 1000ml HCl preserved	A	<2	<2	5.0	Y	Absent		EPH-10(14)
L1728684-03A	Vial HCl preserved	C	NA		4.8	Y	Absent		MCP-8260-10(14)
L1728684-03B	Vial HCl preserved	C	NA		4.8	Y	Absent		MCP-8260-10(14)
L1728684-03C	Vial HCl preserved	C	NA		4.8	Y	Absent		MCP-8260-10(14)
L1728684-03D	Plastic 250ml HNO3 preserved	C	<2	<2	4.8	Y	Absent		MCP-CR-6010T-10(180),MCP-BE-6020T-10(180),MCP-7470T-10(28),MCP-AS-6010T-10(180),MCP-TL-6020T-10(180),MCP-CD-6010T-10(180),MCP-AG-6010T-10(180),MCP-ZN-6010T-10(180),MCP-SE-6010T-10(180),MCP-BA-6010T-10(180),MCP-SB-6020T-10(180),MCP-V-6010T-10(180),MCP-NI-6010T-10(180),MCP-PB-6010T-10(180)
L1728684-03E	Amber 500ml unpreserved	C	7	7	4.8	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1728684-03F	Amber 1000ml unpreserved	C	7	7	4.8	Y	Absent		MCP-8082-10(365)
L1728684-03G	Amber 1000ml unpreserved	C	7	7	4.8	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1728684-03H	Amber 1000ml HCl preserved	C	<2	<2	4.8	Y	Absent		HOLD-EPH(14)
L1728684-04A	Vial HCl preserved	D	NA		5.0	Y	Absent		MCP-8260-10(14)
L1728684-04B	Vial HCl preserved	D	NA		5.0	Y	Absent		MCP-8260-10(14)
L1728684-04C	Vial HCl preserved	D	NA		5.0	Y	Absent		MCP-8260-10(14)

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Serial_No:08231718:09
Lab Number: L1728684
Report Date: 08/23/17

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1728684-04D	Plastic 250ml HNO3 preserved	D	<2	<2	5.0	Y	Absent		MCP-CR-6010T-10(180),MCP-BE-6020T-10(180),MCP-7470T-10(28),MCP-AS-6010T-10(180),MCP-TL-6020T-10(180),MCP-CD-6010T-10(180),MCP-AG-6010T-10(180),MCP-ZN-6010T-10(180),MCP-SE-6010T-10(180),MCP-BA-6010T-10(180),MCP-SB-6020T-10(180),MCP-V-6010T-10(180),MCP-NI-6010T-10(180),MCP-PB-6010T-10(180)
L1728684-04E	Amber 500ml unpreserved	D	7	7	5.0	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1728684-04F	Amber 500ml unpreserved	D	7	7	5.0	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1728684-04G	Amber 1000ml unpreserved	D	7	7	5.0	Y	Absent		MCP-8082-10(365)
L1728684-04H	Amber 1000ml unpreserved	D	7	7	5.0	Y	Absent		MCP-8082-10(365)
L1728684-04I	Amber 1000ml unpreserved	D	7	7	5.0	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1728684-04J	Amber 1000ml unpreserved	D	7	7	5.0	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1728684-04K	Amber 1000ml HCl preserved	D	<2	<2	5.0	Y	Absent		EPH-10(14)
L1728684-04L	Amber 1000ml HCl preserved	D	<2	<2	5.0	Y	Absent		EPH-10(14)

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

GLOSSARY

Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related

Report Format: Data Usability Report



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

Data Qualifiers

projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND** - Not detected at the reporting limit (RL) for the sample.

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728684
Report Date: 08/23/17

REFERENCES

- 97 EPA Test Methods (SW-846) with QC Requirements & Performance Standards for the Analysis of EPA SW-846 Methods under the Massachusetts Contingency Plan, WSC-CAM-IIA, IIB, IIIA, IIIB, IIIC, IIID, VA, VB, VC, VIA, VIB, VIIIA and VIIIB, July 2010.
- 98 Method for the Determination of Extractable Petroleum Hydrocarbons (EPH), MassDEP, May 2004, Revision 1.1 with QC Requirements & Performance Standards for the Analysis of EPH under the Massachusetts Contingency Plan, WSC-CAM-IVB, July 2010.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624: m/p-xylene, o-xylene

EPA 8260C: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D: NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

EPA 300: DW: Bromide

EPA 6860: NPW and SCM: Perchlorate

EPA 9010: NPW and SCM: Amenable Cyanide Distillation

EPA 9012B: NPW: Total Cyanide

EPA 9050A: NPW: Specific Conductance

SM3500: NPW: Ferrous Iron

SM4500: NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO₂, NO₃.

SM5310C: DW: Dissolved Organic Carbon

Mansfield Facility

SM 2540D: TSS

EPA 3005A NPW

EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, EPA 350.1: Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.**

EPA 624: Volatile Halocarbons & Aromatics,

EPA 608: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E.**

Mansfield Facility:

Drinking Water

EPA 200.7: Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1 Hg.**

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

Method Blank Summary Form 4

Client	: CDM Smith, Inc.	Lab Number	: L1728684
Project Name	: TOBIN SCHOOL	Project Number	: 0139-220813
Lab Sample ID	: WG1033265-5	Lab File ID	: VQ170818A05
Instrument ID	: QUIMBY		
Matrix	: WATER	Analysis Date	: 08/18/17 05:57

Client Sample No.	Lab Sample ID	Analysis Date
WG1033265-3LCS	WG1033265-3	08/18/17 04:22
WG1033265-4LCSD	WG1033265-4	08/18/17 04:54
MW-7S	L1728684-01	08/18/17 10:40
MW-7D	L1728684-02	08/18/17 11:11
MW-14S	L1728684-03	08/18/17 11:42
MW-14D	L1728684-04	08/18/17 12:15

Continuing Calibration Form 7

Client : CDM Smith, Inc.
 Project Name : TOBIN SCHOOL
 Instrument ID : QUIMBY
 Lab File ID : VQ170818A02
 Sample No : WG1033265-2
 Channel :

Lab Number : L1728684
 Project Number : 0139-220813
 Calibration Date : 08/18/17 04:22
 Init. Calib. Date(s) : 06/23/17 06/24/17
 Init. Calib. Times : 20:16 00:58

Compound	Ave. RRF	RRF	Min RRF	%D	Max %D	Area%	Dev(min)
Fluorobenzene	1	1	-	0	20	109	0
Dichlorodifluoromethane	0.466	0.458	-	1.7	20	97	0
Chloromethane	0.528	0.476	-	9.8	20	95	.01
Vinyl chloride	0.388	0.492	-	-26.8*	20	126	0
Bromomethane	0.242	0.304	-	-25.6*	20	151	0
Chloroethane	0.317	0.385	-	-21.5*	20	125	0
Trichlorofluoromethane	0.626	0.752	-	-20.1*	20	123	0
Ethyl ether	0.172	0.19	-	-10.5	20	118	0
1,1-Dichloroethene	0.356	0.397	-	-11.5	20	118	0
Carbon disulfide	1.055	0.862	-	18.3	20	85	0
Freon-113	0.304	0.399	-	-31.3*	20	136	0
Methylene chloride	0.476	0.486	-	-2.1	20	109	0
Acetone	0.058	0.052*	-	10.3	20	102	0
trans-1,2-Dichloroethene	0.423	0.447	-	-5.7	20	111	0
Methyl tert-butyl ether	0.793	0.743	-	6.3	20	103	0
tert-Butyl alcohol	0.011	0.013*	-	-18.2	20	136	0
Diisopropyl ether	1.265	1.314	-	-3.9	20	108	0
1,1-Dichloroethane	0.813	0.881	-	-8.4	20	109	0
Ethyl tert-butyl ether	0.939	1.038	-	-10.5	20	126	0
cis-1,2-Dichloroethene	0.454	0.479	-	-5.5	20	108	0
2,2-Dichloropropane	10	11.252	-	-12.5	20	158	0
Bromochloromethane	0.164	0.173	-	-5.5	20	109	0
Chloroform	0.782	0.845	-	-8.1	20	109	0
Carbon tetrachloride	10	10.83	-	-8.3	20	131	0
Tetrahydrofuran	0.062	0.054	-	12.9	20	99	0
Dibromofluoromethane	0.201	0.206	-	-2.5	20	111	0
1,1,1-Trichloroethane	0.688	0.795	-	-15.6	20	123	0
2-Butanone	0.091	0.074*	-	18.7	20	87	0
1,1-Dichloropropene	0.653	0.71	-	-8.7	20	110	0
Benzene	1.807	1.97	-	-9	20	109	0
tert-Amyl methyl ether	0.794	0.795	-	-0.1	20	115	0
1,2-Dichloroethane-d4	0.259	0.271	-	-4.6	20	110	0
1,2-Dichloroethane	0.56	0.574	-	-2.5	20	104	0
Trichloroethene	0.48	0.5	-	-4.2	20	107	0
Dibromomethane	0.201	0.202	-	-0.5	20	108	0
1,2-Dichloropropane	0.454	0.46	-	-1.3	20	107	0
2-Chloroethyl vinyl ether	0.152	0.158	-	-3.9	20	89	0
Bromodichloromethane	0.571	0.564	-	1.2	20	104	0
1,4-Dioxane	0.00186	0.00187*	-	-0.5	20	103	0
cis-1,3-Dichloropropene	10	9.46	-	5.4	20	115	0
Chlorobenzene-d5	1	1	-	0	20	103	0
Toluene-d8	1.36	1.436	-	-5.6	20	107	0
Toluene	1.628	1.725	-	-6	20	99	0
4-Methyl-2-pentanone	0.097	0.092*	-	5.2	20	93	0
Tetrachloroethene	0.612	0.693	-	-13.2	20	108	0

* Value outside of QC limits.



Continuing Calibration Form 7

Client : CDM Smith, Inc.
 Project Name : TOBIN SCHOOL
 Instrument ID : QUIMBY
 Lab File ID : VQ170818A02
 Sample No : WG1033265-2
 Channel :

Lab Number : L1728684
 Project Number : 0139-220813
 Calibration Date : 08/18/17 04:22
 Init. Calib. Date(s) : 06/23/17 06/24/17
 Init. Calib. Times : 20:16 00:58

Compound	Ave. RRF	RRF	Min RRF	%D	Max %D	Area%	Dev(min)
trans-1,3-Dichloropropene	10	10.629	-	-6.3	20	122	0
1,1,2-Trichloroethane	0.298	0.331	-	-11.1	20	107	0
Chlorodibromomethane	0.376	0.424	-	-12.8	20	112	0
1,3-Dichloropropane	0.663	0.735	-	-10.9	20	107	0
1,2-Dibromoethane	0.318	0.347	-	-9.1	20	108	0
2-Hexanone	0.176	0.157	-	10.8	20	91	0
Chlorobenzene	1.73	1.883	-	-8.8	20	104	0
Ethylbenzene	3.154	3.635	-	-15.3	20	106	0
1,1,1,2-Tetrachloroethane	0.476	0.568	-	-19.3	20	120	0
p/m Xylene	0.982	1.079	-	-9.9	20	103	0
o Xylene	0.893	1.024	-	-14.7	20	106	0
Styrene	1.447	1.678	-	-16	20	105	0
1,4-Dichlorobenzene-d4	1	1	-	0	20	94	0
Bromoforn	10	9.889	-	1.1	20	115	0
Isopropylbenzene	6.684	7.637	-	-14.3	20	99	0
4-Bromofluorobenzene	1.211	1.226	-	-1.2	20	99	0
Bromobenzene	1.467	1.68	-	-14.5	20	106	0
n-Propylbenzene	7.634	8.672	-	-13.6	20	97	0
1,1,1,2-Tetrachloroethane	1.02	1.172	-	-14.9	20	108	0
2-Chlorotoluene	5.252	5.919	-	-12.7	20	101	0
1,3,5-Trimethylbenzene	4.405	5.159	-	-17.1	20	100	0
1,2,3-Trichloropropane	0.892	0.977	-	-9.5	20	106	0
4-Chlorotoluene	4.746	5.172	-	-9	20	98	0
tert-Butylbenzene	4.434	5.132	-	-15.7	20	99	0
1,2,4-Trimethylbenzene	4.363	5.185	-	-18.8	20	100	0
sec-Butylbenzene	6.296	7.494	-	-19	20	100	0
p-Isopropyltoluene	4.919	5.92	-	-20.3*	20	98	0
1,3-Dichlorobenzene	2.67	2.94	-	-10.1	20	98	0
1,4-Dichlorobenzene	2.554	2.765	-	-8.3	20	98	0
n-Butylbenzene	5.68	6.984	-	-23*	20	98	0
1,2-Dichlorobenzene	2.364	2.584	-	-9.3	20	97	0
1,2-Dibromo-3-chloropropan	10	10.19	-	-1.9	20	101	0
Hexachlorobutadiene	0.807	0.834	-	-3.3	20	93	0
1,2,4-Trichlorobenzene	1.307	1.472	-	-12.6	20	90	0
Naphthalene	2.325	2.842	-	-22.2*	20	92	0
1,2,3-Trichlorobenzene	1.152	1.276	-	-10.8	20	88	0

* Value outside of QC limits.





ANALYTICAL REPORT

Lab Number:	L1728873
Client:	CDM Smith, Inc. 75 State Street Suite 701 Boston, MA 02109
ATTN:	Nicholas Castonguay
Phone:	(617) 452-6721
Project Name:	TOBIN SCHOOL
Project Number:	0139-220813
Report Date:	08/28/17

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), NJ NELAP (MA935), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-14-00197).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L1728873-01	MW-9D	WATER	CAMBRIDGE, MA	08/16/17 15:30	08/17/17
L1728873-02	MW-9S	WATER	CAMBRIDGE, MA	08/16/17 15:20	08/17/17
L1728873-03	MW-3S	WATER	CAMBRIDGE, MA	08/17/17 09:20	08/17/17
L1728873-04	MW-3D	WATER	CAMBRIDGE, MA	08/17/17 09:00	08/17/17
L1728873-05	MW-4D	WATER	CAMBRIDGE, MA	08/17/17 13:30	08/17/17
L1728873-06	MW-4S	WATER	CAMBRIDGE, MA	08/17/17 13:10	08/17/17
L1728873-07	DUP-1	WATER	CAMBRIDGE, MA	08/17/17 00:00	08/17/17
L1728873-08	TRIP BLANK	WATER	CAMBRIDGE, MA	08/17/17 00:00	08/17/17

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

MADEP MCP Response Action Analytical Report Certification

This form provides certifications for all samples performed by MCP methods. Please refer to the Sample Results and Container Information sections of this report for specification of MCP methods used for each analysis. The following questions pertain only to MCP Analytical Methods.

An affirmative response to questions A through F is required for "Presumptive Certainty" status		
A	Were all samples received in a condition consistent with those described on the Chain-of-Custody, properly preserved (including temperature) in the field or laboratory, and prepared/analyzed within method holding times?	YES
B	Were the analytical method(s) and all associated QC requirements specified in the selected CAM protocol(s) followed?	YES
C	Were all required corrective actions and analytical response actions specified in the selected CAM protocol(s) implemented for all identified performance standard non-conformances?	YES
D	Does the laboratory report comply with all the reporting requirements specified in CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data?"	YES
E a.	VPH, EPH, and APH Methods only: Was each method conducted without significant modification(s)? (Refer to the individual method(s) for a list of significant modifications).	YES
E b.	APH and TO-15 Methods only: Was the complete analyte list reported for each method?	N/A
F	Were all applicable CAM protocol QC and performance standard non-conformances identified and evaluated in a laboratory narrative (including all "No" responses to Questions A through E)?	YES
A response to questions G, H and I is required for "Presumptive Certainty" status		
G	Were the reporting limits at or below all CAM reporting limits specified in the selected CAM protocol(s)?	NO
H	Were all QC performance standards specified in the CAM protocol(s) achieved?	NO
I	Were results reported for the complete analyte list specified in the selected CAM protocol(s)?	NO
For any questions answered "No", please refer to the case narrative section on the following page(s).		

Please note that sample matrix information is located in the Sample Results section of this report.



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

Case Narrative (continued)

MCP Related Narratives

Volatile Organics

In reference to question G:

L1728873-01: One or more of the target analytes did not achieve the requested CAM reporting limits.

In reference to question H:

The initial calibration, associated with L1728873-01 through -08, did not meet the method required minimum response factor on the lowest calibration standard for 1,4-dioxane (0.0061), as well as the average response factor for 1,4-dioxane, and utilized a quadratic fit for chloroethane.

The continuing calibration standard, associated with L1728873-01 through -08, is outside the acceptance criteria for several compounds; however, it is within overall method allowances. A copy of the continuing calibration standard is included as an addendum to this report.

EPH

In reference to question I:

All samples were analyzed for a subset of MCP analytes per the Chain of Custody.


Total Metals

In reference to question G:

L1728873-01 through -07: One or more of the target analytes did not achieve the requested CAM reporting limits.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Michelle M. Morris

Title: Technical Director/Representative

Date: 08/28/17

ORGANICS

VOLATILES

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-01 D
 Client ID: MW-9D
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 15:30
 Date Received: 08/17/17
 Field Prep: Not Specified

Matrix: Water
 Analytical Method: 97,8260C
 Analytical Date: 08/22/17 19:55
 Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	4.0	--	2
1,1-Dichloroethane	ND		ug/l	2.0	--	2
Chloroform	ND		ug/l	2.0	--	2
Carbon tetrachloride	ND		ug/l	2.0	--	2
1,2-Dichloropropane	ND		ug/l	2.0	--	2
Dibromochloromethane	ND		ug/l	2.0	--	2
1,1,2-Trichloroethane	ND		ug/l	2.0	--	2
Tetrachloroethene	4.4		ug/l	2.0	--	2
Chlorobenzene	ND		ug/l	2.0	--	2
Trichlorofluoromethane	ND		ug/l	4.0	--	2
1,2-Dichloroethane	ND		ug/l	2.0	--	2
1,1,1-Trichloroethane	ND		ug/l	2.0	--	2
Bromodichloromethane	ND		ug/l	2.0	--	2
trans-1,3-Dichloropropene	ND		ug/l	1.0	--	2
cis-1,3-Dichloropropene	ND		ug/l	1.0	--	2
1,3-Dichloropropene, Total	ND		ug/l	1.0	--	2
1,1-Dichloropropene	ND		ug/l	4.0	--	2
Bromoform	ND		ug/l	4.0	--	2
1,1,2,2-Tetrachloroethane	ND		ug/l	2.0	--	2
Benzene	ND		ug/l	1.0	--	2
Toluene	ND		ug/l	2.0	--	2
Ethylbenzene	ND		ug/l	2.0	--	2
Chloromethane	ND		ug/l	4.0	--	2
Bromomethane	ND		ug/l	4.0	--	2
Vinyl chloride	ND		ug/l	2.0	--	2
Chloroethane	ND		ug/l	4.0	--	2
1,1-Dichloroethene	ND		ug/l	2.0	--	2
trans-1,2-Dichloroethene	ND		ug/l	2.0	--	2
Trichloroethene	ND		ug/l	2.0	--	2
1,2-Dichlorobenzene	ND		ug/l	2.0	--	2

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-01 D

Date Collected: 08/16/17 15:30

Client ID: MW-9D

Date Received: 08/17/17

Sample Location: CAMBRIDGE, MA

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.0	--	2
1,4-Dichlorobenzene	ND		ug/l	2.0	--	2
Methyl tert butyl ether	400		ug/l	4.0	--	2
p/m-Xylene	ND		ug/l	4.0	--	2
o-Xylene	ND		ug/l	2.0	--	2
Xylene (Total)	ND		ug/l	2.0	--	2
cis-1,2-Dichloroethene	ND		ug/l	2.0	--	2
1,2-Dichloroethene (total)	ND		ug/l	2.0	--	2
Dibromomethane	ND		ug/l	4.0	--	2
1,2,3-Trichloropropane	ND		ug/l	4.0	--	2
Styrene	ND		ug/l	2.0	--	2
Dichlorodifluoromethane	ND		ug/l	4.0	--	2
Acetone	ND		ug/l	10	--	2
Carbon disulfide	ND		ug/l	4.0	--	2
2-Butanone	ND		ug/l	10	--	2
4-Methyl-2-pentanone	ND		ug/l	10	--	2
2-Hexanone	ND		ug/l	10	--	2
Bromochloromethane	ND		ug/l	4.0	--	2
Tetrahydrofuran	ND		ug/l	4.0	--	2
2,2-Dichloropropane	ND		ug/l	4.0	--	2
1,2-Dibromoethane	ND		ug/l	4.0	--	2
1,3-Dichloropropane	ND		ug/l	4.0	--	2
1,1,1,2-Tetrachloroethane	ND		ug/l	2.0	--	2
Bromobenzene	ND		ug/l	4.0	--	2
n-Butylbenzene	ND		ug/l	4.0	--	2
sec-Butylbenzene	ND		ug/l	4.0	--	2
tert-Butylbenzene	ND		ug/l	4.0	--	2
o-Chlorotoluene	ND		ug/l	4.0	--	2
p-Chlorotoluene	ND		ug/l	4.0	--	2
1,2-Dibromo-3-chloropropane	ND		ug/l	4.0	--	2
Hexachlorobutadiene	ND		ug/l	1.2	--	2
Isopropylbenzene	ND		ug/l	4.0	--	2
p-Isopropyltoluene	ND		ug/l	4.0	--	2
Naphthalene	ND		ug/l	4.0	--	2
n-Propylbenzene	ND		ug/l	4.0	--	2
1,2,3-Trichlorobenzene	ND		ug/l	4.0	--	2
1,2,4-Trichlorobenzene	ND		ug/l	4.0	--	2
1,3,5-Trimethylbenzene	ND		ug/l	4.0	--	2
1,2,4-Trimethylbenzene	ND		ug/l	4.0	--	2

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-01 D
 Client ID: MW-9D
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 15:30
 Date Received: 08/17/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Volatile Organics - Westborough Lab

Ethyl ether	ND		ug/l	4.0	--	2
Isopropyl Ether	ND		ug/l	4.0	--	2
Ethyl-Tert-Butyl-Ether	ND		ug/l	4.0	--	2
Tertiary-Amyl Methyl Ether	25		ug/l	4.0	--	2
1,4-Dioxane	ND		ug/l	500	--	2

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	92		70-130
4-Bromofluorobenzene	105		70-130
Dibromofluoromethane	112		70-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-02
Client ID: MW-9S
Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 15:20
Date Received: 08/17/17
Field Prep: Not Specified

Matrix: Water
Analytical Method: 97,8260C
Analytical Date: 08/22/17 20:26
Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-02
 Client ID: MW-9S
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 15:20
 Date Received: 08/17/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	ND		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylene (Total)	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
1,2-Dichloroethene (total)	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	2.0	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-02
Client ID: MW-9S
Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 15:20
Date Received: 08/17/17
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Volatile Organics - Westborough Lab

Ethyl ether	ND		ug/l	2.0	--	1
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		70-130
Toluene-d8	87		70-130
4-Bromofluorobenzene	104		70-130
Dibromofluoromethane	110		70-130

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-03
 Client ID: MW-3S
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 09:20
 Date Received: 08/17/17
 Field Prep: Not Specified

Matrix: Water
 Analytical Method: 97,8260C
 Analytical Date: 08/22/17 20:56
 Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-03
 Client ID: MW-3S
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 09:20
 Date Received: 08/17/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	ND		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylene (Total)	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
1,2-Dichloroethene (total)	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	2.0	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-03
 Client ID: MW-3S
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 09:20
 Date Received: 08/17/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Volatile Organics - Westborough Lab

Ethyl ether	ND		ug/l	2.0	--	1
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	102		70-130
Toluene-d8	89		70-130
4-Bromofluorobenzene	101		70-130
Dibromofluoromethane	111		70-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-04
Client ID: MW-3D
Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 09:00
Date Received: 08/17/17
Field Prep: Not Specified

Matrix: Water
Analytical Method: 97,8260C
Analytical Date: 08/22/17 21:26
Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-04
 Client ID: MW-3D
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 09:00
 Date Received: 08/17/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	ND		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylene (Total)	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
1,2-Dichloroethene (total)	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	2.0	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-04
Client ID: MW-3D
Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 09:00
Date Received: 08/17/17
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Volatile Organics - Westborough Lab

Ethyl ether	ND		ug/l	2.0	--	1
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	92		70-130
4-Bromofluorobenzene	105		70-130
Dibromofluoromethane	108		70-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-05
Client ID: MW-4D
Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 13:30
Date Received: 08/17/17
Field Prep: Not Specified

Matrix: Water
Analytical Method: 97,8260C
Analytical Date: 08/22/17 21:57
Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-05
 Client ID: MW-4D
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 13:30
 Date Received: 08/17/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	ND		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylene (Total)	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
1,2-Dichloroethene (total)	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	2.0	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	9.4		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-05
 Client ID: MW-4D
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 13:30
 Date Received: 08/17/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Volatile Organics - Westborough Lab

Ethyl ether	ND		ug/l	2.0	--	1
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	99		70-130
Toluene-d8	91		70-130
4-Bromofluorobenzene	102		70-130
Dibromofluoromethane	111		70-130

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-06
 Client ID: MW-4S
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 13:10
 Date Received: 08/17/17
 Field Prep: Not Specified

Matrix: Water
 Analytical Method: 97,8260C
 Analytical Date: 08/22/17 22:27
 Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-06
 Client ID: MW-4S
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 13:10
 Date Received: 08/17/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	ND		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylene (Total)	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
1,2-Dichloroethene (total)	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	2.0	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	4.5		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-06
Client ID: MW-4S
Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 13:10
Date Received: 08/17/17
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Volatile Organics - Westborough Lab

Ethyl ether	ND		ug/l	2.0	--	1
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		70-130
Toluene-d8	89		70-130
4-Bromofluorobenzene	104		70-130
Dibromofluoromethane	110		70-130

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-07
 Client ID: DUP-1
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 00:00
 Date Received: 08/17/17
 Field Prep: Not Specified

Matrix: Water
 Analytical Method: 97,8260C
 Analytical Date: 08/22/17 22:58
 Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-07
 Client ID: DUP-1
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 00:00
 Date Received: 08/17/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	ND		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylene (Total)	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
1,2-Dichloroethene (total)	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	2.0	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	9.9		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-07
Client ID: DUP-1
Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 00:00
Date Received: 08/17/17
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Volatile Organics - Westborough Lab

Ethyl ether	ND		ug/l	2.0	--	1
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	94		70-130
Toluene-d8	89		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	108		70-130

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-08
 Client ID: TRIP BLANK
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 00:00
 Date Received: 08/17/17
 Field Prep: Not Specified

Matrix: Water
 Analytical Method: 97,8260C
 Analytical Date: 08/22/17 18:54
 Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-08
 Client ID: TRIP BLANK
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 00:00
 Date Received: 08/17/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	ND		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylene (Total)	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
1,2-Dichloroethene (total)	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	2.0	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-08
 Client ID: TRIP BLANK
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 00:00
 Date Received: 08/17/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Volatile Organics - Westborough Lab

Ethyl ether	ND		ug/l	2.0	--	1
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	90		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	110		70-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8260C
Analytical Date: 08/22/17 17:53
Analyst: AD

Parameter	Result	Qualifier	Units	RL	MDL
MCP Volatile Organics - Westborough Lab for sample(s): 01-08 Batch: WG1034493-5					
Methylene chloride	ND		ug/l	2.0	--
1,1-Dichloroethane	ND		ug/l	1.0	--
Chloroform	ND		ug/l	1.0	--
Carbon tetrachloride	ND		ug/l	1.0	--
1,2-Dichloropropane	ND		ug/l	1.0	--
Dibromochloromethane	ND		ug/l	1.0	--
1,1,2-Trichloroethane	ND		ug/l	1.0	--
Tetrachloroethene	ND		ug/l	1.0	--
Chlorobenzene	ND		ug/l	1.0	--
Trichlorofluoromethane	ND		ug/l	2.0	--
1,2-Dichloroethane	ND		ug/l	1.0	--
1,1,1-Trichloroethane	ND		ug/l	1.0	--
Bromodichloromethane	ND		ug/l	1.0	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
1,3-Dichloropropene, Total	ND		ug/l	0.50	--
1,1-Dichloropropene	ND		ug/l	2.0	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	1.0	--
Ethylbenzene	ND		ug/l	1.0	--
Chloromethane	ND		ug/l	2.0	--
Bromomethane	ND		ug/l	2.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	2.0	--
1,1-Dichloroethene	ND		ug/l	1.0	--
trans-1,2-Dichloroethene	ND		ug/l	1.0	--
Trichloroethene	ND		ug/l	1.0	--

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8260C
 Analytical Date: 08/22/17 17:53
 Analyst: AD

Parameter	Result	Qualifier	Units	RL	MDL
MCP Volatile Organics - Westborough Lab for sample(s): 01-08 Batch: WG1034493-5					
1,2-Dichlorobenzene	ND		ug/l	1.0	--
1,3-Dichlorobenzene	ND		ug/l	1.0	--
1,4-Dichlorobenzene	ND		ug/l	1.0	--
Methyl tert butyl ether	ND		ug/l	2.0	--
p/m-Xylene	ND		ug/l	2.0	--
o-Xylene	ND		ug/l	1.0	--
Xylene (Total)	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	1.0	--
1,2-Dichloroethene (total)	ND		ug/l	1.0	--
Dibromomethane	ND		ug/l	2.0	--
1,2,3-Trichloropropane	ND		ug/l	2.0	--
Styrene	ND		ug/l	1.0	--
Dichlorodifluoromethane	ND		ug/l	2.0	--
Acetone	ND		ug/l	5.0	--
Carbon disulfide	ND		ug/l	2.0	--
2-Butanone	ND		ug/l	5.0	--
4-Methyl-2-pentanone	ND		ug/l	5.0	--
2-Hexanone	ND		ug/l	5.0	--
Bromochloromethane	ND		ug/l	2.0	--
Tetrahydrofuran	ND		ug/l	2.0	--
2,2-Dichloropropane	ND		ug/l	2.0	--
1,2-Dibromoethane	ND		ug/l	2.0	--
1,3-Dichloropropane	ND		ug/l	2.0	--
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--
Bromobenzene	ND		ug/l	2.0	--
n-Butylbenzene	ND		ug/l	2.0	--
sec-Butylbenzene	ND		ug/l	2.0	--
tert-Butylbenzene	ND		ug/l	2.0	--
o-Chlorotoluene	ND		ug/l	2.0	--

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8260C
Analytical Date: 08/22/17 17:53
Analyst: AD

Parameter	Result	Qualifier	Units	RL	MDL
MCP Volatile Organics - Westborough Lab for sample(s): 01-08 Batch: WG1034493-5					
p-Chlorotoluene	ND		ug/l	2.0	--
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--
Hexachlorobutadiene	ND		ug/l	0.60	--
Isopropylbenzene	ND		ug/l	2.0	--
p-Isopropyltoluene	ND		ug/l	2.0	--
Naphthalene	ND		ug/l	2.0	--
n-Propylbenzene	ND		ug/l	2.0	--
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--
Ethyl ether	ND		ug/l	2.0	--
Isopropyl Ether	ND		ug/l	2.0	--
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--
1,4-Dioxane	ND		ug/l	250	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	99		70-130
Toluene-d8	90		70-130
4-Bromofluorobenzene	101		70-130
Dibromofluoromethane	109		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1728873

Report Date: 08/28/17

Parameter	LCS %Recovery	Qual	LCS %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP Volatile Organics - Westborough Lab Associated sample(s): 01-08 Batch: WG1034493-3 WG1034493-4								
Methylene chloride	120		120		70-130	0		20
1,1-Dichloroethane	120		120		70-130	0		20
Chloroform	120		120		70-130	0		20
Carbon tetrachloride	110		120		70-130	9		20
1,2-Dichloropropane	120		120		70-130	0		20
Dibromochloromethane	88		90		70-130	2		20
1,1,2-Trichloroethane	92		91		70-130	1		20
Tetrachloroethene	93		94		70-130	1		20
Chlorobenzene	95		94		70-130	1		20
Trichlorofluoromethane	110		120		70-130	9		20
1,2-Dichloroethane	120		120		70-130	0		20
1,1,1-Trichloroethane	110		120		70-130	9		20
Bromodichloromethane	110		120		70-130	9		20
trans-1,3-Dichloropropene	92		92		70-130	0		20
cis-1,3-Dichloropropene	100		100		70-130	0		20
1,1-Dichloropropene	120		120		70-130	0		20
Bromoform	75		80		70-130	6		20
1,1,2,2-Tetrachloroethane	88		90		70-130	2		20
Benzene	110		120		70-130	9		20
Toluene	97		95		70-130	2		20
Ethylbenzene	93		94		70-130	1		20
Chloromethane	120		120		70-130	0		20
Bromomethane	97		100		70-130	3		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
MCP Volatile Organics - Westborough Lab Associated sample(s): 01-08 Batch: WG1034493-3 WG1034493-4								
Vinyl chloride	120		120		70-130	0		20
Chloroethane	120		110		70-130	9		20
1,1-Dichloroethene	120		130		70-130	8		20
trans-1,2-Dichloroethene	120		120		70-130	0		20
Trichloroethene	120		110		70-130	9		20
1,2-Dichlorobenzene	92		95		70-130	3		20
1,3-Dichlorobenzene	92		91		70-130	1		20
1,4-Dichlorobenzene	88		93		70-130	6		20
Methyl tert butyl ether	120		120		70-130	0		20
p/m-Xylene	90		90		70-130	0		20
o-Xylene	90		95		70-130	5		20
cis-1,2-Dichloroethene	120		130		70-130	8		20
Dibromomethane	110		120		70-130	9		20
1,2,3-Trichloropropane	87		90		70-130	3		20
Styrene	95		95		70-130	0		20
Dichlorodifluoromethane	110		110		70-130	0		20
Acetone	120		120		70-130	0		20
Carbon disulfide	110		110		70-130	0		20
2-Butanone	110		100		70-130	10		20
4-Methyl-2-pentanone	88		88		70-130	0		20
2-Hexanone	89		90		70-130	1		20
Bromochloromethane	120		120		70-130	0		20
Tetrahydrofuran	110		110		70-130	0		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1728873

Report Date: 08/28/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
MCP Volatile Organics - Westborough Lab Associated sample(s): 01-08 Batch: WG1034493-3 WG1034493-4								
2,2-Dichloropropane	120		120		70-130	0		20
1,2-Dibromoethane	89		92		70-130	3		20
1,3-Dichloropropane	91		92		70-130	1		20
1,1,1,2-Tetrachloroethane	88		89		70-130	1		20
Bromobenzene	93		94		70-130	1		20
n-Butylbenzene	96		97		70-130	1		20
sec-Butylbenzene	91		93		70-130	2		20
tert-Butylbenzene	90		93		70-130	3		20
o-Chlorotoluene	91		91		70-130	0		20
p-Chlorotoluene	90		92		70-130	2		20
1,2-Dibromo-3-chloropropane	83		83		70-130	0		20
Hexachlorobutadiene	100		100		70-130	0		20
Isopropylbenzene	91		93		70-130	2		20
p-Isopropyltoluene	95		95		70-130	0		20
Naphthalene	88		94		70-130	7		20
n-Propylbenzene	90		94		70-130	4		20
1,2,3-Trichlorobenzene	97		100		70-130	3		20
1,2,4-Trichlorobenzene	95		95		70-130	0		20
1,3,5-Trimethylbenzene	90		95		70-130	5		20
1,2,4-Trimethylbenzene	92		95		70-130	3		20
Ethyl ether	110		120		70-130	9		20
Isopropyl Ether	120		120		70-130	0		20
Ethyl-Tert-Butyl-Ether	120		120		70-130	0		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1728873

Report Date: 08/28/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP Volatile Organics - Westborough Lab Associated sample(s): 01-08 Batch: WG1034493-3 WG1034493-4								
Tertiary-Amyl Methyl Ether	110		120		70-130	9		20
1,4-Dioxane	102		102		70-130	0		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	94		97		70-130
Toluene-d8	89		90		70-130
4-Bromofluorobenzene	97		100		70-130
Dibromofluoromethane	108		110		70-130

SEMIVOLATILES

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-01
 Client ID: MW-9D
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 15:30
 Date Received: 08/17/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/19/17 17:59

Matrix: Water
 Analytical Method: 97,8270D
 Analytical Date: 08/22/17 19:05
 Analyst: KR

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
Acetophenone	ND		ug/l	5.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-01
 Client ID: MW-9D
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 15:30
 Date Received: 08/17/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics - Westborough Lab

2,4-Dinitrophenol	ND		ug/l	20	--	1
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	51		15-110
Phenol-d6	38		15-110
Nitrobenzene-d5	74		30-130
2-Fluorobiphenyl	68		30-130
2,4,6-Tribromophenol	65		15-110
4-Terphenyl-d14	64		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-01
 Client ID: MW-9D
 Sample Location: CAMBRIDGE, MA
 Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 08/21/17 12:29
 Analyst: DV

Date Collected: 08/16/17 15:30
 Date Received: 08/17/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/19/17 18:01

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics by SIM - Westborough Lab						
Acenaphthene	0.57		ug/l	0.10	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	0.15		ug/l	0.10	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	0.13		ug/l	0.10	--	1
Benzo(a)anthracene	ND		ug/l	0.10	--	1
Benzo(a)pyrene	ND		ug/l	0.10	--	1
Benzo(b)fluoranthene	ND		ug/l	0.10	--	1
Benzo(k)fluoranthene	ND		ug/l	0.10	--	1
Chrysene	ND		ug/l	0.10	--	1
Acenaphthylene	ND		ug/l	0.10	--	1
Anthracene	ND		ug/l	0.10	--	1
Benzo(ghi)perylene	ND		ug/l	0.10	--	1
Fluorene	0.17		ug/l	0.10	--	1
Phenanthrene	0.50		ug/l	0.10	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	--	1
Pyrene	0.11		ug/l	0.10	--	1
2-Methylnaphthalene	ND		ug/l	0.10	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: TOBIN SCHOOL**Lab Number:** L1728873**Project Number:** 0139-220813**Report Date:** 08/28/17**SAMPLE RESULTS**

Lab ID: L1728873-01

Date Collected: 08/16/17 15:30

Client ID: MW-9D

Date Received: 08/17/17

Sample Location: CAMBRIDGE, MA

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics by SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	49		15-110
Phenol-d6	41		15-110
Nitrobenzene-d5	87		30-130
2-Fluorobiphenyl	84		30-130
2,4,6-Tribromophenol	115	Q	15-110
4-Terphenyl-d14	69		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-01
 Client ID: MW-9D
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 15:30
 Date Received: 08/17/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/23/17 17:00

Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 08/26/17 09:28
 Analyst: TJ

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab

1,4-Dioxane	0.198		ug/l	0.156	--	1
-------------	-------	--	------	-------	----	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
-----------	------------	-----------	---------------------

1,4-Dioxane-d8	23		15-110
----------------	----	--	--------

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-02
Client ID: MW-9S
Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 15:20
Date Received: 08/17/17
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/19/17 17:59

Matrix: Water
Analytical Method: 97,8270D
Analytical Date: 08/22/17 19:31
Analyst: KR

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
Acetophenone	ND		ug/l	5.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-02
 Client ID: MW-9S
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 15:20
 Date Received: 08/17/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics - Westborough Lab

2,4-Dinitrophenol	ND		ug/l	20	--	1
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	54		15-110
Phenol-d6	41		15-110
Nitrobenzene-d5	85		30-130
2-Fluorobiphenyl	74		30-130
2,4,6-Tribromophenol	65		15-110
4-Terphenyl-d14	69		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-02
Client ID: MW-9S
Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 15:20
Date Received: 08/17/17
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/19/17 18:01

Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 08/21/17 12:57
Analyst: DV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics by SIM - Westborough Lab						
Acenaphthene	1.0		ug/l	0.10	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	0.32		ug/l	0.10	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	0.69		ug/l	0.10	--	1
Benzo(a)anthracene	ND		ug/l	0.10	--	1
Benzo(a)pyrene	ND		ug/l	0.10	--	1
Benzo(b)fluoranthene	ND		ug/l	0.10	--	1
Benzo(k)fluoranthene	ND		ug/l	0.10	--	1
Chrysene	ND		ug/l	0.10	--	1
Acenaphthylene	ND		ug/l	0.10	--	1
Anthracene	0.21		ug/l	0.10	--	1
Benzo(ghi)perylene	ND		ug/l	0.10	--	1
Fluorene	0.64		ug/l	0.10	--	1
Phenanthrene	0.42		ug/l	0.10	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	--	1
Pyrene	0.22		ug/l	0.10	--	1
2-Methylnaphthalene	0.12		ug/l	0.10	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-02

Date Collected: 08/16/17 15:20

Client ID: MW-9S

Date Received: 08/17/17

Sample Location: CAMBRIDGE, MA

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics by SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	53		15-110
Phenol-d6	45		15-110
Nitrobenzene-d5	99		30-130
2-Fluorobiphenyl	93		30-130
2,4,6-Tribromophenol	123	Q	15-110
4-Terphenyl-d14	73		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-02
 Client ID: MW-9S
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/16/17 15:20
 Date Received: 08/17/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/23/17 17:00

Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 08/26/17 10:10
 Analyst: TJ

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab

1,4-Dioxane	ND		ug/l	0.147	--	1
-------------	----	--	------	-------	----	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
-----------	------------	-----------	---------------------

1,4-Dioxane-d8	23		15-110
----------------	----	--	--------

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-03
 Client ID: MW-3S
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 09:20
 Date Received: 08/17/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/19/17 17:59

Matrix: Water
 Analytical Method: 97,8270D
 Analytical Date: 08/22/17 19:57
 Analyst: KR

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
Acetophenone	ND		ug/l	5.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-03
 Client ID: MW-3S
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 09:20
 Date Received: 08/17/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics - Westborough Lab

2,4-Dinitrophenol	ND		ug/l	20	--	1
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	53		15-110
Phenol-d6	40		15-110
Nitrobenzene-d5	80		30-130
2-Fluorobiphenyl	71		30-130
2,4,6-Tribromophenol	63		15-110
4-Terphenyl-d14	68		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-03
Client ID: MW-3S
Sample Location: CAMBRIDGE, MA

Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 08/21/17 13:26
Analyst: DV

Date Collected: 08/17/17 09:20
Date Received: 08/17/17
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/19/17 18:01

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics by SIM - Westborough Lab						
Acenaphthene	3.8		ug/l	0.10	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	1.0		ug/l	0.10	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	1.3		ug/l	0.10	--	1
Benzo(a)anthracene	ND		ug/l	0.10	--	1
Benzo(a)pyrene	ND		ug/l	0.10	--	1
Benzo(b)fluoranthene	ND		ug/l	0.10	--	1
Benzo(k)fluoranthene	ND		ug/l	0.10	--	1
Chrysene	ND		ug/l	0.10	--	1
Acenaphthylene	0.10		ug/l	0.10	--	1
Anthracene	0.78		ug/l	0.10	--	1
Benzo(ghi)perylene	ND		ug/l	0.10	--	1
Fluorene	3.2		ug/l	0.10	--	1
Phenanthrene	3.4		ug/l	0.10	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	--	1
Pyrene	0.75		ug/l	0.10	--	1
2-Methylnaphthalene	0.56		ug/l	0.10	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-03

Date Collected: 08/17/17 09:20

Client ID: MW-3S

Date Received: 08/17/17

Sample Location: CAMBRIDGE, MA

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics by SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	51		15-110
Phenol-d6	43		15-110
Nitrobenzene-d5	92		30-130
2-Fluorobiphenyl	86		30-130
2,4,6-Tribromophenol	123	Q	15-110
4-Terphenyl-d14	71		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-03
 Client ID: MW-3S
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 09:20
 Date Received: 08/17/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/23/17 17:00

Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 08/26/17 10:53
 Analyst: TJ

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab

1,4-Dioxane	ND		ug/l	0.142	--	1
-------------	----	--	------	-------	----	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	26		15-110

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-04
Client ID: MW-3D
Sample Location: CAMBRIDGE, MA

Matrix: Water
Analytical Method: 97,8270D
Analytical Date: 08/22/17 20:23
Analyst: KR

Date Collected: 08/17/17 09:00
Date Received: 08/17/17
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/19/17 17:59

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
Acetophenone	ND		ug/l	5.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-04
 Client ID: MW-3D
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 09:00
 Date Received: 08/17/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics - Westborough Lab

2,4-Dinitrophenol	ND		ug/l	20	--	1
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	43		15-110
Phenol-d6	34		15-110
Nitrobenzene-d5	69		30-130
2-Fluorobiphenyl	65		30-130
2,4,6-Tribromophenol	61		15-110
4-Terphenyl-d14	69		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-04
 Client ID: MW-3D
 Sample Location: CAMBRIDGE, MA
 Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 08/21/17 13:55
 Analyst: DV

Date Collected: 08/17/17 09:00
 Date Received: 08/17/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/19/17 18:01

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics by SIM - Westborough Lab						
Acenaphthene	0.42		ug/l	0.10	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	ND		ug/l	0.10	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	0.14		ug/l	0.10	--	1
Benzo(a)anthracene	ND		ug/l	0.10	--	1
Benzo(a)pyrene	ND		ug/l	0.10	--	1
Benzo(b)fluoranthene	ND		ug/l	0.10	--	1
Benzo(k)fluoranthene	ND		ug/l	0.10	--	1
Chrysene	ND		ug/l	0.10	--	1
Acenaphthylene	ND		ug/l	0.10	--	1
Anthracene	ND		ug/l	0.10	--	1
Benzo(ghi)perylene	ND		ug/l	0.10	--	1
Fluorene	0.15		ug/l	0.10	--	1
Phenanthrene	0.34		ug/l	0.10	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	--	1
Pyrene	ND		ug/l	0.10	--	1
2-Methylnaphthalene	ND		ug/l	0.10	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-04

Date Collected: 08/17/17 09:00

Client ID: MW-3D

Date Received: 08/17/17

Sample Location: CAMBRIDGE, MA

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics by SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	45		15-110
Phenol-d6	39		15-110
Nitrobenzene-d5	84		30-130
2-Fluorobiphenyl	82		30-130
2,4,6-Tribromophenol	114	Q	15-110
4-Terphenyl-d14	70		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-04
 Client ID: MW-3D
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 09:00
 Date Received: 08/17/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/23/17 17:00

Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 08/26/17 11:35
 Analyst: TJ

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab

1,4-Dioxane	ND		ug/l	0.142	--	1
-------------	----	--	------	-------	----	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
-----------	------------	-----------	---------------------

1,4-Dioxane-d8	24		15-110
----------------	----	--	--------

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-05
 Client ID: MW-4D
 Sample Location: CAMBRIDGE, MA
 Matrix: Water
 Analytical Method: 97,8270D
 Analytical Date: 08/22/17 20:49
 Analyst: KR

Date Collected: 08/17/17 13:30
 Date Received: 08/17/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/19/17 17:59

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
Acetophenone	ND		ug/l	5.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-05
 Client ID: MW-4D
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 13:30
 Date Received: 08/17/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics - Westborough Lab

2,4-Dinitrophenol	ND		ug/l	20	--	1
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	54		15-110
Phenol-d6	40		15-110
Nitrobenzene-d5	81		30-130
2-Fluorobiphenyl	74		30-130
2,4,6-Tribromophenol	73		15-110
4-Terphenyl-d14	73		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-05
Client ID: MW-4D
Sample Location: CAMBRIDGE, MA

Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 08/21/17 14:23
Analyst: DV

Date Collected: 08/17/17 13:30
Date Received: 08/17/17
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/19/17 18:01

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics by SIM - Westborough Lab						
Acenaphthene	4.5		ug/l	0.10	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	0.93		ug/l	0.10	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	5.8		ug/l	0.10	--	1
Benzo(a)anthracene	0.12		ug/l	0.10	--	1
Benzo(a)pyrene	ND		ug/l	0.10	--	1
Benzo(b)fluoranthene	0.10		ug/l	0.10	--	1
Benzo(k)fluoranthene	ND		ug/l	0.10	--	1
Chrysene	0.14		ug/l	0.10	--	1
Acenaphthylene	0.34		ug/l	0.10	--	1
Anthracene	0.94		ug/l	0.10	--	1
Benzo(ghi)perylene	ND		ug/l	0.10	--	1
Fluorene	3.3		ug/l	0.10	--	1
Phenanthrene	5.4		ug/l	0.10	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	--	1
Pyrene	0.63		ug/l	0.10	--	1
2-Methylnaphthalene	2.0		ug/l	0.10	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-05
 Client ID: MW-4D
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 13:30
 Date Received: 08/17/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics by SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	50		15-110
Phenol-d6	42		15-110
Nitrobenzene-d5	91		30-130
2-Fluorobiphenyl	95		30-130
2,4,6-Tribromophenol	134	Q	15-110
4-Terphenyl-d14	77		30-130

Project Name: TOBIN SCHOOL**Lab Number:** L1728873**Project Number:** 0139-220813**Report Date:** 08/28/17**SAMPLE RESULTS**

Lab ID: L1728873-05
 Client ID: MW-4D
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 13:30
 Date Received: 08/17/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/23/17 17:00

Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 08/26/17 12:17
 Analyst: TJ

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab						
--	--	--	--	--	--	--

1,4-Dioxane	ND		ug/l	0.142	--	1
-------------	----	--	------	-------	----	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
-----------	------------	-----------	---------------------

1,4-Dioxane-d8	26		15-110
----------------	----	--	--------

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-06
Client ID: MW-4S
Sample Location: CAMBRIDGE, MA

Matrix: Water
Analytical Method: 97,8270D
Analytical Date: 08/22/17 21:14
Analyst: KR

Date Collected: 08/17/17 13:10
Date Received: 08/17/17
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/19/17 20:40

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
Acetophenone	ND		ug/l	5.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-06
 Client ID: MW-4S
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 13:10
 Date Received: 08/17/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics - Westborough Lab

2,4-Dinitrophenol	ND		ug/l	20	--	1
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	60		15-110
Phenol-d6	45		15-110
Nitrobenzene-d5	94		30-130
2-Fluorobiphenyl	79		30-130
2,4,6-Tribromophenol	75		15-110
4-Terphenyl-d14	75		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-06
 Client ID: MW-4S
 Sample Location: CAMBRIDGE, MA
 Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 08/21/17 14:52
 Analyst: DV

Date Collected: 08/17/17 13:10
 Date Received: 08/17/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/19/17 18:01

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics by SIM - Westborough Lab						
Acenaphthene	11		ug/l	0.10	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	0.84		ug/l	0.10	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	2.8		ug/l	0.10	--	1
Benzo(a)anthracene	ND		ug/l	0.10	--	1
Benzo(a)pyrene	ND		ug/l	0.10	--	1
Benzo(b)fluoranthene	ND		ug/l	0.10	--	1
Benzo(k)fluoranthene	ND		ug/l	0.10	--	1
Chrysene	ND		ug/l	0.10	--	1
Acenaphthylene	0.20		ug/l	0.10	--	1
Anthracene	1.5		ug/l	0.10	--	1
Benzo(ghi)perylene	ND		ug/l	0.10	--	1
Fluorene	6.6		ug/l	0.10	--	1
Phenanthrene	9.3		ug/l	0.10	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	--	1
Pyrene	0.56		ug/l	0.10	--	1
2-Methylnaphthalene	1.2		ug/l	0.10	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-06

Date Collected: 08/17/17 13:10

Client ID: MW-4S

Date Received: 08/17/17

Sample Location: CAMBRIDGE, MA

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics by SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	58		15-110
Phenol-d6	47		15-110
Nitrobenzene-d5	105		30-130
2-Fluorobiphenyl	97		30-130
2,4,6-Tribromophenol	131	Q	15-110
4-Terphenyl-d14	78		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-06
 Client ID: MW-4S
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 13:10
 Date Received: 08/17/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/23/17 17:00

Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 08/26/17 12:59
 Analyst: TJ

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab

1,4-Dioxane	ND		ug/l	0.147	--	1
-------------	----	--	------	-------	----	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	25		15-110

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-07
Client ID: DUP-1
Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 00:00
Date Received: 08/17/17
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/19/17 20:40

Matrix: Water
Analytical Method: 97,8270D
Analytical Date: 08/22/17 21:40
Analyst: KR

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
Acetophenone	ND		ug/l	5.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-07
 Client ID: DUP-1
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 00:00
 Date Received: 08/17/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics - Westborough Lab

2,4-Dinitrophenol	ND		ug/l	20	--	1
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	51		15-110
Phenol-d6	37		15-110
Nitrobenzene-d5	79		30-130
2-Fluorobiphenyl	70		30-130
2,4,6-Tribromophenol	69		15-110
4-Terphenyl-d14	69		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-07
Client ID: DUP-1
Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 00:00
Date Received: 08/17/17
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/19/17 18:01

Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 08/21/17 15:20
Analyst: DV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics by SIM - Westborough Lab						
Acenaphthene	4.8		ug/l	0.10	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	1.1		ug/l	0.10	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	6.1		ug/l	0.10	--	1
Benzo(a)anthracene	0.18		ug/l	0.10	--	1
Benzo(a)pyrene	0.12		ug/l	0.10	--	1
Benzo(b)fluoranthene	0.16		ug/l	0.10	--	1
Benzo(k)fluoranthene	ND		ug/l	0.10	--	1
Chrysene	0.21		ug/l	0.10	--	1
Acenaphthylene	0.34		ug/l	0.10	--	1
Anthracene	1.1		ug/l	0.10	--	1
Benzo(ghi)perylene	ND		ug/l	0.10	--	1
Fluorene	3.4		ug/l	0.10	--	1
Phenanthrene	6.0		ug/l	0.10	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	--	1
Pyrene	0.75		ug/l	0.10	--	1
2-Methylnaphthalene	2.1		ug/l	0.10	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-07

Date Collected: 08/17/17 00:00

Client ID: DUP-1

Date Received: 08/17/17

Sample Location: CAMBRIDGE, MA

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics by SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	52		15-110
Phenol-d6	43		15-110
Nitrobenzene-d5	94		30-130
2-Fluorobiphenyl	94		30-130
2,4,6-Tribromophenol	130	Q	15-110
4-Terphenyl-d14	76		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-07
 Client ID: DUP-1
 Sample Location: CAMBRIDGE, MA

Date Collected: 08/17/17 00:00
 Date Received: 08/17/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/24/17 12:00

Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 08/26/17 13:06
 Analyst: TJ

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab

1,4-Dioxane	ND		ug/l	0.144	--	1
-------------	----	--	------	-------	----	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
-----------	------------	-----------	---------------------

1,4-Dioxane-d8	18		15-110
----------------	----	--	--------

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8270D
Analytical Date: 08/21/17 09:49
Analyst: EK

Extraction Method: EPA 3510C
Extraction Date: 08/18/17 21:52

Parameter	Result	Qualifier	Units	RL	MDL
MCP Semivolatile Organics - Westborough Lab for sample(s): 01-07 Batch: WG1033450-1					
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--
1,2-Dichlorobenzene	ND		ug/l	2.0	--
1,3-Dichlorobenzene	ND		ug/l	2.0	--
1,4-Dichlorobenzene	ND		ug/l	2.0	--
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--
2,4-Dinitrotoluene	ND		ug/l	5.0	--
2,6-Dinitrotoluene	ND		ug/l	5.0	--
Azobenzene	ND		ug/l	2.0	--
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--
Isophorone	ND		ug/l	5.0	--
Nitrobenzene	ND		ug/l	2.0	--
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--
Butyl benzyl phthalate	ND		ug/l	5.0	--
Di-n-butylphthalate	ND		ug/l	5.0	--
Di-n-octylphthalate	ND		ug/l	5.0	--
Diethyl phthalate	ND		ug/l	5.0	--
Dimethyl phthalate	ND		ug/l	5.0	--
Aniline	ND		ug/l	2.0	--
4-Chloroaniline	ND		ug/l	5.0	--
Dibenzofuran	ND		ug/l	2.0	--
Acetophenone	ND		ug/l	5.0	--
2,4,6-Trichlorophenol	ND		ug/l	5.0	--
2-Chlorophenol	ND		ug/l	2.0	--
2,4-Dichlorophenol	ND		ug/l	5.0	--
2,4-Dimethylphenol	ND		ug/l	5.0	--
2-Nitrophenol	ND		ug/l	10	--

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 97,8270D
Analytical Date: 08/21/17 09:49
Analyst: EK

Extraction Method: EPA 3510C
Extraction Date: 08/18/17 21:52

Parameter	Result	Qualifier	Units	RL	MDL
MCP Semivolatile Organics - Westborough Lab for sample(s): 01-07 Batch: WG1033450-1					
4-Nitrophenol	ND		ug/l	10	--
2,4-Dinitrophenol	ND		ug/l	20	--
Phenol	ND		ug/l	5.0	--
2-Methylphenol	ND		ug/l	5.0	--
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--
2,4,5-Trichlorophenol	ND		ug/l	5.0	--
Pyridine	ND		ug/l	3.5	--

Tentatively Identified Compounds

No Tentatively Identified Compounds ND ug/l

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	54		15-110
Phenol-d6	38		15-110
Nitrobenzene-d5	94		30-130
2-Fluorobiphenyl	87		30-130
2,4,6-Tribromophenol	111	Q	15-110
4-Terphenyl-d14	107		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8270D-SIM
Analytical Date: 08/21/17 09:09
Analyst: DV

Extraction Method: EPA 3510C
Extraction Date: 08/18/17 21:54

Parameter	Result	Qualifier	Units	RL	MDL
MCP Semivolatile Organics by SIM - Westborough Lab for sample(s): 01-07 Batch: WG1033451-1					
Acenaphthene	ND		ug/l	0.10	--
2-Chloronaphthalene	ND		ug/l	0.20	--
Fluoranthene	ND		ug/l	0.10	--
Hexachlorobutadiene	ND		ug/l	0.50	--
Naphthalene	ND		ug/l	0.10	--
Benzo(a)anthracene	ND		ug/l	0.10	--
Benzo(a)pyrene	ND		ug/l	0.10	--
Benzo(b)fluoranthene	ND		ug/l	0.10	--
Benzo(k)fluoranthene	ND		ug/l	0.10	--
Chrysene	ND		ug/l	0.10	--
Acenaphthylene	ND		ug/l	0.10	--
Anthracene	ND		ug/l	0.10	--
Benzo(ghi)perylene	ND		ug/l	0.10	--
Fluorene	ND		ug/l	0.10	--
Phenanthrene	ND		ug/l	0.10	--
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	--
Pyrene	ND		ug/l	0.10	--
2-Methylnaphthalene	ND		ug/l	0.10	--
Pentachlorophenol	ND		ug/l	0.80	--
Hexachlorobenzene	ND		ug/l	0.80	--
Hexachloroethane	ND		ug/l	0.80	--

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 97,8270D-SIM

Extraction Method: EPA 3510C

Analytical Date: 08/21/17 09:09

Extraction Date: 08/18/17 21:54

Analyst: DV

Parameter	Result	Qualifier	Units	RL	MDL
MCP Semivolatile Organics by SIM - Westborough Lab for sample(s): 01-07 Batch: WG1033451-1					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	45		15-110
Phenol-d6	36		15-110
Nitrobenzene-d5	89		30-130
2-Fluorobiphenyl	82		30-130
2,4,6-Tribromophenol	112	Q	15-110
4-Terphenyl-d14	82		30-130

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 97,8270D-SIM

Extraction Method: EPA 3510C

Analytical Date: 08/25/17 20:41

Extraction Date: 08/23/17 17:00

Analyst: TJ

Parameter	Result	Qualifier	Units	RL	MDL
MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab for sample(s): 01-06 Batch: WG1034721-1					
1,4-Dioxane	ND		ug/l	0.150	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	23		15-110

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 97,8270D-SIM

Extraction Method: EPA 3510C

Analytical Date: 08/25/17 22:38

Extraction Date: 08/24/17 12:00

Analyst: TJ

Parameter	Result	Qualifier	Units	RL	MDL
MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab for sample(s): 07 Batch: WG1035041-1					
1,4-Dioxane	ND		ug/l	0.150	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	23		15-110

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1728873

Report Date: 08/28/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
MCP Semivolatile Organics - Westborough Lab Associated sample(s): 01-07 Batch: WG1033450-2 WG1033450-3								
1,2,4-Trichlorobenzene	57		54		40-140	5		20
Bis(2-chloroethyl)ether	72		69		40-140	4		20
1,2-Dichlorobenzene	55		52		40-140	6		20
1,3-Dichlorobenzene	54		51		40-140	6		20
1,4-Dichlorobenzene	54		51		40-140	6		20
3,3'-Dichlorobenzidine	68		67		40-140	1		20
2,4-Dinitrotoluene	93		94		40-140	1		20
2,6-Dinitrotoluene	86		90		40-140	5		20
Azobenzene	86		84		40-140	2		20
4-Bromophenyl phenyl ether	77		75		40-140	3		20
Bis(2-chloroisopropyl)ether	61		58		40-140	5		20
Bis(2-chloroethoxy)methane	78		75		40-140	4		20
Isophorone	86		85		40-140	1		20
Nitrobenzene	79		77		40-140	3		20
Bis(2-ethylhexyl)phthalate	77		75		40-140	3		20
Butyl benzyl phthalate	81		89		40-140	9		20
Di-n-butylphthalate	90		90		40-140	0		20
Di-n-octylphthalate	75		75		40-140	0		20
Diethyl phthalate	88		89		40-140	1		20
Dimethyl phthalate	84		88		40-140	5		20
Aniline	48		54		40-140	12		20
4-Chloroaniline	60		63		40-140	5		20
Dibenzofuran	70		66		40-140	6		20

Lab Control Sample Analysis Batch Quality Control

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	RPD	
	%Recovery	Qual	%Recovery	Qual			Qual	Limits
MCP Semivolatile Organics - Westborough Lab Associated sample(s): 01-07 Batch: WG1033450-2 WG1033450-3								
Acetophenone	82		81		40-140	1		20
2,4,6-Trichlorophenol	85		85		30-130	0		20
2-Chlorophenol	72		71		30-130	1		20
2,4-Dichlorophenol	82		81		30-130	1		20
2,4-Dimethylphenol	99		97		30-130	2		20
2-Nitrophenol	84		82		30-130	2		20
4-Nitrophenol	54		55		30-130	2		20
2,4-Dinitrophenol	69		79		30-130	14		20
Phenol	37		36		30-130	3		20
2-Methylphenol	72		70		30-130	3		20
3-Methylphenol/4-Methylphenol	68		66		30-130	3		20
2,4,5-Trichlorophenol	85		87		30-130	2		20
Pyridine	24	Q	30	Q	40-140	22	Q	20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
2-Fluorophenol	52		50		15-110
Phenol-d6	38		37		15-110
Nitrobenzene-d5	86		84		30-130
2-Fluorobiphenyl	79		78		30-130
2,4,6-Tribromophenol	95		96		15-110
4-Terphenyl-d14	84		87		30-130



Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP Semivolatile Organics by SIM - Westborough Lab Associated sample(s): 01-07 Batch: WG1033451-2 WG1033451-3								
Acenaphthene	67		64		40-140	5		20
2-Chloronaphthalene	60		54		40-140	11		20
Fluoranthene	68		73		40-140	7		20
Hexachlorobutadiene	69		61		40-140	12		20
Naphthalene	63		55		40-140	14		20
Benzo(a)anthracene	83		90		40-140	8		20
Benzo(a)pyrene	84		91		40-140	8		20
Benzo(b)fluoranthene	80		86		40-140	7		20
Benzo(k)fluoranthene	82		93		40-140	13		20
Chrysene	89		95		40-140	7		20
Acenaphthylene	67		63		40-140	6		20
Anthracene	70		76		40-140	8		20
Benzo(ghi)perylene	93		92		40-140	1		20
Fluorene	68		67		40-140	1		20
Phenanthrene	72		76		40-140	5		20
Dibenzo(a,h)anthracene	91		94		40-140	3		20
Indeno(1,2,3-cd)pyrene	91		92		40-140	1		20
Pyrene	68		72		40-140	6		20
2-Methylnaphthalene	62		56		40-140	10		20
Pentachlorophenol	84		94		30-130	11		20
Hexachlorobenzene	86		92		40-140	7		20
Hexachloroethane	74		63		40-140	16		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

Parameter	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>%Recovery</i> Limits	<i>RPD</i>	<i>Qual</i>	<i>RPD</i> Limits
MCP Semivolatile Organics by SIM - Westborough Lab Associated sample(s): 01-07 Batch: WG1033451-2 WG1033451-3								

<i>Surrogate</i>	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>Acceptance</i> Criteria
2-Fluorophenol	41		47		15-110
Phenol-d6	32		43		15-110
Nitrobenzene-d5	80		70		30-130
2-Fluorobiphenyl	74		68		30-130
2,4,6-Tribromophenol	98		104		15-110
4-Terphenyl-d14	65		70		30-130

Lab Control Sample Analysis Batch Quality Control

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab Associated sample(s): 01-06 Batch: WG1034721-2 WG1034721-3								
1,4-Dioxane	123		127		40-140	3		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,4-Dioxane-d8	31		28		15-110

Lab Control Sample Analysis Batch Quality Control

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab Associated sample(s): 07 Batch: WG1035041-2 WG1035041-3								
1,4-Dioxane	125		127		40-140	2		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,4-Dioxane-d8	25		26		15-110

PETROLEUM HYDROCARBONS

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-01
 Client ID: MW-9D
 Sample Location: CAMBRIDGE, MA
 Matrix: Water
 Analytical Method: 98,EPH-04-1.1
 Analytical Date: 08/21/17 04:56
 Analyst: NS

Date Collected: 08/16/17 15:30
 Date Received: 08/17/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/19/17 08:10
 Cleanup Method1: EPH-04-1
 Cleanup Date1: 08/19/17

Quality Control Information

Condition of sample received: Satisfactory
 Aqueous Preservative: Laboratory Provided Preserved Container
 Sample Temperature upon receipt: Received on Ice
 Sample Extraction method: Extracted Per the Method

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Extractable Petroleum Hydrocarbons - Westborough Lab

C9-C18 Aliphatics	ND		ug/l	100	--	1
C19-C36 Aliphatics	ND		ug/l	100	--	1
C11-C22 Aromatics	ND		ug/l	100	--	1
C11-C22 Aromatics, Adjusted	ND		ug/l	100	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	67		40-140
o-Terphenyl	97		40-140
2-Fluorobiphenyl	97		40-140
2-Bromonaphthalene	96		40-140

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-02
 Client ID: MW-9S
 Sample Location: CAMBRIDGE, MA
 Matrix: Water
 Analytical Method: 98,EPH-04-1.1
 Analytical Date: 08/21/17 05:38
 Analyst: NS

Date Collected: 08/16/17 15:20
 Date Received: 08/17/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/19/17 08:10
 Cleanup Method1: EPH-04-1
 Cleanup Date1: 08/19/17

Quality Control Information

Condition of sample received: Satisfactory
 Aqueous Preservative: Laboratory Provided Preserved Container
 Sample Temperature upon receipt: Received on Ice
 Sample Extraction method: Extracted Per the Method

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Extractable Petroleum Hydrocarbons - Westborough Lab

C9-C18 Aliphatics	ND		ug/l	100	--	1
C19-C36 Aliphatics	ND		ug/l	100	--	1
C11-C22 Aromatics	ND		ug/l	100	--	1
C11-C22 Aromatics, Adjusted	ND		ug/l	100	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	62		40-140
o-Terphenyl	103		40-140
2-Fluorobiphenyl	106		40-140
2-Bromonaphthalene	105		40-140

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-03
 Client ID: MW-3S
 Sample Location: CAMBRIDGE, MA
 Matrix: Water
 Analytical Method: 98,EPH-04-1.1
 Analytical Date: 08/21/17 06:20
 Analyst: NS

Date Collected: 08/17/17 09:20
 Date Received: 08/17/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/19/17 08:10
 Cleanup Method1: EPH-04-1
 Cleanup Date1: 08/19/17

Quality Control Information

Condition of sample received: Satisfactory
 Aqueous Preservative: Laboratory Provided Preserved Container
 Sample Temperature upon receipt: Received on Ice
 Sample Extraction method: Extracted Per the Method

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Extractable Petroleum Hydrocarbons - Westborough Lab

C9-C18 Aliphatics	ND		ug/l	100	--	1
C19-C36 Aliphatics	ND		ug/l	100	--	1
C11-C22 Aromatics	ND		ug/l	100	--	1
C11-C22 Aromatics, Adjusted	ND		ug/l	100	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	60		40-140
o-Terphenyl	96		40-140
2-Fluorobiphenyl	106		40-140
2-Bromonaphthalene	104		40-140

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-04
 Client ID: MW-3D
 Sample Location: CAMBRIDGE, MA
 Matrix: Water
 Analytical Method: 98,EPH-04-1.1
 Analytical Date: 08/21/17 07:02
 Analyst: NS

Date Collected: 08/17/17 09:00
 Date Received: 08/17/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/19/17 08:10
 Cleanup Method1: EPH-04-1
 Cleanup Date1: 08/19/17

Quality Control Information

Condition of sample received: Satisfactory
 Aqueous Preservative: Laboratory Provided Preserved Container
 Sample Temperature upon receipt: Received on Ice
 Sample Extraction method: Extracted Per the Method

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Extractable Petroleum Hydrocarbons - Westborough Lab

C9-C18 Aliphatics	ND		ug/l	100	--	1
C19-C36 Aliphatics	ND		ug/l	100	--	1
C11-C22 Aromatics	ND		ug/l	100	--	1
C11-C22 Aromatics, Adjusted	ND		ug/l	100	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	54		40-140
o-Terphenyl	96		40-140
2-Fluorobiphenyl	102		40-140
2-Bromonaphthalene	101		40-140

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-05
 Client ID: MW-4D
 Sample Location: CAMBRIDGE, MA
 Matrix: Water
 Analytical Method: 98,EPH-04-1.1
 Analytical Date: 08/21/17 07:43
 Analyst: NS

Date Collected: 08/17/17 13:30
 Date Received: 08/17/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/19/17 08:10
 Cleanup Method1: EPH-04-1
 Cleanup Date1: 08/19/17

Quality Control Information

Condition of sample received: Satisfactory
 Aqueous Preservative: Laboratory Provided Preserved Container
 Sample Temperature upon receipt: Received on Ice
 Sample Extraction method: Extracted Per the Method

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Extractable Petroleum Hydrocarbons - Westborough Lab

C9-C18 Aliphatics	ND		ug/l	100	--	1
C19-C36 Aliphatics	ND		ug/l	100	--	1
C11-C22 Aromatics	140		ug/l	100	--	1
C11-C22 Aromatics, Adjusted	140		ug/l	100	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	58		40-140
o-Terphenyl	104		40-140
2-Fluorobiphenyl	107		40-140
2-Bromonaphthalene	106		40-140

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-06
 Client ID: MW-4S
 Sample Location: CAMBRIDGE, MA
 Matrix: Water
 Analytical Method: 98,EPH-04-1.1
 Analytical Date: 08/21/17 08:25
 Analyst: NS

Date Collected: 08/17/17 13:10
 Date Received: 08/17/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/19/17 08:10
 Cleanup Method1: EPH-04-1
 Cleanup Date1: 08/19/17

Quality Control Information

Condition of sample received: Satisfactory
 Aqueous Preservative: Laboratory Provided Preserved Container
 Sample Temperature upon receipt: Received on Ice
 Sample Extraction method: Extracted Per the Method

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Extractable Petroleum Hydrocarbons - Westborough Lab						
C9-C18 Aliphatics	ND		ug/l	100	--	1
C19-C36 Aliphatics	ND		ug/l	100	--	1
C11-C22 Aromatics	173		ug/l	100	--	1
C11-C22 Aromatics, Adjusted	149		ug/l	100	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	56		40-140
o-Terphenyl	99		40-140
2-Fluorobiphenyl	103		40-140
2-Bromonaphthalene	103		40-140

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-07
 Client ID: DUP-1
 Sample Location: CAMBRIDGE, MA
 Matrix: Water
 Analytical Method: 98,EPH-04-1.1
 Analytical Date: 08/21/17 09:07
 Analyst: NS

Date Collected: 08/17/17 00:00
 Date Received: 08/17/17
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 08/19/17 08:10
 Cleanup Method1: EPH-04-1
 Cleanup Date1: 08/19/17

Quality Control Information

Condition of sample received: Satisfactory
 Aqueous Preservative: Laboratory Provided Preserved Container
 Sample Temperature upon receipt: Received on Ice
 Sample Extraction method: Extracted Per the Method

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Extractable Petroleum Hydrocarbons - Westborough Lab

C9-C18 Aliphatics	ND		ug/l	100	--	1
C19-C36 Aliphatics	ND		ug/l	100	--	1
C11-C22 Aromatics	109		ug/l	100	--	1
C11-C22 Aromatics, Adjusted	109		ug/l	100	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	65		40-140
o-Terphenyl	83		40-140
2-Fluorobiphenyl	82		40-140
2-Bromonaphthalene	82		40-140

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 98,EPH-04-1.1
Analytical Date: 08/20/17 11:14
Analyst: SR

Extraction Method: EPA 3510C
Extraction Date: 08/18/17 08:23
Cleanup Method: EPH-04-1
Cleanup Date: 08/18/17

Parameter	Result	Qualifier	Units	RL	MDL
Extractable Petroleum Hydrocarbons - Westborough Lab for sample(s): 01-07 Batch: WG1033197-1					
C9-C18 Aliphatics	ND		ug/l	100	--
C19-C36 Aliphatics	ND		ug/l	100	--
C11-C22 Aromatics	ND		ug/l	100	--
C11-C22 Aromatics, Adjusted	ND		ug/l	100	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	59		40-140
o-Terphenyl	66		40-140
2-Fluorobiphenyl	59		40-140
2-Bromonaphthalene	58		40-140

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

Parameter	LCS %Recovery	Qual	LCS %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Extractable Petroleum Hydrocarbons - Westborough Lab Associated sample(s): 01-07 Batch: WG1033197-2 WG1033197-3								
C9-C18 Aliphatics	71		67		40-140	6		25
C19-C36 Aliphatics	83		78		40-140	6		25
C11-C22 Aromatics	76		76		40-140	0		25
Naphthalene	55		54		40-140	2		25
2-Methylnaphthalene	59		59		40-140	0		25
Acenaphthylene	67		66		40-140	2		25
Acenaphthene	67		66		40-140	2		25
Fluorene	71		69		40-140	3		25
Phenanthrene	74		73		40-140	1		25
Anthracene	76		74		40-140	3		25
Fluoranthene	79		78		40-140	1		25
Pyrene	80		79		40-140	1		25
Benzo(a)anthracene	78		77		40-140	1		25
Chrysene	79		79		40-140	0		25
Benzo(b)fluoranthene	82		80		40-140	2		25
Benzo(k)fluoranthene	78		78		40-140	0		25
Benzo(a)pyrene	77		76		40-140	1		25
Indeno(1,2,3-cd)Pyrene	80		77		40-140	4		25
Dibenzo(a,h)anthracene	70		70		40-140	0		25
Benzo(ghi)perylene	71		71		40-140	0		25
Nonane (C9)	57		52		30-140	9		25
Decane (C10)	65		60		40-140	8		25
Dodecane (C12)	69		65		40-140	6		25

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1728873

Report Date: 08/28/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	RPD	
	%Recovery	Qual	%Recovery	Qual			Qual	Limits
Extractable Petroleum Hydrocarbons - Westborough Lab Associated sample(s): 01-07 Batch: WG1033197-2 WG1033197-3								
Tetradecane (C14)	71		67		40-140	6		25
Hexadecane (C16)	75		71		40-140	5		25
Octadecane (C18)	80		75		40-140	6		25
Nonadecane (C19)	80		75		40-140	6		25
Eicosane (C20)	81		76		40-140	6		25
Docosane (C22)	82		77		40-140	6		25
Tetracosane (C24)	83		77		40-140	8		25
Hexacosane (C26)	83		77		40-140	8		25
Octacosane (C28)	83		77		40-140	8		25
triacontane (C30)	82		77		40-140	6		25
Hexatriacontane (C36)	81		76		40-140	6		25

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
Chloro-Octadecane	68		65		40-140
o-Terphenyl	80		79		40-140
2-Fluorobiphenyl	67		65		40-140
2-Bromonaphthalene	65		63		40-140
% Naphthalene Breakthrough	0		0		
% 2-Methylnaphthalene Breakthrough	0		0		

PCBS

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-01
Client ID: MW-9D
Sample Location: CAMBRIDGE, MA

Matrix: Water
Analytical Method: 97,8082A
Analytical Date: 08/21/17 05:59
Analyst: JW

Date Collected: 08/16/17 15:30
Date Received: 08/17/17
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/19/17 16:14
Cleanup Method: EPA 3665A
Cleanup Date: 08/20/17
Cleanup Method: EPA 3660B
Cleanup Date: 08/20/17

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
MCP Polychlorinated Biphenyls - Westborough Lab							
Aroclor 1016	ND		ug/l	0.250	--	1	A
Aroclor 1221	ND		ug/l	0.250	--	1	A
Aroclor 1232	ND		ug/l	0.250	--	1	A
Aroclor 1242	ND		ug/l	0.250	--	1	A
Aroclor 1248	ND		ug/l	0.250	--	1	A
Aroclor 1254	ND		ug/l	0.250	--	1	A
Aroclor 1260	ND		ug/l	0.250	--	1	A
Aroclor 1262	ND		ug/l	0.250	--	1	A
Aroclor 1268	ND		ug/l	0.250	--	1	A
PCBs, Total	ND		ug/l	0.250	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	65		30-150	A
Decachlorobiphenyl	48		30-150	A
2,4,5,6-Tetrachloro-m-xylene	64		30-150	B
Decachlorobiphenyl	47		30-150	B

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-02
Client ID: MW-9S
Sample Location: CAMBRIDGE, MA

Matrix: Water
Analytical Method: 97,8082A
Analytical Date: 08/21/17 06:11
Analyst: JW

Date Collected: 08/16/17 15:20
Date Received: 08/17/17
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/19/17 16:14
Cleanup Method: EPA 3665A
Cleanup Date: 08/20/17
Cleanup Method: EPA 3660B
Cleanup Date: 08/20/17

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
MCP Polychlorinated Biphenyls - Westborough Lab							
Aroclor 1016	ND		ug/l	0.250	--	1	A
Aroclor 1221	ND		ug/l	0.250	--	1	A
Aroclor 1232	ND		ug/l	0.250	--	1	A
Aroclor 1242	ND		ug/l	0.250	--	1	A
Aroclor 1248	ND		ug/l	0.250	--	1	A
Aroclor 1254	ND		ug/l	0.250	--	1	A
Aroclor 1260	ND		ug/l	0.250	--	1	A
Aroclor 1262	ND		ug/l	0.250	--	1	A
Aroclor 1268	ND		ug/l	0.250	--	1	A
PCBs, Total	ND		ug/l	0.250	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	68		30-150	A
Decachlorobiphenyl	48		30-150	A
2,4,5,6-Tetrachloro-m-xylene	65		30-150	B
Decachlorobiphenyl	53		30-150	B

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-03
Client ID: MW-3S
Sample Location: CAMBRIDGE, MA

Matrix: Water
Analytical Method: 97,8082A
Analytical Date: 08/21/17 06:23
Analyst: JW

Date Collected: 08/17/17 09:20
Date Received: 08/17/17
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/19/17 16:14
Cleanup Method: EPA 3665A
Cleanup Date: 08/20/17
Cleanup Method: EPA 3660B
Cleanup Date: 08/20/17

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
MCP Polychlorinated Biphenyls - Westborough Lab							
Aroclor 1016	ND		ug/l	0.250	--	1	A
Aroclor 1221	ND		ug/l	0.250	--	1	A
Aroclor 1232	ND		ug/l	0.250	--	1	A
Aroclor 1242	ND		ug/l	0.250	--	1	A
Aroclor 1248	ND		ug/l	0.250	--	1	A
Aroclor 1254	ND		ug/l	0.250	--	1	A
Aroclor 1260	ND		ug/l	0.250	--	1	A
Aroclor 1262	ND		ug/l	0.250	--	1	A
Aroclor 1268	ND		ug/l	0.250	--	1	A
PCBs, Total	ND		ug/l	0.250	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	73		30-150	A
Decachlorobiphenyl	52		30-150	A
2,4,5,6-Tetrachloro-m-xylene	64		30-150	B
Decachlorobiphenyl	56		30-150	B

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-04
Client ID: MW-3D
Sample Location: CAMBRIDGE, MA

Matrix: Water
Analytical Method: 97,8082A
Analytical Date: 08/21/17 06:35
Analyst: JW

Date Collected: 08/17/17 09:00
Date Received: 08/17/17
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/19/17 16:14
Cleanup Method: EPA 3665A
Cleanup Date: 08/20/17
Cleanup Method: EPA 3660B
Cleanup Date: 08/20/17

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
MCP Polychlorinated Biphenyls - Westborough Lab							
Aroclor 1016	ND		ug/l	0.250	--	1	A
Aroclor 1221	ND		ug/l	0.250	--	1	A
Aroclor 1232	ND		ug/l	0.250	--	1	A
Aroclor 1242	ND		ug/l	0.250	--	1	A
Aroclor 1248	ND		ug/l	0.250	--	1	A
Aroclor 1254	ND		ug/l	0.250	--	1	A
Aroclor 1260	ND		ug/l	0.250	--	1	A
Aroclor 1262	ND		ug/l	0.250	--	1	A
Aroclor 1268	ND		ug/l	0.250	--	1	A
PCBs, Total	ND		ug/l	0.250	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	69		30-150	A
Decachlorobiphenyl	56		30-150	A
2,4,5,6-Tetrachloro-m-xylene	68		30-150	B
Decachlorobiphenyl	50		30-150	B

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-05
Client ID: MW-4D
Sample Location: CAMBRIDGE, MA

Matrix: Water
Analytical Method: 97,8082A
Analytical Date: 08/21/17 06:48
Analyst: JW

Date Collected: 08/17/17 13:30
Date Received: 08/17/17
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/19/17 16:14
Cleanup Method: EPA 3665A
Cleanup Date: 08/20/17
Cleanup Method: EPA 3660B
Cleanup Date: 08/20/17

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
MCP Polychlorinated Biphenyls - Westborough Lab							
Aroclor 1016	ND		ug/l	0.250	--	1	A
Aroclor 1221	ND		ug/l	0.250	--	1	A
Aroclor 1232	ND		ug/l	0.250	--	1	A
Aroclor 1242	ND		ug/l	0.250	--	1	A
Aroclor 1248	ND		ug/l	0.250	--	1	A
Aroclor 1254	ND		ug/l	0.250	--	1	A
Aroclor 1260	ND		ug/l	0.250	--	1	A
Aroclor 1262	ND		ug/l	0.250	--	1	A
Aroclor 1268	ND		ug/l	0.250	--	1	A
PCBs, Total	ND		ug/l	0.250	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	76		30-150	A
Decachlorobiphenyl	32		30-150	A
2,4,5,6-Tetrachloro-m-xylene	66		30-150	B
Decachlorobiphenyl	33		30-150	B

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-06
Client ID: MW-4S
Sample Location: CAMBRIDGE, MA

Matrix: Water
Analytical Method: 97,8082A
Analytical Date: 08/21/17 07:00
Analyst: JW

Date Collected: 08/17/17 13:10
Date Received: 08/17/17
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/19/17 16:14
Cleanup Method: EPA 3665A
Cleanup Date: 08/20/17
Cleanup Method: EPA 3660B
Cleanup Date: 08/20/17

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
MCP Polychlorinated Biphenyls - Westborough Lab							
Aroclor 1016	ND		ug/l	0.250	--	1	A
Aroclor 1221	ND		ug/l	0.250	--	1	A
Aroclor 1232	ND		ug/l	0.250	--	1	A
Aroclor 1242	ND		ug/l	0.250	--	1	A
Aroclor 1248	ND		ug/l	0.250	--	1	A
Aroclor 1254	ND		ug/l	0.250	--	1	A
Aroclor 1260	ND		ug/l	0.250	--	1	A
Aroclor 1262	ND		ug/l	0.250	--	1	A
Aroclor 1268	ND		ug/l	0.250	--	1	A
PCBs, Total	ND		ug/l	0.250	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	80		30-150	A
Decachlorobiphenyl	50		30-150	A
2,4,5,6-Tetrachloro-m-xylene	66		30-150	B
Decachlorobiphenyl	43		30-150	B

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-07
Client ID: DUP-1
Sample Location: CAMBRIDGE, MA

Matrix: Water
Analytical Method: 97,8082A
Analytical Date: 08/21/17 07:13
Analyst: JW

Date Collected: 08/17/17 00:00
Date Received: 08/17/17
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/19/17 16:14
Cleanup Method: EPA 3665A
Cleanup Date: 08/20/17
Cleanup Method: EPA 3660B
Cleanup Date: 08/20/17

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
MCP Polychlorinated Biphenyls - Westborough Lab							
Aroclor 1016	ND		ug/l	0.250	--	1	A
Aroclor 1221	ND		ug/l	0.250	--	1	A
Aroclor 1232	ND		ug/l	0.250	--	1	A
Aroclor 1242	ND		ug/l	0.250	--	1	A
Aroclor 1248	ND		ug/l	0.250	--	1	A
Aroclor 1254	ND		ug/l	0.250	--	1	A
Aroclor 1260	ND		ug/l	0.250	--	1	A
Aroclor 1262	ND		ug/l	0.250	--	1	A
Aroclor 1268	ND		ug/l	0.250	--	1	A
PCBs, Total	ND		ug/l	0.250	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	73		30-150	A
Decachlorobiphenyl	31		30-150	A
2,4,5,6-Tetrachloro-m-xylene	63		30-150	B
Decachlorobiphenyl	28	Q	30-150	B

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8082A
Analytical Date: 08/21/17 09:16
Analyst: JW

Extraction Method: EPA 3510C
Extraction Date: 08/19/17 16:14
Cleanup Method: EPA 3665A
Cleanup Date: 08/20/17
Cleanup Method: EPA 3660B
Cleanup Date: 08/20/17

Parameter	Result	Qualifier	Units	RL	MDL	Column
MCP Polychlorinated Biphenyls - Westborough Lab for sample(s): 01-07 Batch: WG1033611-1						
Aroclor 1016	ND		ug/l	0.250	--	A
Aroclor 1221	ND		ug/l	0.250	--	A
Aroclor 1232	ND		ug/l	0.250	--	A
Aroclor 1242	ND		ug/l	0.250	--	A
Aroclor 1248	ND		ug/l	0.250	--	A
Aroclor 1254	ND		ug/l	0.250	--	A
Aroclor 1260	ND		ug/l	0.250	--	A
Aroclor 1262	ND		ug/l	0.250	--	A
Aroclor 1268	ND		ug/l	0.250	--	A
PCBs, Total	ND		ug/l	0.250	--	A

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	58		30-150	A
Decachlorobiphenyl	59		30-150	A
2,4,5,6-Tetrachloro-m-xylene	57		30-150	B
Decachlorobiphenyl	48		30-150	B

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1728873

Report Date: 08/28/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
MCP Polychlorinated Biphenyls - Westborough Lab Associated sample(s): 01-07 Batch: WG1033611-2 WG1033611-3									
Aroclor 1016	60		65		40-140	8		20	A
Aroclor 1260	72		77		40-140	8		20	A

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	60		65		30-150	A
Decachlorobiphenyl	76		91		30-150	A
2,4,5,6-Tetrachloro-m-xylene	59		64		30-150	B
Decachlorobiphenyl	61		70		30-150	B

METALS

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-01
Client ID: MW-9D
Sample Location: CAMBRIDGE, MA
Matrix: Water

Date Collected: 08/16/17 15:30
Date Received: 08/17/17
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
MCP Total Metals - Mansfield Lab											
Antimony, Total	ND		mg/l	0.0040	--	1	08/21/17 10:15	08/22/17 15:37	EPA 3005A	97,6020A	AM
Arsenic, Total	0.028		mg/l	0.005	--	1	08/21/17 10:15	08/22/17 10:56	EPA 3005A	97,6010C	PS
Barium, Total	0.070		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 10:56	EPA 3005A	97,6010C	PS
Beryllium, Total	ND		mg/l	0.0005	--	1	08/21/17 10:15	08/22/17 15:37	EPA 3005A	97,6020A	AM
Cadmium, Total	ND		mg/l	0.004	--	1	08/21/17 10:15	08/22/17 10:56	EPA 3005A	97,6010C	PS
Chromium, Total	ND		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 10:56	EPA 3005A	97,6010C	PS
Lead, Total	0.011		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 10:56	EPA 3005A	97,6010C	PS
Mercury, Total	ND		mg/l	0.0002	--	1	08/21/17 10:25	08/21/17 14:50	EPA 7470A	97,7470A	MG
Nickel, Total	ND		mg/l	0.025	--	1	08/21/17 10:15	08/22/17 10:56	EPA 3005A	97,6010C	PS
Selenium, Total	ND		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 10:56	EPA 3005A	97,6010C	PS
Silver, Total	ND		mg/l	0.007	--	1	08/21/17 10:15	08/22/17 10:56	EPA 3005A	97,6010C	PS
Thallium, Total	ND		mg/l	0.0005	--	1	08/21/17 10:15	08/22/17 15:37	EPA 3005A	97,6020A	AM
Vanadium, Total	ND		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 10:56	EPA 3005A	97,6010C	PS
Zinc, Total	ND		mg/l	0.050	--	1	08/21/17 10:15	08/22/17 10:56	EPA 3005A	97,6010C	PS



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-02
 Client ID: MW-9S
 Sample Location: CAMBRIDGE, MA
 Matrix: Water

Date Collected: 08/16/17 15:20
 Date Received: 08/17/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
MCP Total Metals - Mansfield Lab											
Antimony, Total	ND		mg/l	0.0040	--	1	08/21/17 10:15	08/22/17 15:41	EPA 3005A	97,6020A	AM
Arsenic, Total	0.006		mg/l	0.005	--	1	08/21/17 10:15	08/22/17 11:01	EPA 3005A	97,6010C	PS
Barium, Total	0.114		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:01	EPA 3005A	97,6010C	PS
Beryllium, Total	ND		mg/l	0.0005	--	1	08/21/17 10:15	08/22/17 15:41	EPA 3005A	97,6020A	AM
Cadmium, Total	ND		mg/l	0.004	--	1	08/21/17 10:15	08/22/17 11:01	EPA 3005A	97,6010C	PS
Chromium, Total	ND		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:01	EPA 3005A	97,6010C	PS
Lead, Total	0.026		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:01	EPA 3005A	97,6010C	PS
Mercury, Total	ND		mg/l	0.0002	--	1	08/21/17 10:25	08/21/17 14:51	EPA 7470A	97,7470A	MG
Nickel, Total	ND		mg/l	0.025	--	1	08/21/17 10:15	08/22/17 11:01	EPA 3005A	97,6010C	PS
Selenium, Total	ND		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:01	EPA 3005A	97,6010C	PS
Silver, Total	ND		mg/l	0.007	--	1	08/21/17 10:15	08/22/17 11:01	EPA 3005A	97,6010C	PS
Thallium, Total	ND		mg/l	0.0005	--	1	08/21/17 10:15	08/22/17 15:41	EPA 3005A	97,6020A	AM
Vanadium, Total	ND		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:01	EPA 3005A	97,6010C	PS
Zinc, Total	ND		mg/l	0.050	--	1	08/21/17 10:15	08/22/17 11:01	EPA 3005A	97,6010C	PS



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-03
 Client ID: MW-3S
 Sample Location: CAMBRIDGE, MA
 Matrix: Water

Date Collected: 08/17/17 09:20
 Date Received: 08/17/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
MCP Total Metals - Mansfield Lab											
Antimony, Total	ND		mg/l	0.0040	--	1	08/21/17 10:15	08/22/17 15:45	EPA 3005A	97,6020A	AM
Arsenic, Total	ND		mg/l	0.005	--	1	08/21/17 10:15	08/22/17 11:06	EPA 3005A	97,6010C	PS
Barium, Total	0.170		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:06	EPA 3005A	97,6010C	PS
Beryllium, Total	ND		mg/l	0.0005	--	1	08/21/17 10:15	08/22/17 15:45	EPA 3005A	97,6020A	AM
Cadmium, Total	ND		mg/l	0.004	--	1	08/21/17 10:15	08/22/17 11:06	EPA 3005A	97,6010C	PS
Chromium, Total	ND		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:06	EPA 3005A	97,6010C	PS
Lead, Total	ND		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:06	EPA 3005A	97,6010C	PS
Mercury, Total	ND		mg/l	0.0002	--	1	08/21/17 10:25	08/21/17 14:53	EPA 7470A	97,7470A	MG
Nickel, Total	ND		mg/l	0.025	--	1	08/21/17 10:15	08/22/17 11:06	EPA 3005A	97,6010C	PS
Selenium, Total	ND		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:06	EPA 3005A	97,6010C	PS
Silver, Total	ND		mg/l	0.007	--	1	08/21/17 10:15	08/22/17 11:06	EPA 3005A	97,6010C	PS
Thallium, Total	ND		mg/l	0.0005	--	1	08/21/17 10:15	08/22/17 15:45	EPA 3005A	97,6020A	AM
Vanadium, Total	ND		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:06	EPA 3005A	97,6010C	PS
Zinc, Total	ND		mg/l	0.050	--	1	08/21/17 10:15	08/22/17 11:06	EPA 3005A	97,6010C	PS



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-04
Client ID: MW-3D
Sample Location: CAMBRIDGE, MA
Matrix: Water

Date Collected: 08/17/17 09:00
Date Received: 08/17/17
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
MCP Total Metals - Mansfield Lab											
Antimony, Total	ND		mg/l	0.0040	--	1	08/21/17 10:15	08/22/17 15:49	EPA 3005A	97,6020A	AM
Arsenic, Total	0.008		mg/l	0.005	--	1	08/21/17 10:15	08/22/17 11:10	EPA 3005A	97,6010C	PS
Barium, Total	0.303		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:10	EPA 3005A	97,6010C	PS
Beryllium, Total	ND		mg/l	0.0005	--	1	08/21/17 10:15	08/22/17 15:49	EPA 3005A	97,6020A	AM
Cadmium, Total	ND		mg/l	0.004	--	1	08/21/17 10:15	08/22/17 11:10	EPA 3005A	97,6010C	PS
Chromium, Total	ND		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:10	EPA 3005A	97,6010C	PS
Lead, Total	0.067		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:10	EPA 3005A	97,6010C	PS
Mercury, Total	ND		mg/l	0.0002	--	1	08/21/17 10:25	08/21/17 14:59	EPA 7470A	97,7470A	MG
Nickel, Total	ND		mg/l	0.025	--	1	08/21/17 10:15	08/22/17 11:10	EPA 3005A	97,6010C	PS
Selenium, Total	ND		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:10	EPA 3005A	97,6010C	PS
Silver, Total	ND		mg/l	0.007	--	1	08/21/17 10:15	08/22/17 11:10	EPA 3005A	97,6010C	PS
Thallium, Total	ND		mg/l	0.0005	--	1	08/21/17 10:15	08/22/17 15:49	EPA 3005A	97,6020A	AM
Vanadium, Total	ND		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:10	EPA 3005A	97,6010C	PS
Zinc, Total	0.054		mg/l	0.050	--	1	08/21/17 10:15	08/22/17 11:10	EPA 3005A	97,6010C	PS



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-05
 Client ID: MW-4D
 Sample Location: CAMBRIDGE, MA
 Matrix: Water

Date Collected: 08/17/17 13:30
 Date Received: 08/17/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
MCP Total Metals - Mansfield Lab											
Antimony, Total	ND		mg/l	0.0040	--	1	08/21/17 10:15	08/22/17 15:53	EPA 3005A	97,6020A	AM
Arsenic, Total	0.006		mg/l	0.005	--	1	08/21/17 10:15	08/22/17 11:15	EPA 3005A	97,6010C	PS
Barium, Total	0.608		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:15	EPA 3005A	97,6010C	PS
Beryllium, Total	ND		mg/l	0.0005	--	1	08/21/17 10:15	08/22/17 15:53	EPA 3005A	97,6020A	AM
Cadmium, Total	ND		mg/l	0.004	--	1	08/21/17 10:15	08/22/17 11:15	EPA 3005A	97,6010C	PS
Chromium, Total	ND		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:15	EPA 3005A	97,6010C	PS
Lead, Total	0.031		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:15	EPA 3005A	97,6010C	PS
Mercury, Total	ND		mg/l	0.0002	--	1	08/21/17 10:25	08/21/17 15:01	EPA 7470A	97,7470A	MG
Nickel, Total	ND		mg/l	0.025	--	1	08/21/17 10:15	08/22/17 11:15	EPA 3005A	97,6010C	PS
Selenium, Total	ND		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:15	EPA 3005A	97,6010C	PS
Silver, Total	ND		mg/l	0.007	--	1	08/21/17 10:15	08/22/17 11:15	EPA 3005A	97,6010C	PS
Thallium, Total	ND		mg/l	0.0005	--	1	08/21/17 10:15	08/22/17 15:53	EPA 3005A	97,6020A	AM
Vanadium, Total	ND		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:15	EPA 3005A	97,6010C	PS
Zinc, Total	ND		mg/l	0.050	--	1	08/21/17 10:15	08/22/17 11:15	EPA 3005A	97,6010C	PS



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-06
 Client ID: MW-4S
 Sample Location: CAMBRIDGE, MA
 Matrix: Water

Date Collected: 08/17/17 13:10
 Date Received: 08/17/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
MCP Total Metals - Mansfield Lab											
Antimony, Total	ND		mg/l	0.0040	--	1	08/21/17 10:15	08/22/17 15:57	EPA 3005A	97,6020A	AM
Arsenic, Total	0.009		mg/l	0.005	--	1	08/21/17 10:15	08/22/17 11:19	EPA 3005A	97,6010C	PS
Barium, Total	0.716		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:19	EPA 3005A	97,6010C	PS
Beryllium, Total	ND		mg/l	0.0005	--	1	08/21/17 10:15	08/22/17 15:57	EPA 3005A	97,6020A	AM
Cadmium, Total	ND		mg/l	0.004	--	1	08/21/17 10:15	08/22/17 11:19	EPA 3005A	97,6010C	PS
Chromium, Total	ND		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:19	EPA 3005A	97,6010C	PS
Lead, Total	ND		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:19	EPA 3005A	97,6010C	PS
Mercury, Total	ND		mg/l	0.0002	--	1	08/21/17 10:25	08/21/17 15:02	EPA 7470A	97,7470A	MG
Nickel, Total	ND		mg/l	0.025	--	1	08/21/17 10:15	08/22/17 11:19	EPA 3005A	97,6010C	PS
Selenium, Total	ND		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:19	EPA 3005A	97,6010C	PS
Silver, Total	ND		mg/l	0.007	--	1	08/21/17 10:15	08/22/17 11:19	EPA 3005A	97,6010C	PS
Thallium, Total	ND		mg/l	0.0005	--	1	08/21/17 10:15	08/22/17 15:57	EPA 3005A	97,6020A	AM
Vanadium, Total	ND		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:19	EPA 3005A	97,6010C	PS
Zinc, Total	ND		mg/l	0.050	--	1	08/21/17 10:15	08/22/17 11:19	EPA 3005A	97,6010C	PS



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

SAMPLE RESULTS

Lab ID: L1728873-07
 Client ID: DUP-1
 Sample Location: CAMBRIDGE, MA
 Matrix: Water

Date Collected: 08/17/17 00:00
 Date Received: 08/17/17
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
MCP Total Metals - Mansfield Lab											
Antimony, Total	ND		mg/l	0.0040	--	1	08/21/17 10:15	08/22/17 16:01	EPA 3005A	97,6020A	AM
Arsenic, Total	0.006		mg/l	0.005	--	1	08/21/17 10:15	08/22/17 11:24	EPA 3005A	97,6010C	PS
Barium, Total	0.600		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:24	EPA 3005A	97,6010C	PS
Beryllium, Total	ND		mg/l	0.0005	--	1	08/21/17 10:15	08/22/17 16:01	EPA 3005A	97,6020A	AM
Cadmium, Total	ND		mg/l	0.004	--	1	08/21/17 10:15	08/22/17 11:24	EPA 3005A	97,6010C	PS
Chromium, Total	ND		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:24	EPA 3005A	97,6010C	PS
Lead, Total	0.029		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:24	EPA 3005A	97,6010C	PS
Mercury, Total	ND		mg/l	0.0002	--	1	08/21/17 10:25	08/21/17 15:04	EPA 7470A	97,7470A	MG
Nickel, Total	ND		mg/l	0.025	--	1	08/21/17 10:15	08/22/17 11:24	EPA 3005A	97,6010C	PS
Selenium, Total	ND		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:24	EPA 3005A	97,6010C	PS
Silver, Total	ND		mg/l	0.007	--	1	08/21/17 10:15	08/22/17 11:24	EPA 3005A	97,6010C	PS
Thallium, Total	ND		mg/l	0.0005	--	1	08/21/17 10:15	08/22/17 16:01	EPA 3005A	97,6020A	AM
Vanadium, Total	ND		mg/l	0.010	--	1	08/21/17 10:15	08/22/17 11:24	EPA 3005A	97,6010C	PS
Zinc, Total	ND		mg/l	0.050	--	1	08/21/17 10:15	08/22/17 11:24	EPA 3005A	97,6010C	PS



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
MCP Total Metals - Mansfield Lab for sample(s): 01-07 Batch: WG1033815-1									
Mercury, Total	ND	mg/l	0.0002	--	1	08/21/17 10:25	08/21/17 14:44	97,7470A	MG

Prep Information

Digestion Method: EPA 7470A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
MCP Total Metals - Mansfield Lab for sample(s): 01-07 Batch: WG1033821-1									
Arsenic, Total	ND	mg/l	0.005	--	1	08/21/17 10:15	08/22/17 10:43	97,6010C	PS
Barium, Total	ND	mg/l	0.010	--	1	08/21/17 10:15	08/22/17 10:43	97,6010C	PS
Cadmium, Total	ND	mg/l	0.004	--	1	08/21/17 10:15	08/22/17 10:43	97,6010C	PS
Chromium, Total	ND	mg/l	0.010	--	1	08/21/17 10:15	08/22/17 10:43	97,6010C	PS
Lead, Total	ND	mg/l	0.010	--	1	08/21/17 10:15	08/22/17 10:43	97,6010C	PS
Nickel, Total	ND	mg/l	0.025	--	1	08/21/17 10:15	08/22/17 10:43	97,6010C	PS
Selenium, Total	ND	mg/l	0.010	--	1	08/21/17 10:15	08/22/17 10:43	97,6010C	PS
Silver, Total	ND	mg/l	0.007	--	1	08/21/17 10:15	08/22/17 10:43	97,6010C	PS
Vanadium, Total	ND	mg/l	0.010	--	1	08/21/17 10:15	08/22/17 10:43	97,6010C	PS
Zinc, Total	ND	mg/l	0.050	--	1	08/21/17 10:15	08/22/17 10:43	97,6010C	PS

Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
MCP Total Metals - Mansfield Lab for sample(s): 01-07 Batch: WG1033822-1									
Antimony, Total	ND	mg/l	0.0040	--	1	08/21/17 10:15	08/22/17 15:25	97,6020A	AM
Beryllium, Total	ND	mg/l	0.0005	--	1	08/21/17 10:15	08/22/17 15:25	97,6020A	AM
Thallium, Total	ND	mg/l	0.0005	--	1	08/21/17 10:15	08/22/17 15:25	97,6020A	AM



Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

Method Blank Analysis Batch Quality Control

Prep Information

Digestion Method: EPA 3005A

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1728873

Report Date: 08/28/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
MCP Total Metals - Mansfield Lab Associated sample(s): 01-07 Batch: WG1033815-2 WG1033815-3								
Mercury, Total	92		86		80-120	7		20
MCP Total Metals - Mansfield Lab Associated sample(s): 01-07 Batch: WG1033821-2 WG1033821-3								
Arsenic, Total	113		108		80-120	5		20
Barium, Total	108		106		80-120	2		20
Cadmium, Total	112		110		80-120	2		20
Chromium, Total	106		103		80-120	3		20
Lead, Total	104		102		80-120	2		20
Nickel, Total	107		105		80-120	2		20
Selenium, Total	112		110		80-120	2		20
Silver, Total	104		102		80-120	2		20
Vanadium, Total	108		105		80-120	3		20
Zinc, Total	110		108		80-120	2		20
MCP Total Metals - Mansfield Lab Associated sample(s): 01-07 Batch: WG1033822-2 WG1033822-3								
Antimony, Total	100		102		80-120	2		20
Beryllium, Total	102		102		80-120	0		20
Thallium, Total	95		94		80-120	1		20

Project Name: TOBIN SCHOOL**Lab Number:** L1728873**Project Number:** 0139-220813**Report Date:** 08/28/17**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
A	Absent
B	Absent
C	Absent
D	Absent
E	Absent
F	Absent
G	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1728873-01A	Vial HCl preserved	D	NA		3.5	Y	Absent		MCP-8260-10(14)
L1728873-01B	Vial HCl preserved	D	NA		3.5	Y	Absent		MCP-8260-10(14)
L1728873-01C	Vial HCl preserved	D	NA		3.5	Y	Absent		MCP-8260-10(14)
L1728873-01D	Plastic 250ml HNO3 preserved	D	<2	<2	3.5	Y	Absent		MCP-CR-6010T-10(180),MCP-BE-6020T-10(180),MCP-7470T-10(28),MCP-AS-6010T-10(180),MCP-TL-6020T-10(180),MCP-CD-6010T-10(180),MCP-AG-6010T-10(180),MCP-ZN-6010T-10(180),MCP-SE-6010T-10(180),MCP-BA-6010T-10(180),MCP-SB-6020T-10(180),MCP-V-6010T-10(180),MCP-NI-6010T-10(180),MCP-PB-6010T-10(180)
L1728873-01E	Amber 500ml unpreserved	D	7	7	3.5	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1728873-01F	Amber 500ml unpreserved	D	7	7	3.5	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1728873-01G	Amber 1000ml unpreserved	D	7	7	3.5	Y	Absent		MCP-8082-10(365)
L1728873-01H	Amber 1000ml unpreserved	D	7	7	3.5	Y	Absent		MCP-8082-10(365)
L1728873-01I	Amber 1000ml unpreserved	D	7	7	3.5	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1728873-01J	Amber 1000ml unpreserved	D	7	7	3.5	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1728873-01K	Amber 1000ml HCl preserved	D	<2	<2	3.5	Y	Absent		EPH-10(14)
L1728873-01L	Amber 1000ml HCl preserved	D	<2	<2	3.5	Y	Absent		EPH-10(14)
L1728873-02A	Vial HCl preserved	G	NA		3.2	Y	Absent		MCP-8260-10(14)

Project Name: TOBIN SCHOOL

Lab Number: L1728873

Project Number: 0139-220813

Report Date: 08/28/17

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1728873-02B	Vial HCl preserved	G	NA		3.2	Y	Absent		MCP-8260-10(14)
L1728873-02C	Vial HCl preserved	G	NA		3.2	Y	Absent		MCP-8260-10(14)
L1728873-02D	Plastic 250ml HNO3 preserved	G	<2	<2	3.2	Y	Absent		MCP-CR-6010T-10(180),MCP-BE-6020T-10(180),MCP-7470T-10(28),MCP-AS-6010T-10(180),MCP-TL-6020T-10(180),MCP-CD-6010T-10(180),MCP-AG-6010T-10(180),MCP-ZN-6010T-10(180),MCP-SE-6010T-10(180),MCP-BA-6010T-10(180),MCP-SB-6020T-10(180),MCP-V-6010T-10(180),MCP-NI-6010T-10(180),MCP-PB-6010T-10(180)
L1728873-02E	Amber 500ml unpreserved	G	7	7	3.2	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1728873-02F	Amber 500ml unpreserved	G	7	7	3.2	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1728873-02G	Amber 1000ml unpreserved	G	7	7	3.2	Y	Absent		MCP-8082-10(365)
L1728873-02H	Amber 1000ml unpreserved	G	7	7	3.2	Y	Absent		MCP-8082-10(365)
L1728873-02I	Amber 1000ml unpreserved	G	7	7	3.2	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1728873-02J	Amber 1000ml unpreserved	G	7	7	3.2	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1728873-02K	Amber 1000ml HCl preserved	G	<2	<2	3.2	Y	Absent		EPH-10(14)
L1728873-02L	Amber 1000ml HCl preserved	G	<2	<2	3.2	Y	Absent		EPH-10(14)
L1728873-03A	Vial HCl preserved	A	NA		4.2	Y	Absent		MCP-8260-10(14)
L1728873-03B	Vial HCl preserved	A	NA		4.2	Y	Absent		MCP-8260-10(14)
L1728873-03C	Vial HCl preserved	A	NA		4.2	Y	Absent		MCP-8260-10(14)
L1728873-03D	Plastic 250ml HNO3 preserved	A	<2	<2	4.2	Y	Absent		MCP-CR-6010T-10(180),MCP-BE-6020T-10(180),MCP-7470T-10(28),MCP-AS-6010T-10(180),MCP-TL-6020T-10(180),MCP-CD-6010T-10(180),MCP-AG-6010T-10(180),MCP-ZN-6010T-10(180),MCP-SE-6010T-10(180),MCP-BA-6010T-10(180),MCP-SB-6020T-10(180),MCP-V-6010T-10(180),MCP-NI-6010T-10(180),MCP-PB-6010T-10(180)
L1728873-03E	Amber 500ml unpreserved	A	7	7	4.2	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1728873-03F	Amber 500ml unpreserved	A	7	7	4.2	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1728873-03G	Amber 1000ml unpreserved	A	7	7	4.2	Y	Absent		MCP-8082-10(365)
L1728873-03H	Amber 1000ml unpreserved	A	7	7	4.2	Y	Absent		MCP-8082-10(365)
L1728873-03I	Amber 1000ml unpreserved	A	7	7	4.2	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1728873-03J	Amber 1000ml unpreserved	A	7	7	4.2	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Serial_No:08281718:26
Lab Number: L1728873
Report Date: 08/28/17

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1728873-03K	Amber 1000ml HCl preserved	A	<2	<2	4.2	Y	Absent		EPH-10(14)
L1728873-03L	Amber 1000ml HCl preserved	A	<2	<2	4.2	Y	Absent		EPH-10(14)
L1728873-04A	Vial HCl preserved	C	NA		4.2	Y	Absent		MCP-8260-10(14)
L1728873-04B	Vial HCl preserved	C	NA		4.2	Y	Absent		MCP-8260-10(14)
L1728873-04C	Vial HCl preserved	C	NA		4.2	Y	Absent		MCP-8260-10(14)
L1728873-04D	Plastic 250ml HNO3 preserved	C	<2	<2	4.2	Y	Absent		MCP-CR-6010T-10(180),MCP-BE-6020T-10(180),MCP-7470T-10(28),MCP-AS-6010T-10(180),MCP-TL-6020T-10(180),MCP-CD-6010T-10(180),MCP-AG-6010T-10(180),MCP-ZN-6010T-10(180),MCP-SE-6010T-10(180),MCP-BA-6010T-10(180),MCP-SB-6020T-10(180),MCP-V-6010T-10(180),MCP-NI-6010T-10(180),MCP-PB-6010T-10(180)
L1728873-04E	Amber 500ml unpreserved	C	7	7	4.2	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1728873-04F	Amber 500ml unpreserved	C	7	7	4.2	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1728873-04G	Amber 1000ml unpreserved	C	7	7	4.2	Y	Absent		MCP-8082-10(365)
L1728873-04H	Amber 1000ml unpreserved	C	7	7	4.2	Y	Absent		MCP-8082-10(365)
L1728873-04I	Amber 1000ml unpreserved	C	7	7	4.2	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1728873-04J	Amber 1000ml unpreserved	C	7	7	4.2	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1728873-04K	Amber 1000ml HCl preserved	C	<2	<2	4.2	Y	Absent		EPH-10(14)
L1728873-04L	Amber 1000ml HCl preserved	C	<2	<2	4.2	Y	Absent		EPH-10(14)
L1728873-05A	Vial HCl preserved	B	NA		2.0	Y	Absent		MCP-8260-10(14)
L1728873-05B	Vial HCl preserved	B	NA		2.0	Y	Absent		MCP-8260-10(14)
L1728873-05C	Vial HCl preserved	B	NA		2.0	Y	Absent		MCP-8260-10(14)
L1728873-05D	Plastic 250ml HNO3 preserved	B	<2	<2	2.0	Y	Absent		MCP-CR-6010T-10(180),MCP-BE-6020T-10(180),MCP-7470T-10(28),MCP-AS-6010T-10(180),MCP-TL-6020T-10(180),MCP-CD-6010T-10(180),MCP-AG-6010T-10(180),MCP-ZN-6010T-10(180),MCP-SE-6010T-10(180),MCP-BA-6010T-10(180),MCP-SB-6020T-10(180),MCP-V-6010T-10(180),MCP-NI-6010T-10(180),MCP-PB-6010T-10(180)
L1728873-05E	Amber 500ml unpreserved	B	7	7	2.0	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1728873-05F	Amber 500ml unpreserved	B	7	7	2.0	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1728873-05G	Amber 1000ml unpreserved	B	7	7	2.0	Y	Absent		MCP-8082-10(365)

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Serial_No:08281718:26
Lab Number: L1728873
Report Date: 08/28/17

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1728873-05H	Amber 1000ml unpreserved	B	7	7	2.0	Y	Absent		MCP-8082-10(365)
L1728873-05I	Amber 1000ml unpreserved	B	7	7	2.0	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1728873-05J	Amber 1000ml unpreserved	B	7	7	2.0	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1728873-05K	Amber 1000ml HCl preserved	B	<2	<2	2.0	Y	Absent		EPH-10(14)
L1728873-05L	Amber 1000ml HCl preserved	B	<2	<2	2.0	Y	Absent		EPH-10(14)
L1728873-06A	Vial HCl preserved	F	NA		5.0	Y	Absent		MCP-8260-10(14)
L1728873-06B	Vial HCl preserved	F	NA		5.0	Y	Absent		MCP-8260-10(14)
L1728873-06C	Vial HCl preserved	F	NA		5.0	Y	Absent		MCP-8260-10(14)
L1728873-06D	Plastic 250ml HNO3 preserved	F	<2	<2	5.0	Y	Absent		MCP-CR-6010T-10(180),MCP-BE-6020T-10(180),MCP-7470T-10(28),MCP-AS-6010T-10(180),MCP-TL-6020T-10(180),MCP-CD-6010T-10(180),MCP-AG-6010T-10(180),MCP-ZN-6010T-10(180),MCP-SE-6010T-10(180),MCP-BA-6010T-10(180),MCP-SB-6020T-10(180),MCP-V-6010T-10(180),MCP-NI-6010T-10(180),MCP-PB-6010T-10(180)
L1728873-06E	Amber 500ml unpreserved	F	7	7	5.0	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1728873-06F	Amber 500ml unpreserved	F	7	7	5.0	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1728873-06G	Amber 1000ml unpreserved	F	7	7	5.0	Y	Absent		MCP-8082-10(365)
L1728873-06H	Amber 1000ml unpreserved	F	7	7	5.0	Y	Absent		MCP-8082-10(365)
L1728873-06I	Amber 1000ml unpreserved	F	7	7	5.0	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1728873-06J	Amber 1000ml unpreserved	F	7	7	5.0	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1728873-06K	Amber 1000ml HCl preserved	F	<2	<2	5.0	Y	Absent		EPH-10(14)
L1728873-06L	Amber 1000ml HCl preserved	F	<2	<2	5.0	Y	Absent		EPH-10(14)
L1728873-07A	Vial HCl preserved	E	NA		3.4	Y	Absent		MCP-8260-10(14)
L1728873-07B	Vial HCl preserved	E	NA		3.4	Y	Absent		MCP-8260-10(14)
L1728873-07C	Vial HCl preserved	E	NA		3.4	Y	Absent		MCP-8260-10(14)
L1728873-07D	Plastic 250ml HNO3 preserved	E	<2	<2	3.4	Y	Absent		MCP-CR-6010T-10(180),MCP-BE-6020T-10(180),MCP-7470T-10(28),MCP-AS-6010T-10(180),MCP-TL-6020T-10(180),MCP-CD-6010T-10(180),MCP-AG-6010T-10(180),MCP-ZN-6010T-10(180),MCP-SE-6010T-10(180),MCP-BA-6010T-10(180),MCP-SB-6020T-10(180),MCP-V-6010T-10(180),MCP-NI-6010T-10(180),MCP-PB-6010T-10(180)

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Serial_No:08281718:26
Lab Number: L1728873
Report Date: 08/28/17

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1728873-07E	Amber 500ml unpreserved	E	7	7	3.4	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1728873-07F	Amber 500ml unpreserved	E	7	7	3.4	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1728873-07G	Amber 1000ml unpreserved	E	7	7	3.4	Y	Absent		MCP-8082-10(365)
L1728873-07H	Amber 1000ml unpreserved	E	7	7	3.4	Y	Absent		MCP-8082-10(365)
L1728873-07I	Amber 1000ml unpreserved	E	7	7	3.4	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1728873-07J	Amber 1000ml unpreserved	E	7	7	3.4	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1728873-07K	Amber 1000ml HCl preserved	E	<2	<2	3.4	Y	Absent		EPH-10(14)
L1728873-07L	Amber 1000ml HCl preserved	E	<2	<2	3.4	Y	Absent		EPH-10(14)
L1728873-08A	Vial HCl preserved	E	NA		3.4	Y	Absent		MCP-8260-10(14)
L1728873-08B	Vial HCl preserved	E	NA		3.4	Y	Absent		MCP-8260-10(14)

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

GLOSSARY

Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related

Report Format: Data Usability Report



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

Data Qualifiers

projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND** - Not detected at the reporting limit (RL) for the sample.

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1728873
Report Date: 08/28/17

REFERENCES

- 97 EPA Test Methods (SW-846) with QC Requirements & Performance Standards for the Analysis of EPA SW-846 Methods under the Massachusetts Contingency Plan, WSC-CAM-IIA, IIB, IIIA, IIIB, IIIC, IIID, VA, VB, VC, VIA, VIB, VIIIA and VIIIB, July 2010.
- 98 Method for the Determination of Extractable Petroleum Hydrocarbons (EPH), MassDEP, May 2004, Revision 1.1 with QC Requirements & Performance Standards for the Analysis of EPH under the Massachusetts Contingency Plan, WSC-CAM-IVB, July 2010.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624: m/p-xylene, o-xylene

EPA 8260C: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D: NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

EPA 300: DW: Bromide

EPA 6860: NPW and SCM: Perchlorate

EPA 9010: NPW and SCM: Amenable Cyanide Distillation

EPA 9012B: NPW: Total Cyanide

EPA 9050A: NPW: Specific Conductance

SM3500: NPW: Ferrous Iron

SM4500: NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO₂, NO₃.

SM5310C: DW: Dissolved Organic Carbon

Mansfield Facility

SM 2540D: TSS

EPA 3005A NPW

EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, EPA 350.1: Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.**

EPA 624: Volatile Halocarbons & Aromatics,

EPA 608: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E.**

Mansfield Facility:

Drinking Water

EPA 200.7: Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1 Hg.**

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.



CHAIN OF CUSTODY

PAGE 1 OF 1

8 Walkup Drive
Westboro, MA 01581
Tel: 508-898-9220

320 Forbes Blvd
Mansfield, MA 02048
Tel: 508-822-9300

Date Rec'd In Lab: 8/17/17

ALPHA Job #: L1728873

Project Information

Project Name: Tobin School

Project Location: Cambridge, MA

Project #: 0139-220813

Project Manager: Jill Greene

ALPHA Quote #:

Turn-Around Time

Standard RUSH (only confirmed if pre-approved)

Date Due:

Report Information - Data Deliverables

ADEX EMAIL

Billing Information

Same as Client info PO #:

Client Information

Client: COM Smith

Address: 75 State St, Suite 701
Boston, MA 02109

Phone: 617-452-6221

Email: castagnary@com-smith.com

Additional Project Information:

- Must meet Massachusetts GW & Standards
- Met Presumptive Community Revenues

Regulatory Requirements & Project Information Requirements

Yes No MA MCP Analytical Methods Yes No CT RCP Analytical Methods
 Yes No Matrix Spike Required on this SDG? (Required for MCP Inorganics)
 Yes No GW1 Standards (Info Required for Metals & EPH with Targets)
 Yes No NPDES RGP
 Other State /Fed Program _____ Criteria

ANALYSIS	VOC: <input checked="" type="checkbox"/> 8260 <input type="checkbox"/> 624 <input type="checkbox"/> 524.2	METALS: <input type="checkbox"/> ABN <input type="checkbox"/> PAH	METALS: <input type="checkbox"/> MCP 13 <input checked="" type="checkbox"/> MCP 14 <input type="checkbox"/> RCP 15	EPH: <input type="checkbox"/> Ranges & Targets <input type="checkbox"/> RCRA8 <input type="checkbox"/> PP13	VPH: <input type="checkbox"/> Ranges & Targets <input type="checkbox"/> Ranges Only	PEST	TPH: <input type="checkbox"/> Quant Only <input type="checkbox"/> Fingerprint	14-Dioxane B170 D-S	SAMPLE INFO	TOTAL # BOTTLES
	SVOC: <input checked="" type="checkbox"/> ABN <input type="checkbox"/> PAH									

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler Initials	ANALYSIS										Sample Comments	TOTAL # BOTTLES		
		Date	Time			VOC	SVOC	METALS	METALS	EPH	VPH	PEST	TPH	14-Dioxane					
28873-01	MW-90	8/14/17	15:30	EW	FB	X	X	X	X	X	X	X	X	X	X	X	X		12
02	MW-95	8/16/17	15:30		MC	X	X	X	X	X	X	X	X	X	X	X	X		12
03	MW-35	8/17/17	09:20			X	X	X	X	X	X	X	X	X	X	X	X		12
04	MW-30		09:00			X	X	X	X	X	X	X	X	X	X	X	X		12
05	MW-40		13:30			X	X	X	X	X	X	X	X	X	X	X	X		12
06	MW-45		13:10			X	X	X	X	X	X	X	X	X	X	X	X		12
07	DUP-1		-			X	X	X	X	X	X	X	X	X	X	X	X		12
08	Trioblast		-		TB	X													1

Container Type
P= Plastic
A= Amber glass
V= Vial
G= Glass
B= Bacteria cup
C= Cube
O= Other
E= Encore
D= BOD Bottle

Preservative
A= None
B= HCl
C= HNO₃
D= H₂SO₄
E= NaOH
F= MeOH
G= NaHSO₄
H= Na₂S₂O₃
I= Ascorbic Acid
J= NH₄Cl
K= Zn Acetate
O= Other

Container Type	V	A	P	A	A	A			
Preservative	B	B	C	B	A	A			

Relinquished By: [Signature] Date/Time: 8/17/17 15:20

Received By: [Signature] Date/Time: 8/17/17 15:20

All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.
FORM NO. 01-01 (rev. 12-Mar-2012)

Method Blank Summary Form 4

Client	: CDM Smith, Inc.	Lab Number	: L1728873
Project Name	: TOBIN SCHOOL	Project Number	: 0139-220813
Lab Sample ID	: WG1034493-5	Lab File ID	: VJ170822N04
Instrument ID	: JACK		
Matrix	: WATER	Analysis Date	: 08/22/17 17:53

Client Sample No.	Lab Sample ID	Analysis Date
WG1034493-3LCS	WG1034493-3	08/22/17 16:22
WG1034493-4LCS	WG1034493-4	08/22/17 16:53
TRIP BLANK	L1728873-08	08/22/17 18:54
MW-9D	L1728873-01D	08/22/17 19:55
MW-9S	L1728873-02	08/22/17 20:26
MW-3S	L1728873-03	08/22/17 20:56
MW-3D	L1728873-04	08/22/17 21:26
MW-4D	L1728873-05	08/22/17 21:57
MW-4S	L1728873-06	08/22/17 22:27
DUP-1	L1728873-07	08/22/17 22:58

Continuing Calibration Form 7

Client : CDM Smith, Inc.
 Project Name : TOBIN SCHOOL
 Instrument ID : JACK
 Lab File ID : VJ170822N01
 Sample No : WG1034493-2
 Channel :

Lab Number : L1728873
 Project Number : 0139-220813
 Calibration Date : 08/22/17 16:22
 Init. Calib. Date(s) : 08/18/17 08/18/17
 Init. Calib. Times : 03:55 07:29

Compound	Ave. RRF	RRF	Min RRF	%D	Max %D	Area%	Dev(min)
Fluorobenzene	10	10	-	0	20	82	0
Dichlorodifluoromethane	0.529	0.591	-	-11.7	20	90	0
Chloromethane	0.89	1.045	-	-17.4	20	96	0
Vinyl chloride	0.776	0.935	-	-20.5*	20	96	0
Bromomethane	10	9.741	-	2.6	20	72	0
Chloroethane	10	11.75	-	-17.5	20	103	0
Trichlorofluoromethane	0.684	0.779	-	-13.9	20	91	-0.01
Ethyl ether	0.279	0.32	-	-14.7	20	94	-0.02
1,1-Dichloroethene	0.441	0.541	-	-22.7*	20	96	-0.02
Carbon disulfide	1.428	1.555	-	-8.9	20	94	-0.02
Methylene chloride	0.546	0.667	-	-22.2*	20	101	-0.02
Acetone	10	12.466	-	-24.7*	20	99	-0.03
trans-1,2-Dichloroethene	0.504	0.612	-	-21.4*	20	99	-0.02
Methyl tert-butyl ether	1.302	1.521	-	-16.8	20	92	-0.02
Diisopropyl ether	2.238	2.639	-	-17.9	20	96	-0.01
1,1-Dichloroethane	1.12	1.387	-	-23.8*	20	104	-0.02
Ethyl tert-butyl ether	1.709	2.002	-	-17.1	20	96	-0.02
cis-1,2-Dichloroethene	0.537	0.675	-	-25.7*	20	104	-0.01
2,2-Dichloropropane	0.845	1.016	-	-20.2*	20	97	-0.01
Bromochloromethane	0.21	0.248	-	-18.1	20	96	-0.01
Chloroform	0.93	1.156	-	-24.3*	20	99	-0.01
Carbon tetrachloride	0.584	0.666	-	-14	20	94	-0.02
Tetrahydrofuran	0.181	0.194	-	-7.2	20	91	0
Dibromofluoromethane	0.217	0.234	-	-7.8	20	87	0
1,1,1-Trichloroethane	0.794	0.908	-	-14.4	20	95	-0.02
2-Butanone	0.227	0.245	-	-7.9	20	85	0
1,1-Dichloropropene	0.852	1.007	-	-18.2	20	96	-0.02
Benzene	2.591	2.97	-	-14.6	20	98	-0.01
tert-Amyl methyl ether	1.41	1.598	-	-13.3	20	95	-0.01
1,2-Dichloroethane-d4	0.304	0.285	-	6.3	20	80	-0.01
1,2-Dichloroethane	0.695	0.826	-	-18.8	20	96	-0.01
Trichloroethene	0.582	0.67	-	-15.1	20	97	0
Dibromomethane	0.275	0.314	-	-14.2	20	92	0
1,2-Dichloropropane	0.677	0.795	-	-17.4	20	97	0
Bromodichloromethane	0.707	0.792	-	-12	20	93	0
1,4-Dioxane	0.00481	0.00487*	-	-1.2	20	90	0
cis-1,3-Dichloropropene	10	9.98	-	0.2	20	95	0
Chlorobenzene-d5	1	1	-	0	20	107	0
Toluene-d8	1.139	1.01	-	11.3	20	92	-0.02
Toluene	1.473	1.426	-	3.2	20	100	-0.01
4-Methyl-2-pentanone	0.165	0.145	-	12.1	20	93	-0.02
Tetrachloroethene	0.544	0.508	-	6.6	20	98	-0.02
trans-1,3-Dichloropropene	0.784	0.723	-	7.8	20	95	-0.02
1,1,2-Trichloroethane	0.387	0.356	-	8	20	92	-0.02
Chlorodibromomethane	0.418	0.367	-	12.2	20	94	0

* Value outside of QC limits.



Continuing Calibration Form 7

Client : CDM Smith, Inc.
 Project Name : TOBIN SCHOOL
 Instrument ID : JACK
 Lab File ID : VJ170822N01
 Sample No : WG1034493-2
 Channel :

Lab Number : L1728873
 Project Number : 0139-220813
 Calibration Date : 08/22/17 16:22
 Init. Calib. Date(s) : 08/18/17 08/18/17
 Init. Calib. Times : 03:55 07:29

Compound	Ave. RRF	RRF	Min RRF	%D	Max %D	Area%	Dev(min)
1,3-Dichloropropane	0.837	0.764	-	8.7	20	95	-.02
1,2-Dibromoethane	0.398	0.354	-	11.1	20	93	-.01
2-Hexanone	0.313	0.279	-	10.9	20	92	0
Chlorobenzene	1.594	1.512	-	5.1	20	101	0
Ethylbenzene	3.12	2.909	-	6.8	20	98	0
1,1,1,2-Tetrachloroethane	0.487	0.431	-	11.5	20	92	0
p/m Xylene	20	18.374	-	8.1	20	101	0
o Xylene	1.135	1.042	-	8.2	20	99	0
Styrene	1.958	1.853	-	5.4	20	100	0
1,4-Dichlorobenzene-d4	1	1	-	0	20	110	0
Bromoform	0.46	0.345	-	25*	20	89	-.01
Isopropylbenzene	5.333	4.841	-	9.2	20	101	-.01
4-Bromofluorobenzene	1.013	0.987	-	2.6	20	110	0
Bromobenzene	1.062	0.984	-	7.3	20	105	0
n-Propylbenzene	6.629	5.959	-	10.1	20	100	0
1,1,2,2-Tetrachloroethane	0.997	0.872	-	12.5	20	91	0
2-Chlorotoluene	4.298	3.902	-	9.2	20	102	0
1,3,5-Trimethylbenzene	4.169	3.765	-	9.7	20	100	0
1,2,3-Trichloropropane	0.853	0.742	-	13	20	92	0
4-Chlorotoluene	4.073	3.685	-	9.5	20	100	0
tert-Butylbenzene	3.374	3.057	-	9.4	20	100	0
1,2,4-Trimethylbenzene	4.218	3.9	-	7.5	20	102	0
sec-Butylbenzene	4.804	4.367	-	9.1	20	100	0
p-Isopropyltoluene	3.919	3.713	-	5.3	20	105	0
1,3-Dichlorobenzene	2.186	2.02	-	7.6	20	102	0
1,4-Dichlorobenzene	2.184	1.93	-	11.6	20	97	0
n-Butylbenzene	3.544	3.395	-	4.2	20	101	0
1,2-Dichlorobenzene	2.022	1.868	-	7.6	20	102	0
1,2-Dibromo-3-chloropropan	0.128	0.106	-	17.2	20	95	0
Hexachlorobutadiene	0.339	0.354	-	-4.4	20	106	0
1,2,4-Trichlorobenzene	10	9.468	-	5.3	20	103	0
Naphthalene	10	8.84	-	11.6	20	98	0
1,2,3-Trichlorobenzene	0.8	0.779	-	2.6	20	101	0

* Value outside of QC limits.





ANALYTICAL REPORT

Lab Number:	L1807193
Client:	CDM Smith, Inc. 75 State Street Suite 701 Boston, MA 02109
ATTN:	Nicholas Castonguay
Phone:	(617) 452-6721
Project Name:	TOBIN SCHOOL
Project Number:	0139-220813
Report Date:	03/09/18

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), NJ NELAP (MA935), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-14-00197).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L1807193-01	MW-3S	WATER	CAMBRIDGE, MA	03/01/18 10:05	03/01/18
L1807193-02	MW-3D	WATER	CAMBRIDGE, MA	03/01/18 10:15	03/01/18
L1807193-03	MW-4S	WATER	CAMBRIDGE, MA	03/01/18 12:15	03/01/18
L1807193-04	MW-4D	WATER	CAMBRIDGE, MA	03/01/18 11:45	03/01/18
L1807193-05	MW-7D	WATER	CAMBRIDGE, MA	03/01/18 13:40	03/01/18
L1807193-06	MW-7S	WATER	CAMBRIDGE, MA	03/01/18 13:40	03/01/18
L1807193-07	MW-9D	WATER	CAMBRIDGE, MA	03/01/18 14:55	03/01/18
L1807193-08	MW-9S	WATER	CAMBRIDGE, MA	03/01/18 15:00	03/01/18
L1807193-09	TRIP BLANK	WATER	CAMBRIDGE, MA	02/27/18 00:00	03/01/18

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

MADEP MCP Response Action Analytical Report Certification

This form provides certifications for all samples performed by MCP methods. Please refer to the Sample Results and Container Information sections of this report for specification of MCP methods used for each analysis. The following questions pertain only to MCP Analytical Methods.

An affirmative response to questions A through F is required for "Presumptive Certainty" status		
A	Were all samples received in a condition consistent with those described on the Chain-of-Custody, properly preserved (including temperature) in the field or laboratory, and prepared/analyzed within method holding times?	YES
B	Were the analytical method(s) and all associated QC requirements specified in the selected CAM protocol(s) followed?	YES
C	Were all required corrective actions and analytical response actions specified in the selected CAM protocol(s) implemented for all identified performance standard non-conformances?	YES
D	Does the laboratory report comply with all the reporting requirements specified in CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data?"	YES
E a.	VPH, EPH, and APH Methods only: Was each method conducted without significant modification(s)? (Refer to the individual method(s) for a list of significant modifications).	YES
E b.	APH and TO-15 Methods only: Was the complete analyte list reported for each method?	N/A
F	Were all applicable CAM protocol QC and performance standard non-conformances identified and evaluated in a laboratory narrative (including all "No" responses to Questions A through E)?	YES

A response to questions G, H and I is required for "Presumptive Certainty" status		
G	Were the reporting limits at or below all CAM reporting limits specified in the selected CAM protocol(s)?	NO
H	Were all QC performance standards specified in the CAM protocol(s) achieved?	NO
I	Were results reported for the complete analyte list specified in the selected CAM protocol(s)?	NO

For any questions answered "No", please refer to the case narrative section on the following page(s).

Please note that sample matrix information is located in the Sample Results section of this report.



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

Case Narrative (continued)

MCP Related Narratives

Volatile Organics

In reference to question H:

The initial calibration, associated with L1807193-01 through -09, did not meet the method required minimum response factor on the lowest calibration standard for 1,4-dioxane (0.0014), as well as the average response factor for 1,4-dioxane.

The continuing calibration standard, associated with L1807193-01 through -09, is outside the acceptance criteria for several compounds; however, it is within overall method allowances. A copy of the continuing calibration standard is included as an addendum to this report.

EPH

In reference to question H:

L1807193-08: The surrogate recovery was outside the acceptance criteria for chloro-octadecane (27%); however, re-extraction achieved similar results: chloro-octadecane (26%) and o-terphenyl (38%). The results of both extractions are reported; however, all associated compounds are considered to have a potential bias.

In reference to question I:

All samples were analyzed for a subset of MCP analytes per the Chain of Custody.

Dissolved Metals

In reference to question G:

L1807193-01 through -08: One or more of the target analytes did not achieve the requested CAM reporting limits.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Amita Naik

Title: Technical Director/Representative

Date: 03/09/18

ORGANICS

VOLATILES

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-01
 Client ID: MW-3S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 10:05
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8260C
 Analytical Date: 03/06/18 19:37
 Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.40	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.40	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.40	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-01
 Client ID: MW-3S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 10:05
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	ND		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylene (Total)	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
1,2-Dichloroethene (total)	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	2.0	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-01
Client ID: MW-3S
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 10:05
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.0	--	1
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	101		70-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-02
Client ID: MW-3D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 10:15
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8260C
Analytical Date: 03/06/18 20:02
Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.40	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.40	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.40	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-02
 Client ID: MW-3D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 10:15
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	ND		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylene (Total)	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
1,2-Dichloroethene (total)	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	2.0	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-02
Client ID: MW-3D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 10:15
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.0	--	1
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	104		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	105		70-130
Dibromofluoromethane	104		70-130

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-03
 Client ID: MW-4S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 12:15
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8260C
 Analytical Date: 03/06/18 20:28
 Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.40	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.40	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.40	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-03
 Client ID: MW-4S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 12:15
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	ND		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylene (Total)	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
1,2-Dichloroethene (total)	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	2.0	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-03
Client ID: MW-4S
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 12:15
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.0	--	1
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	102		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	105		70-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-04
Client ID: MW-4D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 11:45
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8260C
Analytical Date: 03/06/18 20:53
Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.40	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.40	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.40	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-04
 Client ID: MW-4D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 11:45
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	ND		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylene (Total)	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
1,2-Dichloroethene (total)	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	2.0	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-04
Client ID: MW-4D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 11:45
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.0	--	1
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	99		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	104		70-130
Dibromofluoromethane	103		70-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-05
 Client ID: MW-7D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 13:40
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8260C
 Analytical Date: 03/06/18 21:18
 Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.40	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.40	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.40	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-05
 Client ID: MW-7D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 13:40
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	3.3		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylene (Total)	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
1,2-Dichloroethene (total)	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	2.0	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-05
Client ID: MW-7D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 13:40
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.0	--	1
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	102		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	106		70-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-06
 Client ID: MW-7S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 13:40
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8260C
 Analytical Date: 03/06/18 21:43
 Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.40	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.40	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.40	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-06
 Client ID: MW-7S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 13:40
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	2.2		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylene (Total)	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
1,2-Dichloroethene (total)	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	2.0	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	4.7		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-06
Client ID: MW-7S
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 13:40
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.0	--	1
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	108		70-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-07
Client ID: MW-9D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 14:55
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8260C
Analytical Date: 03/06/18 22:08
Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.40	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.40	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.40	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-07
 Client ID: MW-9D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 14:55
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	430	E	ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylene (Total)	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
1,2-Dichloroethene (total)	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	2.0	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-07
Client ID: MW-9D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 14:55
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.0	--	1
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	22		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	105		70-130
Dibromofluoromethane	102		70-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-07 D
 Client ID: MW-9D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 14:55
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8260C
 Analytical Date: 03/07/18 10:55
 Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Volatile Organics - Westborough Lab

Methyl tert butyl ether	400		ug/l	20	--	10
-------------------------	-----	--	------	----	----	----

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	102		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	105		70-130
Dibromofluoromethane	102		70-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-08
 Client ID: MW-9S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 15:00
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8260C
 Analytical Date: 03/06/18 22:33
 Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.40	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.40	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.40	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-08
 Client ID: MW-9S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 15:00
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	ND		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylene (Total)	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
1,2-Dichloroethene (total)	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	2.0	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-08
Client ID: MW-9S
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 15:00
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.0	--	1
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	105		70-130
Dibromofluoromethane	108		70-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-09
 Client ID: TRIP BLANK
 Sample Location: CAMBRIDGE, MA
 Sample Depth:
 Matrix: Water
 Analytical Method: 97,8260C
 Analytical Date: 03/06/18 19:12
 Analyst: MM

Date Collected: 02/27/18 00:00
 Date Received: 03/01/18
 Field Prep: None

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.40	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.40	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.40	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1
Trichloroethene	ND		ug/l	1.0	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-09
 Client ID: TRIP BLANK
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 02/27/18 00:00
 Date Received: 03/01/18
 Field Prep: None

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	ND		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylene (Total)	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
1,2-Dichloroethene (total)	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	2.0	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-09
 Client ID: TRIP BLANK
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 02/27/18 00:00
 Date Received: 03/01/18
 Field Prep: None

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.0	--	1
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	97		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	105		70-130
Dibromofluoromethane	104		70-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8260C
Analytical Date: 03/07/18 07:59
Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
MCP Volatile Organics - Westborough Lab for sample(s): 07 Batch: WG1095128-10					
Methylene chloride	ND		ug/l	2.0	--
1,1-Dichloroethane	ND		ug/l	1.0	--
Chloroform	ND		ug/l	1.0	--
Carbon tetrachloride	ND		ug/l	1.0	--
1,2-Dichloropropane	ND		ug/l	1.0	--
Dibromochloromethane	ND		ug/l	1.0	--
1,1,2-Trichloroethane	ND		ug/l	1.0	--
Tetrachloroethene	ND		ug/l	1.0	--
Chlorobenzene	ND		ug/l	1.0	--
Trichlorofluoromethane	ND		ug/l	2.0	--
1,2-Dichloroethane	ND		ug/l	1.0	--
1,1,1-Trichloroethane	ND		ug/l	1.0	--
Bromodichloromethane	ND		ug/l	1.0	--
trans-1,3-Dichloropropene	ND		ug/l	0.40	--
cis-1,3-Dichloropropene	ND		ug/l	0.40	--
1,3-Dichloropropene, Total	ND		ug/l	0.40	--
1,1-Dichloropropene	ND		ug/l	2.0	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	1.0	--
Ethylbenzene	ND		ug/l	1.0	--
Chloromethane	ND		ug/l	2.0	--
Bromomethane	ND		ug/l	2.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	2.0	--
1,1-Dichloroethene	ND		ug/l	1.0	--
trans-1,2-Dichloroethene	ND		ug/l	1.0	--
Trichloroethene	ND		ug/l	1.0	--

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8260C
Analytical Date: 03/07/18 07:59
Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
MCP Volatile Organics - Westborough Lab for sample(s): 07 Batch: WG1095128-10					
1,2-Dichlorobenzene	ND		ug/l	1.0	--
1,3-Dichlorobenzene	ND		ug/l	1.0	--
1,4-Dichlorobenzene	ND		ug/l	1.0	--
Methyl tert butyl ether	ND		ug/l	2.0	--
p/m-Xylene	ND		ug/l	2.0	--
o-Xylene	ND		ug/l	1.0	--
Xylene (Total)	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	1.0	--
1,2-Dichloroethene (total)	ND		ug/l	1.0	--
Dibromomethane	ND		ug/l	2.0	--
1,2,3-Trichloropropane	ND		ug/l	2.0	--
Styrene	ND		ug/l	1.0	--
Dichlorodifluoromethane	ND		ug/l	2.0	--
Acetone	ND		ug/l	5.0	--
Carbon disulfide	ND		ug/l	2.0	--
2-Butanone	ND		ug/l	5.0	--
4-Methyl-2-pentanone	ND		ug/l	5.0	--
2-Hexanone	ND		ug/l	5.0	--
Bromochloromethane	ND		ug/l	2.0	--
Tetrahydrofuran	ND		ug/l	2.0	--
2,2-Dichloropropane	ND		ug/l	2.0	--
1,2-Dibromoethane	ND		ug/l	2.0	--
1,3-Dichloropropane	ND		ug/l	2.0	--
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--
Bromobenzene	ND		ug/l	2.0	--
n-Butylbenzene	ND		ug/l	2.0	--
sec-Butylbenzene	ND		ug/l	2.0	--
tert-Butylbenzene	ND		ug/l	2.0	--
o-Chlorotoluene	ND		ug/l	2.0	--

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 97,8260C
Analytical Date: 03/07/18 07:59
Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
MCP Volatile Organics - Westborough Lab for sample(s): 07 Batch: WG1095128-10					
p-Chlorotoluene	ND		ug/l	2.0	--
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--
Hexachlorobutadiene	ND		ug/l	0.60	--
Isopropylbenzene	ND		ug/l	2.0	--
p-Isopropyltoluene	ND		ug/l	2.0	--
Naphthalene	ND		ug/l	2.0	--
n-Propylbenzene	ND		ug/l	2.0	--
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--
Ethyl ether	ND		ug/l	2.0	--
Isopropyl Ether	ND		ug/l	2.0	--
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--
1,4-Dioxane	ND		ug/l	250	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	104		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	107		70-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8260C
 Analytical Date: 03/06/18 18:47
 Analyst: AD

Parameter	Result	Qualifier	Units	RL	MDL
MCP Volatile Organics - Westborough Lab for sample(s): 01-09 Batch: WG1095128-5					
Methylene chloride	ND		ug/l	2.0	--
1,1-Dichloroethane	ND		ug/l	1.0	--
Chloroform	ND		ug/l	1.0	--
Carbon tetrachloride	ND		ug/l	1.0	--
1,2-Dichloropropane	ND		ug/l	1.0	--
Dibromochloromethane	ND		ug/l	1.0	--
1,1,2-Trichloroethane	ND		ug/l	1.0	--
Tetrachloroethene	ND		ug/l	1.0	--
Chlorobenzene	ND		ug/l	1.0	--
Trichlorofluoromethane	ND		ug/l	2.0	--
1,2-Dichloroethane	ND		ug/l	1.0	--
1,1,1-Trichloroethane	ND		ug/l	1.0	--
Bromodichloromethane	ND		ug/l	1.0	--
trans-1,3-Dichloropropene	ND		ug/l	0.40	--
cis-1,3-Dichloropropene	ND		ug/l	0.40	--
1,3-Dichloropropene, Total	ND		ug/l	0.40	--
1,1-Dichloropropene	ND		ug/l	2.0	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	1.0	--
Ethylbenzene	ND		ug/l	1.0	--
Chloromethane	ND		ug/l	2.0	--
Bromomethane	ND		ug/l	2.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	2.0	--
1,1-Dichloroethene	ND		ug/l	1.0	--
trans-1,2-Dichloroethene	ND		ug/l	1.0	--
Trichloroethene	ND		ug/l	1.0	--

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8260C
Analytical Date: 03/06/18 18:47
Analyst: AD

Parameter	Result	Qualifier	Units	RL	MDL
MCP Volatile Organics - Westborough Lab for sample(s): 01-09 Batch: WG1095128-5					
1,2-Dichlorobenzene	ND		ug/l	1.0	--
1,3-Dichlorobenzene	ND		ug/l	1.0	--
1,4-Dichlorobenzene	ND		ug/l	1.0	--
Methyl tert butyl ether	ND		ug/l	2.0	--
p/m-Xylene	ND		ug/l	2.0	--
o-Xylene	ND		ug/l	1.0	--
Xylene (Total)	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	1.0	--
1,2-Dichloroethene (total)	ND		ug/l	1.0	--
Dibromomethane	ND		ug/l	2.0	--
1,2,3-Trichloropropane	ND		ug/l	2.0	--
Styrene	ND		ug/l	1.0	--
Dichlorodifluoromethane	ND		ug/l	2.0	--
Acetone	ND		ug/l	5.0	--
Carbon disulfide	ND		ug/l	2.0	--
2-Butanone	ND		ug/l	5.0	--
4-Methyl-2-pentanone	ND		ug/l	5.0	--
2-Hexanone	ND		ug/l	5.0	--
Bromochloromethane	ND		ug/l	2.0	--
Tetrahydrofuran	ND		ug/l	2.0	--
2,2-Dichloropropane	ND		ug/l	2.0	--
1,2-Dibromoethane	ND		ug/l	2.0	--
1,3-Dichloropropane	ND		ug/l	2.0	--
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--
Bromobenzene	ND		ug/l	2.0	--
n-Butylbenzene	ND		ug/l	2.0	--
sec-Butylbenzene	ND		ug/l	2.0	--
tert-Butylbenzene	ND		ug/l	2.0	--
o-Chlorotoluene	ND		ug/l	2.0	--

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 97,8260C
Analytical Date: 03/06/18 18:47
Analyst: AD

Parameter	Result	Qualifier	Units	RL	MDL
MCP Volatile Organics - Westborough Lab for sample(s): 01-09 Batch: WG1095128-5					
p-Chlorotoluene	ND		ug/l	2.0	--
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--
Hexachlorobutadiene	ND		ug/l	0.60	--
Isopropylbenzene	ND		ug/l	2.0	--
p-Isopropyltoluene	ND		ug/l	2.0	--
Naphthalene	ND		ug/l	2.0	--
n-Propylbenzene	ND		ug/l	2.0	--
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--
Ethyl ether	ND		ug/l	2.0	--
Isopropyl Ether	ND		ug/l	2.0	--
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--
1,4-Dioxane	ND		ug/l	250	--
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND		ug/l	2.0	--
tert-Butyl Alcohol	ND		ug/l	10	--
2-Chloroethylvinyl ether	ND		ug/l	10	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	103		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	106		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1807193

Report Date: 03/09/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP Volatile Organics - Westborough Lab Associated sample(s): 01-09 Batch: WG1095128-3 WG1095128-4								
Methylene chloride	110		120		70-130	9		20
1,1-Dichloroethane	99		110		70-130	11		20
Chloroform	110		110		70-130	0		20
Carbon tetrachloride	110		120		70-130	9		20
1,2-Dichloropropane	96		100		70-130	4		20
Dibromochloromethane	100		100		70-130	0		20
1,1,2-Trichloroethane	110		120		70-130	9		20
Tetrachloroethene	99		100		70-130	1		20
Chlorobenzene	100		100		70-130	0		20
Trichlorofluoromethane	110		120		70-130	9		20
1,2-Dichloroethane	97		100		70-130	3		20
1,1,1-Trichloroethane	110		110		70-130	0		20
Bromodichloromethane	110		110		70-130	0		20
trans-1,3-Dichloropropene	100		110		70-130	10		20
cis-1,3-Dichloropropene	110		110		70-130	0		20
1,1-Dichloropropene	110		110		70-130	0		20
Bromoform	95		100		70-130	5		20
1,1,2,2-Tetrachloroethane	110		110		70-130	0		20
Benzene	110		110		70-130	0		20
Toluene	100		100		70-130	0		20
Ethylbenzene	100		100		70-130	0		20
Chloromethane	81		88		70-130	8		20
Bromomethane	130		120		70-130	8		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1807193

Report Date: 03/09/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP Volatile Organics - Westborough Lab Associated sample(s): 01-09 Batch: WG1095128-3 WG1095128-4								
Vinyl chloride	100		110		70-130	10		20
Chloroethane	100		110		70-130	10		20
1,1-Dichloroethene	110		120		70-130	9		20
trans-1,2-Dichloroethene	110		110		70-130	0		20
Trichloroethene	110		120		70-130	9		20
1,2-Dichlorobenzene	98		100		70-130	2		20
1,3-Dichlorobenzene	100		100		70-130	0		20
1,4-Dichlorobenzene	97		100		70-130	3		20
Methyl tert butyl ether	100		110		70-130	10		20
p/m-Xylene	100		105		70-130	5		20
o-Xylene	100		100		70-130	0		20
cis-1,2-Dichloroethene	100		110		70-130	10		20
Dibromomethane	110		120		70-130	9		20
1,2,3-Trichloropropane	110		110		70-130	0		20
Styrene	100		105		70-130	5		20
Dichlorodifluoromethane	110		120		70-130	9		20
Acetone	98		100		70-130	2		20
Carbon disulfide	120		120		70-130	0		20
2-Butanone	89		98		70-130	10		20
4-Methyl-2-pentanone	82		89		70-130	8		20
2-Hexanone	76		79		70-130	4		20
Bromochloromethane	110		120		70-130	9		20
Tetrahydrofuran	89		97		70-130	9		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP Volatile Organics - Westborough Lab Associated sample(s): 01-09 Batch: WG1095128-3 WG1095128-4								
2,2-Dichloropropane	110		120		70-130	9		20
1,2-Dibromoethane	100		110		70-130	10		20
1,3-Dichloropropane	110		110		70-130	0		20
1,1,1,2-Tetrachloroethane	100		110		70-130	10		20
Bromobenzene	98		98		70-130	0		20
n-Butylbenzene	100		100		70-130	0		20
sec-Butylbenzene	99		100		70-130	1		20
tert-Butylbenzene	110		98		70-130	12		20
o-Chlorotoluene	100		100		70-130	0		20
p-Chlorotoluene	100		100		70-130	0		20
1,2-Dibromo-3-chloropropane	95		100		70-130	5		20
Hexachlorobutadiene	96		96		70-130	0		20
Isopropylbenzene	99		100		70-130	1		20
p-Isopropyltoluene	98		100		70-130	2		20
Naphthalene	93		100		70-130	7		20
n-Propylbenzene	100		100		70-130	0		20
1,2,3-Trichlorobenzene	94		100		70-130	6		20
1,2,4-Trichlorobenzene	93		98		70-130	5		20
1,3,5-Trimethylbenzene	100		100		70-130	0		20
1,2,4-Trimethylbenzene	100		100		70-130	0		20
Ethyl ether	110		120		70-130	9		20
Isopropyl Ether	87		92		70-130	6		20
Ethyl-Tert-Butyl-Ether	93		100		70-130	7		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1807193

Report Date: 03/09/18

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
MCP Volatile Organics - Westborough Lab Associated sample(s): 01-09 Batch: WG1095128-3 WG1095128-4								
Tertiary-Amyl Methyl Ether	100		110		70-130	10		20
1,4-Dioxane	84		106		70-130	23	Q	20
1,1,2-Trichloro-1,2,2-Trifluoroethane	120		120		70-130	0		20
tert-Butyl Alcohol	92		104		70-130	12		20
2-Chloroethylvinyl ether	81		89		70-130	9		20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
1,2-Dichloroethane-d4	98		99		70-130
Toluene-d8	101		100		70-130
4-Bromofluorobenzene	103		101		70-130
Dibromofluoromethane	100		96		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP Volatile Organics - Westborough Lab Associated sample(s): 07 Batch: WG1095128-8 WG1095128-9								
Methylene chloride	120		120		70-130	0		20
1,1-Dichloroethane	110		110		70-130	0		20
Chloroform	120		120		70-130	0		20
Carbon tetrachloride	110		120		70-130	9		20
1,2-Dichloropropane	110		110		70-130	0		20
Dibromochloromethane	110		110		70-130	0		20
1,1,2-Trichloroethane	120		120		70-130	0		20
Tetrachloroethene	99		100		70-130	1		20
Chlorobenzene	100		100		70-130	0		20
Trichlorofluoromethane	120		120		70-130	0		20
1,2-Dichloroethane	110		110		70-130	0		20
1,1,1-Trichloroethane	110		110		70-130	0		20
Bromodichloromethane	120		120		70-130	0		20
trans-1,3-Dichloropropene	100		110		70-130	10		20
cis-1,3-Dichloropropene	110		120		70-130	9		20
1,1-Dichloropropene	110		110		70-130	0		20
Bromoform	100		98		70-130	2		20
1,1,2,2-Tetrachloroethane	120		120		70-130	0		20
Benzene	110		110		70-130	0		20
Toluene	100		100		70-130	0		20
Ethylbenzene	100		100		70-130	0		20
Chloromethane	81		80		70-130	1		20
Bromomethane	110		110		70-130	0		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP Volatile Organics - Westborough Lab Associated sample(s): 07 Batch: WG1095128-8 WG1095128-9								
Vinyl chloride	100		100		70-130	0		20
Chloroethane	110		120		70-130	9		20
1,1-Dichloroethene	120		120		70-130	0		20
trans-1,2-Dichloroethene	110		110		70-130	0		20
Trichloroethene	110		120		70-130	9		20
1,2-Dichlorobenzene	100		100		70-130	0		20
1,3-Dichlorobenzene	100		100		70-130	0		20
1,4-Dichlorobenzene	98		100		70-130	2		20
Methyl tert butyl ether	110		110		70-130	0		20
p/m-Xylene	100		105		70-130	5		20
o-Xylene	100		100		70-130	0		20
cis-1,2-Dichloroethene	110		110		70-130	0		20
Dibromomethane	120		120		70-130	0		20
1,2,3-Trichloropropane	120		120		70-130	0		20
Styrene	100		105		70-130	5		20
Dichlorodifluoromethane	120		120		70-130	0		20
Acetone	110		100		70-130	10		20
Carbon disulfide	130		120		70-130	8		20
2-Butanone	110		100		70-130	10		20
4-Methyl-2-pentanone	86		84		70-130	2		20
2-Hexanone	84		84		70-130	0		20
Bromochloromethane	120		120		70-130	0		20
Tetrahydrofuran	100		100		70-130	0		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1807193

Report Date: 03/09/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP Volatile Organics - Westborough Lab Associated sample(s): 07 Batch: WG1095128-8 WG1095128-9								
2,2-Dichloropropane	120		120		70-130	0		20
1,2-Dibromoethane	110		110		70-130	0		20
1,3-Dichloropropane	110		110		70-130	0		20
1,1,1,2-Tetrachloroethane	110		110		70-130	0		20
Bromobenzene	98		97		70-130	1		20
n-Butylbenzene	100		100		70-130	0		20
sec-Butylbenzene	98		100		70-130	2		20
tert-Butylbenzene	91		92		70-130	1		20
o-Chlorotoluene	100		110		70-130	10		20
p-Chlorotoluene	100		100		70-130	0		20
1,2-Dibromo-3-chloropropane	100		100		70-130	0		20
Hexachlorobutadiene	92		96		70-130	4		20
Isopropylbenzene	95		98		70-130	3		20
p-Isopropyltoluene	96		98		70-130	2		20
Naphthalene	96		95		70-130	1		20
n-Propylbenzene	100		100		70-130	0		20
1,2,3-Trichlorobenzene	98		97		70-130	1		20
1,2,4-Trichlorobenzene	91		92		70-130	1		20
1,3,5-Trimethylbenzene	100		100		70-130	0		20
1,2,4-Trimethylbenzene	100		100		70-130	0		20
Ethyl ether	120		120		70-130	0		20
Isopropyl Ether	92		93		70-130	1		20
Ethyl-Tert-Butyl-Ether	99		100		70-130	1		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1807193

Report Date: 03/09/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP Volatile Organics - Westborough Lab Associated sample(s): 07 Batch: WG1095128-8 WG1095128-9								
Tertiary-Amyl Methyl Ether	110		110		70-130	0		20
1,4-Dioxane	100		102		70-130	2		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	105		105		70-130
Toluene-d8	100		100		70-130
4-Bromofluorobenzene	100		106		70-130
Dibromofluoromethane	102		106		70-130

SEMIVOLATILES

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-01
Client ID: MW-3S
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 10:05
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8270D
Analytical Date: 03/08/18 11:07
Analyst: ALS

Extraction Method:EPA 3510C
Extraction Date: 03/03/18 17:43

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
Acetophenone	ND		ug/l	5.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-01
Client ID: MW-3S
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 10:05
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1
2,4-Dinitrophenol	ND		ug/l	20	--	1
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	70		15-110
Phenol-d6	30		15-110
Nitrobenzene-d5	85		30-130
2-Fluorobiphenyl	93		30-130
2,4,6-Tribromophenol	81		15-110
4-Terphenyl-d14	97		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-01
Client ID: MW-3S
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 10:05
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 03/05/18 10:33
Analyst: DV

Extraction Method: EPA 3510C
Extraction Date: 03/03/18 17:44

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics by SIM - Westborough Lab						
Acenaphthene	1.3		ug/l	0.10	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	0.50		ug/l	0.10	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	0.24		ug/l	0.10	--	1
Benzo(a)anthracene	0.12		ug/l	0.10	--	1
Benzo(a)pyrene	0.12		ug/l	0.10	--	1
Benzo(b)fluoranthene	0.16		ug/l	0.10	--	1
Benzo(k)fluoranthene	ND		ug/l	0.10	--	1
Chrysene	0.11		ug/l	0.10	--	1
Acenaphthylene	ND		ug/l	0.10	--	1
Anthracene	0.20		ug/l	0.10	--	1
Benzo(ghi)perylene	ND		ug/l	0.10	--	1
Fluorene	0.94		ug/l	0.10	--	1
Phenanthrene	0.40		ug/l	0.10	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	--	1
Pyrene	0.49		ug/l	0.10	--	1
2-Methylnaphthalene	0.11		ug/l	0.10	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-01
 Client ID: MW-3S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 10:05
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics by SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	41		15-110
Phenol-d6	33		15-110
Nitrobenzene-d5	98		30-130
2-Fluorobiphenyl	93		30-130
2,4,6-Tribromophenol	77		15-110
4-Terphenyl-d14	97		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-01
 Client ID: MW-3S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 10:05
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 03/07/18 19:30
 Analyst: TJ

Extraction Method:EPA 3510C
 Extraction Date: 03/06/18 13:00

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab						
1,4-Dioxane	ND		ug/l	0.150	--	1
Surrogate			% Recovery	Qualifier	Acceptance Criteria	
1,4-Dioxane-d8			16		15-110	

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-02
Client ID: MW-3D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 10:15
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8270D
Analytical Date: 03/08/18 11:33
Analyst: ALS

Extraction Method: EPA 3510C
Extraction Date: 03/03/18 17:43

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
Acetophenone	ND		ug/l	5.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-02
 Client ID: MW-3D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 10:15
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1
2,4-Dinitrophenol	ND		ug/l	20	--	1
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	40		15-110
Phenol-d6	36		15-110
Nitrobenzene-d5	93		30-130
2-Fluorobiphenyl	78		30-130
2,4,6-Tribromophenol	68		15-110
4-Terphenyl-d14	79		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-02
Client ID: MW-3D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 10:15
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 03/05/18 11:01
Analyst: DV

Extraction Method: EPA 3510C
Extraction Date: 03/03/18 17:44

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics by SIM - Westborough Lab						
Acenaphthene	0.41		ug/l	0.10	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	0.12		ug/l	0.10	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	0.10	--	1
Benzo(a)anthracene	ND		ug/l	0.10	--	1
Benzo(a)pyrene	ND		ug/l	0.10	--	1
Benzo(b)fluoranthene	ND		ug/l	0.10	--	1
Benzo(k)fluoranthene	ND		ug/l	0.10	--	1
Chrysene	ND		ug/l	0.10	--	1
Acenaphthylene	0.10		ug/l	0.10	--	1
Anthracene	ND		ug/l	0.10	--	1
Benzo(ghi)perylene	0.13		ug/l	0.10	--	1
Fluorene	ND		ug/l	0.10	--	1
Phenanthrene	0.16		ug/l	0.10	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	--	1
Pyrene	0.11		ug/l	0.10	--	1
2-Methylnaphthalene	ND		ug/l	0.10	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-02
 Client ID: MW-3D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 10:15
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics by SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	43		15-110
Phenol-d6	32		15-110
Nitrobenzene-d5	89		30-130
2-Fluorobiphenyl	84		30-130
2,4,6-Tribromophenol	76		15-110
4-Terphenyl-d14	84		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-02
 Client ID: MW-3D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 10:15
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 03/07/18 19:51
 Analyst: TJ

Extraction Method: EPA 3510C
 Extraction Date: 03/06/18 13:00

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab

1,4-Dioxane	ND		ug/l	0.142	--	1
-------------	----	--	------	-------	----	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	16		15-110

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-03
 Client ID: MW-4S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 12:15
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8270D
 Analytical Date: 03/08/18 12:27
 Analyst: ALS

Extraction Method: EPA 3510C
 Extraction Date: 03/03/18 17:43

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
Acetophenone	ND		ug/l	5.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-03
Client ID: MW-4S
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 12:15
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1
2,4-Dinitrophenol	ND		ug/l	20	--	1
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	42		15-110
Phenol-d6	37		15-110
Nitrobenzene-d5	52		30-130
2-Fluorobiphenyl	92		30-130
2,4,6-Tribromophenol	91		15-110
4-Terphenyl-d14	98		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-03
Client ID: MW-4S
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 12:15
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 03/07/18 06:40
Analyst: KL

Extraction Method: EPA 3510C
Extraction Date: 03/03/18 17:44

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics by SIM - Westborough Lab						
Acenaphthene	5.2		ug/l	0.10	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	0.76		ug/l	0.10	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	0.54		ug/l	0.10	--	1
Benzo(a)anthracene	0.23		ug/l	0.10	--	1
Benzo(a)pyrene	0.22		ug/l	0.10	--	1
Benzo(b)fluoranthene	0.31		ug/l	0.10	--	1
Benzo(k)fluoranthene	0.10		ug/l	0.10	--	1
Chrysene	0.21		ug/l	0.10	--	1
Acenaphthylene	0.12		ug/l	0.10	--	1
Anthracene	0.63		ug/l	0.10	--	1
Benzo(ghi)perylene	0.16		ug/l	0.10	--	1
Fluorene	3.5		ug/l	0.10	--	1
Phenanthrene	3.2		ug/l	0.10	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--	1
Indeno(1,2,3-cd)pyrene	0.15		ug/l	0.10	--	1
Pyrene	0.60		ug/l	0.10	--	1
2-Methylnaphthalene	0.26		ug/l	0.10	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-03
 Client ID: MW-4S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 12:15
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics by SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	42		15-110
Phenol-d6	33		15-110
Nitrobenzene-d5	97		30-130
2-Fluorobiphenyl	87		30-130
2,4,6-Tribromophenol	87		15-110
4-Terphenyl-d14	106		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-03
 Client ID: MW-4S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 12:15
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 03/07/18 20:11
 Analyst: TJ

Extraction Method:EPA 3510C
 Extraction Date: 03/06/18 13:00

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab

1,4-Dioxane	ND		ug/l	0.142	--	1
-------------	----	--	------	-------	----	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	17		15-110

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-04
Client ID: MW-4D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 11:45
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8270D
Analytical Date: 03/08/18 12:53
Analyst: ALS

Extraction Method:EPA 3510C
Extraction Date: 03/03/18 17:43

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
Acetophenone	ND		ug/l	5.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-04
Client ID: MW-4D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 11:45
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1
2,4-Dinitrophenol	ND		ug/l	20	--	1
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	42		15-110
Phenol-d6	36		15-110
Nitrobenzene-d5	92		30-130
2-Fluorobiphenyl	82		30-130
2,4,6-Tribromophenol	95		15-110
4-Terphenyl-d14	90		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-04
Client ID: MW-4D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 11:45
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 03/07/18 07:05
Analyst: KL

Extraction Method: EPA 3510C
Extraction Date: 03/03/18 17:44

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics by SIM - Westborough Lab						
Acenaphthene	2.8		ug/l	0.10	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	2.9		ug/l	0.10	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	1.4		ug/l	0.10	--	1
Benzo(a)anthracene	0.97		ug/l	0.10	--	1
Benzo(a)pyrene	0.97		ug/l	0.10	--	1
Benzo(b)fluoranthene	1.3		ug/l	0.10	--	1
Benzo(k)fluoranthene	0.45		ug/l	0.10	--	1
Chrysene	0.96		ug/l	0.10	--	1
Acenaphthylene	0.29		ug/l	0.10	--	1
Anthracene	1.1		ug/l	0.10	--	1
Benzo(ghi)perylene	0.76		ug/l	0.10	--	1
Fluorene	2.6		ug/l	0.10	--	1
Phenanthrene	5.5		ug/l	0.10	--	1
Dibenzo(a,h)anthracene	0.17		ug/l	0.10	--	1
Indeno(1,2,3-cd)pyrene	0.68		ug/l	0.10	--	1
Pyrene	2.2		ug/l	0.10	--	1
2-Methylnaphthalene	0.69		ug/l	0.10	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-04
 Client ID: MW-4D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 11:45
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics by SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	41		15-110
Phenol-d6	31		15-110
Nitrobenzene-d5	90		30-130
2-Fluorobiphenyl	86		30-130
2,4,6-Tribromophenol	80		15-110
4-Terphenyl-d14	85		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-04
 Client ID: MW-4D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 11:45
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 03/07/18 20:32
 Analyst: TJ

Extraction Method:EPA 3510C
 Extraction Date: 03/06/18 13:00

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab						
1,4-Dioxane	ND		ug/l	0.144	--	1
Surrogate			% Recovery	Qualifier	Acceptance Criteria	
1,4-Dioxane-d8			17		15-110	

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-05
Client ID: MW-7D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 13:40
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8270D
Analytical Date: 03/09/18 02:23
Analyst: RC

Extraction Method: EPA 3510C
Extraction Date: 03/03/18 17:43

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
Acetophenone	ND		ug/l	5.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-05
Client ID: MW-7D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 13:40
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1
2,4-Dinitrophenol	ND		ug/l	20	--	1
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	38		15-110
Phenol-d6	28		15-110
Nitrobenzene-d5	83		30-130
2-Fluorobiphenyl	80		30-130
2,4,6-Tribromophenol	90		15-110
4-Terphenyl-d14	81		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-05
Client ID: MW-7D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 13:40
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 03/05/18 12:28
Analyst: DV

Extraction Method: EPA 3510C
Extraction Date: 03/03/18 17:44

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics by SIM - Westborough Lab						
Acenaphthene	0.38		ug/l	0.10	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	ND		ug/l	0.10	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	0.10		ug/l	0.10	--	1
Benzo(a)anthracene	ND		ug/l	0.10	--	1
Benzo(a)pyrene	ND		ug/l	0.10	--	1
Benzo(b)fluoranthene	ND		ug/l	0.10	--	1
Benzo(k)fluoranthene	ND		ug/l	0.10	--	1
Chrysene	ND		ug/l	0.10	--	1
Acenaphthylene	ND		ug/l	0.10	--	1
Anthracene	ND		ug/l	0.10	--	1
Benzo(ghi)perylene	ND		ug/l	0.10	--	1
Fluorene	0.22		ug/l	0.10	--	1
Phenanthrene	0.24		ug/l	0.10	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	--	1
Pyrene	ND		ug/l	0.10	--	1
2-Methylnaphthalene	ND		ug/l	0.10	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-05
 Client ID: MW-7D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 13:40
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics by SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	41		15-110
Phenol-d6	31		15-110
Nitrobenzene-d5	88		30-130
2-Fluorobiphenyl	81		30-130
2,4,6-Tribromophenol	65		15-110
4-Terphenyl-d14	81		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-05
 Client ID: MW-7D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 13:40
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 03/07/18 20:53
 Analyst: TJ

Extraction Method: EPA 3510C
 Extraction Date: 03/06/18 13:00

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab						
1,4-Dioxane	ND		ug/l	0.150	--	1
Surrogate			% Recovery	Qualifier	Acceptance Criteria	
1,4-Dioxane-d8			19		15-110	

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-06
Client ID: MW-7S
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 13:40
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8270D
Analytical Date: 03/09/18 10:06
Analyst: RC

Extraction Method: EPA 3510C
Extraction Date: 03/03/18 17:43

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
Acetophenone	ND		ug/l	5.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-06
 Client ID: MW-7S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 13:40
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1
2,4-Dinitrophenol	ND		ug/l	20	--	1
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	48		15-110
Phenol-d6	36		15-110
Nitrobenzene-d5	90		30-130
2-Fluorobiphenyl	84		30-130
2,4,6-Tribromophenol	85		15-110
4-Terphenyl-d14	88		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-06
Client ID: MW-7S
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 13:40
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 03/05/18 12:57
Analyst: DV

Extraction Method:EPA 3510C
Extraction Date: 03/03/18 17:44

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics by SIM - Westborough Lab						
Acenaphthene	2.2		ug/l	0.10	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	0.54		ug/l	0.10	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	2.8		ug/l	0.10	--	1
Benzo(a)anthracene	ND		ug/l	0.10	--	1
Benzo(a)pyrene	ND		ug/l	0.10	--	1
Benzo(b)fluoranthene	ND		ug/l	0.10	--	1
Benzo(k)fluoranthene	ND		ug/l	0.10	--	1
Chrysene	ND		ug/l	0.10	--	1
Acenaphthylene	ND		ug/l	0.10	--	1
Anthracene	0.49		ug/l	0.10	--	1
Benzo(ghi)perylene	ND		ug/l	0.10	--	1
Fluorene	1.7		ug/l	0.10	--	1
Phenanthrene	2.2		ug/l	0.10	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	--	1
Pyrene	0.46		ug/l	0.10	--	1
2-Methylnaphthalene	0.40		ug/l	0.10	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-06
 Client ID: MW-7S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 13:40
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics by SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	41		15-110
Phenol-d6	31		15-110
Nitrobenzene-d5	86		30-130
2-Fluorobiphenyl	88		30-130
2,4,6-Tribromophenol	86		15-110
4-Terphenyl-d14	84		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-06
 Client ID: MW-7S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 13:40
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 03/07/18 21:14
 Analyst: TJ

Extraction Method:EPA 3510C
 Extraction Date: 03/06/18 13:00

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab

1,4-Dioxane	ND		ug/l	0.144	--	1
-------------	----	--	------	-------	----	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	18		15-110

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-07
 Client ID: MW-9D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 14:55
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8270D
 Analytical Date: 03/08/18 17:53
 Analyst: EK

Extraction Method: EPA 3510C
 Extraction Date: 03/03/18 17:43

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
Acetophenone	ND		ug/l	5.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-07
Client ID: MW-9D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 14:55
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1
2,4-Dinitrophenol	ND		ug/l	20	--	1
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	47		15-110
Phenol-d6	36		15-110
Nitrobenzene-d5	99		30-130
2-Fluorobiphenyl	90		30-130
2,4,6-Tribromophenol	90		15-110
4-Terphenyl-d14	86		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-07
Client ID: MW-9D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 14:55
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 03/05/18 13:25
Analyst: DV

Extraction Method: EPA 3510C
Extraction Date: 03/03/18 17:44

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics by SIM - Westborough Lab						
Acenaphthene	0.42		ug/l	0.10	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	ND		ug/l	0.10	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	0.25		ug/l	0.10	--	1
Benzo(a)anthracene	ND		ug/l	0.10	--	1
Benzo(a)pyrene	ND		ug/l	0.10	--	1
Benzo(b)fluoranthene	ND		ug/l	0.10	--	1
Benzo(k)fluoranthene	ND		ug/l	0.10	--	1
Chrysene	ND		ug/l	0.10	--	1
Acenaphthylene	ND		ug/l	0.10	--	1
Anthracene	ND		ug/l	0.10	--	1
Benzo(ghi)perylene	ND		ug/l	0.10	--	1
Fluorene	ND		ug/l	0.10	--	1
Phenanthrene	0.14		ug/l	0.10	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	--	1
Pyrene	ND		ug/l	0.10	--	1
2-Methylnaphthalene	ND		ug/l	0.10	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-07
 Client ID: MW-9D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 14:55
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics by SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	42		15-110
Phenol-d6	33		15-110
Nitrobenzene-d5	94		30-130
2-Fluorobiphenyl	90		30-130
2,4,6-Tribromophenol	76		15-110
4-Terphenyl-d14	86		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-07
 Client ID: MW-9D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 14:55
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 03/07/18 21:35
 Analyst: TJ

Extraction Method:EPA 3510C
 Extraction Date: 03/06/18 13:00

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab

1,4-Dioxane	0.158		ug/l	0.150	--	1
-------------	-------	--	------	-------	----	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	18		15-110

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-08
Client ID: MW-9S
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 15:00
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8270D
Analytical Date: 03/09/18 10:33
Analyst: RC

Extraction Method: EPA 3510C
Extraction Date: 03/03/18 17:43

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
Acetophenone	ND		ug/l	5.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-08
 Client ID: MW-9S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 15:00
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1
2,4-Dinitrophenol	ND		ug/l	20	--	1
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	52		15-110
Phenol-d6	38		15-110
Nitrobenzene-d5	87		30-130
2-Fluorobiphenyl	99		30-130
2,4,6-Tribromophenol	107		15-110
4-Terphenyl-d14	94		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-08
 Client ID: MW-9S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 15:00
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 03/05/18 13:54
 Analyst: DV

Extraction Method: EPA 3510C
 Extraction Date: 03/03/18 17:44

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics by SIM - Westborough Lab						
Acenaphthene	ND		ug/l	0.10	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	ND		ug/l	0.10	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	0.52		ug/l	0.10	--	1
Benzo(a)anthracene	ND		ug/l	0.10	--	1
Benzo(a)pyrene	ND		ug/l	0.10	--	1
Benzo(b)fluoranthene	ND		ug/l	0.10	--	1
Benzo(k)fluoranthene	ND		ug/l	0.10	--	1
Chrysene	ND		ug/l	0.10	--	1
Acenaphthylene	ND		ug/l	0.10	--	1
Anthracene	ND		ug/l	0.10	--	1
Benzo(ghi)perylene	ND		ug/l	0.10	--	1
Fluorene	ND		ug/l	0.10	--	1
Phenanthrene	ND		ug/l	0.10	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	--	1
Pyrene	ND		ug/l	0.10	--	1
2-Methylnaphthalene	ND		ug/l	0.10	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-08
 Client ID: MW-9S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 15:00
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics by SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	44		15-110
Phenol-d6	36		15-110
Nitrobenzene-d5	98		30-130
2-Fluorobiphenyl	84		30-130
2,4,6-Tribromophenol	79		15-110
4-Terphenyl-d14	82		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-08
 Client ID: MW-9S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 15:00
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 03/09/18 10:55
 Analyst: TJ

Extraction Method:EPA 3510C
 Extraction Date: 03/08/18 20:15

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab

1,4-Dioxane	ND		ug/l	0.147	--	1
-------------	----	--	------	-------	----	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	26		15-110

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8270D
Analytical Date: 03/08/18 09:15
Analyst: PS

Extraction Method: EPA 3510C
Extraction Date: 03/03/18 17:43

Parameter	Result	Qualifier	Units	RL	MDL
MCP Semivolatile Organics - Westborough Lab for sample(s): 01-08 Batch: WG1094304-1					
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--
1,2-Dichlorobenzene	ND		ug/l	2.0	--
1,3-Dichlorobenzene	ND		ug/l	2.0	--
1,4-Dichlorobenzene	ND		ug/l	2.0	--
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--
2,4-Dinitrotoluene	ND		ug/l	5.0	--
2,6-Dinitrotoluene	ND		ug/l	5.0	--
Azobenzene	ND		ug/l	2.0	--
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--
Isophorone	ND		ug/l	5.0	--
Nitrobenzene	ND		ug/l	2.0	--
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--
Butyl benzyl phthalate	ND		ug/l	5.0	--
Di-n-butylphthalate	ND		ug/l	5.0	--
Di-n-octylphthalate	ND		ug/l	5.0	--
Diethyl phthalate	ND		ug/l	5.0	--
Dimethyl phthalate	ND		ug/l	5.0	--
Aniline	ND		ug/l	2.0	--
4-Chloroaniline	ND		ug/l	5.0	--
Dibenzofuran	ND		ug/l	2.0	--
Acetophenone	ND		ug/l	5.0	--
2,4,6-Trichlorophenol	ND		ug/l	5.0	--
2-Chlorophenol	ND		ug/l	2.0	--
2,4-Dichlorophenol	ND		ug/l	5.0	--
2,4-Dimethylphenol	ND		ug/l	5.0	--
2-Nitrophenol	ND		ug/l	10	--

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8270D
Analytical Date: 03/08/18 09:15
Analyst: PS

Extraction Method: EPA 3510C
Extraction Date: 03/03/18 17:43

Parameter	Result	Qualifier	Units	RL	MDL
MCP Semivolatile Organics - Westborough Lab for sample(s): 01-08 Batch: WG1094304-1					
4-Nitrophenol	ND		ug/l	10	--
2,4-Dinitrophenol	ND		ug/l	20	--
Phenol	ND		ug/l	5.0	--
2-Methylphenol	ND		ug/l	5.0	--
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--
2,4,5-Trichlorophenol	ND		ug/l	5.0	--
Pyridine	ND		ug/l	3.5	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	45		15-110
Phenol-d6	31		15-110
Nitrobenzene-d5	93		30-130
2-Fluorobiphenyl	94		30-130
2,4,6-Tribromophenol	102		15-110
4-Terphenyl-d14	100		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8270D-SIM
Analytical Date: 03/05/18 09:06
Analyst: DV

Extraction Method: EPA 3510C
Extraction Date: 03/03/18 17:44

Parameter	Result	Qualifier	Units	RL	MDL
MCP Semivolatile Organics by SIM - Westborough Lab for sample(s): 01-08 Batch: WG1094305-1					
Acenaphthene	ND		ug/l	0.10	--
2-Chloronaphthalene	ND		ug/l	0.20	--
Fluoranthene	ND		ug/l	0.10	--
Hexachlorobutadiene	ND		ug/l	0.50	--
Naphthalene	ND		ug/l	0.10	--
Benzo(a)anthracene	ND		ug/l	0.10	--
Benzo(a)pyrene	ND		ug/l	0.10	--
Benzo(b)fluoranthene	ND		ug/l	0.10	--
Benzo(k)fluoranthene	ND		ug/l	0.10	--
Chrysene	ND		ug/l	0.10	--
Acenaphthylene	ND		ug/l	0.10	--
Anthracene	ND		ug/l	0.10	--
Benzo(ghi)perylene	ND		ug/l	0.10	--
Fluorene	ND		ug/l	0.10	--
Phenanthrene	ND		ug/l	0.10	--
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	--
Pyrene	ND		ug/l	0.10	--
2-Methylnaphthalene	ND		ug/l	0.10	--
Pentachlorophenol	ND		ug/l	0.80	--
Hexachlorobenzene	ND		ug/l	0.80	--
Hexachloroethane	ND		ug/l	0.80	--

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 97,8270D-SIM

Extraction Method: EPA 3510C

Analytical Date: 03/05/18 09:06

Extraction Date: 03/03/18 17:44

Analyst: DV

Parameter	Result	Qualifier	Units	RL	MDL
MCP Semivolatile Organics by SIM - Westborough Lab for sample(s): 01-08 Batch: WG1094305-1					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	46		15-110
Phenol-d6	35		15-110
Nitrobenzene-d5	96		30-130
2-Fluorobiphenyl	92		30-130
2,4,6-Tribromophenol	79		15-110
4-Terphenyl-d14	90		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8270D-SIM
Analytical Date: 03/07/18 18:27
Analyst: TJ

Extraction Method: EPA 3510C
Extraction Date: 03/06/18 13:00

Parameter	Result	Qualifier	Units	RL	MDL
MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab for sample(s): 01-07 Batch: WG1094840-1					
1,4-Dioxane	ND		ug/l	0.150	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	23		15-110

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 97,8270D-SIM

Extraction Method: EPA 3510C

Analytical Date: 03/09/18 09:54

Extraction Date: 03/08/18 20:15

Analyst: TJ

Parameter	Result	Qualifier	Units	RL	MDL
MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab for sample(s): 08 Batch: WG1095659-1					
1,4-Dioxane	ND		ug/l	0.150	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	29		15-110

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
MCP Semivolatile Organics - Westborough Lab Associated sample(s): 01-08 Batch: WG1094304-2 WG1094304-3								
1,2,4-Trichlorobenzene	89		73		40-140	20		20
Bis(2-chloroethyl)ether	80		76		40-140	5		20
1,2-Dichlorobenzene	81		64		40-140	23	Q	20
1,3-Dichlorobenzene	77		60		40-140	25	Q	20
1,4-Dichlorobenzene	76		61		40-140	22	Q	20
3,3'-Dichlorobenzidine	80		81		40-140	1		20
2,4-Dinitrotoluene	107		105		40-140	2		20
2,6-Dinitrotoluene	112		110		40-140	2		20
Azobenzene	104		102		40-140	2		20
4-Bromophenyl phenyl ether	100		98		40-140	2		20
Bis(2-chloroisopropyl)ether	55		51		40-140	8		20
Bis(2-chloroethoxy)methane	90		87		40-140	3		20
Isophorone	103		100		40-140	3		20
Nitrobenzene	96		92		40-140	4		20
Bis(2-ethylhexyl)phthalate	108		109		40-140	1		20
Butyl benzyl phthalate	110		107		40-140	3		20
Di-n-butylphthalate	103		102		40-140	1		20
Di-n-octylphthalate	111		112		40-140	1		20
Diethyl phthalate	107		106		40-140	1		20
Dimethyl phthalate	112		110		40-140	2		20
Aniline	39	Q	49		40-140	23	Q	20
4-Chloroaniline	67		67		40-140	0		20
Dibenzofuran	93		90		40-140	3		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1807193

Report Date: 03/09/18

Parameter	LCS		LCSD		%Recovery Limits	RPD	RPD	
	%Recovery	Qual	%Recovery	Qual			Qual	Limits
MCP Semivolatile Organics - Westborough Lab Associated sample(s): 01-08 Batch: WG1094304-2 WG1094304-3								
Acetophenone	103		98		40-140	5		20
2,4,6-Trichlorophenol	114		116		30-130	2		20
2-Chlorophenol	80		76		30-130	5		20
2,4-Dichlorophenol	97		94		30-130	3		20
2,4-Dimethylphenol	95		93		30-130	2		20
2-Nitrophenol	95		90		30-130	5		20
4-Nitrophenol	68		69		30-130	1		20
2,4-Dinitrophenol	95		94		30-130	1		20
Phenol	38		38		30-130	0		20
2-Methylphenol	74		75		30-130	1		20
3-Methylphenol/4-Methylphenol	78		78		30-130	0		20
2,4,5-Trichlorophenol	117		117		30-130	0		20
Pyridine	30	Q	34	Q	40-140	13		20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
2-Fluorophenol	50		47		15-110
Phenol-d6	36		36		15-110
Nitrobenzene-d5	97		90		30-130
2-Fluorobiphenyl	93		92		30-130
2,4,6-Tribromophenol	104		103		15-110
4-Terphenyl-d14	87		85		30-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP Semivolatile Organics by SIM - Westborough Lab Associated sample(s): 01-08 Batch: WG1094305-2 WG1094305-3								
Acenaphthene	67		61		40-140	9		20
2-Chloronaphthalene	80		62		40-140	25	Q	20
Fluoranthene	83		73		40-140	13		20
Hexachlorobutadiene	92		79		40-140	15		20
Naphthalene	74		62		40-140	18		20
Benzo(a)anthracene	83		70		40-140	17		20
Benzo(a)pyrene	94		80		40-140	16		20
Benzo(b)fluoranthene	87		78		40-140	11		20
Benzo(k)fluoranthene	89		72		40-140	21	Q	20
Chrysene	77		65		40-140	17		20
Acenaphthylene	90		67		40-140	29	Q	20
Anthracene	80		62		40-140	25	Q	20
Benzo(ghi)perylene	93		79		40-140	16		20
Fluorene	76		73		40-140	4		20
Phenanthrene	71		60		40-140	17		20
Dibenzo(a,h)anthracene	96		81		40-140	17		20
Indeno(1,2,3-cd)pyrene	97		82		40-140	17		20
Pyrene	80		71		40-140	12		20
2-Methylnaphthalene	80		64		40-140	22	Q	20
Pentachlorophenol	72		54		30-130	29	Q	20
Hexachlorobenzene	71		61		40-140	15		20
Hexachloroethane	76		65		40-140	16		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

Parameter	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>%Recovery</i> Limits	<i>RPD</i>	<i>Qual</i>	<i>RPD</i> Limits
MCP Semivolatile Organics by SIM - Westborough Lab Associated sample(s): 01-08 Batch: WG1094305-2 WG1094305-3								

<i>Surrogate</i>	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>Acceptance</i> Criteria
2-Fluorophenol	49		39		15-110
Phenol-d6	37		30		15-110
Nitrobenzene-d5	97		80		30-130
2-Fluorobiphenyl	92		73		30-130
2,4,6-Tribromophenol	79		70		15-110
4-Terphenyl-d14	94		82		30-130

Lab Control Sample Analysis Batch Quality Control

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab Associated sample(s): 01-07 Batch: WG1094840-2 WG1094840-3								
1,4-Dioxane	113		114		40-140	1		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,4-Dioxane-d8	24		26		15-110

Lab Control Sample Analysis Batch Quality Control

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab Associated sample(s): 08 Batch: WG1095659-2 WG1095659-3								
1,4-Dioxane	108		109		40-140	1		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,4-Dioxane-d8	28		28		15-110

PETROLEUM HYDROCARBONS

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-01
 Client ID: MW-3S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:
 Matrix: Water
 Analytical Method: 98,EPH-04-1.1
 Analytical Date: 03/05/18 00:36
 Analyst: NS

Date Collected: 03/01/18 10:05
 Date Received: 03/01/18
 Field Prep: Field Filtered
 (Dissolved Met)
 Extraction Method: EPA 3510C
 Extraction Date: 03/03/18 10:49
 Cleanup Method1: EPH-04-1
 Cleanup Date1: 03/04/18

Quality Control Information

Condition of sample received: Satisfactory
 Aqueous Preservative: Laboratory Provided Preserved
 Container
 Sample Temperature upon receipt: Received on Ice
 Sample Extraction method: Extracted Per the Method

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Extractable Petroleum Hydrocarbons - Westborough Lab

C9-C18 Aliphatics	ND		ug/l	100	--	1
C19-C36 Aliphatics	ND		ug/l	100	--	1
C11-C22 Aromatics	ND		ug/l	100	--	1
C11-C22 Aromatics, Adjusted	ND		ug/l	100	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	40		40-140
o-Terphenyl	59		40-140
2-Fluorobiphenyl	84		40-140
2-Bromonaphthalene	83		40-140

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-02
 Client ID: MW-3D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:
 Matrix: Water
 Analytical Method: 98,EPH-04-1.1
 Analytical Date: 03/05/18 01:21
 Analyst: NS

Date Collected: 03/01/18 10:15
 Date Received: 03/01/18
 Field Prep: Field Filtered
 (Dissolved Met)
 Extraction Method: EPA 3510C
 Extraction Date: 03/03/18 10:49
 Cleanup Method1: EPH-04-1
 Cleanup Date1: 03/04/18

Quality Control Information

Condition of sample received: Satisfactory
 Aqueous Preservative: Laboratory Provided Preserved
 Container
 Sample Temperature upon receipt: Received on Ice
 Sample Extraction method: Extracted Per the Method

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Extractable Petroleum Hydrocarbons - Westborough Lab

C9-C18 Aliphatics	ND		ug/l	100	--	1
C19-C36 Aliphatics	ND		ug/l	100	--	1
C11-C22 Aromatics	ND		ug/l	100	--	1
C11-C22 Aromatics, Adjusted	ND		ug/l	100	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	49		40-140
o-Terphenyl	61		40-140
2-Fluorobiphenyl	80		40-140
2-Bromonaphthalene	77		40-140

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-03
 Client ID: MW-4S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:
 Matrix: Water
 Analytical Method: 98,EPH-04-1.1
 Analytical Date: 03/05/18 02:07
 Analyst: NS

Date Collected: 03/01/18 12:15
 Date Received: 03/01/18
 Field Prep: Field Filtered
 (Dissolved Met)
 Extraction Method: EPA 3510C
 Extraction Date: 03/03/18 10:49
 Cleanup Method1: EPH-04-1
 Cleanup Date1: 03/04/18

Quality Control Information

Condition of sample received: Satisfactory
 Aqueous Preservative: Laboratory Provided Preserved
 Container
 Sample Temperature upon receipt: Received on Ice
 Sample Extraction method: Extracted Per the Method

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Extractable Petroleum Hydrocarbons - Westborough Lab

C9-C18 Aliphatics	ND		ug/l	100	--	1
C19-C36 Aliphatics	ND		ug/l	100	--	1
C11-C22 Aromatics	ND		ug/l	100	--	1
C11-C22 Aromatics, Adjusted	ND		ug/l	100	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	47		40-140
o-Terphenyl	57		40-140
2-Fluorobiphenyl	68		40-140
2-Bromonaphthalene	65		40-140

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-04
 Client ID: MW-4D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:
 Matrix: Water
 Analytical Method: 98,EPH-04-1.1
 Analytical Date: 03/05/18 02:52
 Analyst: NS

Date Collected: 03/01/18 11:45
 Date Received: 03/01/18
 Field Prep: Field Filtered
 (Dissolved Met)
 Extraction Method: EPA 3510C
 Extraction Date: 03/03/18 10:49
 Cleanup Method1: EPH-04-1
 Cleanup Date1: 03/04/18

Quality Control Information

Condition of sample received: Satisfactory
 Aqueous Preservative: Laboratory Provided Preserved
 Container
 Sample Temperature upon receipt: Received on Ice
 Sample Extraction method: Extracted Per the Method

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Extractable Petroleum Hydrocarbons - Westborough Lab

C9-C18 Aliphatics	ND		ug/l	100	--	1
C19-C36 Aliphatics	ND		ug/l	100	--	1
C11-C22 Aromatics	ND		ug/l	100	--	1
C11-C22 Aromatics, Adjusted	ND		ug/l	100	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	44		40-140
o-Terphenyl	60		40-140
2-Fluorobiphenyl	74		40-140
2-Bromonaphthalene	72		40-140

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-05
 Client ID: MW-7D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:
 Matrix: Water
 Analytical Method: 98,EPH-04-1.1
 Analytical Date: 03/05/18 03:37
 Analyst: NS

Date Collected: 03/01/18 13:40
 Date Received: 03/01/18
 Field Prep: Field Filtered
 (Dissolved Met)
 Extraction Method: EPA 3510C
 Extraction Date: 03/03/18 10:49
 Cleanup Method1: EPH-04-1
 Cleanup Date1: 03/04/18

Quality Control Information

Condition of sample received: Satisfactory
 Aqueous Preservative: Laboratory Provided Preserved
 Container
 Sample Temperature upon receipt: Received on Ice
 Sample Extraction method: Extracted Per the Method

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Extractable Petroleum Hydrocarbons - Westborough Lab

C9-C18 Aliphatics	ND		ug/l	100	--	1
C19-C36 Aliphatics	ND		ug/l	100	--	1
C11-C22 Aromatics	ND		ug/l	100	--	1
C11-C22 Aromatics, Adjusted	ND		ug/l	100	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	48		40-140
o-Terphenyl	62		40-140
2-Fluorobiphenyl	78		40-140
2-Bromonaphthalene	75		40-140

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-06
 Client ID: MW-7S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:
 Matrix: Water
 Analytical Method: 98,EPH-04-1.1
 Analytical Date: 03/05/18 04:23
 Analyst: NS

Date Collected: 03/01/18 13:40
 Date Received: 03/01/18
 Field Prep: Field Filtered
 (Dissolved Met)
 Extraction Method: EPA 3510C
 Extraction Date: 03/03/18 10:49
 Cleanup Method1: EPH-04-1
 Cleanup Date1: 03/04/18

Quality Control Information

Condition of sample received: Satisfactory
 Aqueous Preservative: Laboratory Provided Preserved
 Container
 Sample Temperature upon receipt: Received on Ice
 Sample Extraction method: Extracted Per the Method

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Extractable Petroleum Hydrocarbons - Westborough Lab						
C9-C18 Aliphatics	ND		ug/l	100	--	1
C19-C36 Aliphatics	ND		ug/l	100	--	1
C11-C22 Aromatics	ND		ug/l	100	--	1
C11-C22 Aromatics, Adjusted	ND		ug/l	100	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	47		40-140
o-Terphenyl	65		40-140
2-Fluorobiphenyl	81		40-140
2-Bromonaphthalene	80		40-140

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-07
 Client ID: MW-9D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:
 Matrix: Water
 Analytical Method: 98,EPH-04-1.1
 Analytical Date: 03/05/18 05:08
 Analyst: NS

Date Collected: 03/01/18 14:55
 Date Received: 03/01/18
 Field Prep: Field Filtered
 (Dissolved Met)
 Extraction Method: EPA 3510C
 Extraction Date: 03/03/18 10:49
 Cleanup Method1: EPH-04-1
 Cleanup Date1: 03/04/18

Quality Control Information

Condition of sample received: Satisfactory
 Aqueous Preservative: Laboratory Provided Preserved
 Container
 Sample Temperature upon receipt: Received on Ice
 Sample Extraction method: Extracted Per the Method

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Extractable Petroleum Hydrocarbons - Westborough Lab

C9-C18 Aliphatics	ND		ug/l	100	--	1
C19-C36 Aliphatics	ND		ug/l	100	--	1
C11-C22 Aromatics	ND		ug/l	100	--	1
C11-C22 Aromatics, Adjusted	ND		ug/l	100	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	51		40-140
o-Terphenyl	51		40-140
2-Fluorobiphenyl	60		40-140
2-Bromonaphthalene	59		40-140

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-08
 Client ID: MW-9S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:
 Matrix: Water
 Analytical Method: 98,EPH-04-1.1
 Analytical Date: 03/06/18 23:17
 Analyst: DG

Date Collected: 03/01/18 15:00
 Date Received: 03/01/18
 Field Prep: Field Filtered
 (Dissolved Met)
 Extraction Method: EPA 3510C
 Extraction Date: 03/03/18 10:49
 Cleanup Method1: EPH-04-1
 Cleanup Date1: 03/06/18

Quality Control Information

Condition of sample received: Satisfactory
 Aqueous Preservative: Laboratory Provided Preserved
 Container
 Sample Temperature upon receipt: Received on Ice
 Sample Extraction method: Extracted Per the Method

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Extractable Petroleum Hydrocarbons - Westborough Lab						
C9-C18 Aliphatics	ND		ug/l	100	--	1
C19-C36 Aliphatics	ND		ug/l	100	--	1
C11-C22 Aromatics	ND		ug/l	100	--	1
C11-C22 Aromatics, Adjusted	ND		ug/l	100	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	27	Q	40-140
o-Terphenyl	44		40-140
2-Fluorobiphenyl	69		40-140
2-Bromonaphthalene	70		40-140

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-08 RE
 Client ID: MW-9S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:
 Matrix: Water
 Analytical Method: 98,EPH-04-1.1
 Analytical Date: 03/09/18 10:51
 Analyst: DG

Date Collected: 03/01/18 15:00
 Date Received: 03/01/18
 Field Prep: Field Filtered
 (Dissolved Met)
 Extraction Method: EPA 3510C
 Extraction Date: 03/08/18 13:52
 Cleanup Method1: EPH-04-1
 Cleanup Date1: 03/08/18

Quality Control Information

Condition of sample received: Satisfactory
 Aqueous Preservative: Laboratory Provided Preserved
 Container
 Sample Temperature upon receipt: Received on Ice
 Sample Extraction method: Extracted Per the Method

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Extractable Petroleum Hydrocarbons - Westborough Lab

C9-C18 Aliphatics	ND		ug/l	100	--	1
C19-C36 Aliphatics	ND		ug/l	100	--	1
C11-C22 Aromatics	ND		ug/l	100	--	1
C11-C22 Aromatics, Adjusted	ND		ug/l	100	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	26	Q	40-140
o-Terphenyl	38	Q	40-140
2-Fluorobiphenyl	67		40-140
2-Bromonaphthalene	65		40-140

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 98,EPH-04-1.1
Analytical Date: 03/04/18 17:03
Analyst: NS

Extraction Method: EPA 3510C
Extraction Date: 03/03/18 10:49
Cleanup Method: EPH-04-1
Cleanup Date: 03/04/18

Parameter	Result	Qualifier	Units	RL	MDL
Extractable Petroleum Hydrocarbons - Westborough Lab for sample(s): 01-07 Batch: WG1094204-1					
C9-C18 Aliphatics	ND		ug/l	100	--
C19-C36 Aliphatics	ND		ug/l	100	--
C11-C22 Aromatics	ND		ug/l	100	--
C11-C22 Aromatics, Adjusted	ND		ug/l	100	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	57		40-140
o-Terphenyl	62		40-140
2-Fluorobiphenyl	73		40-140
2-Bromonaphthalene	71		40-140

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 98,EPH-04-1.1
Analytical Date: 03/06/18 22:31
Analyst: DG

Extraction Method: EPA 3510C
Extraction Date: 03/03/18 10:49
Cleanup Method: EPH-04-1
Cleanup Date: 03/06/18

Parameter	Result	Qualifier	Units	RL	MDL
Extractable Petroleum Hydrocarbons - Westborough Lab for sample(s): 08 Batch: WG1094968-1					
C9-C18 Aliphatics	ND		ug/l	100	--
C19-C36 Aliphatics	ND		ug/l	100	--
C11-C22 Aromatics	ND		ug/l	100	--
C11-C22 Aromatics, Adjusted	ND		ug/l	100	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	61		40-140
o-Terphenyl	48		40-140
2-Fluorobiphenyl	60		40-140
2-Bromonaphthalene	60		40-140

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 98,EPH-04-1.1
Analytical Date: 03/09/18 10:13
Analyst: DG

Extraction Method: EPA 3510C
Extraction Date: 03/08/18 13:52
Cleanup Method: EPH-04-1
Cleanup Date: 03/08/18

Parameter	Result	Qualifier	Units	RL	MDL
Extractable Petroleum Hydrocarbons - Westborough Lab for sample(s): 08 Batch: WG1095559-1					
C9-C18 Aliphatics	ND		ug/l	100	--
C19-C36 Aliphatics	ND		ug/l	100	--
C11-C22 Aromatics	ND		ug/l	100	--
C11-C22 Aromatics, Adjusted	ND		ug/l	100	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	67		40-140
o-Terphenyl	66		40-140
2-Fluorobiphenyl	69		40-140
2-Bromonaphthalene	66		40-140

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Extractable Petroleum Hydrocarbons - Westborough Lab Associated sample(s): 01-07 Batch: WG1094204-2 WG1094204-3								
C9-C18 Aliphatics	58		53		40-140	9		25
C19-C36 Aliphatics	73		59		40-140	21		25
C11-C22 Aromatics	75		64		40-140	16		25
Naphthalene	61		56		40-140	9		25
2-Methylnaphthalene	64		58		40-140	10		25
Acenaphthylene	68		60		40-140	13		25
Acenaphthene	70		62		40-140	12		25
Fluorene	70		62		40-140	12		25
Phenanthrene	73		63		40-140	15		25
Anthracene	74		64		40-140	14		25
Fluoranthene	74		63		40-140	16		25
Pyrene	76		65		40-140	16		25
Benzo(a)anthracene	74		63		40-140	16		25
Chrysene	76		65		40-140	16		25
Benzo(b)fluoranthene	74		63		40-140	16		25
Benzo(k)fluoranthene	73		62		40-140	16		25
Benzo(a)pyrene	72		61		40-140	17		25
Indeno(1,2,3-cd)Pyrene	66		57		40-140	15		25
Dibenzo(a,h)anthracene	70		61		40-140	14		25
Benzo(ghi)perylene	67		58		40-140	14		25
Nonane (C9)	36		38		30-140	5		25
Decane (C10)	44		45		40-140	2		25
Dodecane (C12)	56		53		40-140	6		25

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1807193

Report Date: 03/09/18

Parameter	LCS %Recovery	Qual	LCS %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Extractable Petroleum Hydrocarbons - Westborough Lab Associated sample(s): 01-07 Batch: WG1094204-2 WG1094204-3								
Tetradecane (C14)	60		56		40-140	7		25
Hexadecane (C16)	61		57		40-140	7		25
Octadecane (C18)	66		59		40-140	11		25
Nonadecane (C19)	65		58		40-140	11		25
Eicosane (C20)	66		58		40-140	13		25
Docosane (C22)	66		58		40-140	13		25
Tetracosane (C24)	65		58		40-140	11		25
Hexacosane (C26)	65		57		40-140	13		25
Octacosane (C28)	65		57		40-140	13		25
triacontane (C30)	65		57		40-140	13		25
Hexatriacontane (C36)	62		57		40-140	8		25

Surrogate	LCS %Recovery	Qual	LCS %Recovery	Qual	Acceptance Criteria
Chloro-Octadecane	62		52		40-140
o-Terphenyl	77		66		40-140
2-Fluorobiphenyl	84		82		40-140
2-Bromonaphthalene	82		80		40-140
% Naphthalene Breakthrough	0		0		
% 2-Methylnaphthalene Breakthrough	0		0		

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

Parameter	LCS		LCSD		%Recovery		RPD	
	%Recovery	Qual	%Recovery	Qual	Limits	RPD	Qual	Limits
Extractable Petroleum Hydrocarbons - Westborough Lab Associated sample(s): 08 Batch: WG1094968-2 WG1094968-3								
C9-C18 Aliphatics	51		51		40-140	0		25
C19-C36 Aliphatics	60		59		40-140	2		25
C11-C22 Aromatics	60		64		40-140	6		25
Naphthalene	49		55		40-140	12		25
2-Methylnaphthalene	52		57		40-140	9		25
Acenaphthylene	54		58		40-140	7		25
Acenaphthene	57		61		40-140	7		25
Fluorene	57		61		40-140	7		25
Phenanthrene	60		62		40-140	3		25
Anthracene	59		61		40-140	3		25
Fluoranthene	61		63		40-140	3		25
Pyrene	62		64		40-140	3		25
Benzo(a)anthracene	60		62		40-140	3		25
Chrysene	62		65		40-140	5		25
Benzo(b)fluoranthene	60		63		40-140	5		25
Benzo(k)fluoranthene	60		62		40-140	3		25
Benzo(a)pyrene	57		59		40-140	3		25
Indeno(1,2,3-cd)Pyrene	54		58		40-140	7		25
Dibenzo(a,h)anthracene	58		62		40-140	7		25
Benzo(ghi)perylene	54		58		40-140	7		25
Nonane (C9)	29	Q	33		30-140	13		25
Decane (C10)	37	Q	41		40-140	10		25
Dodecane (C12)	48		50		40-140	4		25

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

Parameter	LCS		LCSD		%Recovery		RPD	
	%Recovery	Qual	%Recovery	Qual	Limits	RPD	Qual	Limits
Extractable Petroleum Hydrocarbons - Westborough Lab Associated sample(s): 08 Batch: WG1094968-2 WG1094968-3								
Tetradecane (C14)	53		54		40-140	2		25
Hexadecane (C16)	56		56		40-140	0		25
Octadecane (C18)	59		58		40-140	2		25
Nonadecane (C19)	58		57		40-140	2		25
Eicosane (C20)	58		57		40-140	2		25
Docosane (C22)	58		57		40-140	2		25
Tetracosane (C24)	58		57		40-140	2		25
Hexacosane (C26)	57		56		40-140	2		25
Octacosane (C28)	57		56		40-140	2		25
Triacontane (C30)	57		56		40-140	2		25
Hexatriacontane (C36)	55		56		40-140	2		25

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
Chloro-Octadecane	60		57		40-140
o-Terphenyl	61		62		40-140
2-Fluorobiphenyl	68		80		40-140
2-Bromonaphthalene	70		82		40-140
% Naphthalene Breakthrough	0		0		
% 2-Methylnaphthalene Breakthrough	0		0		

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

Parameter	LCS %Recovery	Qual	LCS %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Extractable Petroleum Hydrocarbons - Westborough Lab Associated sample(s): 08 Batch: WG1095559-2 WG1095559-3								
C9-C18 Aliphatics	74		79		40-140	7		25
C19-C36 Aliphatics	75		74		40-140	1		25
C11-C22 Aromatics	55		62		40-140	12		25
Naphthalene	47		52		40-140	10		25
2-Methylnaphthalene	48		54		40-140	12		25
Acenaphthylene	50		57		40-140	13		25
Acenaphthene	52		60		40-140	14		25
Fluorene	52		60		40-140	14		25
Phenanthrene	53		61		40-140	14		25
Anthracene	53		61		40-140	14		25
Fluoranthene	54		61		40-140	12		25
Pyrene	55		63		40-140	14		25
Benzo(a)anthracene	54		61		40-140	12		25
Chrysene	55		63		40-140	14		25
Benzo(b)fluoranthene	54		62		40-140	14		25
Benzo(k)fluoranthene	54		61		40-140	12		25
Benzo(a)pyrene	52		59		40-140	13		25
Indeno(1,2,3-cd)Pyrene	50		56		40-140	11		25
Dibenzo(a,h)anthracene	58		57		40-140	2		25
Benzo(ghi)perylene	49		57		40-140	15		25
Nonane (C9)	62		69		30-140	11		25
Decane (C10)	67		74		40-140	10		25
Dodecane (C12)	70		76		40-140	8		25

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1807193

Report Date: 03/09/18

Parameter	LCS		LCSD		%Recovery Limits	RPD	RPD	
	%Recovery	Qual	%Recovery	Qual			Qual	Limits
Extractable Petroleum Hydrocarbons - Westborough Lab Associated sample(s): 08 Batch: WG1095559-2 WG1095559-3								
Tetradecane (C14)	71		77		40-140	8		25
Hexadecane (C16)	71		77		40-140	8		25
Octadecane (C18)	70		75		40-140	7		25
Nonadecane (C19)	70		74		40-140	6		25
Eicosane (C20)	69		74		40-140	7		25
Docosane (C22)	69		73		40-140	6		25
Tetracosane (C24)	68		71		40-140	4		25
Hexacosane (C26)	68		71		40-140	4		25
Octacosane (C28)	68		70		40-140	3		25
Triacontane (C30)	68		70		40-140	3		25
Hexatriacontane (C36)	69		71		40-140	3		25

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
Chloro-Octadecane	67		70		40-140
o-Terphenyl	55		62		40-140
2-Fluorobiphenyl	62		61		40-140
2-Bromonaphthalene	60		60		40-140
% Naphthalene Breakthrough	0		0		
% 2-Methylnaphthalene Breakthrough	0		0		

PCBS

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-01
 Client ID: MW-3S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 10:05
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8082A
 Analytical Date: 03/06/18 06:10
 Analyst: WR

Extraction Method: EPA 3510C
 Extraction Date: 03/03/18 16:26
 Cleanup Method: EPA 3665A
 Cleanup Date: 03/04/18
 Cleanup Method: EPA 3660B
 Cleanup Date: 03/04/18

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
MCP Polychlorinated Biphenyls - Westborough Lab							
Aroclor 1016	ND		ug/l	0.250	--	1	A
Aroclor 1221	ND		ug/l	0.250	--	1	A
Aroclor 1232	ND		ug/l	0.250	--	1	A
Aroclor 1242	ND		ug/l	0.250	--	1	A
Aroclor 1248	ND		ug/l	0.250	--	1	A
Aroclor 1254	ND		ug/l	0.250	--	1	A
Aroclor 1260	ND		ug/l	0.250	--	1	A
Aroclor 1262	ND		ug/l	0.250	--	1	A
Aroclor 1268	ND		ug/l	0.250	--	1	A
PCBs, Total	ND		ug/l	0.250	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	81		30-150	A
Decachlorobiphenyl	70		30-150	A
2,4,5,6-Tetrachloro-m-xylene	78		30-150	B
Decachlorobiphenyl	78		30-150	B

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-02
Client ID: MW-3D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 10:15
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8082A
Analytical Date: 03/06/18 06:24
Analyst: WR

Extraction Method:EPA 3510C
Extraction Date: 03/03/18 16:26
Cleanup Method: EPA 3665A
Cleanup Date: 03/04/18
Cleanup Method: EPA 3660B
Cleanup Date: 03/04/18

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
MCP Polychlorinated Biphenyls - Westborough Lab							
Aroclor 1016	ND		ug/l	0.250	--	1	A
Aroclor 1221	ND		ug/l	0.250	--	1	A
Aroclor 1232	ND		ug/l	0.250	--	1	A
Aroclor 1242	ND		ug/l	0.250	--	1	A
Aroclor 1248	ND		ug/l	0.250	--	1	A
Aroclor 1254	ND		ug/l	0.250	--	1	A
Aroclor 1260	ND		ug/l	0.250	--	1	A
Aroclor 1262	ND		ug/l	0.250	--	1	A
Aroclor 1268	ND		ug/l	0.250	--	1	A
PCBs, Total	ND		ug/l	0.250	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	117		30-150	A
Decachlorobiphenyl	90		30-150	A
2,4,5,6-Tetrachloro-m-xylene	113		30-150	B
Decachlorobiphenyl	94		30-150	B

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-03
Client ID: MW-4S
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 12:15
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8082A
Analytical Date: 03/06/18 06:37
Analyst: WR

Extraction Method:EPA 3510C
Extraction Date: 03/03/18 16:26
Cleanup Method: EPA 3665A
Cleanup Date: 03/04/18
Cleanup Method: EPA 3660B
Cleanup Date: 03/04/18

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
MCP Polychlorinated Biphenyls - Westborough Lab							
Aroclor 1016	ND		ug/l	0.250	--	1	A
Aroclor 1221	ND		ug/l	0.250	--	1	A
Aroclor 1232	ND		ug/l	0.250	--	1	A
Aroclor 1242	ND		ug/l	0.250	--	1	A
Aroclor 1248	ND		ug/l	0.250	--	1	A
Aroclor 1254	ND		ug/l	0.250	--	1	A
Aroclor 1260	ND		ug/l	0.250	--	1	A
Aroclor 1262	ND		ug/l	0.250	--	1	A
Aroclor 1268	ND		ug/l	0.250	--	1	A
PCBs, Total	ND		ug/l	0.250	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	88		30-150	A
Decachlorobiphenyl	74		30-150	A
2,4,5,6-Tetrachloro-m-xylene	86		30-150	B
Decachlorobiphenyl	80		30-150	B

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-04
Client ID: MW-4D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 11:45
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8082A
Analytical Date: 03/06/18 06:50
Analyst: WR

Extraction Method:EPA 3510C
Extraction Date: 03/03/18 16:26
Cleanup Method: EPA 3665A
Cleanup Date: 03/03/18
Cleanup Method: EPA 3660B
Cleanup Date: 03/04/18

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
MCP Polychlorinated Biphenyls - Westborough Lab							
Aroclor 1016	ND		ug/l	0.250	--	1	A
Aroclor 1221	ND		ug/l	0.250	--	1	A
Aroclor 1232	ND		ug/l	0.250	--	1	A
Aroclor 1242	ND		ug/l	0.250	--	1	A
Aroclor 1248	ND		ug/l	0.250	--	1	A
Aroclor 1254	ND		ug/l	0.250	--	1	A
Aroclor 1260	ND		ug/l	0.250	--	1	A
Aroclor 1262	ND		ug/l	0.250	--	1	A
Aroclor 1268	ND		ug/l	0.250	--	1	A
PCBs, Total	ND		ug/l	0.250	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	85		30-150	A
Decachlorobiphenyl	43		30-150	A
2,4,5,6-Tetrachloro-m-xylene	80		30-150	B
Decachlorobiphenyl	47		30-150	B

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-05
Client ID: MW-7D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 13:40
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8082A
Analytical Date: 03/06/18 07:04
Analyst: WR

Extraction Method:EPA 3510C
Extraction Date: 03/03/18 16:26
Cleanup Method: EPA 3665A
Cleanup Date: 03/03/18
Cleanup Method: EPA 3660B
Cleanup Date: 03/04/18

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
MCP Polychlorinated Biphenyls - Westborough Lab							
Aroclor 1016	ND		ug/l	0.250	--	1	A
Aroclor 1221	ND		ug/l	0.250	--	1	A
Aroclor 1232	ND		ug/l	0.250	--	1	A
Aroclor 1242	ND		ug/l	0.250	--	1	A
Aroclor 1248	ND		ug/l	0.250	--	1	A
Aroclor 1254	ND		ug/l	0.250	--	1	A
Aroclor 1260	ND		ug/l	0.250	--	1	A
Aroclor 1262	ND		ug/l	0.250	--	1	A
Aroclor 1268	ND		ug/l	0.250	--	1	A
PCBs, Total	ND		ug/l	0.250	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	93		30-150	A
Decachlorobiphenyl	63		30-150	A
2,4,5,6-Tetrachloro-m-xylene	91		30-150	B
Decachlorobiphenyl	68		30-150	B

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-06
Client ID: MW-7S
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 13:40
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8082A
Analytical Date: 03/06/18 07:17
Analyst: WR

Extraction Method:EPA 3510C
Extraction Date: 03/03/18 16:26
Cleanup Method: EPA 3665A
Cleanup Date: 03/04/18
Cleanup Method: EPA 3660B
Cleanup Date: 03/04/18

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
MCP Polychlorinated Biphenyls - Westborough Lab							
Aroclor 1016	ND		ug/l	0.250	--	1	A
Aroclor 1221	ND		ug/l	0.250	--	1	A
Aroclor 1232	ND		ug/l	0.250	--	1	A
Aroclor 1242	ND		ug/l	0.250	--	1	A
Aroclor 1248	ND		ug/l	0.250	--	1	A
Aroclor 1254	ND		ug/l	0.250	--	1	A
Aroclor 1260	ND		ug/l	0.250	--	1	A
Aroclor 1262	ND		ug/l	0.250	--	1	A
Aroclor 1268	ND		ug/l	0.250	--	1	A
PCBs, Total	ND		ug/l	0.250	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	88		30-150	A
Decachlorobiphenyl	79		30-150	A
2,4,5,6-Tetrachloro-m-xylene	85		30-150	B
Decachlorobiphenyl	89		30-150	B

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-07
Client ID: MW-9D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 14:55
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8082A
Analytical Date: 03/06/18 07:30
Analyst: WR

Extraction Method:EPA 3510C
Extraction Date: 03/03/18 16:26
Cleanup Method: EPA 3665A
Cleanup Date: 03/04/18
Cleanup Method: EPA 3660B
Cleanup Date: 03/04/18

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
MCP Polychlorinated Biphenyls - Westborough Lab							
Aroclor 1016	ND		ug/l	0.250	--	1	A
Aroclor 1221	ND		ug/l	0.250	--	1	A
Aroclor 1232	ND		ug/l	0.250	--	1	A
Aroclor 1242	ND		ug/l	0.250	--	1	A
Aroclor 1248	ND		ug/l	0.250	--	1	A
Aroclor 1254	ND		ug/l	0.250	--	1	A
Aroclor 1260	ND		ug/l	0.250	--	1	A
Aroclor 1262	ND		ug/l	0.250	--	1	A
Aroclor 1268	ND		ug/l	0.250	--	1	A
PCBs, Total	ND		ug/l	0.250	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	104		30-150	A
Decachlorobiphenyl	82		30-150	A
2,4,5,6-Tetrachloro-m-xylene	109		30-150	B
Decachlorobiphenyl	94		30-150	B

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-08
 Client ID: MW-9S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 15:00
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8082A
 Analytical Date: 03/06/18 07:44
 Analyst: WR

Extraction Method: EPA 3510C
 Extraction Date: 03/03/18 16:26
 Cleanup Method: EPA 3665A
 Cleanup Date: 03/04/18
 Cleanup Method: EPA 3660B
 Cleanup Date: 03/04/18

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
MCP Polychlorinated Biphenyls - Westborough Lab							
Aroclor 1016	ND		ug/l	0.250	--	1	A
Aroclor 1221	ND		ug/l	0.250	--	1	A
Aroclor 1232	ND		ug/l	0.250	--	1	A
Aroclor 1242	ND		ug/l	0.250	--	1	A
Aroclor 1248	ND		ug/l	0.250	--	1	A
Aroclor 1254	ND		ug/l	0.250	--	1	A
Aroclor 1260	ND		ug/l	0.250	--	1	A
Aroclor 1262	ND		ug/l	0.250	--	1	A
Aroclor 1268	ND		ug/l	0.250	--	1	A
PCBs, Total	ND		ug/l	0.250	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	64		30-150	A
Decachlorobiphenyl	47		30-150	A
2,4,5,6-Tetrachloro-m-xylene	66		30-150	B
Decachlorobiphenyl	52		30-150	B

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 97,8082A
Analytical Date: 03/06/18 05:30
Analyst: WR

Extraction Method: EPA 3510C
Extraction Date: 03/03/18 16:26
Cleanup Method: EPA 3665A
Cleanup Date: 03/03/18
Cleanup Method: EPA 3660B
Cleanup Date: 03/04/18

Parameter	Result	Qualifier	Units	RL	MDL	Column
MCP Polychlorinated Biphenyls - Westborough Lab for sample(s): 01-08 Batch: WG1094294-1						
Aroclor 1016	ND		ug/l	0.250	--	A
Aroclor 1221	ND		ug/l	0.250	--	A
Aroclor 1232	ND		ug/l	0.250	--	A
Aroclor 1242	ND		ug/l	0.250	--	A
Aroclor 1248	ND		ug/l	0.250	--	A
Aroclor 1254	ND		ug/l	0.250	--	A
Aroclor 1260	ND		ug/l	0.250	--	A
Aroclor 1262	ND		ug/l	0.250	--	A
Aroclor 1268	ND		ug/l	0.250	--	A
PCBs, Total	ND		ug/l	0.250	--	A

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	78		30-150	A
Decachlorobiphenyl	109		30-150	A
2,4,5,6-Tetrachloro-m-xylene	85		30-150	B
Decachlorobiphenyl	121		30-150	B

Lab Control Sample Analysis Batch Quality Control

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
MCP Polychlorinated Biphenyls - Westborough Lab Associated sample(s): 01-08 Batch: WG1094294-2 WG1094294-3									
Aroclor 1016	87		86		40-140	1		20	A
Aroclor 1260	91		88		40-140	3		20	A

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	90		89		30-150	A
Decachlorobiphenyl	104		102		30-150	A
2,4,5,6-Tetrachloro-m-xylene	92		92		30-150	B
Decachlorobiphenyl	114		112		30-150	B

METALS

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-01
 Client ID: MW-3S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:
 Matrix: Water

Date Collected: 03/01/18 10:05
 Date Received: 03/01/18
 Field Prep: Field Filtered
 (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
MCP Dissolved Metals - Mansfield Lab											
Antimony, Dissolved	ND		mg/l	0.0040	--	1	03/03/18 10:40	03/06/18 13:42	EPA 3005A	97,6020A	AM
Arsenic, Dissolved	ND		mg/l	0.0050	--	1	03/03/18 10:40	03/07/18 10:53	EPA 3005A	97,6010C	LC
Barium, Dissolved	0.049		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 10:53	EPA 3005A	97,6010C	LC
Beryllium, Dissolved	ND		mg/l	0.0005	--	1	03/03/18 10:40	03/06/18 13:42	EPA 3005A	97,6020A	AM
Cadmium, Dissolved	ND		mg/l	0.004	--	1	03/03/18 10:40	03/07/18 10:53	EPA 3005A	97,6010C	LC
Chromium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 10:53	EPA 3005A	97,6010C	LC
Lead, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 10:53	EPA 3005A	97,6010C	LC
Mercury, Dissolved	ND		mg/l	0.0002	--	1	03/02/18 12:31	03/02/18 17:14	EPA 7470A	97,7470A	MG
Nickel, Dissolved	ND		mg/l	0.025	--	1	03/03/18 10:40	03/07/18 10:53	EPA 3005A	97,6010C	LC
Selenium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 10:53	EPA 3005A	97,6010C	LC
Silver, Dissolved	ND		mg/l	0.007	--	1	03/03/18 10:40	03/07/18 10:53	EPA 3005A	97,6010C	LC
Thallium, Dissolved	ND		mg/l	0.0005	--	1	03/03/18 10:40	03/06/18 13:42	EPA 3005A	97,6020A	AM
Vanadium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 10:53	EPA 3005A	97,6010C	LC
Zinc, Dissolved	ND		mg/l	0.050	--	1	03/03/18 10:40	03/07/18 10:53	EPA 3005A	97,6010C	LC



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-02
 Client ID: MW-3D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:
 Matrix: Water

Date Collected: 03/01/18 10:15
 Date Received: 03/01/18
 Field Prep: Field Filtered
 (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
MCP Dissolved Metals - Mansfield Lab											
Antimony, Dissolved	ND		mg/l	0.0040	--	1	03/03/18 10:40	03/06/18 13:46	EPA 3005A	97,6020A	AM
Arsenic, Dissolved	0.0066		mg/l	0.0050	--	1	03/03/18 10:40	03/07/18 11:12	EPA 3005A	97,6010C	LC
Barium, Dissolved	0.262		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:12	EPA 3005A	97,6010C	LC
Beryllium, Dissolved	ND		mg/l	0.0005	--	1	03/03/18 10:40	03/06/18 13:46	EPA 3005A	97,6020A	AM
Cadmium, Dissolved	ND		mg/l	0.004	--	1	03/03/18 10:40	03/07/18 11:12	EPA 3005A	97,6010C	LC
Chromium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:12	EPA 3005A	97,6010C	LC
Lead, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:12	EPA 3005A	97,6010C	LC
Mercury, Dissolved	ND		mg/l	0.0002	--	1	03/02/18 12:31	03/02/18 17:20	EPA 7470A	97,7470A	MG
Nickel, Dissolved	ND		mg/l	0.025	--	1	03/03/18 10:40	03/07/18 11:12	EPA 3005A	97,6010C	LC
Selenium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:12	EPA 3005A	97,6010C	LC
Silver, Dissolved	ND		mg/l	0.007	--	1	03/03/18 10:40	03/07/18 11:12	EPA 3005A	97,6010C	LC
Thallium, Dissolved	ND		mg/l	0.0005	--	1	03/03/18 10:40	03/06/18 13:46	EPA 3005A	97,6020A	AM
Vanadium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:12	EPA 3005A	97,6010C	LC
Zinc, Dissolved	ND		mg/l	0.050	--	1	03/03/18 10:40	03/07/18 11:12	EPA 3005A	97,6010C	LC



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-03
 Client ID: MW-4S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:
 Matrix: Water

Date Collected: 03/01/18 12:15
 Date Received: 03/01/18
 Field Prep: Field Filtered
 (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
MCP Dissolved Metals - Mansfield Lab											
Antimony, Dissolved	ND		mg/l	0.0040	--	1	03/03/18 10:40	03/06/18 13:51	EPA 3005A	97,6020A	AM
Arsenic, Dissolved	ND		mg/l	0.0050	--	1	03/03/18 10:40	03/07/18 11:16	EPA 3005A	97,6010C	LC
Barium, Dissolved	0.646		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:16	EPA 3005A	97,6010C	LC
Beryllium, Dissolved	ND		mg/l	0.0005	--	1	03/03/18 10:40	03/06/18 13:51	EPA 3005A	97,6020A	AM
Cadmium, Dissolved	ND		mg/l	0.004	--	1	03/03/18 10:40	03/07/18 11:16	EPA 3005A	97,6010C	LC
Chromium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:16	EPA 3005A	97,6010C	LC
Lead, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:16	EPA 3005A	97,6010C	LC
Mercury, Dissolved	ND		mg/l	0.0002	--	1	03/02/18 12:31	03/02/18 17:21	EPA 7470A	97,7470A	MG
Nickel, Dissolved	ND		mg/l	0.025	--	1	03/03/18 10:40	03/07/18 11:16	EPA 3005A	97,6010C	LC
Selenium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:16	EPA 3005A	97,6010C	LC
Silver, Dissolved	ND		mg/l	0.007	--	1	03/03/18 10:40	03/07/18 11:16	EPA 3005A	97,6010C	LC
Thallium, Dissolved	ND		mg/l	0.0005	--	1	03/03/18 10:40	03/06/18 13:51	EPA 3005A	97,6020A	AM
Vanadium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:16	EPA 3005A	97,6010C	LC
Zinc, Dissolved	ND		mg/l	0.050	--	1	03/03/18 10:40	03/07/18 11:16	EPA 3005A	97,6010C	LC



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-04
 Client ID: MW-4D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:
 Matrix: Water

Date Collected: 03/01/18 11:45
 Date Received: 03/01/18
 Field Prep: Field Filtered
 (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
MCP Dissolved Metals - Mansfield Lab											
Antimony, Dissolved	ND		mg/l	0.0040	--	1	03/03/18 10:40	03/06/18 13:55	EPA 3005A	97,6020A	AM
Arsenic, Dissolved	ND		mg/l	0.0050	--	1	03/03/18 10:40	03/07/18 11:21	EPA 3005A	97,6010C	LC
Barium, Dissolved	0.729		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:21	EPA 3005A	97,6010C	LC
Beryllium, Dissolved	ND		mg/l	0.0005	--	1	03/03/18 10:40	03/06/18 13:55	EPA 3005A	97,6020A	AM
Cadmium, Dissolved	ND		mg/l	0.004	--	1	03/03/18 10:40	03/07/18 11:21	EPA 3005A	97,6010C	LC
Chromium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:21	EPA 3005A	97,6010C	LC
Lead, Dissolved	0.077		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:21	EPA 3005A	97,6010C	LC
Mercury, Dissolved	ND		mg/l	0.0002	--	1	03/02/18 12:31	03/02/18 17:23	EPA 7470A	97,7470A	MG
Nickel, Dissolved	ND		mg/l	0.025	--	1	03/03/18 10:40	03/07/18 11:21	EPA 3005A	97,6010C	LC
Selenium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:21	EPA 3005A	97,6010C	LC
Silver, Dissolved	ND		mg/l	0.007	--	1	03/03/18 10:40	03/07/18 11:21	EPA 3005A	97,6010C	LC
Thallium, Dissolved	ND		mg/l	0.0005	--	1	03/03/18 10:40	03/06/18 13:55	EPA 3005A	97,6020A	AM
Vanadium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:21	EPA 3005A	97,6010C	LC
Zinc, Dissolved	ND		mg/l	0.050	--	1	03/03/18 10:40	03/07/18 11:21	EPA 3005A	97,6010C	LC



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-05
 Client ID: MW-7D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:
 Matrix: Water

Date Collected: 03/01/18 13:40
 Date Received: 03/01/18
 Field Prep: Field Filtered
 (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
MCP Dissolved Metals - Mansfield Lab											
Antimony, Dissolved	ND		mg/l	0.0040	--	1	03/03/18 10:40	03/06/18 13:59	EPA 3005A	97,6020A	AM
Arsenic, Dissolved	ND		mg/l	0.0050	--	1	03/03/18 10:40	03/07/18 11:25	EPA 3005A	97,6010C	LC
Barium, Dissolved	2.14		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:25	EPA 3005A	97,6010C	LC
Beryllium, Dissolved	ND		mg/l	0.0005	--	1	03/03/18 10:40	03/06/18 13:59	EPA 3005A	97,6020A	AM
Cadmium, Dissolved	ND		mg/l	0.004	--	1	03/03/18 10:40	03/07/18 11:25	EPA 3005A	97,6010C	LC
Chromium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:25	EPA 3005A	97,6010C	LC
Lead, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:25	EPA 3005A	97,6010C	LC
Mercury, Dissolved	ND		mg/l	0.0002	--	1	03/02/18 12:31	03/02/18 17:25	EPA 7470A	97,7470A	MG
Nickel, Dissolved	ND		mg/l	0.025	--	1	03/03/18 10:40	03/07/18 11:25	EPA 3005A	97,6010C	LC
Selenium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:25	EPA 3005A	97,6010C	LC
Silver, Dissolved	ND		mg/l	0.007	--	1	03/03/18 10:40	03/07/18 11:25	EPA 3005A	97,6010C	LC
Thallium, Dissolved	ND		mg/l	0.0005	--	1	03/03/18 10:40	03/06/18 13:59	EPA 3005A	97,6020A	AM
Vanadium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:25	EPA 3005A	97,6010C	LC
Zinc, Dissolved	ND		mg/l	0.050	--	1	03/03/18 10:40	03/07/18 11:25	EPA 3005A	97,6010C	LC



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-06
 Client ID: MW-7S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:
 Matrix: Water

Date Collected: 03/01/18 13:40
 Date Received: 03/01/18
 Field Prep: Field Filtered
 (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
MCP Dissolved Metals - Mansfield Lab											
Antimony, Dissolved	ND		mg/l	0.0040	--	1	03/03/18 10:40	03/06/18 14:03	EPA 3005A	97,6020A	AM
Arsenic, Dissolved	ND		mg/l	0.0050	--	1	03/03/18 10:40	03/07/18 11:29	EPA 3005A	97,6010C	LC
Barium, Dissolved	0.526		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:29	EPA 3005A	97,6010C	LC
Beryllium, Dissolved	ND		mg/l	0.0005	--	1	03/03/18 10:40	03/06/18 14:03	EPA 3005A	97,6020A	AM
Cadmium, Dissolved	ND		mg/l	0.004	--	1	03/03/18 10:40	03/07/18 11:29	EPA 3005A	97,6010C	LC
Chromium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:29	EPA 3005A	97,6010C	LC
Lead, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:29	EPA 3005A	97,6010C	LC
Mercury, Dissolved	ND		mg/l	0.0002	--	1	03/02/18 12:31	03/02/18 17:26	EPA 7470A	97,7470A	MG
Nickel, Dissolved	ND		mg/l	0.025	--	1	03/03/18 10:40	03/07/18 11:29	EPA 3005A	97,6010C	LC
Selenium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:29	EPA 3005A	97,6010C	LC
Silver, Dissolved	ND		mg/l	0.007	--	1	03/03/18 10:40	03/07/18 11:29	EPA 3005A	97,6010C	LC
Thallium, Dissolved	ND		mg/l	0.0005	--	1	03/03/18 10:40	03/06/18 14:03	EPA 3005A	97,6020A	AM
Vanadium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:29	EPA 3005A	97,6010C	LC
Zinc, Dissolved	0.060		mg/l	0.050	--	1	03/03/18 10:40	03/07/18 11:29	EPA 3005A	97,6010C	LC



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-07
 Client ID: MW-9D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:
 Matrix: Water

Date Collected: 03/01/18 14:55
 Date Received: 03/01/18
 Field Prep: Field Filtered
 (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
MCP Dissolved Metals - Mansfield Lab											
Antimony, Dissolved	ND		mg/l	0.0040	--	1	03/03/18 10:40	03/06/18 14:27	EPA 3005A	97,6020A	AM
Arsenic, Dissolved	0.0402		mg/l	0.0050	--	1	03/03/18 10:40	03/07/18 11:34	EPA 3005A	97,6010C	LC
Barium, Dissolved	0.134		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:34	EPA 3005A	97,6010C	LC
Beryllium, Dissolved	ND		mg/l	0.0005	--	1	03/03/18 10:40	03/06/18 14:27	EPA 3005A	97,6020A	AM
Cadmium, Dissolved	ND		mg/l	0.004	--	1	03/03/18 10:40	03/07/18 11:34	EPA 3005A	97,6010C	LC
Chromium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:34	EPA 3005A	97,6010C	LC
Lead, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:34	EPA 3005A	97,6010C	LC
Mercury, Dissolved	ND		mg/l	0.0002	--	1	03/02/18 12:31	03/02/18 17:28	EPA 7470A	97,7470A	MG
Nickel, Dissolved	ND		mg/l	0.025	--	1	03/03/18 10:40	03/07/18 11:34	EPA 3005A	97,6010C	LC
Selenium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:34	EPA 3005A	97,6010C	LC
Silver, Dissolved	ND		mg/l	0.007	--	1	03/03/18 10:40	03/07/18 11:34	EPA 3005A	97,6010C	LC
Thallium, Dissolved	ND		mg/l	0.0005	--	1	03/03/18 10:40	03/06/18 14:27	EPA 3005A	97,6020A	AM
Vanadium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:34	EPA 3005A	97,6010C	LC
Zinc, Dissolved	ND		mg/l	0.050	--	1	03/03/18 10:40	03/07/18 11:34	EPA 3005A	97,6010C	LC



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807193-08
 Client ID: MW-9S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:
 Matrix: Water

Date Collected: 03/01/18 15:00
 Date Received: 03/01/18
 Field Prep: Field Filtered
 (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
MCP Dissolved Metals - Mansfield Lab											
Antimony, Dissolved	ND		mg/l	0.0040	--	1	03/03/18 10:40	03/06/18 14:32	EPA 3005A	97,6020A	AM
Arsenic, Dissolved	ND		mg/l	0.0050	--	1	03/03/18 10:40	03/07/18 11:38	EPA 3005A	97,6010C	LC
Barium, Dissolved	0.113		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:38	EPA 3005A	97,6010C	LC
Beryllium, Dissolved	ND		mg/l	0.0005	--	1	03/03/18 10:40	03/06/18 14:32	EPA 3005A	97,6020A	AM
Cadmium, Dissolved	ND		mg/l	0.004	--	1	03/03/18 10:40	03/07/18 11:38	EPA 3005A	97,6010C	LC
Chromium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:38	EPA 3005A	97,6010C	LC
Lead, Dissolved	0.054		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:38	EPA 3005A	97,6010C	LC
Mercury, Dissolved	ND		mg/l	0.0002	--	1	03/02/18 12:31	03/02/18 17:30	EPA 7470A	97,7470A	MG
Nickel, Dissolved	ND		mg/l	0.025	--	1	03/03/18 10:40	03/07/18 11:38	EPA 3005A	97,6010C	LC
Selenium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:38	EPA 3005A	97,6010C	LC
Silver, Dissolved	ND		mg/l	0.007	--	1	03/03/18 10:40	03/07/18 11:38	EPA 3005A	97,6010C	LC
Thallium, Dissolved	ND		mg/l	0.0005	--	1	03/03/18 10:40	03/06/18 14:32	EPA 3005A	97,6020A	AM
Vanadium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:38	EPA 3005A	97,6010C	LC
Zinc, Dissolved	0.224		mg/l	0.050	--	1	03/03/18 10:40	03/07/18 11:38	EPA 3005A	97,6010C	LC



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
MCP Dissolved Metals - Mansfield Lab for sample(s): 01-08 Batch: WG1093949-1									
Mercury, Dissolved	ND	mg/l	0.0002	--	1	03/02/18 12:31	03/02/18 16:59	97,7470A	MG

Prep Information

Digestion Method: EPA 7470A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
MCP Dissolved Metals - Mansfield Lab for sample(s): 01-08 Batch: WG1094197-1									
Antimony, Dissolved	ND	mg/l	0.0040	--	1	03/03/18 10:40	03/06/18 13:30	97,6020A	AM
Beryllium, Dissolved	ND	mg/l	0.0005	--	1	03/03/18 10:40	03/06/18 13:30	97,6020A	AM
Thallium, Dissolved	ND	mg/l	0.0005	--	1	03/03/18 10:40	03/06/18 13:30	97,6020A	AM

Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
MCP Dissolved Metals - Mansfield Lab for sample(s): 01-08 Batch: WG1094198-1									
Arsenic, Dissolved	ND	mg/l	0.0050	--	1	03/03/18 10:40	03/07/18 10:15	97,6010C	LC
Barium, Dissolved	ND	mg/l	0.010	--	1	03/03/18 10:40	03/07/18 10:15	97,6010C	LC
Cadmium, Dissolved	ND	mg/l	0.004	--	1	03/03/18 10:40	03/07/18 10:15	97,6010C	LC
Chromium, Dissolved	ND	mg/l	0.010	--	1	03/03/18 10:40	03/07/18 10:15	97,6010C	LC
Lead, Dissolved	ND	mg/l	0.010	--	1	03/03/18 10:40	03/07/18 10:15	97,6010C	LC
Nickel, Dissolved	ND	mg/l	0.025	--	1	03/03/18 10:40	03/07/18 10:15	97,6010C	LC
Selenium, Dissolved	ND	mg/l	0.010	--	1	03/03/18 10:40	03/07/18 10:15	97,6010C	LC
Silver, Dissolved	ND	mg/l	0.007	--	1	03/03/18 10:40	03/07/18 10:15	97,6010C	LC
Vanadium, Dissolved	ND	mg/l	0.010	--	1	03/03/18 10:40	03/07/18 10:15	97,6010C	LC
Zinc, Dissolved	ND	mg/l	0.050	--	1	03/03/18 10:40	03/07/18 10:15	97,6010C	LC

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

Method Blank Analysis Batch Quality Control

Prep Information

Digestion Method: EPA 3005A

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1807193

Report Date: 03/09/18

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
MCP Dissolved Metals - Mansfield Lab Associated sample(s): 01-08 Batch: WG1093949-2 WG1093949-3								
Mercury, Dissolved	93		97		80-120	4		20
MCP Dissolved Metals - Mansfield Lab Associated sample(s): 01-08 Batch: WG1094197-2 WG1094197-3								
Antimony, Dissolved	109		110		80-120	1		20
Beryllium, Dissolved	110		110		80-120	0		20
Thallium, Dissolved	98		96		80-120	2		20
MCP Dissolved Metals - Mansfield Lab Associated sample(s): 01-08 Batch: WG1094198-2 WG1094198-3								
Arsenic, Dissolved	112		110		80-120	2		20
Barium, Dissolved	106		108		80-120	2		20
Cadmium, Dissolved	110		109		80-120	1		20
Chromium, Dissolved	104		104		80-120	0		20
Lead, Dissolved	107		106		80-120	1		20
Nickel, Dissolved	102		102		80-120	0		20
Selenium, Dissolved	113		113		80-120	0		20
Silver, Dissolved	117		115		80-120	2		20
Vanadium, Dissolved	106		106		80-120	0		20
Zinc, Dissolved	106		106		80-120	0		20

Project Name: TOBIN SCHOOL**Lab Number:** L1807193**Project Number:** 0139-220813**Report Date:** 03/09/18**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
A	Absent
B	Absent
C	Absent
D	Absent
E	Absent
F	Absent
G	Absent
H	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1807193-01A	Vial HCl preserved	H	NA		3.7	Y	Absent		MCP-8260-10(14)
L1807193-01B	Vial HCl preserved	H	NA		3.7	Y	Absent		MCP-8260-10(14)
L1807193-01C	Vial HCl preserved	H	NA		3.7	Y	Absent		MCP-8260-10(14)
L1807193-01D	Plastic 250ml HNO3 preserved	H	<2	<2	3.7	Y	Absent		MCP-BE-6020S-10(180),MCP-CD-6010S-10(180),MCP-7470S-10(28),MCP-AG-6010S-10(180),MCP-SB-6020S-10(180),MCP-ZN-6010S-10(180),MCP-AS-6010S-10(180),MCP-CR-6010S-10(180),MCP-TL-6020S-10(180),MCP-BA-6010S-10(180),MCP-PB-6010S-10(180),MCP-NI-6010S-10(180),MCP-SE-6010S-10(180),MCP-V-6010S-10(180)
L1807193-01E	Amber 500ml unpreserved	H	7	7	3.7	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1807193-01F	Amber 500ml unpreserved	H	7	7	3.7	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1807193-01H	Amber 1000ml unpreserved	H	7	7	3.7	Y	Absent		MCP-8082-10(365)
L1807193-01I	Amber 1000ml unpreserved	H	7	7	3.7	Y	Absent		MCP-8082-10(365)
L1807193-01J	Amber 1000ml unpreserved	H	7	7	3.7	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1807193-01K	Amber 1000ml unpreserved	H	7	7	3.7	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1807193-01L	Amber 1000ml HCl preserved	H	<2	<2	3.7	Y	Absent		EPH-10(14)
L1807193-01M	Amber 1000ml HCl preserved	H	<2	<2	3.7	Y	Absent		EPH-10(14)

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1807193-02A	Vial HCl preserved	D	NA		3.9	Y	Absent		MCP-8260-10(14)
L1807193-02B	Vial HCl preserved	D	NA		3.9	Y	Absent		MCP-8260-10(14)
L1807193-02C	Vial HCl preserved	D	NA		3.9	Y	Absent		MCP-8260-10(14)
L1807193-02D	Plastic 250ml HNO3 preserved	D	<2	<2	3.9	Y	Absent		MCP-BE-6020S-10(180),MCP-CD-6010S-10(180),MCP-7470S-10(28),MCP-AG-6010S-10(180),MCP-SB-6020S-10(180),MCP-ZN-6010S-10(180),MCP-AS-6010S-10(180),MCP-CR-6010S-10(180),MCP-TL-6020S-10(180),MCP-BA-6010S-10(180),MCP-PB-6010S-10(180),MCP-NI-6010S-10(180),MCP-SE-6010S-10(180),MCP-V-6010S-10(180)
L1807193-02E	Amber 500ml unpreserved	D	7	7	3.9	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1807193-02F	Amber 500ml unpreserved	D	7	7	3.9	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1807193-02H	Amber 1000ml unpreserved	D	7	7	3.9	Y	Absent		MCP-8082-10(365)
L1807193-02I	Amber 1000ml unpreserved	D	7	7	3.9	Y	Absent		MCP-8082-10(365)
L1807193-02J	Amber 1000ml unpreserved	D	7	7	3.9	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1807193-02K	Amber 1000ml unpreserved	D	7	7	3.9	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1807193-02L	Amber 1000ml HCl preserved	D	<2	<2	3.9	Y	Absent		EPH-10(14)
L1807193-02M	Amber 1000ml HCl preserved	D	<2	<2	3.9	Y	Absent		EPH-10(14)
L1807193-03A	Vial HCl preserved	A	NA		3.0	Y	Absent		MCP-8260-10(14)
L1807193-03B	Vial HCl preserved	A	NA		3.0	Y	Absent		MCP-8260-10(14)
L1807193-03C	Vial HCl preserved	A	NA		3.0	Y	Absent		MCP-8260-10(14)
L1807193-03D	Plastic 250ml HNO3 preserved	A	<2	<2	3.0	Y	Absent		MCP-BE-6020S-10(180),MCP-CD-6010S-10(180),MCP-7470S-10(28),MCP-AG-6010S-10(180),MCP-SB-6020S-10(180),MCP-ZN-6010S-10(180),MCP-AS-6010S-10(180),MCP-CR-6010S-10(180),MCP-TL-6020S-10(180),MCP-BA-6010S-10(180),MCP-PB-6010S-10(180),MCP-NI-6010S-10(180),MCP-SE-6010S-10(180),MCP-V-6010S-10(180)
L1807193-03E	Amber 500ml unpreserved	A	7	7	3.0	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1807193-03F	Amber 500ml unpreserved	A	7	7	3.0	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1807193-03H	Amber 1000ml unpreserved	A	7	7	3.0	Y	Absent		MCP-8082-10(365)
L1807193-03I	Amber 1000ml unpreserved	A	7	7	3.0	Y	Absent		MCP-8082-10(365)
L1807193-03J	Amber 1000ml unpreserved	A	7	7	3.0	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1807193-03K	Amber 1000ml unpreserved	A	7	7	3.0	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1807193-03L	Amber 1000ml HCl preserved	A	<2	<2	3.0	Y	Absent		EPH-10(14)
L1807193-03M	Amber 1000ml HCl preserved	A	<2	<2	3.0	Y	Absent		EPH-10(14)
L1807193-04A	Vial HCl preserved	F	NA		3.3	Y	Absent		MCP-8260-10(14)
L1807193-04B	Vial HCl preserved	F	NA		3.3	Y	Absent		MCP-8260-10(14)
L1807193-04C	Vial HCl preserved	F	NA		3.3	Y	Absent		MCP-8260-10(14)
L1807193-04D	Plastic 250ml HNO3 preserved	F	<2	<2	3.3	Y	Absent		MCP-BE-6020S-10(180),MCP-CD-6010S-10(180),MCP-7470S-10(28),MCP-AG-6010S-10(180),MCP-SB-6020S-10(180),MCP-ZN-6010S-10(180),MCP-AS-6010S-10(180),MCP-CR-6010S-10(180),MCP-TL-6020S-10(180),MCP-BA-6010S-10(180),MCP-PB-6010S-10(180),MCP-NI-6010S-10(180),MCP-SE-6010S-10(180),MCP-V-6010S-10(180)
L1807193-04E	Amber 500ml unpreserved	F	7	7	3.3	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1807193-04F	Amber 500ml unpreserved	F	7	7	3.3	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1807193-04H	Amber 1000ml unpreserved	F	7	7	3.3	Y	Absent		MCP-8082-10(365)
L1807193-04I	Amber 1000ml unpreserved	F	7	7	3.3	Y	Absent		MCP-8082-10(365)
L1807193-04J	Amber 1000ml unpreserved	F	7	7	3.3	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1807193-04K	Amber 1000ml unpreserved	F	7	7	3.3	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1807193-04L	Amber 1000ml HCl preserved	F	<2	<2	3.3	Y	Absent		EPH-10(14)
L1807193-04M	Amber 1000ml HCl preserved	F	<2	<2	3.3	Y	Absent		EPH-10(14)
L1807193-05A	Vial HCl preserved	C	NA		2.8	Y	Absent		MCP-8260-10(14)
L1807193-05B	Vial HCl preserved	C	NA		2.8	Y	Absent		MCP-8260-10(14)
L1807193-05C	Vial HCl preserved	C	NA		2.8	Y	Absent		MCP-8260-10(14)
L1807193-05D	Plastic 250ml HNO3 preserved	C	<2	<2	2.8	Y	Absent		MCP-BE-6020S-10(180),MCP-CD-6010S-10(180),MCP-7470S-10(28),MCP-AG-6010S-10(180),MCP-SB-6020S-10(180),MCP-ZN-6010S-10(180),MCP-AS-6010S-10(180),MCP-CR-6010S-10(180),MCP-TL-6020S-10(180),MCP-BA-6010S-10(180),MCP-PB-6010S-10(180),MCP-NI-6010S-10(180),MCP-SE-6010S-10(180),MCP-V-6010S-10(180)
L1807193-05E	Amber 500ml unpreserved	C	7	7	2.8	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1807193-05F	Amber 500ml unpreserved	C	7	7	2.8	Y	Absent		A2-MCP-14DX-SIM-PPB(7)

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Serial_No:03091817:36
Lab Number: L1807193
Report Date: 03/09/18

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1807193-05H	Amber 1000ml unpreserved	C	7	7	2.8	Y	Absent		MCP-8082-10(365)
L1807193-05I	Amber 1000ml unpreserved	C	7	7	2.8	Y	Absent		MCP-8082-10(365)
L1807193-05J	Amber 1000ml unpreserved	C	7	7	2.8	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1807193-05K	Amber 1000ml unpreserved	C	7	7	2.8	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1807193-05L	Amber 1000ml HCl preserved	C	<2	<2	2.8	Y	Absent		EPH-10(14)
L1807193-05M	Amber 1000ml HCl preserved	C	<2	<2	2.8	Y	Absent		EPH-10(14)
L1807193-06A	Vial HCl preserved	E	NA		5.9	Y	Absent		MCP-8260-10(14)
L1807193-06B	Vial HCl preserved	E	NA		5.9	Y	Absent		MCP-8260-10(14)
L1807193-06C	Vial HCl preserved	E	NA		5.9	Y	Absent		MCP-8260-10(14)
L1807193-06D	Plastic 250ml HNO3 preserved	E	<2	<2	5.9	Y	Absent		MCP-BE-6020S-10(180),MCP-CD-6010S-10(180),MCP-7470S-10(28),MCP-AG-6010S-10(180),MCP-SB-6020S-10(180),MCP-ZN-6010S-10(180),MCP-AS-6010S-10(180),MCP-CR-6010S-10(180),MCP-TL-6020S-10(180),MCP-BA-6010S-10(180),MCP-PB-6010S-10(180),MCP-NI-6010S-10(180),MCP-SE-6010S-10(180),MCP-V-6010S-10(180)
L1807193-06E	Amber 500ml unpreserved	E	7	7	5.9	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1807193-06F	Amber 500ml unpreserved	E	7	7	5.9	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1807193-06H	Amber 1000ml unpreserved	E	7	7	5.9	Y	Absent		MCP-8082-10(365)
L1807193-06I	Amber 1000ml unpreserved	E	7	7	5.9	Y	Absent		MCP-8082-10(365)
L1807193-06J	Amber 1000ml unpreserved	E	7	7	5.9	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1807193-06K	Amber 1000ml unpreserved	E	7	7	5.9	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1807193-06L	Amber 1000ml HCl preserved	E	<2	<2	5.9	Y	Absent		EPH-10(14)
L1807193-06M	Amber 1000ml HCl preserved	E	<2	<2	5.9	Y	Absent		EPH-10(14)
L1807193-07A	Vial HCl preserved	B	NA		3.2	Y	Absent		MCP-8260-10(14)
L1807193-07B	Vial HCl preserved	B	NA		3.2	Y	Absent		MCP-8260-10(14)
L1807193-07C	Vial HCl preserved	B	NA		3.2	Y	Absent		MCP-8260-10(14)

Project Name: TOBIN SCHOOL

Lab Number: L1807193

Project Number: 0139-220813

Report Date: 03/09/18

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1807193-07D	Plastic 250ml HNO3 preserved	B	<2	<2	3.2	Y	Absent		MCP-BE-6020S-10(180),MCP-CD-6010S-10(180),MCP-7470S-10(28),MCP-AG-6010S-10(180),MCP-SB-6020S-10(180),MCP-ZN-6010S-10(180),MCP-AS-6010S-10(180),MCP-CR-6010S-10(180),MCP-TL-6020S-10(180),MCP-BA-6010S-10(180),MCP-PB-6010S-10(180),MCP-NI-6010S-10(180),MCP-SE-6010S-10(180),MCP-V-6010S-10(180)
L1807193-07E	Amber 500ml unpreserved	B	7	7	3.2	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1807193-07F	Amber 500ml unpreserved	B	7	7	3.2	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1807193-07H	Amber 1000ml unpreserved	B	7	7	3.2	Y	Absent		MCP-8082-10(365)
L1807193-07I	Amber 1000ml unpreserved	B	7	7	3.2	Y	Absent		MCP-8082-10(365)
L1807193-07J	Amber 1000ml unpreserved	B	7	7	3.2	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1807193-07K	Amber 1000ml unpreserved	B	7	7	3.2	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1807193-07L	Amber 1000ml HCl preserved	B	<2	<2	3.2	Y	Absent		EPH-10(14)
L1807193-07M	Amber 1000ml HCl preserved	B	<2	<2	3.2	Y	Absent		EPH-10(14)
L1807193-08A	Vial HCl preserved	G	NA		4.6	Y	Absent		MCP-8260-10(14)
L1807193-08B	Vial HCl preserved	G	NA		4.6	Y	Absent		MCP-8260-10(14)
L1807193-08C	Vial HCl preserved	G	NA		4.6	Y	Absent		MCP-8260-10(14)
L1807193-08D	Plastic 250ml HNO3 preserved	G	<2	<2	4.6	Y	Absent		MCP-BE-6020S-10(180),MCP-CD-6010S-10(180),MCP-7470S-10(28),MCP-AG-6010S-10(180),MCP-SB-6020S-10(180),MCP-ZN-6010S-10(180),MCP-AS-6010S-10(180),MCP-CR-6010S-10(180),MCP-TL-6020S-10(180),MCP-BA-6010S-10(180),MCP-PB-6010S-10(180),MCP-NI-6010S-10(180),MCP-SE-6010S-10(180),MCP-V-6010S-10(180)
L1807193-08E	Amber 500ml unpreserved	G	7	7	4.6	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1807193-08F	Amber 500ml unpreserved	G	7	7	4.6	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1807193-08H	Amber 1000ml unpreserved	G	7	7	4.6	Y	Absent		MCP-8082-10(365)
L1807193-08I	Amber 1000ml unpreserved	G	7	7	4.6	Y	Absent		MCP-8082-10(365)
L1807193-08J	Amber 1000ml unpreserved	G	7	7	4.6	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1807193-08K	Amber 1000ml unpreserved	G	7	7	4.6	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1807193-08L	Amber 1000ml HCl preserved	G	<2	<2	4.6	Y	Absent		EPH-10(14)
L1807193-08M	Amber 1000ml HCl preserved	G	<2	<2	4.6	Y	Absent		EPH-10(14)

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Serial_No:03091817:36
Lab Number: L1807193
Report Date: 03/09/18

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1807193-09A	Vial HCl preserved	C	NA		2.8	Y	Absent		MCP-8260-10(14)
L1807193-09B	Vial HCl preserved	C	NA		2.8	Y	Absent		MCP-8260-10(14)

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

GLOSSARY

Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related

Report Format: Data Usability Report



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

Data Qualifiers

projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND** - Not detected at the reporting limit (RL) for the sample.

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807193
Report Date: 03/09/18

REFERENCES

- 97 EPA Test Methods (SW-846) with QC Requirements & Performance Standards for the Analysis of EPA SW-846 Methods under the Massachusetts Contingency Plan, WSC-CAM-IIA, IIB, IIIA, IIIB, IIIC, IIID, VA, VB, VC, VIA, VIB, VIIIA and VIIIB, July 2010.
- 98 Method for the Determination of Extractable Petroleum Hydrocarbons (EPH), MassDEP, May 2004, Revision 1.1 with QC Requirements & Performance Standards for the Analysis of EPH under the Massachusetts Contingency Plan, WSC-CAM-IVB, July 2010.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624: m/p-xylene, o-xylene

EPA 8260C: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D: NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.

EPA 300: DW: Bromide

EPA 6860: SCM: Perchlorate

EPA 9010: NPW and SCM: Amenable Cyanide Distillation

SM4500: NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS

EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B

EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1:**

Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E,**

SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.

EPA 624: Volatile Halocarbons & Aromatics,

EPA 608: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, SM9222D.**

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Be, Cd, Cr, Cu, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.**

EPA 522.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

Method Blank Summary Form 4

Client	: CDM Smith, Inc.	Lab Number	: L1807193
Project Name	: TOBIN SCHOOL	Project Number	: 0139-220813
Lab Sample ID	: WG1095128-5	Lab File ID	: V16180306N05
Instrument ID	: VOA116		
Matrix	: WATER	Analysis Date	: 03/06/18 18:47

Client Sample No.	Lab Sample ID	Analysis Date
WG1095128-3LCS	WG1095128-3	03/06/18 17:07
WG1095128-4LCSD	WG1095128-4	03/06/18 17:32
TRIP BLANK	L1807193-09	03/06/18 19:12
MW-3S	L1807193-01	03/06/18 19:37
MW-3D	L1807193-02	03/06/18 20:02
MW-4S	L1807193-03	03/06/18 20:28
MW-4D	L1807193-04	03/06/18 20:53
MW-7D	L1807193-05	03/06/18 21:18
MW-7S	L1807193-06	03/06/18 21:43
MW-9D	L1807193-07	03/06/18 22:08
MW-9S	L1807193-08	03/06/18 22:33

Method Blank Summary Form 4

Client	: CDM Smith, Inc.	Lab Number	: L1807193
Project Name	: TOBIN SCHOOL	Project Number	: 0139-220813
Lab Sample ID	: WG1095128-10	Lab File ID	: V16180307A06
Instrument ID	: VOA116		
Matrix	: WATER	Analysis Date	: 03/07/18 07:59

Client Sample No.	Lab Sample ID	Analysis Date
WG1095128-8LCS	WG1095128-8	03/07/18 06:19
WG1095128-9LCSD	WG1095128-9	03/07/18 06:44
MW-9D	L1807193-07D	03/07/18 10:55

Continuing Calibration Form 7

Client : CDM Smith, Inc.
 Project Name : TOBIN SCHOOL
 Instrument ID : VOA116
 Lab File ID : V16180306N01
 Sample No : WG1095128-2
 Channel :

Lab Number : L1807193
 Project Number : 0139-220813
 Calibration Date : 03/06/18 17:07
 Init. Calib. Date(s) : 03/01/18 03/01/18
 Init. Calib. Times : 17:47 20:42

Compound	Ave. RRF	RRF	Min RRF	%D	Max %D	Area%	Dev(min)
Fluorobenzene	1	1	-	0	20	81	0
Dichlorodifluoromethane	0.365	0.409	-	-12.1	20	87	0
Chloromethane	0.549	0.447	-	18.6	20	65	0
Vinyl chloride	0.501	0.514	-	-2.6	20	79	0
Bromomethane	0.22	0.294	-	-33.6*	20	105	0
Chloroethane	0.299	0.316	-	-5.7	20	79	0
Trichlorofluoromethane	0.555	0.628	-	-13.2	20	87	0
Ethyl ether	0.16	0.176	-	-10	20	84	0
1,1-Dichloroethene	0.279	0.317	-	-13.6	20	91	0
Carbon disulfide	0.85	0.998	-	-17.4	20	94	0
Freon-113	0.307	0.357	-	-16.3	20	91	0
Methylene chloride	0.299	0.328	-	-9.7	20	83	0
Acetone	10	9.803	-	2	20	70	0
trans-1,2-Dichloroethene	0.294	0.32	-	-8.8	20	84	0
Methyl tert-butyl ether	0.686	0.715	-	-4.2	20	84	0
tert-Butyl alcohol	0.023	0.021*	-	8.7	20	68	0
Diisopropyl ether	1.453	1.262	-	13.1	20	69	0
1,1-Dichloroethane	0.729	0.724	-	0.7	20	78	0
Ethyl tert-butyl ether	1.104	1.023	-	7.3	20	73	0
cis-1,2-Dichloroethene	0.323	0.342	-	-5.9	20	86	0
2,2-Dichloropropane	0.545	0.614	-	-12.7	20	90	0
Bromochloromethane	0.122	0.14	-	-14.8	20	82	0
Chloroform	0.595	0.643	-	-8.1	20	86	0
Carbon tetrachloride	0.436	0.476	-	-9.2	20	84	0
Tetrahydrofuran	10	8.872	-	11.3	20	67	0
Dibromofluoromethane	0.266	0.266	-	0	20	80	0
1,1,1-Trichloroethane	0.524	0.557	-	-6.3	20	84	0
2-Butanone	10	8.891	-	11.1	20	66	0
1,1-Dichloropropene	0.49	0.525	-	-7.1	20	86	0
Benzene	1.331	1.417	-	-6.5	20	85	0
tert-Amyl methyl ether	0.806	0.814	-	-1	20	82	0
1,2-Dichloroethane-d4	0.37	0.362	-	2.2	20	81	0
1,2-Dichloroethane	0.526	0.512	-	2.7	20	79	0
Trichloroethene	0.323	0.358	-	-10.8	20	86	0
Dibromomethane	0.178	0.19	-	-6.7	20	81	0
1,2-Dichloropropane	0.394	0.379	-	3.8	20	78	0
2-Chloroethyl vinyl ether	0.165	0.134	-	18.8	20	67	0
Bromodichloromethane	0.473	0.505	-	-6.8	20	83	0
1,4-Dioxane	0.00174	0.00147*	-	15.5	20	66	0
cis-1,3-Dichloropropene	0.531	0.582	-	-9.6	20	85	0
Chlorobenzene-d5	1	1	-	0	20	81	0
Toluene-d8	1.309	1.316	-	-0.5	20	81	0
Toluene	1.011	1.025	-	-1.4	20	81	0
4-Methyl-2-pentanone	10	8.19	-	18.1	20	69	0
Tetrachloroethene	0.355	0.351	-	1.1	20	78	0

* Value outside of QC limits.



Continuing Calibration Form 7

Client : CDM Smith, Inc.
 Project Name : TOBIN SCHOOL
 Instrument ID : VOA116
 Lab File ID : V16180306N01
 Sample No : WG1095128-2
 Channel :

Lab Number : L1807193
 Project Number : 0139-220813
 Calibration Date : 03/06/18 17:07
 Init. Calib. Date(s) : 03/01/18 03/01/18
 Init. Calib. Times : 17:47 20:42

Compound	Ave. RRF	RRF	Min RRF	%D	Max %D	Area%	Dev(min)
trans-1,3-Dichloropropene	10	10.158	-	-1.6	20	82	0
1,1,2-Trichloroethane	0.271	0.295	-	-8.9	20	85	0
Chlorodibromomethane	0.333	0.336	-	-0.9	20	81	0
1,3-Dichloropropane	0.583	0.62	-	-6.3	20	84	0
1,2-Dibromoethane	0.282	0.292	-	-3.5	20	81	0
2-Hexanone	10	7.642	-	23.6*	20	65	.01
Chlorobenzene	1.013	1.049	-	-3.6	20	84	0
Ethylbenzene	1.973	1.991	-	-0.9	20	82	0
1,1,1,2-Tetrachloroethane	0.347	0.364	-	-4.9	20	82	0
p/m Xylene	0.703	0.714	-	-1.6	20	83	0
o Xylene	0.654	0.648	-	0.9	20	80	0
Styrene	1.089	1.091	-	-0.2	20	81	0
1,4-Dichlorobenzene-d4	1	1	-	0	20	81	0
Bromoforn	0.4	0.381	-	4.8	20	78	0
Isopropylbenzene	3.791	3.753	-	1	20	80	0
4-Bromofluorobenzene	1.073	1.104	-	-2.9	20	84	0
Bromobenzene	0.764	0.748	-	2.1	20	81	0
n-Propylbenzene	4.843	4.96	-	-2.4	20	83	0
1,1,2,2-Tetrachloroethane	0.745	0.798	-	-7.1	20	83	0
2-Chlorotoluene	3.174	3.232	-	-1.8	20	81	0
1,3,5-Trimethylbenzene	3.125	3.141	-	-0.5	20	81	0
1,2,3-Trichloropropane	0.642	0.694	-	-8.1	20	83	0
4-Chlorotoluene	2.797	2.889	-	-3.3	20	82	0
tert-Butylbenzene	1.968	2.232	-	-13.4	20	95	0
1,2,4-Trimethylbenzene	3.05	3.053	-	-0.1	20	79	0
sec-Butylbenzene	3.759	3.73	-	0.8	20	79	0
p-Isopropyltoluene	3.068	3.01	-	1.9	20	79	0
1,3-Dichlorobenzene	1.462	1.471	-	-0.6	20	80	0
1,4-Dichlorobenzene	1.497	1.459	-	2.5	20	80	0
n-Butylbenzene	3.188	3.279	-	-2.9	20	84	0
1,2-Dichlorobenzene	1.341	1.313	-	2.1	20	80	0
1,2-Dibromo-3-chloropropan	0.086	0.082	-	4.7	20	76	0
Hexachlorobutadiene	0.258	0.248	-	3.9	20	78	0
1,2,4-Trichlorobenzene	0.788	0.731	-	7.2	20	77	0
Naphthalene	1.872	1.747	-	6.7	20	76	0
1,2,3-Trichlorobenzene	0.69	0.653	-	5.4	20	76	0

* Value outside of QC limits.



Continuing Calibration Form 7

Client : CDM Smith, Inc.
 Project Name : TOBIN SCHOOL
 Instrument ID : VOA116
 Lab File ID : V16180307A02
 Sample No : WG1095128-7
 Channel :

Lab Number : L1807193
 Project Number : 0139-220813
 Calibration Date : 03/07/18 06:19
 Init. Calib. Date(s) : 03/01/18 03/01/18
 Init. Calib. Times : 17:47 20:42

Compound	Ave. RRF	RRF	Min RRF	%D	Max %D	Area%	Dev(min)
Fluorobenzene	1	1	-	0	20	63	0
Dichlorodifluoromethane	0.365	0.429	-	-17.5	20	71	0
Chloromethane	0.549	0.446	-	18.8	20	51	0
Vinyl chloride	0.501	0.509	-	-1.6	20	61	0
Bromomethane	0.22	0.25	-	-13.6	20	70	0
Chloroethane	0.299	0.337	-	-12.7	20	65	0
Trichlorofluoromethane	0.555	0.674	-	-21.4*	20	73	0
Ethyl ether	0.16	0.195	-	-21.9*	20	72	0
1,1-Dichloroethene	0.279	0.336	-	-20.4*	20	75	0
Carbon disulfide	0.85	1.098	-	-29.2*	20	80	0
Methylene chloride	0.299	0.352	-	-17.7	20	69	0
Acetone	10	11.169	-	-11.7	20	62	0
trans-1,2-Dichloroethene	0.294	0.32	-	-8.8	20	66	0
Methyl tert-butyl ether	0.686	0.766	-	-11.7	20	70	0
Diisopropyl ether	1.453	1.329	-	8.5	20	57	0
1,1-Dichloroethane	0.729	0.788	-	-8.1	20	66	0
Ethyl tert-butyl ether	1.104	1.094	-	0.9	20	61	0
cis-1,2-Dichloroethene	0.323	0.347	-	-7.4	20	67	0
2,2-Dichloropropane	0.545	0.641	-	-17.6	20	73	0
Bromochloromethane	0.122	0.149	-	-22.1*	20	67	0
Chloroform	0.595	0.693	-	-16.5	20	72	0
Carbon tetrachloride	0.436	0.5	-	-14.7	20	68	0
Tetrahydrofuran	10	10.506	-	-5.1	20	61	0
Dibromofluoromethane	0.266	0.272	-	-2.3	20	64	0
1,1,1-Trichloroethane	0.524	0.591	-	-12.8	20	69	0
2-Butanone	10	10.64	-	-6.4	20	62	0
1,1-Dichloropropene	0.49	0.524	-	-6.9	20	67	0
Benzene	1.331	1.479	-	-11.1	20	69	0
tert-Amyl methyl ether	0.806	0.86	-	-6.7	20	67	0
1,2-Dichloroethane-d4	0.37	0.39	-	-5.4	20	68	0
1,2-Dichloroethane	0.526	0.566	-	-7.6	20	68	0
Trichloroethene	0.323	0.37	-	-14.6	20	69	0
Dibromomethane	0.178	0.214	-	-20.2*	20	71	0
1,2-Dichloropropane	0.394	0.419	-	-6.3	20	67	0
Bromodichloromethane	0.473	0.559	-	-18.2	20	71	0
1,4-Dioxane	0.00174	0.00175*	-	-0.6	20	61	0
cis-1,3-Dichloropropene	0.531	0.591	-	-11.3	20	67	0
Chlorobenzene-d5	1	1	-	0	20	65	0
Toluene-d8	1.309	1.303	-	0.5	20	64	0
Toluene	1.011	1.039	-	-2.8	20	66	0
4-Methyl-2-pentanone	10	8.598	-	14	20	59	0
Tetrachloroethene	0.355	0.351	-	1.1	20	62	0
trans-1,3-Dichloropropene	10	10.542	-	-5.4	20	68	0
1,1,2-Trichloroethane	0.271	0.316	-	-16.6	20	73	0
Chlorodibromomethane	0.333	0.363	-	-9	20	71	0

* Value outside of QC limits.



Continuing Calibration Form 7

Client : CDM Smith, Inc.
 Project Name : TOBIN SCHOOL
 Instrument ID : VOA116
 Lab File ID : V16180307A02
 Sample No : WG1095128-7
 Channel :

Lab Number : L1807193
 Project Number : 0139-220813
 Calibration Date : 03/07/18 06:19
 Init. Calib. Date(s) : 03/01/18 03/01/18
 Init. Calib. Times : 17:47 20:42

Compound	Ave. RRF	RRF	Min RRF	%D	Max %D	Area%	Dev(min)
1,3-Dichloropropane	0.583	0.645	-	-10.6	20	70	0
1,2-Dibromoethane	0.282	0.319	-	-13.1	20	71	0
2-Hexanone	10	8.356	-	16.4	20	57	0
Chlorobenzene	1.013	1.037	-	-2.4	20	67	0
Ethylbenzene	1.973	1.979	-	-0.3	20	66	0
1,1,1,2-Tetrachloroethane	0.347	0.378	-	-8.9	20	68	0
p/m Xylene	0.703	0.711	-	-1.1	20	66	0
o Xylene	0.654	0.656	-	-0.3	20	65	0
Styrene	1.089	1.116	-	-2.5	20	66	0
1,4-Dichlorobenzene-d4	1	1	-	0	20	66	0
Bromoform	0.4	0.407	-	-1.7	20	67	0
Isopropylbenzene	3.791	3.605	-	4.9	20	62	0
4-Bromofluorobenzene	1.073	1.072	-	0.1	20	66	0
Bromobenzene	0.764	0.753	-	1.4	20	66	0
n-Propylbenzene	4.843	4.936	-	-1.9	20	66	0
1,1,1,2-Tetrachloroethane	0.745	0.882	-	-18.4	20	73	0
2-Chlorotoluene	3.174	3.356	-	-5.7	20	67	0
1,3,5-Trimethylbenzene	3.125	3.174	-	-1.6	20	66	0
1,2,3-Trichloropropane	0.642	0.747	-	-16.4	20	72	0
4-Chlorotoluene	2.797	2.936	-	-5	20	67	0
tert-Butylbenzene	1.968	1.796	-	8.7	20	62	0
1,2,4-Trimethylbenzene	3.05	3.061	-	-0.4	20	64	0
sec-Butylbenzene	3.759	3.674	-	2.3	20	63	0
p-Isopropyltoluene	3.068	2.944	-	4	20	62	0
1,3-Dichlorobenzene	1.462	1.494	-	-2.2	20	65	0
1,4-Dichlorobenzene	1.497	1.472	-	1.7	20	65	0
n-Butylbenzene	3.188	3.279	-	-2.9	20	67	0
1,2-Dichlorobenzene	1.341	1.364	-	-1.7	20	67	0
1,2-Dibromo-3-chloropropan	0.086	0.09	-	-4.7	20	68	0
Hexachlorobutadiene	0.258	0.237	-	8.1	20	60	0
1,2,4-Trichlorobenzene	0.788	0.717	-	9	20	61	0
Naphthalene	1.872	1.801	-	3.8	20	63	0
1,2,3-Trichlorobenzene	0.69	0.676	-	2	20	63	0

* Value outside of QC limits.





ANALYTICAL REPORT

Lab Number:	L1807264
Client:	CDM Smith, Inc. 75 State Street Suite 701 Boston, MA 02109
ATTN:	Nicholas Castonguay
Phone:	(617) 452-6721
Project Name:	TOBIN SCHOOL
Project Number:	0139-220813
Report Date:	03/09/18

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), NJ NELAP (MA935), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-14-00197).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L1807264-01	MW-14D	WATER	CAMBRIDGE, MA	03/01/18 16:10	03/01/18
L1807264-02	MW-14S	WATER	CAMBRIDGE, MA	03/01/18 16:25	03/01/18

Project Name: TOBIN SCHOOL

Lab Number: L1807264

Project Number: 0139-220813

Report Date: 03/09/18

MADEP MCP Response Action Analytical Report Certification

This form provides certifications for all samples performed by MCP methods. Please refer to the Sample Results and Container Information sections of this report for specification of MCP methods used for each analysis. The following questions pertain only to MCP Analytical Methods.

An affirmative response to questions A through F is required for "Presumptive Certainty" status		
A	Were all samples received in a condition consistent with those described on the Chain-of-Custody, properly preserved (including temperature) in the field or laboratory, and prepared/analyzed within method holding times?	NO
B	Were the analytical method(s) and all associated QC requirements specified in the selected CAM protocol(s) followed?	YES
C	Were all required corrective actions and analytical response actions specified in the selected CAM protocol(s) implemented for all identified performance standard non-conformances?	YES
D	Does the laboratory report comply with all the reporting requirements specified in CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data?"	YES
E a.	VPH, EPH, and APH Methods only: Was each method conducted without significant modification(s)? (Refer to the individual method(s) for a list of significant modifications).	YES
E b.	APH and TO-15 Methods only: Was the complete analyte list reported for each method?	N/A
F	Were all applicable CAM protocol QC and performance standard non-conformances identified and evaluated in a laboratory narrative (including all "No" responses to Questions A through E)?	YES
A response to questions G, H and I is required for "Presumptive Certainty" status		
G	Were the reporting limits at or below all CAM reporting limits specified in the selected CAM protocol(s)?	NO
H	Were all QC performance standards specified in the CAM protocol(s) achieved?	NO
I	Were results reported for the complete analyte list specified in the selected CAM protocol(s)?	NO
For any questions answered "No", please refer to the case narrative section on the following page(s).		

Please note that sample matrix information is located in the Sample Results section of this report.



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

Case Narrative (continued)

MCP Related Narratives

Volatile Organics

In reference to question H:

The initial calibration, associated with L1807264-01 and -02, did not meet the method required minimum response factor on the lowest calibration standard for 1,4-dioxane (0.0021), as well as the average response factor for 1,4-dioxane. In addition, a quadratic fit was utilized for chloroethane. The initial calibration verification, associated with L1807264-01 and -02, is outside acceptance criteria for carbon disulfide (133%). The continuing calibration standard, associated with L1807264-01 and -02, is outside the acceptance criteria for several compounds; however, it is within overall method allowances. A copy of the continuing calibration standard is included as an addendum to this report.

EPH

In reference to question A:

L1807264-02: Due to limited HCl preserved volume received, the results reported are from a re-extraction performed from an unpreserved container.

In reference to question I:

All samples were analyzed for a subset of MCP analytes per the Chain of Custody.

Dissolved Metals

In reference to question G:

L1807264-01 and -02: One or more of the target analytes did not achieve the requested CAM reporting limits.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Amita Naik

Title: Technical Director/Representative

Date: 03/09/18

ORGANICS

VOLATILES

Project Name: TOBIN SCHOOL

Lab Number: L1807264

Project Number: 0139-220813

Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807264-01
 Client ID: MW-14D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 16:10
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8260C
 Analytical Date: 03/07/18 06:07
 Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.40	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.40	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.40	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1807264

Project Number: 0139-220813

Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807264-01
 Client ID: MW-14D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 16:10
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	ND		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylene (Total)	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
1,2-Dichloroethene (total)	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	6.7		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	2.0	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807264-01
Client ID: MW-14D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 16:10
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.0	--	1
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	89		70-130
Toluene-d8	107		70-130
4-Bromofluorobenzene	111		70-130
Dibromofluoromethane	100		70-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807264-02
 Client ID: MW-14S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 16:25
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8260C
 Analytical Date: 03/07/18 06:37
 Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.40	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.40	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.40	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1

Project Name: TOBIN SCHOOL

Lab Number: L1807264

Project Number: 0139-220813

Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807264-02
 Client ID: MW-14S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 16:25
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	ND		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylene (Total)	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
1,2-Dichloroethene (total)	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	2.0	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807264-02
Client ID: MW-14S
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 16:25
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.0	--	1
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	90		70-130
Toluene-d8	105		70-130
4-Bromofluorobenzene	110		70-130
Dibromofluoromethane	102		70-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8260C
Analytical Date: 03/07/18 04:36
Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
MCP Volatile Organics - Westborough Lab for sample(s): 01-02 Batch: WG1095245-5					
Methylene chloride	ND		ug/l	2.0	--
1,1-Dichloroethane	ND		ug/l	1.0	--
Chloroform	ND		ug/l	1.0	--
Carbon tetrachloride	ND		ug/l	1.0	--
1,2-Dichloropropane	ND		ug/l	1.0	--
Dibromochloromethane	ND		ug/l	1.0	--
1,1,2-Trichloroethane	ND		ug/l	1.0	--
Tetrachloroethene	ND		ug/l	1.0	--
Chlorobenzene	ND		ug/l	1.0	--
Trichlorofluoromethane	ND		ug/l	2.0	--
1,2-Dichloroethane	ND		ug/l	1.0	--
1,1,1-Trichloroethane	ND		ug/l	1.0	--
Bromodichloromethane	ND		ug/l	1.0	--
trans-1,3-Dichloropropene	ND		ug/l	0.40	--
cis-1,3-Dichloropropene	ND		ug/l	0.40	--
1,3-Dichloropropene, Total	ND		ug/l	0.40	--
1,1-Dichloropropene	ND		ug/l	2.0	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	1.0	--
Ethylbenzene	ND		ug/l	1.0	--
Chloromethane	ND		ug/l	2.0	--
Bromomethane	ND		ug/l	2.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	2.0	--
1,1-Dichloroethene	ND		ug/l	1.0	--
trans-1,2-Dichloroethene	ND		ug/l	1.0	--
Trichloroethene	ND		ug/l	1.0	--

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8260C
Analytical Date: 03/07/18 04:36
Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
MCP Volatile Organics - Westborough Lab for sample(s): 01-02 Batch: WG1095245-5					
1,2-Dichlorobenzene	ND		ug/l	1.0	--
1,3-Dichlorobenzene	ND		ug/l	1.0	--
1,4-Dichlorobenzene	ND		ug/l	1.0	--
Methyl tert butyl ether	ND		ug/l	2.0	--
p/m-Xylene	ND		ug/l	2.0	--
o-Xylene	ND		ug/l	1.0	--
Xylene (Total)	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	1.0	--
1,2-Dichloroethene (total)	ND		ug/l	1.0	--
Dibromomethane	ND		ug/l	2.0	--
1,2,3-Trichloropropane	ND		ug/l	2.0	--
Styrene	ND		ug/l	1.0	--
Dichlorodifluoromethane	ND		ug/l	2.0	--
Acetone	ND		ug/l	5.0	--
Carbon disulfide	ND		ug/l	2.0	--
2-Butanone	ND		ug/l	5.0	--
4-Methyl-2-pentanone	ND		ug/l	5.0	--
2-Hexanone	ND		ug/l	5.0	--
Bromochloromethane	ND		ug/l	2.0	--
Tetrahydrofuran	ND		ug/l	2.0	--
2,2-Dichloropropane	ND		ug/l	2.0	--
1,2-Dibromoethane	ND		ug/l	2.0	--
1,3-Dichloropropane	ND		ug/l	2.0	--
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--
Bromobenzene	ND		ug/l	2.0	--
n-Butylbenzene	ND		ug/l	2.0	--
sec-Butylbenzene	ND		ug/l	2.0	--
tert-Butylbenzene	ND		ug/l	2.0	--
o-Chlorotoluene	ND		ug/l	2.0	--

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 97,8260C
Analytical Date: 03/07/18 04:36
Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
MCP Volatile Organics - Westborough Lab for sample(s): 01-02 Batch: WG1095245-5					
p-Chlorotoluene	ND		ug/l	2.0	--
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--
Hexachlorobutadiene	ND		ug/l	0.60	--
Isopropylbenzene	ND		ug/l	2.0	--
p-Isopropyltoluene	ND		ug/l	2.0	--
Naphthalene	ND		ug/l	2.0	--
n-Propylbenzene	ND		ug/l	2.0	--
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--
Ethyl ether	ND		ug/l	2.0	--
Isopropyl Ether	ND		ug/l	2.0	--
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--
1,4-Dioxane	ND		ug/l	250	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	90		70-130
Toluene-d8	107		70-130
4-Bromofluorobenzene	110		70-130
Dibromofluoromethane	101		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Lab Number: L1807264

Project Number: 0139-220813

Report Date: 03/09/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP Volatile Organics - Westborough Lab Associated sample(s): 01-02 Batch: WG1095245-3 WG1095245-4								
Methylene chloride	100		97		70-130	3		20
1,1-Dichloroethane	100		98		70-130	2		20
Chloroform	110		100		70-130	10		20
Carbon tetrachloride	100		88		70-130	13		20
1,2-Dichloropropane	100		96		70-130	4		20
Dibromochloromethane	100		94		70-130	6		20
1,1,2-Trichloroethane	110		100		70-130	10		20
Tetrachloroethene	110		100		70-130	10		20
Chlorobenzene	110		100		70-130	10		20
Trichlorofluoromethane	120		110		70-130	9		20
1,2-Dichloroethane	100		89		70-130	12		20
1,1,1-Trichloroethane	110		98		70-130	12		20
Bromodichloromethane	110		99		70-130	11		20
trans-1,3-Dichloropropene	96		91		70-130	5		20
cis-1,3-Dichloropropene	92		85		70-130	8		20
1,1-Dichloropropene	100		92		70-130	8		20
Bromoform	94		90		70-130	4		20
1,1,2,2-Tetrachloroethane	110		110		70-130	0		20
Benzene	100		96		70-130	4		20
Toluene	110		100		70-130	10		20
Ethylbenzene	100		98		70-130	2		20
Chloromethane	83		75		70-130	10		20
Bromomethane	79		76		70-130	4		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1807264

Report Date: 03/09/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP Volatile Organics - Westborough Lab Associated sample(s): 01-02 Batch: WG1095245-3 WG1095245-4								
Vinyl chloride	110		98		70-130	12		20
Chloroethane	93		77		70-130	19		20
1,1-Dichloroethene	120		110		70-130	9		20
trans-1,2-Dichloroethene	120		110		70-130	9		20
Trichloroethene	100		93		70-130	7		20
1,2-Dichlorobenzene	110		100		70-130	10		20
1,3-Dichlorobenzene	110		100		70-130	10		20
1,4-Dichlorobenzene	100		100		70-130	0		20
Methyl tert butyl ether	79		74		70-130	7		20
p/m-Xylene	85		70		70-130	19		20
o-Xylene	100		95		70-130	5		20
cis-1,2-Dichloroethene	120		110		70-130	9		20
Dibromomethane	110		99		70-130	11		20
1,2,3-Trichloropropane	100		100		70-130	0		20
Styrene	100		90		70-130	11		20
Dichlorodifluoromethane	110		97		70-130	13		20
Acetone	120		100		70-130	18		20
Carbon disulfide	100		94		70-130	6		20
2-Butanone	96		87		70-130	10		20
4-Methyl-2-pentanone	93		95		70-130	2		20
2-Hexanone	95		90		70-130	5		20
Bromochloromethane	110		100		70-130	10		20
Tetrahydrofuran	91		84		70-130	8		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1807264

Report Date: 03/09/18

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
MCP Volatile Organics - Westborough Lab Associated sample(s): 01-02 Batch: WG1095245-3 WG1095245-4								
2,2-Dichloropropane	99		85		70-130	15		20
1,2-Dibromoethane	110		100		70-130	10		20
1,3-Dichloropropane	100		99		70-130	1		20
1,1,1,2-Tetrachloroethane	100		90		70-130	11		20
Bromobenzene	110		110		70-130	0		20
n-Butylbenzene	110		110		70-130	0		20
sec-Butylbenzene	120		120		70-130	0		20
tert-Butylbenzene	120		120		70-130	0		20
o-Chlorotoluene	120		110		70-130	9		20
p-Chlorotoluene	110		110		70-130	0		20
1,2-Dibromo-3-chloropropane	86		90		70-130	5		20
Hexachlorobutadiene	140	Q	140	Q	70-130	0		20
Isopropylbenzene	120		120		70-130	0		20
p-Isopropyltoluene	110		110		70-130	0		20
Naphthalene	89		88		70-130	1		20
n-Propylbenzene	120		120		70-130	0		20
1,2,3-Trichlorobenzene	100		110		70-130	10		20
1,2,4-Trichlorobenzene	110		110		70-130	0		20
1,3,5-Trimethylbenzene	110		110		70-130	0		20
1,2,4-Trimethylbenzene	110		100		70-130	10		20
Ethyl ether	100		91		70-130	9		20
Isopropyl Ether	110		98		70-130	12		20
Ethyl-Tert-Butyl-Ether	100		96		70-130	4		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1807264

Report Date: 03/09/18

Parameter	LCS		LCSD		%Recovery Limits	RPD	RPD	
	%Recovery	Qual	%Recovery	Qual			Qual	Limits
MCP Volatile Organics - Westborough Lab Associated sample(s): 01-02 Batch: WG1095245-3 WG1095245-4								
Tertiary-Amyl Methyl Ether	96		90		70-130	6		20
1,4-Dioxane	102		98		70-130	4		20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
1,2-Dichloroethane-d4	87		83		70-130
Toluene-d8	107		109		70-130
4-Bromofluorobenzene	112		111		70-130
Dibromofluoromethane	103		101		70-130

SEMIVOLATILES

Project Name: TOBIN SCHOOL**Lab Number:** L1807264**Project Number:** 0139-220813**Report Date:** 03/09/18**SAMPLE RESULTS**

Lab ID: L1807264-01
 Client ID: MW-14D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 16:10
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8270D
 Analytical Date: 03/08/18 12:44
 Analyst: SZ

Extraction Method: EPA 3510C
 Extraction Date: 03/03/18 17:43

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
Acetophenone	ND		ug/l	5.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807264-01
Client ID: MW-14D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 16:10
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1
2,4-Dinitrophenol	ND		ug/l	20	--	1
Phenol	8.9		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	39		15-110
Phenol-d6	27		15-110
Nitrobenzene-d5	80		30-130
2-Fluorobiphenyl	85		30-130
2,4,6-Tribromophenol	98		15-110
4-Terphenyl-d14	81		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807264-01
 Client ID: MW-14D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 16:10
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 03/03/18 16:44
 Analyst: TJ

Extraction Method: EPA 3510C
 Extraction Date: 03/02/18 10:30

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab

1,4-Dioxane	ND		ug/l	0.147	--	1
-------------	----	--	------	-------	----	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	19		15-110

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807264-01
Client ID: MW-14D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 16:10
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 03/07/18 07:30
Analyst: KL

Extraction Method:EPA 3510C
Extraction Date: 03/03/18 17:44

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics by SIM - Westborough Lab						
Acenaphthene	2.2		ug/l	0.10	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	0.68		ug/l	0.10	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	0.26		ug/l	0.10	--	1
Benzo(a)anthracene	0.18		ug/l	0.10	--	1
Benzo(a)pyrene	0.17		ug/l	0.10	--	1
Benzo(b)fluoranthene	0.24		ug/l	0.10	--	1
Benzo(k)fluoranthene	ND		ug/l	0.10	--	1
Chrysene	0.18		ug/l	0.10	--	1
Acenaphthylene	ND		ug/l	0.10	--	1
Anthracene	0.36		ug/l	0.10	--	1
Benzo(ghi)perylene	0.13		ug/l	0.10	--	1
Fluorene	1.2		ug/l	0.10	--	1
Phenanthrene	1.1		ug/l	0.10	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--	1
Indeno(1,2,3-cd)pyrene	0.12		ug/l	0.10	--	1
Pyrene	0.49		ug/l	0.10	--	1
2-Methylnaphthalene	ND		ug/l	0.10	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: TOBIN SCHOOL**Lab Number:** L1807264**Project Number:** 0139-220813**Report Date:** 03/09/18**SAMPLE RESULTS**

Lab ID: L1807264-01
 Client ID: MW-14D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 16:10
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics by SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	41		15-110
Phenol-d6	31		15-110
Nitrobenzene-d5	91		30-130
2-Fluorobiphenyl	86		30-130
2,4,6-Tribromophenol	80		15-110
4-Terphenyl-d14	81		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807264-02
 Client ID: MW-14S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 16:25
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8270D
 Analytical Date: 03/08/18 13:10
 Analyst: SZ

Extraction Method: EPA 3510C
 Extraction Date: 03/03/18 17:43

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Aniline	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
Acetophenone	ND		ug/l	5.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807264-02
 Client ID: MW-14S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 16:25
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics - Westborough Lab						
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1
2,4-Dinitrophenol	ND		ug/l	20	--	1
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Pyridine	ND		ug/l	3.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	43		15-110
Phenol-d6	29		15-110
Nitrobenzene-d5	86		30-130
2-Fluorobiphenyl	90		30-130
2,4,6-Tribromophenol	106		15-110
4-Terphenyl-d14	86		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807264-02
 Client ID: MW-14S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 16:25
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 03/03/18 17:04
 Analyst: TJ

Extraction Method:EPA 3510C
 Extraction Date: 03/02/18 10:30

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab

1,4-Dioxane	ND		ug/l	0.147	--	1
-------------	----	--	------	-------	----	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	18		15-110

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807264-02
Client ID: MW-14S
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 16:25
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 03/05/18 14:52
Analyst: DV

Extraction Method:EPA 3510C
Extraction Date: 03/03/18 17:44

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Semivolatile Organics by SIM - Westborough Lab						
Acenaphthene	1.1		ug/l	0.10	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	0.39		ug/l	0.10	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	0.24		ug/l	0.10	--	1
Benzo(a)anthracene	ND		ug/l	0.10	--	1
Benzo(a)pyrene	ND		ug/l	0.10	--	1
Benzo(b)fluoranthene	ND		ug/l	0.10	--	1
Benzo(k)fluoranthene	ND		ug/l	0.10	--	1
Chrysene	ND		ug/l	0.10	--	1
Acenaphthylene	ND		ug/l	0.10	--	1
Anthracene	0.26		ug/l	0.10	--	1
Benzo(ghi)perylene	ND		ug/l	0.10	--	1
Fluorene	1.8		ug/l	0.10	--	1
Phenanthrene	1.4		ug/l	0.10	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	--	1
Pyrene	0.25		ug/l	0.10	--	1
2-Methylnaphthalene	ND		ug/l	0.10	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807264-02
 Client ID: MW-14S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:

Date Collected: 03/01/18 16:25
 Date Received: 03/01/18
 Field Prep: Field Filtered (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP Semivolatile Organics by SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	45		15-110
Phenol-d6	33		15-110
Nitrobenzene-d5	96		30-130
2-Fluorobiphenyl	91		30-130
2,4,6-Tribromophenol	92		15-110
4-Terphenyl-d14	88		30-130

Project Name: TOBIN SCHOOL

Lab Number: L1807264

Project Number: 0139-220813

Report Date: 03/09/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8270D-SIM

Extraction Method: EPA 3510C

Analytical Date: 03/03/18 10:16

Extraction Date: 03/02/18 10:30

Analyst: TJ

Parameter	Result	Qualifier	Units	RL	MDL
MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab for sample(s): 01-02 Batch: WG1093881-1					
1,4-Dioxane	ND		ug/l	0.150	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	21		15-110

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8270D
Analytical Date: 03/08/18 09:15
Analyst: PS

Extraction Method: EPA 3510C
Extraction Date: 03/03/18 17:43

Parameter	Result	Qualifier	Units	RL	MDL
MCP Semivolatile Organics - Westborough Lab for sample(s): 01-02 Batch: WG1094304-1					
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--
1,2-Dichlorobenzene	ND		ug/l	2.0	--
1,3-Dichlorobenzene	ND		ug/l	2.0	--
1,4-Dichlorobenzene	ND		ug/l	2.0	--
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--
2,4-Dinitrotoluene	ND		ug/l	5.0	--
2,6-Dinitrotoluene	ND		ug/l	5.0	--
Azobenzene	ND		ug/l	2.0	--
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--
Isophorone	ND		ug/l	5.0	--
Nitrobenzene	ND		ug/l	2.0	--
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--
Butyl benzyl phthalate	ND		ug/l	5.0	--
Di-n-butylphthalate	ND		ug/l	5.0	--
Di-n-octylphthalate	ND		ug/l	5.0	--
Diethyl phthalate	ND		ug/l	5.0	--
Dimethyl phthalate	ND		ug/l	5.0	--
Anthracene	ND		ug/l	2.0	--
Aniline	ND		ug/l	2.0	--
4-Chloroaniline	ND		ug/l	5.0	--
Dibenzofuran	ND		ug/l	2.0	--
Acetophenone	ND		ug/l	5.0	--
2,4,6-Trichlorophenol	ND		ug/l	5.0	--
2-Chlorophenol	ND		ug/l	2.0	--
2,4-Dichlorophenol	ND		ug/l	5.0	--
2,4-Dimethylphenol	ND		ug/l	5.0	--

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8270D
Analytical Date: 03/08/18 09:15
Analyst: PS

Extraction Method: EPA 3510C
Extraction Date: 03/03/18 17:43

Parameter	Result	Qualifier	Units	RL	MDL
MCP Semivolatile Organics - Westborough Lab for sample(s): 01-02 Batch: WG1094304-1					
2-Nitrophenol	ND		ug/l	10	--
4-Nitrophenol	ND		ug/l	10	--
2,4-Dinitrophenol	ND		ug/l	20	--
Phenol	ND		ug/l	5.0	--
2-Methylphenol	ND		ug/l	5.0	--
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--
2,4,5-Trichlorophenol	ND		ug/l	5.0	--
Pyridine	ND		ug/l	3.5	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	45		15-110
Phenol-d6	31		15-110
Nitrobenzene-d5	93		30-130
2-Fluorobiphenyl	94		30-130
2,4,6-Tribromophenol	102		15-110
4-Terphenyl-d14	100		30-130

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8270D-SIM
Analytical Date: 03/05/18 09:06
Analyst: DV

Extraction Method: EPA 3510C
Extraction Date: 03/03/18 17:44

Parameter	Result	Qualifier	Units	RL	MDL
MCP Semivolatile Organics by SIM - Westborough Lab for sample(s): 01-02 Batch: WG1094305-1					
Acenaphthene	ND		ug/l	0.10	--
2-Chloronaphthalene	ND		ug/l	0.20	--
Fluoranthene	ND		ug/l	0.10	--
Hexachlorobutadiene	ND		ug/l	0.50	--
Naphthalene	ND		ug/l	0.10	--
Benzo(a)anthracene	ND		ug/l	0.10	--
Benzo(a)pyrene	ND		ug/l	0.10	--
Benzo(b)fluoranthene	ND		ug/l	0.10	--
Benzo(k)fluoranthene	ND		ug/l	0.10	--
Chrysene	ND		ug/l	0.10	--
Acenaphthylene	ND		ug/l	0.10	--
Anthracene	ND		ug/l	0.10	--
Benzo(ghi)perylene	ND		ug/l	0.10	--
Fluorene	ND		ug/l	0.10	--
Phenanthrene	ND		ug/l	0.10	--
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	--
Pyrene	ND		ug/l	0.10	--
2-Methylnaphthalene	ND		ug/l	0.10	--
Pentachlorophenol	ND		ug/l	0.80	--
Hexachlorobenzene	ND		ug/l	0.80	--
Hexachloroethane	ND		ug/l	0.80	--

Project Name: TOBIN SCHOOL

Lab Number: L1807264

Project Number: 0139-220813

Report Date: 03/09/18

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 97,8270D-SIM

Extraction Method: EPA 3510C

Analytical Date: 03/05/18 09:06

Extraction Date: 03/03/18 17:44

Analyst: DV

Parameter	Result	Qualifier	Units	RL	MDL
MCP Semivolatile Organics by SIM - Westborough Lab for sample(s): 01-02 Batch: WG1094305-1					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	46		15-110
Phenol-d6	35		15-110
Nitrobenzene-d5	96		30-130
2-Fluorobiphenyl	92		30-130
2,4,6-Tribromophenol	79		15-110
4-Terphenyl-d14	90		30-130

Lab Control Sample Analysis Batch Quality Control

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab Associated sample(s): 01-02 Batch: WG1093881-2 WG1093881-3								
1,4-Dioxane	113		114		40-140	1		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,4-Dioxane-d8	25		23		15-110

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Lab Number: L1807264

Project Number: 0139-220813

Report Date: 03/09/18

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
MCP Semivolatile Organics - Westborough Lab Associated sample(s): 01-02 Batch: WG1094304-2 WG1094304-3								
1,2,4-Trichlorobenzene	89		73		40-140	20		20
Bis(2-chloroethyl)ether	80		76		40-140	5		20
1,2-Dichlorobenzene	81		64		40-140	23	Q	20
1,3-Dichlorobenzene	77		60		40-140	25	Q	20
1,4-Dichlorobenzene	76		61		40-140	22	Q	20
3,3'-Dichlorobenzidine	80		81		40-140	1		20
2,4-Dinitrotoluene	107		105		40-140	2		20
2,6-Dinitrotoluene	112		110		40-140	2		20
Azobenzene	104		102		40-140	2		20
4-Bromophenyl phenyl ether	100		98		40-140	2		20
Bis(2-chloroisopropyl)ether	55		51		40-140	8		20
Bis(2-chloroethoxy)methane	90		87		40-140	3		20
Isophorone	103		100		40-140	3		20
Nitrobenzene	96		92		40-140	4		20
Bis(2-ethylhexyl)phthalate	108		109		40-140	1		20
Butyl benzyl phthalate	110		107		40-140	3		20
Di-n-butylphthalate	103		102		40-140	1		20
Di-n-octylphthalate	111		112		40-140	1		20
Diethyl phthalate	107		106		40-140	1		20
Dimethyl phthalate	112		110		40-140	2		20
Anthracene	91		87		40-140	4		20
Aniline	39	Q	49		40-140	23	Q	20
4-Chloroaniline	67		67		40-140	0		20

Lab Control Sample Analysis Batch Quality Control

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
MCP Semivolatile Organics - Westborough Lab Associated sample(s): 01-02 Batch: WG1094304-2 WG1094304-3								
Dibenzofuran	93		90		40-140	3		20
Acetophenone	103		98		40-140	5		20
2,4,6-Trichlorophenol	114		116		30-130	2		20
2-Chlorophenol	80		76		30-130	5		20
2,4-Dichlorophenol	97		94		30-130	3		20
2,4-Dimethylphenol	95		93		30-130	2		20
2-Nitrophenol	95		90		30-130	5		20
4-Nitrophenol	68		69		30-130	1		20
2,4-Dinitrophenol	95		94		30-130	1		20
Phenol	38		38		30-130	0		20
2-Methylphenol	74		75		30-130	1		20
3-Methylphenol/4-Methylphenol	78		78		30-130	0		20
2,4,5-Trichlorophenol	117		117		30-130	0		20
Pyridine	30	Q	34	Q	40-140	13		20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
2-Fluorophenol	50		47		15-110
Phenol-d6	36		36		15-110
Nitrobenzene-d5	97		90		30-130
2-Fluorobiphenyl	93		92		30-130
2,4,6-Tribromophenol	104		103		15-110
4-Terphenyl-d14	87		85		30-130



Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1807264

Report Date: 03/09/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP Semivolatile Organics by SIM - Westborough Lab Associated sample(s): 01-02 Batch: WG1094305-2 WG1094305-3								
Acenaphthene	67		61		40-140	9		20
2-Chloronaphthalene	80		62		40-140	25	Q	20
Fluoranthene	83		73		40-140	13		20
Hexachlorobutadiene	92		79		40-140	15		20
Naphthalene	74		62		40-140	18		20
Benzo(a)anthracene	83		70		40-140	17		20
Benzo(a)pyrene	94		80		40-140	16		20
Benzo(b)fluoranthene	87		78		40-140	11		20
Benzo(k)fluoranthene	89		72		40-140	21	Q	20
Chrysene	77		65		40-140	17		20
Acenaphthylene	90		67		40-140	29	Q	20
Anthracene	80		62		40-140	25	Q	20
Benzo(ghi)perylene	93		79		40-140	16		20
Fluorene	76		73		40-140	4		20
Phenanthrene	71		60		40-140	17		20
Dibenzo(a,h)anthracene	96		81		40-140	17		20
Indeno(1,2,3-cd)pyrene	97		82		40-140	17		20
Pyrene	80		71		40-140	12		20
2-Methylnaphthalene	80		64		40-140	22	Q	20
Pentachlorophenol	72		54		30-130	29	Q	20
Hexachlorobenzene	71		61		40-140	15		20
Hexachloroethane	76		65		40-140	16		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Project Number: 0139-220813

Lab Number: L1807264

Report Date: 03/09/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
-----------	------------------	------	-------------------	------	---------------------	-----	------	---------------

MCP Semivolatile Organics by SIM - Westborough Lab Associated sample(s): 01-02 Batch: WG1094305-2 WG1094305-3

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	49		39		15-110
Phenol-d6	37		30		15-110
Nitrobenzene-d5	97		80		30-130
2-Fluorobiphenyl	92		73		30-130
2,4,6-Tribromophenol	79		70		15-110
4-Terphenyl-d14	94		82		30-130

PETROLEUM HYDROCARBONS

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807264-01
 Client ID: MW-14D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:
 Matrix: Water
 Analytical Method: 98,EPH-04-1.1
 Analytical Date: 03/09/18 11:30
 Analyst: DG

Date Collected: 03/01/18 16:10
 Date Received: 03/01/18
 Field Prep: Field Filtered
 (Dissolved Met)
 Extraction Method: EPA 3510C
 Extraction Date: 03/08/18 13:52
 Cleanup Method1: EPH-04-1
 Cleanup Date1: 03/08/18

Quality Control Information

Condition of sample received: Satisfactory
 Aqueous Preservative: Laboratory Provided Preserved
 Container
 Sample Temperature upon receipt: Received on Ice
 Sample Extraction method: Extracted Per the Method

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Extractable Petroleum Hydrocarbons - Westborough Lab

C9-C18 Aliphatics	ND		ug/l	100	--	1
C19-C36 Aliphatics	ND		ug/l	100	--	1
C11-C22 Aromatics	ND		ug/l	100	--	1
C11-C22 Aromatics, Adjusted	ND		ug/l	100	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	45		40-140
o-Terphenyl	53		40-140
2-Fluorobiphenyl	61		40-140
2-Bromonaphthalene	60		40-140

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807264-02
 Client ID: MW-14S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:
 Matrix: Water
 Analytical Method: 98,EPH-04-1.1
 Analytical Date: 03/09/18 12:09
 Analyst: DG

Date Collected: 03/01/18 16:25
 Date Received: 03/01/18
 Field Prep: Field Filtered
 (Dissolved Met)
 Extraction Method: EPA 3510C
 Extraction Date: 03/08/18 15:05
 Cleanup Method1: EPH-04-1
 Cleanup Date1: 03/08/18

Quality Control Information

Condition of sample received: Satisfactory
 Aqueous Preservative: See Narrative
 Sample Temperature upon receipt: Received on Ice
 Sample Extraction method: Extracted Per the Method

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Extractable Petroleum Hydrocarbons - Westborough Lab

C9-C18 Aliphatics	ND		ug/l	100	--	1
C19-C36 Aliphatics	ND		ug/l	100	--	1
C11-C22 Aromatics	ND		ug/l	100	--	1
C11-C22 Aromatics, Adjusted	ND		ug/l	100	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	50		40-140
o-Terphenyl	54		40-140
2-Fluorobiphenyl	62		40-140
2-Bromonaphthalene	59		40-140

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 98,EPH-04-1.1
Analytical Date: 03/09/18 10:13
Analyst: DG

Extraction Method: EPA 3510C
Extraction Date: 03/08/18 13:52
Cleanup Method: EPH-04-1
Cleanup Date: 03/08/18

Parameter	Result	Qualifier	Units	RL	MDL
Extractable Petroleum Hydrocarbons - Westborough Lab for sample(s): 01-02 Batch: WG1095559-1					
C9-C18 Aliphatics	ND		ug/l	100	--
C19-C36 Aliphatics	ND		ug/l	100	--
C11-C22 Aromatics	ND		ug/l	100	--
C11-C22 Aromatics, Adjusted	ND		ug/l	100	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	67		40-140
o-Terphenyl	66		40-140
2-Fluorobiphenyl	69		40-140
2-Bromonaphthalene	66		40-140

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL

Lab Number: L1807264

Project Number: 0139-220813

Report Date: 03/09/18

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Extractable Petroleum Hydrocarbons - Westborough Lab Associated sample(s): 01-02 Batch: WG1095559-2 WG1095559-3								
C9-C18 Aliphatics	74		79		40-140	7		25
C19-C36 Aliphatics	75		74		40-140	1		25
C11-C22 Aromatics	55		62		40-140	12		25
Naphthalene	47		52		40-140	10		25
2-Methylnaphthalene	48		54		40-140	12		25
Acenaphthylene	50		57		40-140	13		25
Acenaphthene	52		60		40-140	14		25
Fluorene	52		60		40-140	14		25
Phenanthrene	53		61		40-140	14		25
Anthracene	53		61		40-140	14		25
Fluoranthene	54		61		40-140	12		25
Pyrene	55		63		40-140	14		25
Benzo(a)anthracene	54		61		40-140	12		25
Chrysene	55		63		40-140	14		25
Benzo(b)fluoranthene	54		62		40-140	14		25
Benzo(k)fluoranthene	54		61		40-140	12		25
Benzo(a)pyrene	52		59		40-140	13		25
Indeno(1,2,3-cd)Pyrene	50		56		40-140	11		25
Dibenzo(a,h)anthracene	58		57		40-140	2		25
Benzo(ghi)perylene	49		57		40-140	15		25
Nonane (C9)	62		69		30-140	11		25
Decane (C10)	67		74		40-140	10		25
Dodecane (C12)	70		76		40-140	8		25

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

Parameter	LCS		LCSD		%Recovery Limits	RPD	RPD	
	%Recovery	Qual	%Recovery	Qual			Qual	Limits
Extractable Petroleum Hydrocarbons - Westborough Lab Associated sample(s): 01-02 Batch: WG1095559-2 WG1095559-3								
Tetradecane (C14)	71		77		40-140	8		25
Hexadecane (C16)	71		77		40-140	8		25
Octadecane (C18)	70		75		40-140	7		25
Nonadecane (C19)	70		74		40-140	6		25
Eicosane (C20)	69		74		40-140	7		25
Docosane (C22)	69		73		40-140	6		25
Tetracosane (C24)	68		71		40-140	4		25
Hexacosane (C26)	68		71		40-140	4		25
Octacosane (C28)	68		70		40-140	3		25
triacontane (C30)	68		70		40-140	3		25
Hexatriacontane (C36)	69		71		40-140	3		25

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
Chloro-Octadecane	67		70		40-140
o-Terphenyl	55		62		40-140
2-Fluorobiphenyl	62		61		40-140
2-Bromonaphthalene	60		60		40-140
% Naphthalene Breakthrough	0		0		
% 2-Methylnaphthalene Breakthrough	0		0		

PCBS

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807264-01
Client ID: MW-14D
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 16:10
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8082A
Analytical Date: 03/06/18 07:57
Analyst: WR

Extraction Method:EPA 3510C
Extraction Date: 03/03/18 16:26
Cleanup Method: EPA 3665A
Cleanup Date: 03/04/18
Cleanup Method: EPA 3660B
Cleanup Date: 03/04/18

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
MCP Polychlorinated Biphenyls - Westborough Lab							
Aroclor 1016	ND		ug/l	0.250	--	1	A
Aroclor 1221	ND		ug/l	0.250	--	1	A
Aroclor 1232	ND		ug/l	0.250	--	1	A
Aroclor 1242	ND		ug/l	0.250	--	1	A
Aroclor 1248	ND		ug/l	0.250	--	1	A
Aroclor 1254	ND		ug/l	0.250	--	1	A
Aroclor 1260	ND		ug/l	0.250	--	1	A
Aroclor 1262	ND		ug/l	0.250	--	1	A
Aroclor 1268	ND		ug/l	0.250	--	1	A
PCBs, Total	ND		ug/l	0.250	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	92		30-150	A
Decachlorobiphenyl	76		30-150	A
2,4,5,6-Tetrachloro-m-xylene	86		30-150	B
Decachlorobiphenyl	82		30-150	B

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807264-02
Client ID: MW-14S
Sample Location: CAMBRIDGE, MA
Sample Depth:

Date Collected: 03/01/18 16:25
Date Received: 03/01/18
Field Prep: Field Filtered (Dissolved Met)

Matrix: Water
Analytical Method: 97,8082A
Analytical Date: 03/06/18 08:10
Analyst: WR

Extraction Method:EPA 3510C
Extraction Date: 03/03/18 16:26
Cleanup Method: EPA 3665A
Cleanup Date: 03/04/18
Cleanup Method: EPA 3660B
Cleanup Date: 03/04/18

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
MCP Polychlorinated Biphenyls - Westborough Lab							
Aroclor 1016	ND		ug/l	0.250	--	1	A
Aroclor 1221	ND		ug/l	0.250	--	1	A
Aroclor 1232	ND		ug/l	0.250	--	1	A
Aroclor 1242	ND		ug/l	0.250	--	1	A
Aroclor 1248	ND		ug/l	0.250	--	1	A
Aroclor 1254	ND		ug/l	0.250	--	1	A
Aroclor 1260	ND		ug/l	0.250	--	1	A
Aroclor 1262	ND		ug/l	0.250	--	1	A
Aroclor 1268	ND		ug/l	0.250	--	1	A
PCBs, Total	ND		ug/l	0.250	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	95		30-150	A
Decachlorobiphenyl	86		30-150	A
2,4,5,6-Tetrachloro-m-xylene	87		30-150	B
Decachlorobiphenyl	95		30-150	B

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 97,8082A
Analytical Date: 03/06/18 05:30
Analyst: WR

Extraction Method: EPA 3510C
Extraction Date: 03/03/18 16:26
Cleanup Method: EPA 3665A
Cleanup Date: 03/03/18
Cleanup Method: EPA 3660B
Cleanup Date: 03/04/18

Parameter	Result	Qualifier	Units	RL	MDL	Column
MCP Polychlorinated Biphenyls - Westborough Lab for sample(s): 01-02 Batch: WG1094294-1						
Aroclor 1016	ND		ug/l	0.250	--	A
Aroclor 1221	ND		ug/l	0.250	--	A
Aroclor 1232	ND		ug/l	0.250	--	A
Aroclor 1242	ND		ug/l	0.250	--	A
Aroclor 1248	ND		ug/l	0.250	--	A
Aroclor 1254	ND		ug/l	0.250	--	A
Aroclor 1260	ND		ug/l	0.250	--	A
Aroclor 1262	ND		ug/l	0.250	--	A
Aroclor 1268	ND		ug/l	0.250	--	A
PCBs, Total	ND		ug/l	0.250	--	A

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	78		30-150	A
Decachlorobiphenyl	109		30-150	A
2,4,5,6-Tetrachloro-m-xylene	85		30-150	B
Decachlorobiphenyl	121		30-150	B

Lab Control Sample Analysis Batch Quality Control

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
MCP Polychlorinated Biphenyls - Westborough Lab Associated sample(s): 01-02 Batch: WG1094294-2 WG1094294-3									
Aroclor 1016	87		86		40-140	1		20	A
Aroclor 1260	91		88		40-140	3		20	A

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	90		89		30-150	A
Decachlorobiphenyl	104		102		30-150	A
2,4,5,6-Tetrachloro-m-xylene	92		92		30-150	B
Decachlorobiphenyl	114		112		30-150	B

METALS

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807264-01
 Client ID: MW-14D
 Sample Location: CAMBRIDGE, MA
 Sample Depth:
 Matrix: Water

Date Collected: 03/01/18 16:10
 Date Received: 03/01/18
 Field Prep: Field Filtered
 (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
MCP Dissolved Metals - Mansfield Lab											
Antimony, Dissolved	ND		mg/l	0.0040	--	1	03/03/18 10:40	03/06/18 14:36	EPA 3005A	97,6020A	AM
Arsenic, Dissolved	ND		mg/l	0.0050	--	1	03/03/18 10:40	03/07/18 11:42	EPA 3005A	97,6010C	LC
Barium, Dissolved	1.15		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:42	EPA 3005A	97,6010C	LC
Beryllium, Dissolved	ND		mg/l	0.0005	--	1	03/03/18 10:40	03/06/18 14:36	EPA 3005A	97,6020A	AM
Cadmium, Dissolved	ND		mg/l	0.004	--	1	03/03/18 10:40	03/07/18 11:42	EPA 3005A	97,6010C	LC
Chromium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:42	EPA 3005A	97,6010C	LC
Lead, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:42	EPA 3005A	97,6010C	LC
Mercury, Dissolved	ND		mg/l	0.0002	--	1	03/02/18 12:31	03/02/18 17:32	EPA 7470A	97,7470A	MG
Nickel, Dissolved	ND		mg/l	0.025	--	1	03/03/18 10:40	03/07/18 11:42	EPA 3005A	97,6010C	LC
Selenium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:42	EPA 3005A	97,6010C	LC
Silver, Dissolved	ND		mg/l	0.007	--	1	03/03/18 10:40	03/07/18 11:42	EPA 3005A	97,6010C	LC
Thallium, Dissolved	ND		mg/l	0.0005	--	1	03/03/18 10:40	03/06/18 14:36	EPA 3005A	97,6020A	AM
Vanadium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:42	EPA 3005A	97,6010C	LC
Zinc, Dissolved	ND		mg/l	0.050	--	1	03/03/18 10:40	03/07/18 11:42	EPA 3005A	97,6010C	LC



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

SAMPLE RESULTS

Lab ID: L1807264-02
 Client ID: MW-14S
 Sample Location: CAMBRIDGE, MA
 Sample Depth:
 Matrix: Water

Date Collected: 03/01/18 16:25
 Date Received: 03/01/18
 Field Prep: Field Filtered
 (Dissolved Met)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
MCP Dissolved Metals - Mansfield Lab											
Antimony, Dissolved	ND		mg/l	0.0040	--	1	03/03/18 10:40	03/06/18 14:40	EPA 3005A	97,6020A	AM
Arsenic, Dissolved	0.0055		mg/l	0.0050	--	1	03/03/18 10:40	03/07/18 11:47	EPA 3005A	97,6010C	LC
Barium, Dissolved	0.833		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:47	EPA 3005A	97,6010C	LC
Beryllium, Dissolved	ND		mg/l	0.0005	--	1	03/03/18 10:40	03/06/18 14:40	EPA 3005A	97,6020A	AM
Cadmium, Dissolved	ND		mg/l	0.004	--	1	03/03/18 10:40	03/07/18 11:47	EPA 3005A	97,6010C	LC
Chromium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:47	EPA 3005A	97,6010C	LC
Lead, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:47	EPA 3005A	97,6010C	LC
Mercury, Dissolved	ND		mg/l	0.0002	--	1	03/02/18 12:31	03/02/18 17:33	EPA 7470A	97,7470A	MG
Nickel, Dissolved	ND		mg/l	0.025	--	1	03/03/18 10:40	03/07/18 11:47	EPA 3005A	97,6010C	LC
Selenium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:47	EPA 3005A	97,6010C	LC
Silver, Dissolved	ND		mg/l	0.007	--	1	03/03/18 10:40	03/07/18 11:47	EPA 3005A	97,6010C	LC
Thallium, Dissolved	ND		mg/l	0.0005	--	1	03/03/18 10:40	03/06/18 14:40	EPA 3005A	97,6020A	AM
Vanadium, Dissolved	ND		mg/l	0.010	--	1	03/03/18 10:40	03/07/18 11:47	EPA 3005A	97,6010C	LC
Zinc, Dissolved	ND		mg/l	0.050	--	1	03/03/18 10:40	03/07/18 11:47	EPA 3005A	97,6010C	LC



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
MCP Dissolved Metals - Mansfield Lab for sample(s): 01-02 Batch: WG1093949-1									
Mercury, Dissolved	ND	mg/l	0.0002	--	1	03/02/18 12:31	03/02/18 16:59	97,7470A	MG

Prep Information

Digestion Method: EPA 7470A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
MCP Dissolved Metals - Mansfield Lab for sample(s): 01-02 Batch: WG1094197-1									
Antimony, Dissolved	ND	mg/l	0.0040	--	1	03/03/18 10:40	03/06/18 13:30	97,6020A	AM
Beryllium, Dissolved	ND	mg/l	0.0005	--	1	03/03/18 10:40	03/06/18 13:30	97,6020A	AM
Thallium, Dissolved	ND	mg/l	0.0005	--	1	03/03/18 10:40	03/06/18 13:30	97,6020A	AM

Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
MCP Dissolved Metals - Mansfield Lab for sample(s): 01-02 Batch: WG1094198-1									
Arsenic, Dissolved	ND	mg/l	0.0050	--	1	03/03/18 10:40	03/07/18 10:15	97,6010C	LC
Barium, Dissolved	ND	mg/l	0.010	--	1	03/03/18 10:40	03/07/18 10:15	97,6010C	LC
Cadmium, Dissolved	ND	mg/l	0.004	--	1	03/03/18 10:40	03/07/18 10:15	97,6010C	LC
Chromium, Dissolved	ND	mg/l	0.010	--	1	03/03/18 10:40	03/07/18 10:15	97,6010C	LC
Lead, Dissolved	ND	mg/l	0.010	--	1	03/03/18 10:40	03/07/18 10:15	97,6010C	LC
Nickel, Dissolved	ND	mg/l	0.025	--	1	03/03/18 10:40	03/07/18 10:15	97,6010C	LC
Selenium, Dissolved	ND	mg/l	0.010	--	1	03/03/18 10:40	03/07/18 10:15	97,6010C	LC
Silver, Dissolved	ND	mg/l	0.007	--	1	03/03/18 10:40	03/07/18 10:15	97,6010C	LC
Vanadium, Dissolved	ND	mg/l	0.010	--	1	03/03/18 10:40	03/07/18 10:15	97,6010C	LC
Zinc, Dissolved	ND	mg/l	0.050	--	1	03/03/18 10:40	03/07/18 10:15	97,6010C	LC

Project Name: TOBIN SCHOOL

Lab Number: L1807264

Project Number: 0139-220813

Report Date: 03/09/18

Method Blank Analysis Batch Quality Control

Prep Information

Digestion Method: EPA 3005A

Lab Control Sample Analysis

Batch Quality Control

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
MCP Dissolved Metals - Mansfield Lab Associated sample(s): 01-02 Batch: WG1093949-2 WG1093949-3								
Mercury, Dissolved	93		97		80-120	4		20
MCP Dissolved Metals - Mansfield Lab Associated sample(s): 01-02 Batch: WG1094197-2 WG1094197-3								
Antimony, Dissolved	109		110		80-120	1		20
Beryllium, Dissolved	110		110		80-120	0		20
Thallium, Dissolved	98		96		80-120	2		20
MCP Dissolved Metals - Mansfield Lab Associated sample(s): 01-02 Batch: WG1094198-2 WG1094198-3								
Arsenic, Dissolved	112		110		80-120	2		20
Barium, Dissolved	106		108		80-120	2		20
Cadmium, Dissolved	110		109		80-120	1		20
Chromium, Dissolved	104		104		80-120	0		20
Lead, Dissolved	107		106		80-120	1		20
Nickel, Dissolved	102		102		80-120	0		20
Selenium, Dissolved	113		113		80-120	0		20
Silver, Dissolved	117		115		80-120	2		20
Vanadium, Dissolved	106		106		80-120	0		20
Zinc, Dissolved	106		106		80-120	0		20



Project Name: TOBIN SCHOOL**Lab Number:** L1807264**Project Number:** 0139-220813**Report Date:** 03/09/18**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
B	Absent
D	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1807264-01A	Vial HCl preserved	B	NA		4.6	Y	Absent		MCP-8260-10(14)
L1807264-01B	Vial HCl preserved	B	NA		4.6	Y	Absent		MCP-8260-10(14)
L1807264-01C	Vial HCl preserved	B	NA		4.6	Y	Absent		MCP-8260-10(14)
L1807264-01D	Plastic 250ml HNO3 preserved	B	<2	<2	4.6	Y	Absent		MCP-BE-6020S-10(180),MCP-CD-6010S-10(180),MCP-7470S-10(28),MCP-AG-6010S-10(180),MCP-SB-6020S-10(180),MCP-ZN-6010S-10(180),MCP-AS-6010S-10(180),MCP-CR-6010S-10(180),MCP-TL-6020S-10(180),MCP-BA-6010S-10(180),MCP-PB-6010S-10(180),MCP-NI-6010S-10(180),MCP-SE-6010S-10(180),MCP-V-6010S-10(180)
L1807264-01E	Amber 500ml unpreserved	B	7	7	4.6	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1807264-01F	Amber 500ml unpreserved	B	7	7	4.6	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1807264-01G	Amber 1000ml unpreserved	B	7	7	4.6	Y	Absent		MCP-8082-10(365)
L1807264-01H	Amber 1000ml unpreserved	B	7	7	4.6	Y	Absent		MCP-8082-10(365)
L1807264-01I	Amber 1000ml unpreserved	B	7	7	4.6	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1807264-01J	Amber 1000ml unpreserved	B	7	7	4.6	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1807264-01K	Amber 1000ml HCl preserved	B	<2	<2	4.6	Y	Absent		EPH-10(14)
L1807264-01L	Amber 1000ml HCl preserved	B	<2	<2	4.6	Y	Absent		EPH-10(14)
L1807264-02A	Vial HCl preserved	D	NA		3.7	Y	Absent		MCP-8260-10(14)
L1807264-02B	Vial HCl preserved	D	NA		3.7	Y	Absent		MCP-8260-10(14)
L1807264-02C	Vial HCl preserved	D	NA		3.7	Y	Absent		MCP-8260-10(14)

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Serial_No:03091817:16
Lab Number: L1807264
Report Date: 03/09/18

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1807264-02D	Plastic 250ml HNO3 preserved	D	<2	<2	3.7	Y	Absent		MCP-BE-6020S-10(180),MCP-CD-6010S-10(180),MCP-7470S-10(28),MCP-AG-6010S-10(180),MCP-SB-6020S-10(180),MCP-ZN-6010S-10(180),MCP-AS-6010S-10(180),MCP-CR-6010S-10(180),MCP-TL-6020S-10(180),MCP-BA-6010S-10(180),MCP-PB-6010S-10(180),MCP-NI-6010S-10(180),MCP-SE-6010S-10(180),MCP-V-6010S-10(180)
L1807264-02E	Amber 500ml unpreserved	D	7	7	3.7	Y	Absent		A2-MCP-14DX-SIM-PPB(7)
L1807264-02G	Amber 1000ml unpreserved	D	7	7	3.7	Y	Absent		MCP-8082-10(365)
L1807264-02I	Amber 1000ml unpreserved	D	7	7	3.7	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1807264-02J	Amber 1000ml unpreserved	D	7	7	3.7	Y	Absent		MCP-8270-10(7),MCP-8270SIM-10(7)
L1807264-02K	Amber 1000ml HCl preserved	D	<2	<2	3.7	Y	Absent		EPH-10(14)

*Values in parentheses indicate holding time in days



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

GLOSSARY

Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related

Report Format: Data Usability Report



Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

Data Qualifiers

projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND** - Not detected at the reporting limit (RL) for the sample.

Project Name: TOBIN SCHOOL
Project Number: 0139-220813

Lab Number: L1807264
Report Date: 03/09/18

REFERENCES

- 97 EPA Test Methods (SW-846) with QC Requirements & Performance Standards for the Analysis of EPA SW-846 Methods under the Massachusetts Contingency Plan, WSC-CAM-IIA, IIB, IIIA, IIIB, IIIC, IIID, VA, VB, VC, VIA, VIB, VIIIA and VIIIB, July 2010.
- 98 Method for the Determination of Extractable Petroleum Hydrocarbons (EPH), MassDEP, May 2004, Revision 1.1 with QC Requirements & Performance Standards for the Analysis of EPH under the Massachusetts Contingency Plan, WSC-CAM-IVB, July 2010.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624: m/p-xylene, o-xylene

EPA 8260C: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D: NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.

EPA 300: DW: Bromide

EPA 6860: SCM: Perchlorate

EPA 9010: NPW and SCM: Amenable Cyanide Distillation

SM4500: NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS

EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B

EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1:**

Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E,**

SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.

EPA 624: Volatile Halocarbons & Aromatics,

EPA 608: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, SM9222D.**

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Be, Cd, Cr, Cu, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.**

EPA 522.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

Method Blank Summary Form 4

Client	: CDM Smith, Inc.	Lab Number	: L1807264
Project Name	: TOBIN SCHOOL	Project Number	: 0139-220813
Lab Sample ID	: WG1095245-5	Lab File ID	: VJ180307A07
Instrument ID	: JACK		
Matrix	: WATER	Analysis Date	: 03/07/18 04:36

Client Sample No.	Lab Sample ID	Analysis Date
WG1095245-3LCS	WG1095245-3	03/07/18 02:56
WG1095245-4LCS	WG1095245-4	03/07/18 03:30
MW-14D	L1807264-01	03/07/18 06:07
MW-14S	L1807264-02	03/07/18 06:37

Continuing Calibration Form 7

Client : CDM Smith, Inc.
 Project Name : TOBIN SCHOOL
 Instrument ID : JACK
 Lab File ID : VJ180307A01
 Sample No : WG1095245-2
 Channel :

Lab Number : L1807264
 Project Number : 0139-220813
 Calibration Date : 03/07/18 02:56
 Init. Calib. Date(s) : 11/16/17 11/16/17
 Init. Calib. Times : 11:07 15:06

Compound	Ave. RRF	RRF	Min RRF	%D	Max %D	Area%	Dev(min)
Fluorobenzene	1	1	-	0	20	112	0
Dichlorodifluoromethane	0.362	0.402	-	-11	20	121	0
Chloromethane	0.453	0.376	-	17	20	94	0
Vinyl chloride	0.431	0.489	-	-13.5	20	122	0
Bromomethane	10	7.89	-	21.1*	20	84	0
Chloroethane	10	9.262	-	7.4	20	100	-0.1
Trichlorofluoromethane	0.591	0.699	-	-18.3	20	130	-0.2
Ethyl ether	0.166	0.168	-	-1.2	20	123	-0.2
1,1-Dichloroethene	0.328	0.387	-	-18	20	130	-0.1
Carbon disulfide	10	10.411	-	-4.1	20	110	-0.2
Methylene chloride	0.379	0.392	-	-3.4	20	128	-0.3
Acetone	10	12.393	-	-23.9*	20	176	-0.3
trans-1,2-Dichloroethene	0.356	0.417	-	-17.1	20	130	-0.2
Methyl tert-butyl ether	0.859	0.679	-	21*	20	98	-0.3
Diisopropyl ether	1.14	1.259	-	-10.4	20	130	-0.3
1,1-Dichloroethane	0.631	0.663	-	-5.1	20	118	-0.3
Ethyl tert-butyl ether	0.969	0.999	-	-3.1	20	124	-0.2
cis-1,2-Dichloroethene	0.356	0.413	-	-16	20	128	-0.1
2,2-Dichloropropane	0.581	0.573	-	1.4	20	109	-0.2
Bromochloromethane	0.157	0.169	-	-7.6	20	124	-0.2
Chloroform	0.604	0.669	-	-10.8	20	125	-0.1
Carbon tetrachloride	10	10.191	-	-1.9	20	125	-0.2
Tetrahydrofuran	10	9.094	-	9.1	20	120	-0.1
Dibromofluoromethane	0.227	0.232	-	-2.2	20	115	0
1,1,1-Trichloroethane	0.56	0.624	-	-11.4	20	123	0
2-Butanone	10	9.654	-	3.5	20	125	-0.2
1,1-Dichloropropene	0.538	0.545	-	-1.3	20	114	-0.2
Benzene	1.571	1.632	-	-3.9	20	120	-0.1
tert-Amyl methyl ether	0.871	0.836	-	4	20	119	0
1,2-Dichloroethane-d4	0.264	0.23	-	12.9	20	110	0
1,2-Dichloroethane	0.426	0.429	-	-0.7	20	116	0
Trichloroethene	10	10.316	-	-3.2	20	122	0
Dibromomethane	0.177	0.189	-	-6.8	20	129	0
1,2-Dichloropropane	0.372	0.384	-	-3.2	20	120	.01
Bromodichloromethane	0.476	0.516	-	-8.4	20	127	0
1,4-Dioxane	0.00204	0.00207*	-	-1.5	20	129	.02
cis-1,3-Dichloropropene	0.619	0.573	-	7.4	20	110	.02
Chlorobenzene-d5	1	1	-	0	20	106	0
Toluene-d8	1.177	1.262	-	-7.2	20	110	-0.2
Toluene	1.189	1.333	-	-12.1	20	119	-0.2
4-Methyl-2-pentanone	10	9.322	-	6.8	20	96	0
Tetrachloroethene	0.529	0.575	-	-8.7	20	111	-0.1
trans-1,3-Dichloropropene	0.611	0.585	-	4.3	20	106	0
1,1,2-Trichloroethane	0.268	0.294	-	-9.7	20	121	0
Chlorodibromomethane	0.381	0.384	-	-0.8	20	113	0

* Value outside of QC limits.



Continuing Calibration Form 7

Client : CDM Smith, Inc.
 Project Name : TOBIN SCHOOL
 Instrument ID : JACK
 Lab File ID : VJ180307A01
 Sample No : WG1095245-2
 Channel :

Lab Number : L1807264
 Project Number : 0139-220813
 Calibration Date : 03/07/18 02:56
 Init. Calib. Date(s) : 11/16/17 11/16/17
 Init. Calib. Times : 11:07 15:06

Compound	Ave. RRF	RRF	Min RRF	%D	Max %D	Area%	Dev(min)
1,3-Dichloropropane	0.574	0.596	-	-3.8	20	116	-.01
1,2-Dibromoethane	0.323	0.348	-	-7.7	20	121	0
2-Hexanone	10	9.483	-	5.2	20	122	0
Chlorobenzene	1.306	1.404	-	-7.5	20	114	0
Ethylbenzene	2.453	2.51	-	-2.3	20	110	0
1,1,1,2-Tetrachloroethane	0.446	0.453	-	-1.6	20	111	0
p/m Xylene	1.12	0.934	-	16.6	20	87	0
o Xylene	0.957	0.948	-	0.9	20	108	0
Styrene	1.557	1.546	-	0.7	20	108	0
1,4-Dichlorobenzene-d4	1	1	-	0	20	88	0
Bromoform	10	9.358	-	6.4	20	100	-.03
Isopropylbenzene	4.062	5.09	-	-25.3*	20	115	-.02
4-Bromofluorobenzene	0.867	0.968	-	-11.6	20	100	-.02
Bromobenzene	0.984	1.105	-	-12.3	20	103	-.01
n-Propylbenzene	4.596	5.571	-	-21.2*	20	110	-.02
1,1,2,2-Tetrachloroethane	0.657	0.73	-	-11.1	20	109	-.01
2-Chlorotoluene	3.08	3.638	-	-18.1	20	107	-.02
1,3,5-Trimethylbenzene	3.247	3.63	-	-11.8	20	101	0
1,2,3-Trichloropropane	0.547	0.561	-	-2.6	20	101	-.01
4-Chlorotoluene	2.942	3.356	-	-14.1	20	105	-.01
tert-Butylbenzene	2.577	3.098	-	-20.2*	20	111	0
1,2,4-Trimethylbenzene	3.249	3.505	-	-7.9	20	96	0
sec-Butylbenzene	3.472	4.334	-	-24.8*	20	116	0
p-Isopropyltoluene	3.084	3.499	-	-13.5	20	103	0
1,3-Dichlorobenzene	1.807	1.94	-	-7.4	20	96	0
1,4-Dichlorobenzene	1.805	1.905	-	-5.5	20	93	0
n-Butylbenzene	2.472	2.816	-	-13.9	20	104	0
1,2-Dichlorobenzene	1.674	1.779	-	-6.3	20	92	0
1,2-Dibromo-3-chloropropan	10	8.586	-	14.1	20	81	0
Hexachlorobutadiene	10	14.122	-	-41.2*	20	117	.02
1,2,4-Trichlorobenzene	0.78	0.835	-	-7.1	20	92	.02
Naphthalene	1.761	1.56	-	11.4	20	80	.02
1,2,3-Trichlorobenzene	0.652	0.675	-	-3.5	20	88	0

* Value outside of QC limits.

