



# CITY OF CAMBRIDGE

BOARD OF ZONING APPEAL

831 Massachusetts Avenue, Cambridge MA 02139

617-349-6100

2023 NOV 20 PM 3:03

OFFICE OF THE CITY CLERK  
CAMBRIDGE, MASSACHUSETTS

## BZA Application Form

**BZA Number: 248783**

### General Information

The undersigned hereby petitions the Board of Zoning Appeal for the following:

Special Permit:   X                        Variance:                             Appeal:       

**PETITIONER:** Kendall Square Entity, Inc.

**PETITIONER'S ADDRESS:** 1270 Soldiers Field Road, Boston, MA 02135

**LOCATION OF PROPERTY:** 141 Portland St., Cambridge, MA

**TYPE OF OCCUPANCY:** Telecommunications                      **ZONING DISTRICT:** Industry B Zone

**REASON FOR PETITION:**

/Telecommunication Facility (antenna)/

**DESCRIPTION OF PETITIONER'S PROPOSAL:**

AT&T modifications include replace (9) existing antennas with (9) new antennas, maintain (3) existing antennas, replacing (12) remote radio heads with (6) new remote radio heads, replace certain cabling with new cables, remove existing diplexers and TMA, and remove and replace certain equipment in AT&T's existing rooftop equipment shelter.

**SECTIONS OF ZONING ORDINANCE CITED:**

- Article: 4.000                      Section: 4.32.g.1 & Sec. 4.40 (Footnote 49) (Telecommunications Facility).
- Article: 10.000                      Section: 10.40 (Special Permit).
- Article: 6409                      Section: Federal Middle Class Tax Relief Act (Spectrum Act)

Original  
Signature(s):

Allison Conwell

(Petitioner (s) / Owner)

Allison Conwell

(Print Name)

Address:  
Tel. No.  
E-Mail Address:

750 W. Center st. ste 301  
W. Bridgewater, MA 02379  
aconwell@clinellc.com  
215-588-7035

**Date:** \_\_\_\_\_

**BZA APPLICATION FORM - OWNERSHIP INFORMATION**

To be completed by OWNER, signed before a notary and returned to The Secretary of the Board of Zoning Appeals.

I/We Kendall Square Entity, Inc.  
(OWNER)

Address: 1270 Soldiers Field Road Boston, MA 02135

State that I/We own the property located at 141 Portland Street, Cambridge, MA which is the subject of this zoning application.

The record title of this property is in the name of Kendall Square Entity, Inc.

\*Pursuant to a deed of duly recorded in the date 12/31/85, Middlesex South County Registry of Deeds at Book 16682, Page 565; or Middlesex Registry District of Land Court, Certificate No. \_\_\_\_\_  
Book \_\_\_\_\_ Page \_\_\_\_\_.

*Katelyn Taylor* as agent

SIGNATURE BY LAND OWNER OR AUTHORIZED TRUSTEE, OFFICER OR AGENT\*

\*Written evidence of Agent's standing to represent petitioner may be requested.


-----  
Commonwealth of Massachusetts, County of Middlesex

The above-name Katelyn Taylor personally appeared before me, this 30<sup>th</sup> of October, 2023, and made oath that the above statement is true.

*[Signature]* Notary

My commission expires March 17, 2028 (Notary Seal).

- If ownership is not shown in recorded deed, e.g. if by court order, recent deed, or inheritance, please include documentation.



Handwritten text, possibly a signature or name, located below the first horizontal line.

Handwritten text, possibly a name or title, located below the second horizontal line.

Handwritten text, possibly a date or reference number, located below the second horizontal line.

Handwritten signature or initials, located below the second horizontal line.

Handwritten text, possibly a name or title, located below the third horizontal line.

Handwritten text, possibly a date or reference number, located below the third horizontal line.

Handwritten text, possibly a date or reference number, located below the fourth horizontal line.

## BZA Application Form

### SUPPORTING STATEMENT FOR A SPECIAL PERMIT

**Please describe in complete detail how you meet each of the following criteria referring to the property and proposed changes or uses which are requested in your application. Attach sheets with additional information for special permits which have additional criteria, e.g.; fast food permits, comprehensive permits, etc., which must be met.**

**Granting the Special Permit requested for 141 Portland St., Cambridge, MA (location) would not be a detriment to the public interest because:**

**A) Requirements of the Ordinance can or will be met for the following reasons:**

AT&T's facility will comply with all applicable sections of the Ordinance as the modified Facility will not increase the height of the Building, and the new antennas will be the same sky grey color or where appropriate painted a brick color, as the existing antennas (which best matches the color of the Building).

**B) Traffic generated or patterns of access or egress would not cause congestion hazard, or substantial change in established neighborhood character for the following reasons:**

AT&T's Facility will not result in any substantial change in the character of the neighborhood as there will be no significant increase in the amount of traffic to and from the Site, or any changes to existing patterns of access or egress to the Site. Trips to and from the Facility will average one or two per month by maintenance personnel who will park their SUV in the existing parking area on Site and not on the street.

**C) The continued operation of or the development of adjacent uses as permitted in the Zoning Ordinance would not be adversely affected by the nature of the proposed use for the following reasons:**

The continued operation of or the development of adjacent uses will not be adversely affected by AT&T's equipment because AT&T's Facility will be a passive use and will not produce any smoke, odors, waste, glare, dust or unreasonable amounts of traffic.

**D) Nuisance or hazard would not be created to the detriment of the health, safety, and/or welfare of the occupant of the proposed use or the citizens of the City for the following reasons:**

AT&T's Facility will not result in any nuisance or hazard to the detriment of the health, safety, or welfare of the citizens of the City because AT&T's facility will be a passive use and will not produce any smoke, odors, waste, glare, dust, or unreasonable amounts of traffic. As evidenced by the MPE Study submitted herewith, AT&T's Facility will comply with all applicable regulations and guidelines pertaining to radio frequency emissions.

**E) For other reasons, the proposed use would not impair the integrity of the district or adjoining district or otherwise derogate from the intent or purpose of this ordinance for the following reasons:**

The proposed Facility will be in harmony with the purposes of the Ordinance because by collocating a wireless facility on an existing Building in a manner which does not increase the height of the Building or expand its footprint, potential visual impacts are minimized. Also, the proposed Facility will not produce any smoke, odors, waste, glare or significant amounts of traffic. The Facility will have no negative impact on natural or undeveloped areas, wildlife, flora or endangered species.

Consistent with the ordinance, the Facility will function as a wireless communications services facility within a local, regional, and national communications system. This system operates under licenses from the FCC, and AT&T is mandated and authorized to provide adequate service to the general public. The proposed Facility will comply with all applicable regulations, standards and guidelines with respect to radio frequency emissions. The Facility will benefit those living and working in, and traveling through, the area by providing enhanced wireless telecommunication services. The Facility will not adversely impact adjacent properties and neighborhoods as the Facility will be located on an existing Building. The collocation of the facility will not be a threat to public safety by providing and improving wireless communications services to the residents, businesses, commuters and emergency personnel utilizing wireless communications in the immediate vicinity and along the nearby roads. Consistent with the Ordinance, the Facility will function as a wireless communications services facility within a local, regional, and national communications system. The system operates under license from the FCC, and AT&T is mandated and authorized to provide adequate service to the general public. The Facility will not generate any objectionable noise, odor, fumes, glare, smoke, or dust or require additional lighting or signage. The Facility will have no negative impact on property values in the area. This is an unmanned Facility and will have minimal negative effect on the adjoining lots.

**\*If you have any questions as to whether you can establish all of the applicable legal requirements, you should consult with an attorney.**

## BZA Application Form

### DIMENSIONAL INFORMATION

**Applicant:** Kendall Square Entity, Inc.  
**Location:** 141 Portland St., Cambridge, MA  
**Phone:**

**Present Use/Occupancy:** Telecommunications  
**Zone:** Industry B Zone  
**Requested Use/Occupancy:** Telecommunications

		<u>Existing Conditions</u>	<u>Requested Conditions</u>	<u>Ordinance Requirements</u>	
<b>TOTAL GROSS FLOOR AREA:</b>		54236	0	0	(max.)
<b>LOT AREA:</b>		33052	0	0	(min.)
<b>RATIO OF GROSS FLOOR AREA TO LOT AREA: <sup>2</sup></b>		13559 : 8263	0	0	
<b>LOT AREA OF EACH DWELLING UNIT</b>		0	0	0	
<b>SIZE OF LOT:</b>	WIDTH	0	0	0	
	DEPTH	0	0	0	
<b>SETBACKS IN FEET:</b>	FRONT	0	0	0	
	REAR	0	0	0	
	LEFT SIDE	0	0	none	
	RIGHT SIDE	0	0	none	
<b>SIZE OF BUILDING:</b>	HEIGHT	120	0	120	
	WIDTH	142	0	none	
	LENGTH	107	0	none	
<b>RATIO OF USABLE OPEN SPACE TO LOT AREA:</b>		0	0	none	
<b>NO. OF DWELLING UNITS:</b>		2	0	none	
<b>NO. OF PARKING SPACES:</b>		33+	0	33	
<b>NO. OF LOADING AREAS:</b>		0	0	0	
<b>DISTANCE TO NEAREST BLDG. ON SAME LOT</b>		0	0		

Describe where applicable, other occupancies on the same lot, the size of adjacent buildings on same lot, and type of construction proposed, e.g; wood frame, concrete, brick, steel, etc.:

N/A This project is for an AT&T equipment upgrade on the roof.

1. SEE CAMBRIDGE ZONING ORDINANCE ARTICLE 5.000, SECTION 5.30 (DISTRICT OF DIMENSIONAL REGULATIONS).
2. TOTAL GROSS FLOOR AREA (INCLUDING BASEMENT 7'-0" IN HEIGHT AND ATTIC AREAS GREATER THAN 5') DIVIDED BY LOT AREA.
3. OPEN SPACE SHALL NOT INCLUDE PARKING AREAS, WALKWAYS OR DRIVEWAYS AND SHALL HAVE A MINIMUM DIMENSION OF 15'.

**PROJECT INFORMATION**

SCOPE OF WORK: ITEMS TO BE MOUNTED ON THE EXISTING ROOF TOP:

- INSTALL AT&T LTE ANTENNAS (AIR6449 N77D) @ POS. 3 (TYP. 1 PER SECTOR, TOTAL OF 3)(STACKED).
- INSTALL AT&T LTE ANTENNAS (AIR6419 N77G) @ POS. 3 (TYP. OF 1 PER SECTOR, TOTAL OF 3)(STACKED).
- PROPOSED AT&T LTE ANTENNAS (DMP65R-BU4DA) @ POSITION 4 (TYP. 1 PER SECTOR, TOTAL OF 3).
- INSTALL NEW SECTOR FRAMES FOR ALPHA & GAMMA SECTOR, TOTAL OF 2.
- PROPOSED AT&T RRUS 4449 B5/12 (700) (TYP. OF 1 PER SECTOR, TOTAL OF 3).
- PROPOSED AT&T RRUS 4415 B25 (1900) (TYP. OF 1 PER SECTOR, TOTAL OF 3).
- PROPOSED (3) Y-CABLES

ITEMS TO BE MOUNTED AT EQUIPMENT LOCATION:

- ADD (1) 6673 FHG IN EXISTING PURCELL CABINET.
- ADD (3) -48V RECTIFIERS FOR A TOTAL OF (9) TO EXISTING POWER PLANT

ITEMS TO BE REMOVED:

- AT&T RRUS 12 B2 (AWS) (TYP. OF 2 PER SECTOR, TOTAL OF 6).
- AT&T RRUS 11 B12 (700) (TYP. OF 1 PER SECTOR, TOTAL OF 3).
- AT&T RRUS 4478 B5 (850) (TYP. OF 1 PER SECTOR, TOTAL OF 3).
- AT&T TMA (TYP. OF 1 PER SECTOR, TOTAL OF 3).
- AT&T DIPLEXERS (TYP. OF 1 PER SECTOR, TOTAL OF 3).
- AT&T ANTENNA (742-264) (TYP. OF 1 PER SECTOR, TOTAL OF 3).
- AT&T ANTENNA (OPA-65R-LCUU-H4) (TYP. OF 1 PER SECTOR, TOTAL OF 3).
- AT&T ANTENNA (HPA-65R-BUU-H4) (TYP. OF 1 PER SECTOR, TOTAL OF 3)

ITEMS TO REMAIN:

- (3) ANTENNAS, (9) RRU'S, (6) SURGE ARRESTOR,
- (6) COAX CABLES, (12) DC POWER & (3) FIBER.

SITE ADDRESS: 141 PORTLAND STREET  
CAMBRIDGE, MA 02139

LATITUDE: 42.356896° N, 42° 21' 57.22" N

LONGITUDE: 71.092401° W, 71° 05' 32.64" W

TYPE OF SITE: ROOF TOP / INDOOR EQUIPMENT

STRUCTURE HEIGHT: 129'-0"±

RAD CENTER: 146'-10"±, 145'-0"±, 143'-3"± BETA & GAMMA SECTOR.  
134'-10"±, 133'-0"±, 131'-3"± ALPHA SECTOR.

CURRENT USE: TELECOMMUNICATIONS FACILITY

PROPOSED USE: TELECOMMUNICATIONS FACILITY

**NOTE TO GENERAL CONTRACTOR: (PRIOR/DURING CONSTRUCTION)**

CONTRACTOR TO CONTACT E.O.R. (TEP NORTHEAST, TEP OPCO, LLC) PRIOR TO ROOF/WALL OPENINGS TO COORDINATE/SCHEDULE THE FOLLOWING:

- INSPECTION OF EXISTING CONDITIONS AND LOCATIONS WHERE CONNECTIONS ARE BEING PROPOSED, INCLUDING INSPECTIONS OF STUB-UP ANCHORS AND/OR WALL ANCHORS PRIOR TO CONCEALING.



**SITE NUMBER: MAL02253**

**SITE NAME: CAMBRIDGE PORTLAND STREET**

**FA CODE: 10072362**

**PACE ID: MRCTB052220, MRCTB050741, MRCTB051510, MRCTB051224, MRCTB051284**

**PROJECT: 5G NR RADIO, 5G NR 1SR CBAND, ANTENNA MODIFICATIONS, 4TXRX ANTENNA RETROFIT UPGRADE**

**ISSUED FOR PERMITTING**


**DRAWING INDEX**

SHEET NO.	DESCRIPTION	REV.
T-1	TITLE SHEET	3
GN-1	GENERAL NOTES	3
A-1	PARTIAL ROOFTOP & EQUIPMENT PLANS	3
A-2	EXISTING ANTENNA PLAN	3
A-3	PROPOSED ANTENNA PLAN	3
A-4	ELEVATION	3
A-5	DETAILS	3
SN-1	STRUCTURAL NOTES	3
S-1	STRUCTURAL MODIFICATION DESIGN	3
S-2	STRUCTURAL MODIFICATION DESIGN	3
S-3	STRUCTURAL MODIFICATION DESIGN	3
S-4	STRUCTURAL MODIFICATION DESIGN	3
G-1	GROUNDING DETAILS	3
RF-1	RF PLUMBING DIAGRAM	3

**VICINITY MAP**

**DIRECTIONS TO SITE:**

HEAD NORTHEAST TOWARD LEGGAT McCALL CONN. 0.2 MILES. TURN LEFT AT LEGGAT McCALL CONN. 0.2 MILES. SLIGHT RIGHT AT BURR ST. 489 FT. TURN LEFT AT COCHITUATE RD. 295 FT. MERGE ONTO I-90 E/MASSACHUSETTS TPKE E TOWARD BOSTON/I-95 (PORTIONS TOLL). 14.7 MI TAKE EXIT 18 ON THE LEFT TOWARD CAMBRIDGE/SOMERVILLE. 0.6 MI ROAD NAME CHANGES TO RIVER ST. 0.7 MI. BEAR RIGHT ONTO CENTRAL Q. / WESTERN AVE. 0.1 MI. ROAD NAME CHANGES TO PROSPECT ST. 0.3 MI. TURN RIGHT ONTO BROADWAY. 0.5 MI. TURN RIGHT ONTO PORTLAND ST. 0.1 MI. ARRIVE AT 141 PORTLAND ST ON THE RIGHT.




**GENERAL NOTES**

1. THIS DOCUMENT IS THE CREATION, DESIGN, PROPERTY AND COPYRIGHTED WORK OF AT&T. ANY DUPLICATION OR USE WITHOUT EXPRESS WRITTEN CONSENT IS STRICTLY PROHIBITED. DUPLICATION AND USE BY GOVERNMENT AGENCIES FOR THE PURPOSES OF CONDUCTING THEIR LAWFULLY AUTHORIZED REGULATORY AND ADMINISTRATIVE FUNCTIONS IS SPECIFICALLY ALLOWED.
2. THE FACILITY IS AN UNMANNED PRIVATE AND SECURED EQUIPMENT INSTALLATION. IT IS ONLY ACCESSED BY TRAINED TECHNICIANS FOR PERIODIC ROUTINE MAINTENANCE AND THEREFORE DOES NOT REQUIRE ANY WATER OR SANITARY SEWER SERVICE. THE FACILITY IS NOT GOVERNED BY REGULATIONS REQUIRING PUBLIC ACCESS PER ADA REQUIREMENTS.
3. CONTRACTOR SHALL VERIFY ALL PLANS AND EXISTING DIMENSIONS AND CONDITIONS ON THE JOB SITE AND SHALL IMMEDIATELY NOTIFY THE AT&T MOBILITY REPRESENTATIVE IN WRITING OF DISCREPANCIES BEFORE PROCEEDING WITH THE WORK OR BE RESPONSIBLE FOR SAME.
4. CONSTRUCTION DRAWINGS ARE VALID FOR SIX MONTHS AFTER ENGINEER OF RECORD'S STAMPED AND SIGNED SUBMITTAL DATE LISTED HEREIN.

**UNDERGROUND SERVICE ALERT**



**WWW.DIGSAFE.COM**  
**72 HOURS PRIOR**



**SITE NUMBER: MAL02253**  
**SITE NAME: CAMBRIDGE PORTLAND STREET**

141 PORTLAND STREET  
CAMBRIDGE, MA 02139  
MIDDLESEX COUNTY



NO.	DATE	REVISIONS	BY	CHK	APP'D
3	08/09/23	ISSUED FOR PERMITTING	GA	AT	DPH
2	06/20/23	ISSUED FOR PERMITTING	SG	AT	DPH
1	02/10/22	ISSUED FOR PERMITTING	MB	AT	DPH
A	11/12/21	ISSUED FOR REVIEW	EB	AT	DPH

SCALE: AS SHOWN    DESIGNED BY: AT    DRAWN BY: SG

AT&T		TITLE SHEET	
5G NR RADIO, 5G NR 1SR CBAND, ANTENNA MODIFICATIONS, 4TXRX ANTENNA RETROFIT		DRAWING NUMBER	
SITE NUMBER	T-1	DRAWING NUMBER	REV
MAL02253	T-1		3

**GROUNDING NOTES**

1. THE SUBCONTRACTOR SHALL REVIEW AND INSPECT THE EXISTING FACILITY GROUNDING SYSTEM AND LIGHTNING PROTECTION SYSTEM (AS DESIGNED AND INSTALLED) FOR STRICT COMPLIANCE WITH THE NEC (AS ADOPTED BY THE AHJ), THE SITE-SPECIFIC (UL, LPI, OR NFPA) LIGHTING PROTECTION CODE, AND GENERAL COMPLIANCE WITH TELCORDIA AND TIA GROUNDING STANDARDS. THE SUBCONTRACTOR SHALL REPORT ANY VIOLATIONS OR ADVERSE FINDINGS TO THE CONTRACTOR FOR RESOLUTION.
2. ALL GROUND ELECTRODE SYSTEMS (INCLUDING TELECOMMUNICATION, RADIO, LIGHTNING PROTECTION, AND AC POWER GES'S) SHALL BE BONDED TOGETHER, AT OR BELOW GRADE, BY TWO OR MORE COPPER BONDING CONDUCTORS IN ACCORDANCE WITH THE NEC.
3. THE SUBCONTRACTOR SHALL PERFORM IEEE FALL-OF-POTENTIAL RESISTANCE TO EARTH TESTING (PER IEEE 1100 AND 81 STANDARDS) FOR NEW GROUND ELECTRODE SYSTEMS. THE SUBCONTRACTOR SHALL FURNISH AND INSTALL SUPPLEMENTAL GROUND ELECTRODES AS NEEDED TO ACHIEVE A TEST RESULT OF 5 OHMS OR LESS.
4. METAL RACEWAY SHALL NOT BE USED AS THE NEC REQUIRED EQUIPMENT GROUND CONDUCTOR. STRANDED COPPER CONDUCTORS WITH GREEN INSULATION, SIZED IN ACCORDANCE WITH THE NEC, SHALL BE FURNISHED AND INSTALLED WITH THE POWER CIRCUITS TO BTS EQUIPMENT.
5. EACH BTS CABINET FRAME SHALL BE DIRECTLY CONNECTED TO THE MASTER GROUND BAR WITH GREEN INSULATED SUPPLEMENTAL EQUIPMENT GROUND WIRES, #6 AWG STRANDED COPPER OR LARGER FOR INDOOR BTS AND #2 AWG STRANDED COPPER FOR OUTDOOR BTS.
6. EXOTHERMIC WELDS SHALL BE USED FOR ALL GROUNDING CONNECTIONS BELOW GRADE.
7. APPROVED ANTIOXIDANT COATINGS (I.E., CONDUCTIVE GEL OR PASTE) SHALL BE USED ON ALL COMPRESSION AND BOLTED GROUND CONNECTIONS.
8. ICE BRIDGE BONDING CONDUCTORS SHALL BE EXOTHERMICALLY BONDED OR BOLTED TO GROUND BAR.
9. ALUMINUM CONDUCTOR OR COPPER CLAD STEEL CONDUCTOR SHALL NOT BE USED FOR GROUNDING CONNECTIONS.
10. MISCELLANEOUS ELECTRICAL AND NON-ELECTRICAL METAL BOXES, FRAMES AND SUPPORTS SHALL BE BONDED TO THE GROUND RING, IN ACCORDANCE WITH THE NEC.
11. METAL CONDUIT SHALL BE MADE ELECTRICALLY CONTINUOUS WITH LISTED BONDING FITTINGS OR BY BONDING ACROSS THE DISCONTINUITY WITH #6 AWG COPPER WIRE UL APPROVED GROUNDING TYPE CONDUIT CLAMPS.
12. ALL NEW STRUCTURES WITH A FOUNDATION AND/OR FOOTING HAVING 20 FT. OR MORE OF 1/2 IN. OR GREATER ELECTRICALLY CONDUCTIVE REINFORCING STEEL MUST HAVE IT BONDED TO THE GROUND RING USING AN EXOTHERMIC WELD CONNECTION USING #2 AWG SOLID BARE TINNED COPPER GROUND WIRE, PER NEC 250.50

**GENERAL NOTES**

1. FOR THE PURPOSE OF CONSTRUCTION DRAWING, THE FOLLOWING DEFINITIONS SHALL APPLY:  
 CONTRACTOR – CENTERLINE  
 SUBCONTRACTOR – GENERAL CONTRACTOR (CONSTRUCTION)  
 OWNER – AT&T MOBILITY
2. PRIOR TO THE SUBMISSION OF BIDS, THE BIDDING SUBCONTRACTOR SHALL VISIT THE CELL SITE TO FAMILIARIZE WITH THE EXISTING CONDITIONS AND TO CONFIRM THAT THE WORK CAN BE ACCOMPLISHED AS SHOWN ON THE CONSTRUCTION DRAWINGS. ANY DISCREPANCY FOUND SHALL BE BROUGHT TO THE ATTENTION OF CONTRACTOR.
3. ALL MATERIALS FURNISHED AND INSTALLED SHALL BE IN STRICT ACCORDANCE WITH ALL APPLICABLE CODES, REGULATIONS, AND ORDINANCES. SUBCONTRACTOR SHALL ISSUE ALL APPROPRIATE NOTICES AND COMPLY WITH ALL LAWS, ORDINANCES, RULES, REGULATIONS, AND LAWFUL ORDERS OF ANY PUBLIC AUTHORITY REGARDING THE PERFORMANCE OF THE WORK. ALL WORK CARRIED OUT SHALL COMPLY WITH ALL APPLICABLE MUNICIPAL AND UTILITY COMPANY SPECIFICATIONS AND LOCAL JURISDICTIONAL CODES, ORDINANCES AND APPLICABLE REGULATIONS.
4. DRAWINGS PROVIDED HERE ARE NOT TO BE SCALED AND ARE INTENDED TO SHOW OUTLINE ONLY.
5. UNLESS NOTED OTHERWISE, THE WORK SHALL INCLUDE FURNISHING MATERIALS, EQUIPMENT, APPURTENANCES, AND LABOR NECESSARY TO COMPLETE ALL INSTALLATIONS AS INDICATED ON THE DRAWINGS.
6. "KITTING LIST" SUPPLIED WITH THE BID PACKAGE IDENTIFIES ITEMS THAT WILL BE SUPPLIED BY CONTRACTOR. ITEMS NOT INCLUDED IN THE BILL OF MATERIALS AND KITTING LIST SHALL BE SUPPLIED BY THE SUBCONTRACTOR.
7. THE SUBCONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS UNLESS SPECIFICALLY STATED OTHERWISE.
8. IF THE SPECIFIED EQUIPMENT CANNOT BE INSTALLED AS SHOWN ON THESE DRAWINGS, THE SUBCONTRACTOR SHALL PROPOSE AN ALTERNATIVE INSTALLATION SPACE FOR APPROVAL BY THE CONTRACTOR.
9. SUBCONTRACTOR SHALL DETERMINE ACTUAL ROUTING OF CONDUIT, POWER AND T1 CABLES, GROUNDING CABLES AS SHOWN ON THE POWER, GROUNDING AND TELCO PLAN DRAWING. SUBCONTRACTOR SHALL UTILIZE EXISTING TRAYS AND/OR SHALL ADD NEW TRAYS AS NECESSARY. SUBCONTRACTOR SHALL CONFIRM THE ACTUAL ROUTING WITH THE CONTRACTOR.
10. THE SUBCONTRACTOR SHALL PROTECT EXISTING IMPROVEMENTS, PAVEMENTS, CURBS, LANDSCAPING AND STRUCTURES. ANY DAMAGED PART SHALL BE REPAIRED AT SUBCONTRACTOR'S EXPENSE TO THE SATISFACTION OF OWNER.
11. SUBCONTRACTOR SHALL LEGALLY AND PROPERLY DISPOSE OF ALL SCRAP MATERIALS SUCH AS COAXIAL CABLES AND OTHER ITEMS REMOVED FROM THE EXISTING FACILITY. ANTENNAS REMOVED SHALL BE RETURNED TO THE OWNER'S DESIGNATED LOCATION.
12. SUBCONTRACTOR SHALL LEAVE PREMISES IN CLEAN CONDITION.
13. ALL CONCRETE REPAIR WORK SHALL BE DONE IN ACCORDANCE WITH AMERICAN CONCRETE INSTITUTE (ACI) 301.

14. ANY NEW CONCRETE NEEDED FOR THE CONSTRUCTION SHALL BE AIR-ENTRAINED AND SHALL HAVE 4000 PSI STRENGTH AT 28 DAYS. ALL CONCRETE WORK SHALL BE DONE IN ACCORDANCE WITH ACI 318 CODE REQUIREMENTS.
15. ALL STRUCTURAL STEEL WORK SHALL BE DETAILED, FABRICATED AND ERECTED IN ACCORDANCE WITH AISC SPECIFICATIONS. ALL STRUCTURAL STEEL SHALL BE ASTM A36 (Fy = 36 ksi) UNLESS OTHERWISE NOTED. PIPES SHALL BE ASTM A53 TYPE E (Fy = 36 ksi). ALL STEEL EXPOSED TO WEATHER SHALL BE HOT DIPPED GALVANIZED. TOUCH UP ALL SCRATCHES AND OTHER MARKS IN THE FIELD AFTER STEEL IS ERECTED USING A COMPATIBLE ZINC RICH PAINT.
16. CONSTRUCTION SHALL COMPLY WITH SPECIFICATIONS AND "GENERAL CONSTRUCTION SERVICES FOR CONSTRUCTION OF AT&T SITES."
17. SUBCONTRACTOR SHALL VERIFY ALL EXISTING DIMENSIONS AND CONDITIONS PRIOR TO COMMENCING ANY WORK. ALL DIMENSIONS OF EXISTING CONSTRUCTION SHOWN ON THE DRAWINGS MUST BE VERIFIED. SUBCONTRACTOR SHALL NOTIFY THE CONTRACTOR OF ANY DISCREPANCIES PRIOR TO ORDERING MATERIAL OR PROCEEDING WITH CONSTRUCTION.
18. THE EXISTING CELL SITE IS IN FULL COMMERCIAL OPERATION. ANY CONSTRUCTION WORK BY SUBCONTRACTOR SHALL NOT DISRUPT THE EXISTING NORMAL OPERATION. ANY WORK ON EXISTING EQUIPMENT MUST BE COORDINATED WITH CONTRACTOR. ALSO, WORK SHOULD BE SCHEDULED FOR AN APPROPRIATE MAINTENANCE WINDOW USUALLY IN LOW TRAFFIC PERIODS AFTER MIDNIGHT.
19. SINCE THE CELL SITE IS ACTIVE, ALL SAFETY PRECAUTIONS MUST BE TAKEN WHEN WORKING AROUND HIGH LEVELS OF ELECTROMAGNETIC RADIATION. EQUIPMENT SHOULD BE SHUTDOWN PRIOR TO PERFORMING ANY WORK THAT COULD EXPOSE THE WORKERS TO DANGER. PERSONAL RF EXPOSURE MONITORS ARE ADVISED TO BE WORN TO ALERT OF ANY DANGEROUS EXPOSURE LEVELS.
20. **APPLICABLE BUILDING CODES:**  
 SUBCONTRACTOR'S WORK SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE, AND LOCAL CODES AS ADOPTED BY THE LOCAL AUTHORITY HAVING JURISDICTION (AHJ) FOR THE LOCATION. THE EDITION OF THE AHJ ADOPTED CODES AND STANDARDS IN EFFECT ON THE DATE OF CONTRACT AWARD SHALL GOVERN THE DESIGN.

**BUILDING CODE: IBC 2015 & MA STATE BUILDING CODE 780 CMR 9TH EDITION  
 ELECTRICAL CODE: 2020 NATIONAL ELECTRICAL CODE (NFPA 70, 2020)**

SUBCONTRACTOR'S WORK SHALL COMPLY WITH THE LATEST EDITION OF THE FOLLOWING STANDARDS:


**AMERICAN CONCRETE INSTITUTE (ACI) 318; BUILDING CODE REQUIREMENTS FOR STRUCTURAL CONCRETE;**

**AMERICAN INSTITUTE OF STEEL CONSTRUCTION (AISC) MANUAL OF STEEL CONSTRUCTION, ASD, FOURTEENTH EDITION;**

**TELECOMMUNICATIONS INDUSTRY ASSOCIATION (TIA) 222-H, STRUCTURAL STANDARDS FOR STEEL**

FOR ANY CONFLICTS BETWEEN SECTIONS OF LISTED CODES AND STANDARDS REGARDING MATERIAL, METHODS OF CONSTRUCTION, OR OTHER REQUIREMENTS, THE MOST RESTRICTIVE REQUIREMENT SHALL GOVERN. WHERE THERE IS CONFLICT BETWEEN A GENERAL REQUIREMENT AND A SPECIFIC REQUIREMENT, THE SPECIFIC REQUIREMENT SHALL GOVERN.

ABBREVIATIONS					
AGL	ABOVE GRADE LEVEL	EQ	EQUAL	REQ	REQUIRED
AWG	AMERICAN WIRE GAUGE	GC	GENERAL CONTRACTOR	RF	RADIO FREQUENCY
BBU	BATTERY BACKUP UNIT	GRC	GALVANIZED RIGID CONDUIT	TBD	TO BE DETERMINED
BTCW	BARE TINNED SOLID COPPER WIRE	MGB	MASTER GROUND BAR	TBR	TO BE REMOVED
BGR	BURIED GROUND RING	MIN	MINIMUM	TBRR	TO BE REMOVED AND REPLACED
BTS	BASE TRANSCEIVER STATION	P	PROPOSED	TYP	TYPICAL
E	EXISTING	NTS	NOT TO SCALE	UG	UNDER GROUND
EGB	EQUIPMENT GROUND BAR	RAD	RADIATION CENTER LINE (ANTENNA)	VIF	VERIFY IN FIELD
EGR	EQUIPMENT GROUND RING	REF	REFERENCE		



**SITE NUMBER: MAL02253  
 SITE NAME: CAMBRIDGE PORTLAND STREET**  
  
 141 PORTLAND STREET  
 CAMBRIDGE, MA 02139  
 MIDDLESEX COUNTY






3	08/09/23	ISSUED FOR PERMITTING	GA	AT	DPH	AT&T  GENERAL NOTES 5G NR RADIO, 5G NR 15R CBAND, ANTENNA MODIFICATIONS, 4TXRX ANTENNA RETROFIT
2	06/20/23	ISSUED FOR PERMITTING	SG	AT	DPH	
1	02/10/22	ISSUED FOR PERMITTING	MB	AT	DPH	
A	11/12/21	ISSUED FOR REVIEW	EB	AT	DRN	
NO.	DATE	REVISIONS	BY	CHK	APP'D	
SCALE: AS SHOWN		DESIGNED BY: AT	DRAWN BY: SG			
						SITE NUMBER: MAL02253 DRAWING NUMBER: GN-1 REV: 3





NOTE:  
REFER TO THE FINAL RF DATA SHEET FOR FINAL ANTENNA SETTINGS.

NOTE:  
REFER TO **STRUCTURAL ANALYSIS** BY: HUDSON DESIGN GROUP, LLC. DATED: JANUARY 26, 2022 (Rev.1). FOR THE CAPACITY OF THE EXISTING STRUCTURES TO SUPPORT THE PROPOSED EQUIPMENT.


NOTE:  
PAINT ALL VISIBLE EXISTING & PROPOSED EQUIPMENT TO MATCH EXISTING SURROUNDINGS



**PARTIAL ROOF PLAN**  
22x34 SCALE: 3/32"=1'-0"  
11x17 SCALE: 3/64"=1'-0"




**EQUIPMENT PLAN**  
22x34 SCALE: 3/8"=1'-0"  
11x17 SCALE: 3/16"=1'-0"



**SITE NUMBER: MAL02253**  
**SITE NAME: CAMBRIDGE PORTLAND STREET**  
  
141 PORTLAND STREET  
CAMBRIDGE, MA 02139  
MIDDLESEX COUNTY



3	08/09/23	ISSUED FOR PERMITTING	GA	AT	DPH
2	06/20/23	ISSUED FOR PERMITTING	SG	AT	DPH
1	02/10/22	ISSUED FOR PERMITTING	MB	AT	DPH
A	11/12/21	ISSUED FOR REVIEW	EB	AT	DPH
NO.	DATE	REVISIONS	BY	CHK	APP'D
SCALE: AS SHOWN			DESIGNED BY: AT	DRAWN BY: SG	









AT&T	
PARTIAL ROOFTOP & EQUIPMENT PLANS 5G NR RADIO, 5G NR 15R CBAND, ANTENNA MODIFICATIONS, 4TRXR ANTENNA RETROFIT	
SITE NUMBER	DRAWING NUMBER
MAL02253	A-1
	3

**NOTE:**  
REFER TO THE FINAL RF DATA SHEET FOR FINAL ANTENNA SETTINGS.

**NOTE:**  
REFER TO **STRUCTURAL ANALYSIS** BY: HUDSON DESIGN GROUP, LLC. DATED: JANUARY 26, 2022 (Rev.1). FOR THE CAPACITY OF THE EXISTING STRUCTURES TO SUPPORT THE PROPOSED EQUIPMENT.

**NOTE:**  
PAINT ALL VISIBLE EXISTING & PROPOSED EQUIPMENT TO MATCH EXISTING SURROUNDINGS



**SITE NUMBER: MAL02253**  
**SITE NAME: CAMBRIDGE PORTLAND STREET**

141 PORTLAND STREET  
CAMBRIDGE, MA 02139  
MIDDLESEX COUNTY



3	08/09/23	ISSUED FOR PERMITTING	GA	DPH
2	06/20/23	ISSUED FOR PERMITTING	SG	AT DPH
1	02/10/22	ISSUED FOR PERMITTING	MB	AT DPH
A	11/12/21	ISSUED FOR REVIEW	EB	AT DPH
NO.	DATE	REVISIONS	BY	CHK APP'D
SCALE: AS SHOWN		DESIGNED BY: AT	DRAWN BY: SG	





AT&T	
EXISTING EQUIPMENT PLANS 5G NR RADIO, 5G NR 15R CBAND, ANTENNA MODIFICATIONS, 4TRX ANTENNA RETROFIT	
SITE NUMBER	DRAWING NUMBER
MAL02253	A-2
REV	3

NOTE:  
PROPOSED AIR6419 IS TO BE STACKED ABOVE AIR6449 WITH 1' OF SEPARATION


NOTE:  
REFER TO THE FINAL RF DATA SHEET FOR FINAL ANTENNA SETTINGS.

NOTE:  
REFER TO **STRUCTURAL ANALYSIS** BY: HUDSON DESIGN GROUP, LLC. DATED: JANUARY 26, 2022 (Rev.1). FOR THE CAPACITY OF THE EXISTING STRUCTURES TO SUPPORT THE PROPOSED EQUIPMENT.

NOTE:  
PAINT ALL VISIBLE EXISTING & PROPOSED EQUIPMENT TO MATCH EXISTING SURROUNDINGS




NOTE:  
SHIFT ANTENNA PIPES & MOUNTS AS REQUIRED TO ACHIEVE MIN. SEPARATION.



SITE NUMBER: MAL02253  
SITE NAME: CAMBRIDGE PORTLAND STREET  
141 PORTLAND STREET  
CAMBRIDGE, MA 02139  
MIDDLESEX COUNTY



3	08/09/23	ISSUED FOR PERMITTING	GA	DPH
2	06/20/23	ISSUED FOR PERMITTING	SG	AT
1	02/10/22	ISSUED FOR PERMITTING	MB	AT
A	11/12/21	ISSUED FOR REVIEW	EB	AT
NO.	DATE	REVISIONS	BY	CHK
SCALE: AS SHOWN		DESIGNED BY: AT	DRAWN BY: SG	



AT&T	
PROPOSED EQUIPMENT PLANS 5G NR RADIO, 5G NR 15R CBAND, ANTENNA MODIFICATIONS, 4TRXR ANTENNA RETROFIT	
SITE NUMBER	DRAWING NUMBER
MAL02253	A-3
REV	3

- TOP OF PENTHOUSE  
ELEV. 147'-0"± (AGL)
- CL OF PROPOSED AT&T ANTENNAS (BETA & GAMMA SECTOR)  
ELEV. 146'-10"± (AGL)
- CL OF EXISTING/PROPOSED AT&T ANTENNAS  
ELEV. 145'-0"± (AGL)
- CL OF PROPOSED AT&T ANTENNAS (BETA & GAMMA SECTOR)  
ELEV. 143'-3"± (AGL)
- TOP OF ROOF TOP  
ELEV. 129'-0"± (AGL)

PROPOSED AT&T LTE ANTENNAS (AIR6449 N77D)  
● POS. 3 (TYP. 1 PER SECTOR, TOTAL OF 3)  
(STACKED)

PROPOSED AT&T LTE ANTENNAS (DMP65R-BU4DA)  
● POSITION 4 (TYP. 1 PER SECTOR, TOTAL OF 3)

PROPOSED AT&T RRUS 4415 B25 (1900) (TYP. OF 1 PER SECTOR, TOTAL OF 3)

PROPOSED AT&T RRUS 4449 B5/12 (700) (TYP. OF 1 PER SECTOR, TOTAL OF 3) ADD Y-CABLE (TYP. OF 1 PER SECTOR, TOTAL OF 3)

EXISTING AT&T EQUIPMENT AREA

PROPOSED AT&T LTE ANTENNAS (AIR6419 N77G)  
● POS. 3 (TYP. OF 1 PER SECTOR, TOTAL OF 3)  
(STACKED)

NEW LOCATION OF EXISTING AT&T LTE ANTENNAS (EPBQ-654L8H6-L2) ● POSITION 2 (TYP. 1 PER SECTOR, TOTAL OF 3)

NOTE:  
PAINT ALL VISIBLE EXISTING & PROPOSED EQUIPMENT TO MATCH EXISTING SURROUNDINGS

NOTE:  
PROPOSED AIR6419 IS TO BE STACKED ABOVE AIR6449 WITH 1' OF SEPARATION

NOTE:  
REFER TO THE FINAL RF DATA SHEET FOR FINAL ANTENNA SETTINGS.

NOTE:  
REFER TO **STRUCTURAL ANALYSIS** BY: HUDSON DESIGN GROUP, LLC. DATED: JANUARY 26, 2022 (Rev.1). FOR THE CAPACITY OF THE EXISTING STRUCTURES TO SUPPORT THE PROPOSED EQUIPMENT.

EXISTING ANTENNAS (BY OTHERS) (TYP.)  
EXISTING PENTHOUSE (TYP.)

- CL OF PROPOSED AT&T ANTENNAS (ALPHA SECTOR) (BEYOND)  
ELEV. 134'-10"± (AGL)
- CL OF EXISTING/PROPOSED AT&T ANTENNAS (ALPHA SECTOR) (BEYOND)  
ELEV. 133'-0"± (AGL)
- CL OF PROPOSED AT&T ANTENNAS (ALPHA SECTOR) (BEYOND)  
ELEV. 131'-3"± (AGL)

● GROUND LEVEL  
ELEV. 0'-0"± (AGL)

**ELEVATION**

22x34 SCALE: 3/32"=1'-0" A-4  
11x17 SCALE: 3/64"=1'-0"



750 WEST CENTER STREET, SUITE #301  
WEST BRIDGEWATER, MA 02379


SITE NUMBER: MAL02253  
SITE NAME: CAMBRIDGE PORTLAND STREET

141 PORTLAND STREET  
CAMBRIDGE, MA 02139  
MIDDLESEX COUNTY



550 COCHITUATE ROAD  
FRAMINGHAM, MA 01701

3	08/09/23	ISSUED FOR PERMITTING	GA	DPH
2	06/20/23	ISSUED FOR PERMITTING	SG	AT DPH
1	02/10/22	ISSUED FOR PERMITTING	MB	AT DPH
A	11/12/21	ISSUED FOR REVIEW	EB	AT DPH
NO.	DATE	REVISIONS	BY	CHK APP'D
SCALE: AS SHOWN		DESIGNED BY: AT	DRAWN BY: SG	



AT&T

ELEVATION  
5G NR RADIO, 5G NR 1SR CBAND, ANTENNA MODIFICATIONS, 4TRX ANTENNA RETROFIT

SITE NUMBER	DRAWING NUMBER	REV
MAL02253	A-4	3

**ANTENNA SCHEDULE**

SECTOR	EXISTING/PROPOSED	BAND	ANTENNA	SIZE (INCHES) (L x W x D)	ANTENNA Q HEIGHT	AZIMUTH	TMA/DIPLEXER	RRU	SIZE (INCHES) (L x W x D)	FEEDER	RAYCAP
A1	-	-	-	-	-	-	-	-	-	(2)(E)7/8 COAX	(E) (1) RAYCAP DC6-48-60-18-8
A2	EXISTING	LTE B14/AWS/PCS	EPBQ-654L8H6-L2	73"X21"X6.3"	133'-0"±	345°	-	-	-	-	(E) (1) RAYCAP DC6-48-60-18-8
A3	PROPOSED	DoD C-BAND	AIR 6419 N77G AIR 6449 N77D	31.1"X16.1X7.3" 30.4"X15.9"X8.1"	134'-10"± 131'-3"±	345°	-	(P)(1) 4415 B25 (1900) (E)(1) 4478 B14 (700) (E)(1) RRUS-32 B66A (AWS)	16.5"X13.4"X5.9"	(4)(E) DC POWER & (1) FIBER	(E) (1) RAYCAP DC6-48-60-18-8
A4	PROPOSED	LTE 700 BC/850/WCS	DMP65R-BU4DA	48.0"X20.7X7.7"	133'-0"±	345°	-	(P)(1) 4449 B5/B12 (700) (E)(1) RRUS-32 B30 (WCS)	17.9"X13.9"X9.4"	(P)(1) Y CABLE	(E) (1) RAYCAP DC6-48-60-18-8
B1	-	-	-	-	-	-	-	-	-	(2)(E)7/8 COAX	(E) (1) RAYCAP DC6-48-60-18-8
B2	EXISTING	LTE B14/AWS/PCS	EPBQ-654L8H6-L2	73"X21"X6.3"	145'-0"±	130°	-	-	-	-	(E) (1) RAYCAP DC6-48-60-18-8
B3	PROPOSED	DoD C-BAND	AIR 6419 N77G AIR 6449 N77D	31.1"X16.1X7.3" 30.4"X15.9"X8.1"	146'-10"± 143'-3"±	130°	-	(P)(1) 4415 B25 (1900) (E)(1) 4478 B14 (700) (E)(1) RRUS-32 B66A (AWS)	16.5"X13.4"X5.9"	(4)(E) DC POWER & (1) FIBER	(E) (1) RAYCAP DC6-48-60-18-8
B4	PROPOSED	LTE 700 BC/850/WCS	DMP65R-BU4DA	48.0"X20.7X7.7"	145'-0"±	130°	-	(P)(1) 4449 B5/B12 (700) (E)(1) RRUS-32 B30 (WCS)	17.9"X13.9"X9.4"	(P)(1) Y CABLE	(E) (1) RAYCAP DC6-48-60-18-8
C1	-	-	-	-	-	-	-	-	-	(2)(E)7/8 COAX	(E) (1) RAYCAP DC6-48-60-18-8
C2	EXISTING	LTE B14/AWS/PCS	EPBQ-654L8H6-L2	73"X21"X6.3"	145'-0"±	269°	-	-	-	-	(E) (1) RAYCAP DC6-48-60-18-8
C3	PROPOSED	DoD C-BAND	AIR 6419 N77G AIR 6449 N77D	31.1"X16.1X7.3" 30.4"X15.9"X8.1"	146'-10"± 143'-3"±	269°	-	(P)(1) 4415 B25 (1900) (E)(1) 4478 B14 (700) (E)(1) RRUS-32 B66A (AWS)	16.5"X13.4"X5.9"	(4)(E) DC POWER & (1) FIBER	(E) (1) RAYCAP DC6-48-60-18-8
C4	PROPOSED	LTE 700 BC/850/WCS	DMP65R-BU4DA	48.0"X20.7X7.7"	145'-0"±	269°	-	(P)(1) 4449 B5/B12 (700) (E)(1) RRUS-32 B30 (WCS)	17.9"X13.9"X9.4"	(P)(1) Y CABLE	(E) (1) RAYCAP DC6-48-60-18-8

**RRU CHART**

QUANTITY	MODEL	SIZE (L x W x D)
3(E)	RRUS-32 B66A (AWS)	27.2"X12.1"X7.0"
3(E)	RRUS-32 B30 (WCS)	27.2"X12.1"X7.0"
3(E)	4478 B5/B14 (700)	18.1"X13.4"X8.3"
3(P)	RRUS-4449 B5/B12 (700)	17.9"X13.9"X9.44"
3(P)	RRUS-4415 B25 (1900)	16.5"X13.4"X5.9"

**NOTE:**  
PAINT ALL VISIBLE EXISTING & PROPOSED EQUIPMENT TO MATCH EXISTING SURROUNDINGS

**NOTE:**  
REFER TO THE FINAL RF DATA SHEET FOR FINAL ANTENNA SETTINGS.





**NOTE:**  
REFER TO **STRUCTURAL ANALYSIS** BY: HUDSON DESIGN GROUP, LLC. DATED: JANUARY 26, 2022 (Rev.1). FOR THE CAPACITY OF THE EXISTING STRUCTURES TO SUPPORT THE PROPOSED EQUIPMENT.

**NOTE:**  
SEE RFDS FOR RRH FREQUENCY AND MODEL NUMBER

PROPOSED RRU REFER TO THE FINAL RFDS AND CHART FOR QUANTITY, MODEL AND DIMENSIONS

**NOTE:**  
MOUNT PER MANUFACTURER'S SPECIFICATIONS.

**PROPOSED RRU DETAIL** 2  
SCALE: N.T.S.



**TEP NORTHEAST**  
TEP OP CO, LLC.  
45 BEECHWOOD DRIVE, NORTH ANDOVER, MA 01845  
TEL: (978) 557-5553

**CENTERLINE COMMUNICATIONS**  
750 WEST CENTER STREET, SUITE #301  
WEST BRIDGEWATER, MA 02379

**SITE NUMBER: MAL02253**  
**SITE NAME: CAMBRIDGE PORTLAND STREET**  
141 PORTLAND STREET  
CAMBRIDGE, MA 02139  
MIDDLESEX COUNTY

**at&t**  
550 COCHITUATE ROAD  
FRAMINGHAM, MA 01701


3	08/09/23	ISSUED FOR PERMITTING	GA	AT	DPH
2	06/20/23	ISSUED FOR PERMITTING	SG	AT	DPH
1	02/10/22	ISSUED FOR PERMITTING	MB	AT	DPH
A	11/12/21	ISSUED FOR REVIEW	EB	AT	DPH
NO.	DATE	REVISIONS	BY	CHK	APP'D
SCALE: AS SHOWN		DESIGNED BY: AT	DRAWN BY: SG		

**AT&T**  
DETAILS  
5G NR RADIO, 5G NR 15R CBAND, ANTENNA MODIFICATIONS, 4TXRX ANTENNA RETROFIT


**Daniel P. Hamm**  
REGISTERED PROFESSIONAL ENGINEER  
No. 40720

SITE NUMBER: MAL02253  
DRAWING NUMBER: A-5  
REV: 3





**PROPOSED MOUNTING PLAN DETAIL (GAMMA SECTOR) @ SCREEN WALL**  
 22x34 SCALE: 1"=1'-0"  
 11x17 SCALE: 1/2"=1'-0"



**PROPOSED MOUNTING PLAN DETAIL (ALPHA SECTOR) @ PENTHOUSE**  
 22x34 SCALE: 1"=1'-0"  
 11x17 SCALE: 1/2"=1'-0"

**PROPOSED MOUNTING PLAN DETAIL (BETA SECTOR) @ SCREEN WALL**  
 22x34 SCALE: 1"=1'-0"  
 11x17 SCALE: 1/2"=1'-0"

NOTE:  
 PAINT ALL VISIBLE EXISTING & PROPOSED EQUIPMENT TO MATCH EXISTING SURROUNDINGS

NOTE:  
 REFER TO THE FINAL RF DATA SHEET FOR FINAL ANTENNA SETTINGS.


NOTE:  
 REFER TO **STRUCTURAL ANALYSIS** BY: HUDSON DESIGN GROUP, LLC. DATED: JANUARY 26, 2022 (Rev.1). FOR THE CAPACITY OF THE EXISTING STRUCTURES TO SUPPORT THE PROPOSED EQUIPMENT.



**SITE NUMBER: MAL02253**  
**SITE NAME: CAMBRIDGE PORTLAND STREET**  
  
 141 PORTLAND STREET  
 CAMBRIDGE, MA 02139  
 MIDDLESEX COUNTY



3	08/09/23	ISSUED FOR PERMITTING	GA	AT	DPH
2	06/20/23	ISSUED FOR PERMITTING	SG	AT	DPH
1	02/10/22	ISSUED FOR PERMITTING	MB	AT	DPH
A	11/12/21	ISSUED FOR REVIEW	EB	AT	DPH
NO.	DATE	REVISIONS	BY	CHK	APP'D
SCALE: AS SHOWN		DESIGNED BY: AT	DRAWN BY: SG		





AT&T	
STRUCTURAL MODIFICATION DESIGN 5G NR RADIO, 5G NR 1SR CBAND, ANTENNA MODIFICATIONS, 4TXRX ANTENNA RETROFIT	
SITE NUMBER	DRAWING NUMBER
MAL02253	S-1
REV	3

**NOTE:**  
PAINT ALL VISIBLE EXISTING & PROPOSED EQUIPMENT TO MATCH EXISTING SURROUNDINGS


**NOTE:**  
REFER TO THE FINAL RF DATA SHEET FOR FINAL ANTENNA SETTINGS.

**NOTE:**  
REFER TO **STRUCTURAL ANALYSIS** BY: HUDSON DESIGN GROUP, LLC. DATED: JANUARY 26, 2022 (Rev.1). FOR THE CAPACITY OF THE EXISTING STRUCTURES TO SUPPORT THE PROPOSED EQUIPMENT.




**PROPOSED MOUNTING ELEVATION  
DETAIL (ALPHA SECTOR)**

22x34 SCALE: 1"=1'-0"  
11x17 SCALE: 1/2"=1'-0"





**PROPOSED MOUNTING ELEVATION  
DETAIL (ALPHA SECTOR)**

22x34 SCALE: 1"=1'-0"  
11x17 SCALE: 1/2"=1'-0"




**CONNECTION DETAIL**  
22x34 SCALE: 3"=1'-0"  
11x17 SCALE: 1-1/2"=1'-0"



**CONNECTION DETAIL**

22x34 SCALE: 3"=1'-0"  
11x17 SCALE: 1-1/2"=1'-0"



**SITE NUMBER: MAL02253**  
**SITE NAME: CAMBRIDGE PORTLAND STREET**  
  
141 PORTLAND STREET  
CAMBRIDGE, MA 02139  
MIDDLESEX COUNTY




3	08/09/23	ISSUED FOR PERMITTING	GA	AT	DPH
2	06/20/23	ISSUED FOR PERMITTING	SG	AT	DPH
1	02/10/22	ISSUED FOR PERMITTING	MB	AT	DPH
A	11/12/21	ISSUED FOR REVIEW	EB	AT	DPH
NO.	DATE	REVISIONS	BY	CHK	APP'D
SCALE: AS SHOWN		DESIGNED BY: AT	DRAWN BY: SG		





AT&T	
STRUCTURAL MODIFICATION DESIGN 5G NR RADIO, 5G NR 1SR CBAND, ANTENNA MODIFICATIONS, 4TXRX ANTENNA RETROFIT	
SITE NUMBER	DRAWING NUMBER
MAL02253	S-2
REV	3






**PROPOSED MOUNTING ELEVATION  
DETAIL (BETA SECTOR)**

22x34 SCALE: 1"=1'-0"  
11x17 SCALE: 1/2"=1'-0"




**PROPOSED MOUNTING ELEVATION  
DETAIL (GAMMA SECTOR)**

22x34 SCALE: 1"=1'-0"  
11x17 SCALE: 1/2"=1'-0"





PROPOSED 2" STD. (2.38" O.D.)  
VERTICAL PIPE MAST (6' LONG)  
(TOTAL OF 2 PER GAMMA SECTOR)

PROPOSED 2" STD. (2.38" O.D.)  
PIPE MAST (8' LONG) (TOTAL OF 3  
PER GAMMA SECTOR)




**CONNECTION DETAIL**

22x34 SCALE: 3"=1'-0"  
11x17 SCALE: 1-1/2"=1'-0"



**CONNECTION DETAIL**

22x34 SCALE: 3"=1'-0"  
11x17 SCALE: 1-1/2"=1'-0"



NOTE:  
PAINT ALL VISIBLE EXISTING &  
PROPOSED EQUIPMENT TO MATCH  
EXISTING SURROUNDINGS

NOTE:  
REFER TO THE FINAL RF DATA SHEET  
FOR FINAL ANTENNA SETTINGS.


NOTE:  
REFER TO **STRUCTURAL ANALYSIS**  
BY: HUDSON DESIGN GROUP, LLC.  
DATED: JANUARY 26, 2022 (Rev.1).  
FOR THE CAPACITY OF THE EXISTING  
STRUCTURES TO SUPPORT THE  
PROPOSED EQUIPMENT.




**SITE NUMBER: MAL02253**  
**SITE NAME: CAMBRIDGE PORTLAND STREET**  
  
141 PORTLAND STREET  
CAMBRIDGE, MA 02139  
MIDDLESEX COUNTY



3	08/09/23	ISSUED FOR PERMITTING	GA	AT	DPH
2	06/20/23	ISSUED FOR PERMITTING	SG	AT	DPH
1	02/10/22	ISSUED FOR PERMITTING	MB	AT	DPH
A	11/12/21	ISSUED FOR REVIEW	EB	AT	DPH
NO.	DATE	REVISIONS	BY	CHK	APP'D
SCALE: AS SHOWN		DESIGNED BY: AT	DRAWN BY: SG		



AT&T	
STRUCTURAL MODIFICATION DESIGN 5G NR RADIO, 5G NR 1SR CBAND, ANTENNA MODIFICATIONS, 4TRXR ANTENNA RETROFIT	
SITE NUMBER	DRAWING NUMBER
MAL02253	S-3
REV	3



**NOTE:**  
PAINT ALL VISIBLE EXISTING & PROPOSED EQUIPMENT TO MATCH EXISTING SURROUNDINGS

**NOTE:**  
REFER TO THE FINAL RF DATA SHEET FOR FINAL ANTENNA SETTINGS.

**NOTE:**  
REFER TO **STRUCTURAL ANALYSIS** BY: HUDSON DESIGN GROUP, LLC. DATED: JANUARY 26, 2022 (Rev.1). FOR THE CAPACITY OF THE EXISTING STRUCTURES TO SUPPORT THE PROPOSED EQUIPMENT.

**PROPOSED MOUNTING ELEVATION  
DETAIL (ALPHA & GAMMA SECTOR)**

22x34 SCALE: 1"=1'-0"  
11x17 SCALE: 1/2"=1'-0"

1  
S-4

0 0'-6" 1'-0" 2'-0" 3'-0"




**SITE NUMBER: MAL02253**  
**SITE NAME: CAMBRIDGE PORTLAND STREET**

141 PORTLAND STREET  
CAMBRIDGE, MA 02139  
MIDDLESEX COUNTY



3	08/09/23	ISSUED FOR PERMITTING	GA	DPH
2	06/20/23	ISSUED FOR PERMITTING	SG	AT
1	02/10/22	ISSUED FOR PERMITTING	MB	AT
A	11/12/21	ISSUED FOR REVIEW	EB	AT
NO.	DATE	REVISIONS	BY	CHK
			APP'D	


SCALE: AS SHOWN    DESIGNED BY: AT    DRAWN BY: SG




AT&T

**STRUCTURAL MODIFICATION DESIGN**  
5G NR RADIO, 5G NR 1SR CBAND, ANTENNA MODIFICATIONS, 4TRRX ANTENNA RETROFIT

SITE NUMBER	DRAWING NUMBER	REV
MAL02253	S-4	3




**GROUND WIRE TO GROUND BAR CONNECTION DETAIL** 1  
SCALE: N.T.S. G-1



- NOTES:
- "DOUBLING UP" OR "STACKING" OF CONNECTION IS NOT PERMITTED.
  - OXIDE INHIBITING COMPOUND TO BE USED AT ALL LOCATION.
  - CADWELD DOWNLEADS FROM UPPER EGB, LOWER EGB, AND MGB

**TYPICAL GROUND BAR CONNECTION DETAIL** 3  
SCALE: N.T.S. G-1



**GROUNDING RISER DIAGRAM** 2  
SCALE: N.T.S. G-1

**AT&T GROUNDING STANDARDS TO BE FOLLOWED:**

ATT-TP-76416  
ATT-TP-76300  
ATT-CEM-18002  
ATT-002-290-531  
ATT-002-290-701  
ATT-CEM-23001


EACH GROUND CONDUCTOR TERMINATING ON ANY GROUND BAR SHALL HAVE AN IDENTIFICATION TAG ATTACHED AT EACH END THAT WILL IDENTIFY ITS ORIGIN AND DESTINATION.

**SECTION "P" - SURGE PRODUCERS**

- CABLE ENTRY PORTS (HATCH PLATES) (#2 AWG)
- GENERATOR FRAMEWORK (IF AVAILABLE) (#2 AWG)
- TELCO GROUND BAR
- COMMERCIAL POWER COMMON NEUTRAL/GROUND BOND (#2 AWG)
- +24V POWER SUPPLY RETURN BAR (#2 AWG)
- 48V POWER SUPPLY RETURN BAR (#2 AWG)
- RECTIFIER FRAMES.

**SECTION "A" - SURGE ABSORBERS**

- INTERIOR GROUND RING (#2 AWG)
- EXTERNAL EARTH GROUND FIELD (BURIED GROUND RING) (#2 AWG)
- METALLIC COLD WATER PIPE (IF AVAILABLE) (#2 AWG)
- BUILDING STEEL (IF AVAILABLE) (#2 AWG)



**GROUND BAR - DETAIL (AS REQUIRED)** 4  
SCALE: N.T.S. G-1




**SITE NUMBER: MAL02253**  
**SITE NAME: CAMBRIDGE PORTLAND STREET**

141 PORTLAND STREET  
CAMBRIDGE, MA 02139  
MIDDLESEX COUNTY



NO.		DATE	REVISIONS	BY	CHK	APP'D		<b>AT&amp;T</b>  <b>GROUNDING DETAILS</b> 5G NR RADIO, 5G NR 1SR CBAND, ANTENNA MODIFICATIONS, 4TXRX ANTENNA RETROFIT
3	08/09/23	ISSUED FOR PERMITTING		GA	AT	DPH		
2	06/20/23	ISSUED FOR PERMITTING		SG	AT	DPH		
1	02/10/22	ISSUED FOR PERMITTING		MB	AT	DPH		
A	11/12/21	ISSUED FOR REVIEW		EB	AT	DPH		
SCALE:		AS SHOWN		DESIGNED BY:		AT	DRAWING NUMBER	
							MAL02253	G-1
							REV	
							3	



**RF PLUMBING DIAGRAM** 1  
SCALE: N.T.S. RF-1

**NOTE:**  
1. CONTRACTOR TO CONFIRM ALL PARTS.  
2. INSTALL ALL EQUIPMENT TO MANUFACTURER'S RECOMMENDATIONS

**NOTE:**  
REFER TO THE FINAL RF DATA SHEET FOR FINAL ANTENNA SETTINGS.



**SITE NUMBER: MAL02253**  
**SITE NAME: CAMBRIDGE PORTLAND STREET**  
  
141 PORTLAND STREET  
CAMBRIDGE, MA 02139  
MIDDLESEX COUNTY



3	08/09/23	ISSUED FOR PERMITTING	GA	AT	DPH
2	06/20/23	ISSUED FOR PERMITTING	SG	AT	DPH
1	02/10/22	ISSUED FOR PERMITTING	MB	AT	DPH
A	11/12/21	ISSUED FOR REVIEW	EB	AT	DPH
NO.	DATE	REVISIONS	BY	CHK	APP'D
SCALE: AS SHOWN			DESIGNED BY: AT	DRAWN BY: SG	

<b>AT&amp;T</b>		
<b>RF PLUMBING DIAGRAM</b> 5G NR RADIO, 5G NR 1SR CBAND, ANTENNA MODIFICATIONS, 4TXRX ANTENNA RETROFIT		
SITE NUMBER	DRAWING NUMBER	REV
MAL02253	RF-1	3

Prepared For:  
**CENTERLINE-AT&T**  
 Site Number:  
**MA2253**  
 Site Name:  
**CAMBRIDGE**  
**PORTLAND STREET**  
 141 PORTLAND STREET  
 CAMBRIDGE, MA 02139



**SITE NO:** MA2253  
**SITE NAME:** CAMBRIDGE PORTLAND STREET  
**ADDRESS:** 141 PORTLAND STREET  
 CAMBRIDGE, MA 02139



500 ENTERPRISE DRIVE, SUITE 3A  
 ROCKY HILL, CT 06067



750 WEST CENTER STREET., #301  
 WEST BRIDGEWATER, MA 02379





45 BEECHWOOD DRIVE, NORTH ANDOVER, MA 01845  
 TEL: (978) 557-5553

**SITE TYPE:** ROOFTOP  
**DATE:** 08/07/2023 **REV:** 1  
**DRAWN BY:** AM  
**SCALE:** N.T.S.


THIS STUDY DOES NOT CLAIM IN ANY WAY TO SHOW THE ONLY AREAS OF VISIBILITY. IT IS MEANT TO SHOW A BROAD REPRESENTATION OF AREAS WHERE THE PROPOSED INSTALLATION MAY BE VISIBLE BASED UPON THE BEST INFORMATION FOR TOPOGRAPHY AND VEGETATION LOCATIONS AVAILABLE TO DATE.

PAGE 1 OF 9



# PHOTO LOCATION

**SITE NO:** MA2253  
**SITE NAME:** CAMBRIDGE PORTLAND STREET  
**ADDRESS:** 141 PORTLAND STREET  
 CAMBRIDGE, MA 02139



500 ENTERPRISE DRIVE, SUITE 3A  
 ROCKY HILL, CT 06067



750 WEST CENTER STREET., #301  
 WEST BRIDGEWATER, MA 02379



TEP OP CO, LLC.  
 45 BEECHWOOD DRIVE, NORTH ANDOVER, MA 01845  
 TEL: (978) 557-5553

**SITE TYPE:** ROOFTOP  
**DATE:** 08/07/2023 **REV:** 1  
**DRAWN BY:** AM  
**SCALE:** N.T.S.

THIS STUDY DOES NOT CLAIM IN ANY WAY TO SHOW THE ONLY AREAS OF VISIBILITY. IT IS MEANT TO SHOW A BROAD REPRESENTATION OF AREAS WHERE THE PROPOSED INSTALLATION MAY BE VISIBLE BASED UPON THE BEST INFORMATION FOR TOPOGRAPHY AND VEGETATION LOCATIONS AVAILABLE TO DATE.



VIEW SOUTHWEST FROM BROADWAY (EQUIPMENT NOT VISIBLE)

**SITE NO:** MA2253  
**SITE NAME:** CAMBRIDGE PORTLAND STREET  
**ADDRESS:** 141 PORTLAND STREET  
 CAMBRIDGE, MA 02139



500 ENTERPRISE DRIVE, SUITE 3A  
 ROCKY HILL, CT 06067



750 WEST CENTER STREET., #301  
 WEST BRIDGEWATER, MA 02379



45 BEECHWOOD DRIVE, NORTH ANDOVER, MA 01845  
 TEL: (978) 557-5553

**SITE TYPE:** ROOFTOP  
**DATE:** 08/07/2023 **REV:** 1  
**DRAWN BY:** AM  
**SCALE:** N.T.S.

THIS STUDY DOES NOT CLAIM IN ANY WAY TO SHOW THE ONLY AREAS OF VISIBILITY. IT IS MEANT TO SHOW A BROAD REPRESENTATION OF AREAS WHERE THE PROPOSED INSTALLATION MAY BE VISIBLE BASED UPON THE BEST INFORMATION FOR TOPOGRAPHY AND VEGETATION LOCATIONS AVAILABLE TO DATE.



**VIEW SOUTHEAST FROM BROADWAY**

**SITE NO:** MA2253  
**SITE NAME:** CAMBRIDGE PORTLAND STREET  
**ADDRESS:** 141 PORTLAND STREET  
 CAMBRIDGE, MA 02139



500 ENTERPRISE DRIVE, SUITE 3A  
 ROCKY HILL, CT 06067



750 WEST CENTER STREET., #301  
 WEST BRIDGEWATER, MA 02379



45 BEECHWOOD DRIVE, NORTH ANDOVER, MA 01845  
 TEL: (978) 557-5553

**SITE TYPE:** ROOFTOP  
**DATE:** 08/07/2023 **REV:** 1  
**DRAWN BY:** AM  
**SCALE:** N.T.S.

THIS STUDY DOES NOT CLAIM IN ANY WAY TO SHOW THE ONLY AREAS OF VISIBILITY. IT IS MEANT TO SHOW A BROAD REPRESENTATION OF AREAS WHERE THE PROPOSED INSTALLATION MAY BE VISIBLE BASED UPON THE BEST INFORMATION FOR TOPOGRAPHY AND VEGETATION LOCATIONS AVAILABLE TO DATE.

PAGE 5 OF 9



# PROPOSED CONDITIONS

# LOCATION # 2

DATE OF PHOTO: 06/23/2023

PROPOSED AT&T LTE ANTENNAS (AIR6419 N77G)  
⊙ POS. 3 (TYP. OF 1 PER SECTOR, TOTAL OF 3)  
TO MATCH EXISTING BUILDING

PROPOSED AT&T LTE ANTENNAS (AIR6449 N77D)  
⊙ POS. 3 (TYP. 1 PER SECTOR, TOTAL OF 3)  
TO MATCH EXISTING BUILDING

PROPOSED AT&T LTE ANTENNAS (DMP65R-BU4DA)  
⊙ POS 4 (TYP. 1 PER SECTOR, TOTAL OF 3)  
TO MATCH EXISTING BUILDING

NEW LOCATION OF EXISTING AT&T LTE ANTENNAS (EPBQ-654L8H6-L2) ⊙ POS 2  
(TYP. 1 PER SECTOR, TOTAL OF 3)  
TO MATCH EXISTING BUILDING



### VIEW SOUTHEAST FROM BROADWAY

**SITE NO:** MA2253  
**SITE NAME:** CAMBRIDGE PORTLAND STREET  
**ADDRESS:** 141 PORTLAND STREET  
 CAMBRIDGE, MA 02139



500 ENTERPRISE DRIVE, SUITE 3A  
 ROCKY HILL, CT 06067



750 WEST CENTER STREET., #301  
 WEST BRIDGEWATER, MA 02379



TEP OP&CO, LLC.  
 45 BEECHWOOD DRIVE, NORTH ANDOVER, MA 01845  
 TEL: (978) 557-5553

**SITE TYPE:** ROOFTOP  
**DATE:** 08/07/2023 **REV:** 1  
**DRAWN BY:** AM  
**SCALE:** N.T.S.

THIS STUDY DOES NOT CLAIM IN ANY WAY TO SHOW THE ONLY AREAS OF VISIBILITY. IT IS MEANT TO SHOW A BROAD REPRESENTATION OF AREAS WHERE THE PROPOSED INSTALLATION MAY BE VISIBLE BASED UPON THE BEST INFORMATION FOR TOPOGRAPHY AND VEGETATION LOCATIONS AVAILABLE TO DATE.

PAGE 6 OF 9



VIEW NORTH FROM PORTLAND ST

**SITE NO:** MA2253  
**SITE NAME:** CAMBRIDGE PORTLAND STREET  
**ADDRESS:** 141 PORTLAND STREET  
 CAMBRIDGE, MA 02139



500 ENTERPRISE DRIVE, SUITE 3A  
 ROCKY HILL, CT 06067



750 WEST CENTER STREET., #301  
 WEST BRIDGEWATER, MA 02379



TEP OPCC, LLC.  
 45 BEECHWOOD DRIVE, NORTH ANDOVER, MA 01845  
 TEL: (978) 557-5553

**SITE TYPE:** ROOFTOP  
**DATE:** 08/07/2023 **REV:** 1  
**DRAWN BY:** AM  
**SCALE:** N.T.S.

THIS STUDY DOES NOT CLAIM IN ANY WAY TO SHOW THE ONLY AREAS OF VISIBILITY. IT IS MEANT TO SHOW A BROAD REPRESENTATION OF AREAS WHERE THE PROPOSED INSTALLATION MAY BE VISIBLE BASED UPON THE BEST INFORMATION FOR TOPOGRAPHY AND VEGETATION LOCATIONS AVAILABLE TO DATE.

PAGE 7 OF 9

**PROPOSED CONDITIONS**

**LOCATION # 3**

**DATE OF PHOTO: 06/23/2023**

NEW LOCATION OF EXISTING AT&T LTE ANTENNAS (EPBQ-654L8H6-L2) @ POS 2 (TYP. 1 PER SECTOR, TOTAL OF 3) TO MATCH EXISTING BUILDING

PROPOSED AT&T LTE ANTENNAS (AIR6419 N77G) @ POS. 3 (TYP. OF 1 PER SECTOR, TOTAL OF 3) TO MATCH EXISTING BUILDING

PROPOSED AT&T LTE ANTENNAS (AIR6449 N77D) @ POS. 3 (TYP. 1 PER SECTOR, TOTAL OF 3) TO MATCH EXISTING BUILDING


PROPOSED AT&T LTE ANTENNAS (DMP65R-BU4DA) @ POS 4 (TYP. 1 PER SECTOR, TOTAL OF 3) TO MATCH EXISTING BUILDING

PROPOSED AT&T LTE ANTENNAS (DMP65R-BU4DA) @ POS 4 (TYP. 1 PER SECTOR, TOTAL OF 3) TO MATCH EXISTING BUILDING

PROPOSED AT&T LTE ANTENNAS (AIR6419 N77G) @ POS. 3 (TYP. OF 1 PER SECTOR, TOTAL OF 3) TO MATCH EXISTING BUILDING

PROPOSED AT&T LTE ANTENNAS (AIR6449 N77D) @ POS. 3 (TYP. 1 PER SECTOR, TOTAL OF 3) TO MATCH EXISTING BUILDING

NEW LOCATION OF EXISTING AT&T LTE ANTENNAS (EPBQ-654L8H6-L2) @ POS 2 (TYP. 1 PER SECTOR, TOTAL OF 3) TO MATCH EXISTING BUILDING



**GAMMA SECTOR**

**BETA SECTOR**

23/06/2023 08:08

**VIEW NORTH FROM PORTLAND ST**

**SITE NO:** MA2253  
**SITE NAME:** CAMBRIDGE PORTLAND STREET  
**ADDRESS:** 141 PORTLAND STREET  
CAMBRIDGE, MA 02139



500 ENTERPRISE DRIVE, SUITE 3A  
ROCKY HILL, CT 06067



750 WEST CENTER STREET., #301  
WEST BRIDGEWATER, MA 02379



45 BEECHWOOD DRIVE, NORTH ANDOVER, MA 01845  
TEL: (978) 557-5553

**SITE TYPE:** ROOFTOP  
**DATE:** 08/07/2023 **REV:** 1  
**DRAWN BY:** AM  
**SCALE:** N.T.S.

THIS STUDY DOES NOT CLAIM IN ANY WAY TO SHOW THE ONLY AREAS OF VISIBILITY. IT IS MEANT TO SHOW A BROAD REPRESENTATION OF AREAS WHERE THE PROPOSED INSTALLATION MAY BE VISIBLE BASED UPON THE BEST INFORMATION FOR TOPOGRAPHY AND VEGETATION LOCATIONS AVAILABLE TO DATE.



**VIEW NORTH EAST FROM WASHINGTON ELMS**

**SITE NO:** MA2253  
**SITE NAME:** CAMBRIDGE PORTLAND STREET  
**ADDRESS:** 141 PORTLAND STREET  
 CAMBRIDGE, MA 02139



500 ENTERPRISE DRIVE, SUITE 3A  
 ROCKY HILL, CT 06067



750 WEST CENTER STREET., #301  
 WEST BRIDGEWATER, MA 02379



TEP OPCC, LLC.  
 45 BEECHWOOD DRIVE, NORTH ANDOVER, MA 01845  
 TEL: (978) 557-5553

**SITE TYPE:** ROOFTOP  
**DATE:** 08/07/2023 **REV:** 1  
**DRAWN BY:** AM  
**SCALE:** N.T.S.

THIS STUDY DOES NOT CLAIM IN ANY WAY TO SHOW THE ONLY AREAS OF VISIBILITY. IT IS MEANT TO SHOW A BROAD REPRESENTATION OF AREAS WHERE THE PROPOSED INSTALLATION MAY BE VISIBLE BASED UPON THE BEST INFORMATION FOR TOPOGRAPHY AND VEGETATION LOCATIONS AVAILABLE TO DATE.

PAGE 9 OF 9

# PROPOSED CONDITIONS

# LOCATION # 4

DATE OF PHOTO: 06/23/2023

NEW LOCATION OF EXISTING AT&T LTE ANTENNAS (EPBQ-654L8H6-L2) @ POS 2 (TYP. 1 PER SECTOR, TOTAL OF 3) TO MATCH EXISTING BUILDING

PROPOSED AT&T LTE ANTENNAS (AIR6419 N77G) @ POS. 3 (TYP. OF 1 PER SECTOR, TOTAL OF 3) TO MATCH EXISTING BUILDING

PROPOSED AT&T LTE ANTENNAS (AIR6449 N77D) @ POS. 3 (TYP. 1 PER SECTOR, TOTAL OF 3) TO MATCH EXISTING BUILDING

PROPOSED AT&T LTE ANTENNAS (DMP65R-BU4DA) @ POS 4 (TYP. 1 PER SECTOR, TOTAL OF 3) TO MATCH EXISTING BUILDING



VIEW NORTH EAST FROM WASHINGTON ELMS

**SITE NO:** MA2253  
**SITE NAME:** CAMBRIDGE PORTLAND STREET  
**ADDRESS:** 141 PORTLAND STREET  
CAMBRIDGE, MA 02139



500 ENTERPRISE DRIVE, SUITE 3A  
ROCKY HILL, CT 06067



750 WEST CENTER STREET., #301  
WEST BRIDGEWATER, MA 02379



45 BEECHWOOD DRIVE, NORTH ANDOVER, MA 01845  
TEL: (978) 557-5553

**SITE TYPE:** ROOFTOP  
**DATE:** 08/07/2023 **REV:** 1  
**DRAWN BY:** AM  
**SCALE:** N.T.S.

THIS STUDY DOES NOT CLAIM IN ANY WAY TO SHOW THE ONLY AREAS OF VISIBILITY. IT IS MEANT TO SHOW A BROAD REPRESENTATION OF AREAS WHERE THE PROPOSED INSTALLATION MAY BE VISIBLE BASED UPON THE BEST INFORMATION FOR TOPOGRAPHY AND VEGETATION LOCATIONS AVAILABLE TO DATE.



**VIEW NORTHWEST FROM TOP OF PARKING GARAGE**

**SITE NO:** MA2253  
**SITE NAME:** CAMBRIDGE PORTLAND STREET  
**ADDRESS:** 141 PORTLAND STREET  
 CAMBRIDGE, MA 02139



500 ENTERPRISE DRIVE, SUITE 3A  
 ROCKY HILL, CT 06067



750 WEST CENTER STREET., #301  
 WEST BRIDGEWATER, MA 02379



45 BEECHWOOD DRIVE, NORTH ANDOVER, MA 01845  
 TEL: (978) 557-5553

**SITE TYPE:** ROOFTOP  
**DATE:** 08/07/2023 **REV:** 1  
**DRAWN BY:** AM  
**SCALE:** N.T.S.

THIS STUDY DOES NOT CLAIM IN ANY WAY TO SHOW THE ONLY AREAS OF VISIBILITY. IT IS MEANT TO SHOW A BROAD REPRESENTATION OF AREAS WHERE THE PROPOSED INSTALLATION MAY BE VISIBLE BASED UPON THE BEST INFORMATION FOR TOPOGRAPHY AND VEGETATION LOCATIONS AVAILABLE TO DATE.

# PROPOSED CONDITIONS

# LOCATION # 5


DATE OF PHOTO: 06/23/2023

NEW LOCATION OF EXISTING AT&T LTE ANTENNAS (EPBQ-654L8H6-L2) @ POS 2 (TYP. 1 PER SECTOR, TOTAL OF 3) TO MATCH EXISTING BUILDING

PROPOSED AT&T LTE ANTENNAS (AIR6419 N77G) @ POS. 3 (TYP. OF 1 PER SECTOR, TOTAL OF 3) TO MATCH EXISTING BUILDING

PROPOSED AT&T LTE ANTENNAS (AIR6449 N77D) @ POS. 3 (TYP. 1 PER SECTOR, TOTAL OF 3) TO MATCH EXISTING BUILDING

PROPOSED AT&T LTE ANTENNAS (DMP65R-BU4DA) @ POS 4 (TYP. 1 PER SECTOR, TOTAL OF 3) TO MATCH EXISTING BUILDING



VIEW NORTHWEST FROM TOP OF PARKING GARAGE

**SITE NO:** MA2253  
**SITE NAME:** CAMBRIDGE PORTLAND STREET  
**ADDRESS:** 141 PORTLAND STREET  
CAMBRIDGE, MA 02139



500 ENTERPRISE DRIVE, SUITE 3A  
ROCKY HILL, CT 06067



750 WEST CENTER STREET., #301  
WEST BRIDGEWATER, MA 02379



45 BEECHWOOD DRIVE, NORTH ANDOVER, MA 01845  
TEL: (978) 557-5553

**SITE TYPE:** ROOFTOP  
**DATE:** 08/07/2023 **REV:** 1  
**DRAWN BY:** AM  
**SCALE:** N.T.S.

THIS STUDY DOES NOT CLAIM IN ANY WAY TO SHOW THE ONLY AREAS OF VISIBILITY. IT IS MEANT TO SHOW A BROAD REPRESENTATION OF AREAS WHERE THE PROPOSED INSTALLATION MAY BE VISIBLE BASED UPON THE BEST INFORMATION FOR TOPOGRAPHY AND VEGETATION LOCATIONS AVAILABLE TO DATE.



# PUBLIC NOTICE

Federal Communications Commission  
445 12<sup>th</sup> St., S.W.  
Washington, D.C. 20554

News Media Information 202 / 418-0500  
Internet: <http://www.fcc.gov>  
TTY: 1-888-835-5322

---

## WIRELESS TELECOMMUNICATIONS BUREAU OFFERS GUIDANCE ON INTERPRETATION OF SECTION 6409(a) OF THE MIDDLE CLASS TAX RELIEF AND JOB CREATION ACT OF 2012

DA 12-2047  
January 25, 2013

On February 22, 2012, the Middle Class Tax Relief and Job Creation Act of 2012 (Tax Act)<sup>1</sup> became law. Section 6409(a) of the Tax Act provides that a state or local government “may not deny, and shall approve” any request for collocation, removal, or replacement of transmission equipment on an existing wireless tower or base station, provided this action does not substantially change the physical dimensions of the tower or base station.<sup>2</sup> The full text of Section 6409(a) is reproduced in the Appendix to this Public Notice.

To date, the Commission has not received any formal petition to interpret or apply the provisions of Section 6409(a). We also are unaware of any judicial precedent interpreting or applying its terms. The Wireless Telecommunications Bureau has, however, received informal inquiries from service providers, facilities owners, and state and local governments seeking guidance as to how Section 6409(a) should be applied. In order to assist interested parties, this Public Notice summarizes the Bureau’s understanding of Section 6409(a) in response to several of the most frequently asked questions.<sup>3</sup>

### What does it mean to “substantially change the physical dimensions” of a tower or base station?

Section 6409(a) does not define what constitutes a “substantial[] change” in the dimensions of a tower or base station. In a similar context, under the *Nationwide Collocation Agreement* with the Advisory Council on Historic Preservation and the National Conference of State Historic Preservation Officers, the Commission has applied a four-prong test to determine whether a collocation will effect a “substantial increase in the size of [a] tower.”<sup>4</sup> A proposed collocation that does not involve a substantial increase in

---

<sup>1</sup> Middle Class Tax Relief and Job Creation Act of 2012, Pub. L. 112-96, H.R. 3630, 126 Stat. 156 (enacted Feb. 22, 2012) (Tax Act).

<sup>2</sup> *Id.*, § 6409(a).

<sup>3</sup> Although we offer this interpretive guidance to assist parties in understanding their obligations under Section 6409(a), *see, e.g., Truckers United for Safety v. Federal Highway Administration*, 139 F.3d 934 (D.C.Cir. 1998), the Commission remains free to exercise its discretion to interpret Section 6409(a) either by exercising its rulemaking authority or through adjudication. With two exceptions not relevant here, the Tax Act expressly grants the Commission authority to “implement and enforce” this and other provisions of Title VI of that Act “as if this title is a part of the Communications Act of 1934 (47 U.S.C. 151 et seq.)” Tax Act § 6003.

<sup>4</sup> 47 C.F.R. Part 1, App. B, Nationwide Programmatic Agreement for the Collocation of Wireless Antennas, § I.C (*Nationwide Collocation Agreement*).



size is ordinarily excluded from the Commission's required historic preservation review under Section 106 of the National Historic Preservation Act (NHPA).<sup>5</sup> The Commission later adopted the same definition in the *2009 Declaratory Ruling* to determine whether an application will be treated as a collocation when applying Section 332(c)(7) of the Communications Act of 1934.<sup>6</sup> The Commission has also applied a similar definition to determine whether a modification of an existing registered tower requires public notice for purposes of environmental review.<sup>7</sup>

Under Section I.C of the *Nationwide Collocation Agreement*, a "substantial increase in the size of the tower" occurs if:

- 1) [t]he mounting of the proposed antenna on the tower would increase the existing height of the tower by more than 10%, or by the height of one additional antenna array with separation from the nearest existing antenna not to exceed twenty feet, whichever is greater, except that the mounting of the proposed antenna may exceed the size limits set forth in this paragraph if necessary to avoid interference with existing antennas; or
- 2) [t]he mounting of the proposed antenna would involve the installation of more than the standard number of new equipment cabinets for the technology involved, not to exceed four, or more than one new equipment shelter; or
- 3) [t]he mounting of the proposed antenna would involve adding an appurtenance to the body of the tower that would protrude from the edge of the tower more than twenty feet, or more than the width of the tower structure at the level of the appurtenance, whichever is greater, except that the mounting of the proposed antenna may exceed the size limits set forth in this paragraph if necessary to shelter the antenna from inclement weather or to connect the antenna to the tower via cable; or
- 4) [t]he mounting of the proposed antenna would involve excavation outside the current tower site, defined as the current boundaries of the leased or owned property surrounding the tower and any access or utility easements currently related to the site.

Although Congress did not adopt the Commission's terminology of "substantial increase in size" in Section 6409(a), we believe that the policy reasons for excluding from Section 6409(a) collocations that substantially change the physical dimensions of a structure are closely analogous to those that animated the Commission in the *Nationwide Collocation Agreement* and subsequent proceedings. In light of the Commission's prior findings, the Bureau believes it is appropriate to look to the existing definition of "substantial increase in size" to determine whether the collocation, removal, or replacement of equipment

---

<sup>5</sup> See 16 U.S.C. § 470f, *see also* 47 C.F.R. § 1.1307(a)(4) (requiring applicants to determine whether proposed facilities may affect properties that are listed, or are eligible for listing, in the National Register of Historic Places).

<sup>6</sup> See Petition for Declaratory Ruling to Clarify Provisions of Section 332(c)(7)(B) to Ensure Timely Siting Review and to Preempt Under Section 253 State and Local Ordinances that Classify All Wireless Siting Proposals as Requiring a Variance. WT Docket No. 08-165, *Declaratory Ruling*, 24 FCC Rcd. 13994, 14012, para. 46 & n.146 (2009) (*2009 Declaratory Ruling*), *recon. denied*, 25 FCC Rcd. 11157 (2010), *pet. for review denied sub nom. City of Arlington, Texas v. FCC*, 668 F.3d 229 (5<sup>th</sup> Cir.), *cert. granted*, 113 S.Ct. 524 (2012); 47 U.S.C. § 332(c)(7).

<sup>7</sup> See 47 C.F.R. § 17.4(c)(1)(B); National Environmental Policy Act Compliance for Proposed Tower Registrations. WT Docket No. 08-61, *Order on Remand*, 26 FCC Rcd. 16700, 16720-21, para. 53 (2011).

on a wireless tower or base station substantially changes the physical dimensions of the underlying structure within the meaning of Section 6409(a).

### **What is a “wireless tower or base station”?**

A “tower” is defined in the *Nationwide Collocation Agreement* as “any structure built for the sole or primary purpose of supporting FCC-licensed antennas and their associated facilities.”<sup>8</sup> The Commission has described a “base station” as consisting of “radio transceivers, antennas, coaxial cable, a regular and backup power supply, and other associated electronics.”<sup>9</sup> Section 6409(a) applies to the collocation, removal, or replacement of equipment on a wireless tower or base station. In this context, we believe it is reasonable to interpret a “base station” to include a structure that currently supports or houses an antenna, transceiver, or other associated equipment that constitutes part of a base station.<sup>10</sup> Moreover, given the absence of any limiting statutory language, we believe a “base station” encompasses such equipment in any technological configuration, including distributed antenna systems and small cells.

Section 6409(a) by its terms applies to any “wireless” tower or base station. By contrast, the scope of Section 332(c)(7) extends only to facilities used for “personal wireless services” as defined in that section.<sup>11</sup> Given Congress’s decision not to use the pre-existing definition from another statutory provision relating to wireless siting, we believe the scope of a “wireless” tower or base station under Section 6409(a) is not intended to be limited to facilities that support “personal wireless services” under Section 332(c)(7).

### **May a state or local government require an application for an action covered under Section 6409(a)?**

Section 6409(a) states that a state or local government “may not deny, and shall approve, any eligible facilities request....” It does not say that a state or local government may not require an application to be filed. The provision that a state or local government must approve and may not deny a request to take a covered action, in the Bureau’s view, implies that the relevant government entity may require the filing of an application for administrative approval.

---

<sup>8</sup> See *Nationwide Collocation Agreement*, § I.B.

<sup>9</sup> See Implementation of Section 6002(b) of the Omnibus Budget Reconciliation Act of 1993, WT Docket No. 10-133, *Annual Report and Analysis of Competitive Market Conditions With Respect to Mobile Wireless, Including Commercial Mobile Services, Fifteenth Report*, 26 FCC Rcd. 9664, 9481, para. 308 (2011).

<sup>10</sup> See also 47 C.F.R. Part 1, App. C, *Nationwide Programmatic Agreement Regarding the Section 106 National Historic Preservation Act Review Process*, § II.A.14 (defining “tower” to include “the on-site fencing, equipment, switches, wiring, cabling, power sources, shelters, or cabinets associated with that Tower but not installed as part of an Antenna as defined herein”).

<sup>11</sup> 47 U.S.C. § 332(c)(7)(A). “Personal wireless services” is in turn defined to mean “commercial mobile services, unlicensed wireless services, and common carrier wireless exchange access services.” *Id.* § 332(c)(7)(C)(1).

**Is there a time limit within which an application must be approved?**

Section 6409(a) does not specify any period of time for approving an application. However, the statute clearly contemplates an administrative process that invariably ends in approval of a covered application. We believe the time period for processing these applications should be commensurate with the nature of the review.

In the *2009 Declaratory Ruling*, the Commission found that 90 days is a presumptively reasonable period of time to process collocation applications.<sup>12</sup> In light of the requirement of Section 6409(a) that the reviewing authority “may not deny, and shall approve” a covered request, we believe that 90 days should be the maximum presumptively reasonable period of time for reviewing such applications, whether for “personal wireless services” or other wireless facilities.

Wireless Telecommunications Bureau contact: Maria Kirby at (202) 418-1476 or by email: [Maria.Kirby@fcc.gov](mailto:Maria.Kirby@fcc.gov).

-FCC-

For more news and information about the Federal Communications Commission please visit: [www.fcc.gov](http://www.fcc.gov)

---

<sup>12</sup> See *2009 Declaratory Ruling*, 24 FCC Rcd. at 14012-13, paras. 46-47.

## **APPENDIX**

### **SEC. 6409. WIRELESS FACILITIES DEPLOYMENT.**

#### **(a) FACILITY MODIFICATIONS.**

(1) **IN GENERAL.** Notwithstanding section 704 of the Telecommunications Act of 1996 (Public Law 104–104) or any other provision of law, a State or local government may not deny, and shall approve, any eligible facilities request for a modification of an existing wireless tower or base station that does not substantially change the physical dimensions of such tower or base station.

(2) **ELIGIBLE FACILITIES REQUEST.** For purposes of this subsection, the term “eligible facilities request” means any request for modification of an existing wireless tower or base station that involves —

- (A) collocation of new transmission equipment;
- (B) removal of transmission equipment; or
- (C) replacement of transmission equipment.

(3) **APPLICABILITY OF ENVIRONMENTAL LAWS.** Nothing in paragraph (1) shall be construed to relieve the Commission from the requirements of the National Historic Preservation Act or the National Environmental Policy Act of 1969.

## Subpart CC—State and Local Review of Applications for Wireless Service Facility Modification

### §1.40001 Wireless Facility Modifications.

**(a) Purpose.** These rules implement section 6409 of the Spectrum Act (codified at 47 U.S.C. 1455), which requires a State or local government to approve any eligible facilities request for a modification of an existing tower or base station that does not substantially change the physical dimensions of such tower or base station.

**(b) Definitions.** Terms used in this section have the following meanings.

**(1) Base station.** A structure or equipment at a fixed location that enables Commission-licensed or authorized wireless communications between user equipment and a communications network. The term does not encompass a tower as defined in this subpart or any equipment associated with a tower.

(i) The term includes, but is not limited to, equipment associated with wireless communications services such as private, broadcast, and public safety services, as well as unlicensed wireless services and fixed wireless services such as microwave backhaul.

(ii) The term includes, but is not limited to, radio transceivers, antennas, coaxial or fiber-optic cable, regular and backup power supplies, and comparable equipment, regardless of technological configuration (including Distributed Antenna Systems and small-cell networks).

(iii) The term includes any structure other than a tower that, at the time the relevant application is filed with the State or local government under this section, supports or houses equipment described in paragraphs (b)(1)(i) through (ii) of this section that has been reviewed and approved under the applicable zoning or siting process, or under another State or local regulatory review process, even if the structure was not built for the sole or primary purpose of providing such support.

(iv) The term does not include any structure that, at the time the relevant application is filed with the State or local government under this section, does not support or house equipment described in paragraphs (b)(1)(i)-(ii) of this section.

**(2) Collocation.** The mounting or installation of transmission equipment on an eligible support structure for the purpose of transmitting and/or receiving radio frequency signals for communications purposes.

**(3) Eligible facilities request.** Any request for modification of an existing tower or base station that does not substantially change the physical dimensions of such tower or base station, involving:

- (i) Collocation of new transmission equipment;
- (ii) Removal of transmission equipment; or

(iii) Replacement of transmission equipment.

**(4) Eligible support structure.** Any tower or base station as defined in this section, provided that it is existing at the time the relevant application is filed with the State or local government under this section.

**(5) Existing.** A constructed tower or base station is existing for purposes of this section if it has been reviewed and approved under the applicable zoning or siting process, or under another State or local regulatory review process, provided that a tower that has not been reviewed and approved because it was not in a zoned area when it was built, but was lawfully constructed, is existing for purposes of this definition.

**(6) Site.** For towers other than towers in the public rights-of-way, the current boundaries of the leased or owned property surrounding the tower and any access or utility easements currently related to the site, and, for other eligible support structures, further restricted to that area in proximity to the structure and to other transmission equipment already deployed on the ground.

**(7) Substantial change.** A modification substantially changes the physical dimensions of an eligible support structure if it meets any of the following criteria:

(i) For towers other than towers in the public rights-of-way, it increases the height of the tower by more than 10% or by the height of one additional antenna array with separation from the nearest existing antenna not to exceed twenty feet, whichever is greater; for other eligible support structures, it increases the height of the structure by more than 10% or more than ten feet, whichever is greater;

(A) Changes in height should be measured from the original support structure in cases where deployments are or will be separated horizontally, such as on buildings' rooftops; in other circumstances, changes in height should be measured from the dimensions of the tower or base station, inclusive of originally approved appurtenances and any modifications that were approved prior to the passage of the Spectrum Act.

(ii) For towers other than towers in the public rights-of-way, it involves adding an appurtenance to the body of the tower that would protrude from the edge of the tower more than twenty feet, or more than the width of the tower structure at the level of the appurtenance, whichever is greater; for other eligible support structures, it involves adding an appurtenance to the body of the structure that would protrude from the edge of the structure by more than six feet;

(iii) For any eligible support structure, it involves installation of more than the standard number of new equipment cabinets for the technology involved, but not to exceed four cabinets; or, for towers in the public rights-of-way and base stations, it involves installation of any new equipment cabinets on the ground if there are no pre-existing ground cabinets associated with the structure, or else involves installation of ground cabinets that are more than 10% larger in height or overall volume than any other ground cabinets associated with the structure;

(iv) It entails any excavation or deployment outside the current site;

(v) It would defeat the concealment elements of the eligible support structure; or

(vi) It does not comply with conditions associated with the siting approval of the construction or modification of the eligible support structure or base station equipment, provided however that this limitation does not apply to any modification that is non-compliant only in a manner that would not exceed the thresholds identified in §1.40001(b)(7)(i) through (iv).

**(8) Transmission equipment.** Equipment that facilitates transmission for any Commission-licensed or authorized wireless communication service, including, but not limited to, radio transceivers, antennas, coaxial or fiber-optic cable, and regular and backup power supply. The term includes equipment associated with wireless communications services including, but not limited to, private, broadcast, and public safety services, as well as unlicensed wireless services and fixed wireless services such as microwave backhaul.

**(9) Tower.** Any structure built for the sole or primary purpose of supporting any Commission-licensed or authorized antennas and their associated facilities, including structures that are constructed for wireless communications services including, but not limited to, private, broadcast, and public safety services, as well as unlicensed wireless services and fixed wireless services such as microwave backhaul, and the associated site.

**(c) Review of applications.** A State or local government may not deny and shall approve any eligible facilities request for modification of an eligible support structure that does not substantially change the physical dimensions of such structure.

**(1) Documentation requirement for review.** When an applicant asserts in writing that a request for modification is covered by this section, a State or local government may require the applicant to provide documentation or information only to the extent reasonably related to determining whether the request meets the requirements of this section. A State or local government may not require an applicant to submit any other documentation, including but not limited to documentation intended to illustrate the need for such wireless facilities or to justify the business decision to modify such wireless facilities.

**(2) Timeframe for review.** Within 60 days of the date on which an applicant submits a request seeking approval under this section, the State or local government shall approve the application unless it determines that the application is not covered by this section.

**(3) Tolling of the timeframe for review.** The 60-day period begins to run when the application is filed, and may be tolled only by mutual agreement or in cases where the reviewing State or local government determines that the application is incomplete. The timeframe for review is not tolled by a moratorium on the review of applications.

(i) To toll the timeframe for incompleteness, the reviewing State or local government must provide written notice to the applicant within 30 days of receipt of the application, clearly and

specifically delineating all missing documents or information. Such delineated information is limited to documents or information meeting the standard under paragraph (c)(1) of this section.

(ii) The timeframe for review begins running again when the applicant makes a supplemental submission in response to the State or local government's notice of incompleteness.

(iii) Following a supplemental submission, the State or local government will have 10 days to notify the applicant that the supplemental submission did not provide the information identified in the original notice delineating missing information. The timeframe is tolled in the case of second or subsequent notices pursuant to the procedures identified in this paragraph (c)(3). Second or subsequent notices of incompleteness may not specify missing documents or information that were not delineated in the original notice of incompleteness.


**(4) Failure to act.** In the event the reviewing State or local government fails to approve or deny a request seeking approval under this section within the timeframe for review (accounting for any tolling), the request shall be deemed granted. The deemed grant does not become effective until the applicant notifies the applicable reviewing authority in writing after the review period has expired (accounting for any tolling) that the application has been deemed granted.

**(5) Remedies.** Applicants and reviewing authorities may bring claims related to Section 6409(a) to any court of competent jurisdiction.

[80 FR 1269, Jan. 8, 2015]

62266034 v1-WorkSiteUS-024519/0782





THE COMMONWEALTH OF MASSACHUSETTS  
OFFICE OF THE ATTORNEY GENERAL

CENTRAL MASSACHUSETTS DIVISION  
10 MECHANIC STREET, SUITE 301  
WORCESTER, MA 01608

MAURA HEALEY  
ATTORNEY GENERAL

(508) 792-7600  
(508) 795-1991 fax  
www.mass.gov/ago

February 17, 2015

Dorothy A. Powers, Town Clerk  
Town of Westwood  
580 High Street  
Westwood, MA 02090

**RE: Westwood Special Town Meeting of November 17, 2014 - Case # 7455**  
**Warrant Articles # 11, 12, 13, 14, 15 and 16 (Zoning)**  
**Warrant Article # 7, 17 and 18 (General)**

Dear Ms. Powers:

**Articles 7 and 18** – We take no action on Articles 7 and 18 because they are votes to accept the provisions of local option statutes. Such votes do not require review and approval by the Attorney General.

**Article 14** – We retain Article 14 (Street Access Special Permit) for further review and will issue our decision by our deadline of March 9, 2015.

**Articles 11, 12, 13, 15, 16, and 17** – We approve these Articles from the November 17, 2014 Westwood Special Town Meeting. Our comments on Article 13 are detailed below.

**Article 13** – Article 13 amends Section 7.3 of the Town’s Zoning Bylaw, “Environmental Impact and Design Review.” In part the amendments make the EIDR by-law applicable to the “construction, installation or alteration of a Minor Wireless Communication Facility pursuant Section 9.4 of [the zoning] bylaw.”

Section 6409 of the Middle Class Tax Relief and Job Creation Act of 2012 requires that “[A] state or local government *may not deny, and shall approve*, any eligible facilities request for a modification of an existing wireless tower or base station that does not substantially change the physical dimensions of such tower or base station.” (emphasis added). The Act defines “eligible facilities request” as any request for modification of an existing wireless tower or base station that involves: 1) collocation of new transmission equipment; 2) removal of transmission equipment; or 3) replacement of transmission equipment. The Act applies “[n]otwithstanding section 704 of the Telecommunications Act of 1996.” The Act’s requirement that a local government “may not deny, and shall approve, any eligible facilities request” means that a request for modification to an existing facility that does not substantially change the physical dimensions of the tower or base station must be approved. Such qualifying requests also cannot

be subject to a discretionary special permit. The Town must apply the EIDR by-law consistent with these requirements.

Article 13 also amends Section 7.3.3, “Exempt Uses” to clarify the application of the EIDR by-law to protected uses under G.L. c. 40A, Section 3, as follows (emphasis supplied):

In cases where M.G.L. Chapter 40A, Section 3 provides certain exemptions from zoning restrictions for uses protected thereunder, review and approval pursuant to this Section shall be limited consistent with those statutory provisions and on other matters shall be advisory only. For all uses exempt under M.G.L. Chapter 40A, Section 3, the Planning Board shall make determinations of compliance with dimensional and parking requirements of this Bylaw, including requirements related to setbacks, building height, building coverage, **impervious surface, parking and circulation, buffers, screening, landscaping, lighting, and stormwater management.**

This text must be applied consistent with the protections given to agricultural, religious, educational, child care, and solar energy systems under G.L. c. 40A, § 3.

First, G.L. c. 40A, § 3 requires that, to the extent the use of land or structures constitutes commercial agriculture, the Town cannot require a special permit for, unreasonably regulate, or prohibit such activities: (1) on land zoned for agriculture; (2) on land that is greater than five acres in size; and (3) on land of 2 acres or more if the sale of products from the agricultural use generates \$1,000 per acre or more of gross sales. We urge the Town to consult closely with Town Counsel when applying the new text in the EIDR by-law to agricultural uses to ensure that the Town complies with G.L. c. 40A, § 3.

Second, for religious, educational, and child care uses, G.L. c. 40A, § 3 allows the Town to impose only reasonable regulations in eight areas: the bulk and height of structures, yard size, lot area, setbacks, open space, parking and building coverage requirements. Nothing in G.L. c. 40A, § 3 allows the Town to impose requirements regarding impervious surface, screening, landscaping, lighting, and stormwater management on religious, educational, and child care uses. Because the text in underline and bold above conflicts with the G.L. c. 40A, § 3 protections for religious, educational, and child care uses, the Town cannot apply this text to such uses. We urge the Town to consult closely with Town Counsel when applying the new text in the EIDR by-law to religious, educational, and child care uses to ensure that the Town complies with G.L. c. 40A, § 3.<sup>1</sup>

---

<sup>1</sup> During the course of our review we received correspondence from a Town resident urging us to disapprove the amendment to Section 7.3.3 on the basis that the EIDR is in reality special permit review process, and thus violates G.L. c. 40A, § 3. We appreciate this correspondence and it has aided us in our review. However, we are unable to conclude that the EIDR is in reality a special permit requirement, and cannot disapprove the text under the Attorney General’s standard of review of by-laws under G.L. c. 40, § 32.

**Note:** Pursuant to G.L. c. 40, § 32, neither general nor zoning by-laws take effect unless the Town has first satisfied the posting/publishing requirements of that statute. Once this statutory duty is fulfilled, (1) general by-laws and amendments take effect on the date these posting and publishing requirements are satisfied unless a later effective date is prescribed in the by-law, and (2) zoning by-laws and amendments are deemed to have taken effect from the date they were approved by the Town Meeting, unless a later effective date is prescribed in the by-law.

MAURA HEALEY  
ATTORNEY GENERAL

*Margaret J. Hurley*

by: Margaret J. Hurley, Assistant Attorney General  
Chief, Central Massachusetts Division  
Director, Municipal Law Unit  
Ten Mechanic Street, Suite 301  
Worcester, MA 01608  
(508) 792-7600 x 4402

cc: Town Counsel Thomas P. McCusker

ULS License

# Wireless Communications Service License - KNLB200 - New Cingular Wireless PCS, LLC

Call Sign	KNLB200	Radio Service	WS - Wireless Communications Service
Status	Active	Auth Type	Regular

## Rural Service Provider Bidding Credit

Is the Applicant seeking a Rural Service Provider (RSP) bidding credit?

## Reserved Spectrum

Reserved Spectrum

## Market

Market	MEA001 - Boston	Channel Block	B
Submarket	0	Associated Frequencies (MHz)	002310.00000000-002315.00000000-002355.00000000-002360.00000000

3.7 GHz License Type

3.7 GHz Linked License

## Dates

Grant	02/07/2020	Expiration	07/21/2027
Effective	01/14/2023	Cancellation	

## Buildout Deadlines

1st	03/13/2017	2nd	09/13/2019
-----	------------	-----	------------

## Discontinuance Dates

1st		2nd	
-----	--	-----	--

## Notification Dates

1st	03/03/2017	2nd	09/04/2019
-----	------------	-----	------------

## Licensee

FRN	0003291192	Type	Limited Liability Company
-----	------------	------	---------------------------

## Licensee

New Cingular Wireless PCS, LLC 208 S. Akard St. 20F Dallas, TX 75202 ATTN FCC Group	P:(855)699-7073 F:(214)746-6410 E:FCCMW@att.com
--	---

## Contact

AT&T Services, Inc. Cecil J Mathew 208 S. Akard St. 20F Dallas, TX 75202 ATTN Michael P. Goggin	P:(855)699-7073 F:(202)457-3073 E:FCCMW@att.com
---	---

**Ownership and Qualifications**

Radio Service Type	Fixed, Mobile		
Regulatory Status	Common Carrier, Non-Common Carrier	Interconnected	Yes

**Alien Ownership**

The Applicant answered "No" to each of the Alien Ownership questions.

**Basic Qualifications**

The Applicant answered "No" to each of the Basic Qualification questions.

**Tribal Land Bidding Credits**


This license did not have tribal land bidding credits.

**Demographics**

Race

Ethnicity

Gender



**(REVISED)**  
**STRUCTURAL ANALYSIS REPORT**

For

**AT&T Site Number: MA2253 (C-BAND)**  
TEP Project Number: 316606.880670  
AT&T Site Name: CAMBRIDGE PORTLAND STREET  
141 Portland Street  
Cambridge, MA 02139

**Antennas Mounted on Penthouse Façade and Screenwall**



Prepared for:



Dated: September 1, 2023 (Rev.2)

January 26, 2022 (Rev.1)

November 12, 2021

Prepared by:



(TEP OPCO, LLC)  
45 Beechwood Drive  
North Andover, MA 01845  
(P) 978.557.5553  
[www.tepgroup.net](http://www.tepgroup.net)





## SCOPE OF WORK:

TEP Northeast (TEP NE) has been authorized by AT&T to conduct a structural evaluation of the structure supporting the proposed equipment located in the areas depicted in the latest TEP NE construction drawings.

This report represents this office's findings, conclusions and recommendations pertaining to the support of AT&T's proposed antennas listed below.

This office conducted an on-site visual survey of the above site on August 16, 2022.

The following documents were used for our reference:

- Building plans prepared by D.R.A Inc. dated September 5, 1989.
- Construction Drawings prepared by Hudson Design Group, LLC. dated October 21, 2019.
- Structural Analysis report prepared by Hudson Design Group, LLC. dated January 11, 2018.

## CONCLUSION SUMMARY:

Based on our evaluation, we have determined that the existing structure and the existing and proposed mounts **ARE CAPABLE** of supporting the proposed equipment loading.

	Member	Controlling Load Case	Stress Ratio	Pass/Fail
Alpha Sector Antenna Mount	69	LC6	71%	PASS
Beta Sector Antenna Mount	82	LC1	59%	PASS
Gamma Sector Antenna Mount	70	LC5	84%	PASS

Based on our evaluation, we have determined that the existing and proposed connections **ARE CAPABLE** of supporting the proposed equipment loading.

	Member	Stress Ratio	Pass/Fail
Proposed Alpha Sector Connection	5/8" Thru Bolt	3%	PASS
Existing Beta Sector Connection	1/2" Thru Bolt	9%	PASS
Proposed Gamma Sector Connection	5/8" Thru Bolt	4%	PASS





**APPURTENANCE CONFIGURATION:**

Appurtenances	Dimensions	Weight	**Elevation	Mount
(3) EPBQ-654L8H6-L2 Antennas	73.0"x21.0"x6.3"	73 lbs	133', 145'	Wall Mount
(3) 4478 B14 RRH's	18.1"x13.4"x8.3"	60 lbs	-	Unistruts
(3) RRUS-32 B66A RRH's	27.2"x12.1"x7.0"	60 lbs	-	Unistruts
(3) RRUS-32 B30 RRH's	27.2"x12.1"x7.0"	60 lbs	-	Unistruts
(3) DC6-48-60-18-8F Surge Arrestors	31.4"x10.2"Ø	29 lbs	-	Unistruts
(3) DC6-48-60-08F Surge Arrestors	20.1"x18.2"x6.4"	44 lbs	-	Unistruts
<b>(3) AIR6419 Antennas</b>	31.2"x16.1"x9.1"	66 lbs	133', 145'	Wall Mount
<b>(3) AIR6449 Antennas</b>	30.6"x15.9"x10.6"	84 lbs	133', 145'	Wall Mount
<b>(3) DMP65R-BU4DA Antennas</b>	48.0"x20.7"x7.7"	68 lbs	133', 145'	Wall Mount
<b>(3) 4415 B25 RRH's</b>	16.5"x13.5"x6.3"	50 lbs	-	Unistruts
<b>(3) 4449 B5/B12 RRH's</b>	17.9"x13.2"x9.4"	73 lbs	-	Unistruts

\* Proposed equipment shown in bold.

\*\* Elevation to antenna centerline (Alpha Sector → 133'-0"; Beta & Gamma Sector → 145'-0").



**DESIGN CRITERIA:**

<b>International Building Code (IBC) 2015 with Massachusetts State Building Code 9<sup>th</sup> Edition, and ASCE 7-10 (Minimum Design Loads for Buildings and Other Structures).</b>		
<b>Wind</b>		
Reference Wind Speed:	128 mph	(780 CMR Table 1604.11)
Exposure Category:	B	(ASCE 7-10 Chapter 26)
Risk Category:	II	(ASCE 7-10 Table 1.5-1)
<b>Snow</b>		
Ground Snow, $P_g$ :	40	(780 CMR Table 1604.11)
Importance Factor ( $I_s$ ):	1.0	(ASCE 7-10 Table 1.5-2)
Exposure Factor ( $C_e$ ):	0.9	(Fully Exposed, Table 7-2)
Thermal Factor ( $C_t$ ):	1.0	(ASCE 7-10 Table 7-3)
Flat Roof Snow Load:	25 psf	(ASCE 7-10 Equation 7.3-1)
Min. Flat Roof Snow Load:	30 psf	(780 CMR Table 1604.11)
<b>EIA/TIA-222-H Structural Standards for Steel Antenna Towers and Antenna Supporting Structures</b>		
<b>Wind</b>		
City/Town:	Cambridge	
County:	Middlesex	
Wind Load:	128 mph	(TIA-222-H Figure B-2)
<b>Ice</b>		
Design Ice Thickness ( $t_i$ ):	1.0 in	(TIA-222-H Figure B-9)
Structure Class:	II	(TIA-222-H Table 2-1)
Importance Factor ( $I_i$ ):	1.0	(TIA-222-H Table 2-3)
Factored Thickness of Radial Ice ( $t_{iz}$ ):	1.16 in	(TIA-222-H Sec. 2.6.10)



### **EXISTING SCREEN WALL CONSTRUCTION:**

The existing screen wall construction consists of masonry brick over cold formed metal studs.

### **ANTENNA RECOMMENDATIONS:**

- The proposed Alpha & Gamma sector antennas will be mounted on proposed pipe masts secured to a proposed steel frame connected the existing brick screen wall with thru bolts and backer plates.
- The proposed Beta sector antennas will be mounted on proposed and existing pipe masts connected to the existing brick screen wall with thru bolts and backer plates.

### **RRH SUPPORT RECOMMENDATIONS:**

The proposed RRHs will be mounted on existing unistrut components secured to the existing brick screen wall with thru bolts and backer plates.

#### Limitations and Assumptions:

1. Reference the latest TEP NE construction drawings for all the equipment locations and details.
2. All detail requirements will be designed and furnished in the construction drawings.
3. All structural members and their connections are assumed to be in good condition and are free from defects with no deterioration to its member capacities.
4. TEP NE is not responsible for any modifications completed prior to and hereafter which TEP NE was not directly involved.
5. All antennas, coax cables and waveguide cables are assumed to be properly installed and supported as per the manufacturer requirements.
6. If field conditions differ from what is assumed in this report, then the engineer of record is to be notified as soon as possible.

**FIELD PHOTOS:**



**Photo 1:** Sample photo illustrating the existing Alpha sector antennas.



**Photo 2:** Sample photo illustrating the existing Beta sector antennas.

**FIELD PHOTOS (CONT.):**



**Photo 3:** Sample photo illustrating the existing Gamma sector antennas.



**Photo 4:** Sample photo illustrating the existing RRH's.

**Wind & Ice  
Calculations**

Date: 8/30/2023  
 Project Name: CAMBRIDGE PORTLAND STREET  
 Project No.: MA2253  
 Designed By: KM Checked By: MSC



**2.6.5.2 Velocity Pressure Coeff:**

$K_z = 2.01 (z/z_g)^{2/\alpha}$

$K_z =$  **1.099**

$z =$  145 (ft)  
 $z_g =$  1200 (ft)  
 $\alpha =$  7.0

$K_{zmin} \leq K_z \leq 2.01$

**Table 2-4**

Exposure	Z <sub>g</sub>	α	K <sub>zmin</sub>	K <sub>c</sub>
B	1200 ft	7.0	0.70	0.9
C	900 ft	9.5	0.85	1.0
D	700 ft	11.5	1.03	1.1

**2.6.6.2 Topographic Factor:**

**Table 2-5**

Topo. Category	K <sub>t</sub>	f
2	0.43	1.25
3	0.53	2.0
4	0.72	1.5

$K_{zt} = [1 + (K_c K_t / K_h)]^2$

$K_h = e^{(f * z / H)}$

$K_{zt} =$  **1**

$K_h =$  1

$K_c =$  0.9 (from Table 2-4)

$K_t =$  0 (from Table 2-5)

$f =$  0 (from Table 2-5)

$z =$  145

$z_s =$  2 (Mean elevation of base of structure above sea level)

$H =$  0 (Ht. of the crest above surrounding terrain)

$K_{zt} =$  1.00 (from 2.6.6.2.1)

$K_e =$  1.00 (from 2.6.8)

(If Category 1 then  $K_{zt} = 1.0$ )

Category = **1**

**2.6.10 Design Ice Thickness**

Max Ice Thickness =  
 Importance Factor =

$t_i =$  1.00 in

$I =$  1.0 (from Table 2-3)

$K_{iz} =$  1.16 (from Sec. 2.6.10)

$t_{iz} = t_i * I * K_{iz} * (K_{zt})^{0.35}$

$t_{iz} =$  1.16 in

Date: 8/30/2023  
 Project Name: CAMBRIDGE PORTLAND STREET  
 Project No.: MA2253  
 Designed By: KM Checked By: MSC



**2.6.9 Gust Effect Factor**

2.6.9.1 Self Supporting Lattice Structures

G<sub>h</sub> = 1.0 Latticed Structures > 600 ft

G<sub>h</sub> = 0.85 Latticed Structures 450 ft or less

G<sub>h</sub> = 0.85 + 0.15 [h/150 - 3.0]

h= ht. of structure

h= 129

G<sub>h</sub>= 0.85

2.6.9.2 Guyed Masts

G<sub>h</sub>= 0.85

2.6.9.3 Pole Structures

G<sub>h</sub>= 1.1

2.6.9 Appurtenances

G<sub>h</sub>= 1.0

2.6.9.4 Structures Supported on Other Structures

(Cantilevered tubular or latticed spines, pole, structures on buildings (ht. : width ratio > 5)

G<sub>h</sub>= 1.35

G<sub>h</sub>= 1.00

**2.6.11.2 Design Wind Force on Appurtenances**

**F= q<sub>z</sub>\*G<sub>h</sub>\*(EPA)<sub>A</sub>**

q<sub>z</sub>= 0.00256\*K<sub>z</sub>\*K<sub>zt</sub>\*K<sub>s</sub>\*K<sub>e</sub>\*K<sub>d</sub>\*V<sub>max</sub><sup>2</sup>

K<sub>z</sub>= 1.099 (from 2.6.5.2)

K<sub>zt</sub>= 1.0 (from 2.6.6.2.1)

K<sub>s</sub>= 1.0 (from 2.6.7)

K<sub>e</sub>= 1.00 (from 2.6.8)

K<sub>d</sub>= 0.95 (from Table 2-2)

V<sub>max</sub>= 128 mph (Ultimate Wind Speed)

V<sub>max (ice)</sub>= 50 mph

V<sub>30</sub>= 30 mph

q<sub>z</sub>= 43.78

q<sub>z (ice)</sub>= 6.68

q<sub>z (30)</sub>= 2.41

**Table 2-2**

Structure Type	Wind Direction Probability Factor, K <sub>d</sub>
Latticed structures with triangular, square or rectangular cross sections	0.85
Tubular pole structures, latticed structures with other cross sections, appurtenances	0.95
Tubular pole structures supporting antennas enclosed within a cylindrical shroud	1.00



Date: 8/30/2023  
 Project Name: CAMBRIDGE PORTLAND STREET  
 Project No.: MA2253  
 Designed By: KM Checked By: MSC



**Determine Ca:**

**Table 2-9**

Force Coefficients (Ca) for Appurtenances				
Member Type		Aspect Ratio ≤ 2.5	Aspect Ratio = 7	Aspect Ratio ≥ 25
		Ca	Ca	Ca
Flat		1.2	1.4	2.0
Square/Rectangular HSS		1.2 - 2.8(r <sub>s</sub> ) ≥ 0.85	1.4 - 4.0(r <sub>s</sub> ) ≥ 0.90	2.0 - 6.0(r <sub>s</sub> ) ≥ 1.25
Round	C < 39 (Subcritical)	0.7	0.8	1.2
	39 ≤ C ≤ 78 (Transitional)	4.14/(C <sup>0.485</sup> )	3.66/(C <sup>0.415</sup> )	46.8/(C <sup>1.0</sup> )
	C > 78 (Supercritical)	0.5	0.6	0.6

Aspect Ratio is the overall length/width ratio in the plane normal to the wind direction.  
 (Aspect ratio is independent of the spacing between support points of a linear appurtenance.)

Note: Linear interpolation may be used for aspect ratios other than those shown.

Ice Thickness = **1.16 in**      Angle = **0 (deg)**      Equivalent Angle = **180 (deg)**

Appurtenances	Height	Width	Depth	Flat Area	Aspect Ratio	Ca	Force (lbs)	Force (lbs) (w/ Ice)
EPBQ-654L8H6-L2 Antenna	73.0	21.0	6.3	10.65	3.48	1.24	580	101
EPBQ-654L8H6-L2 Antenna (Side)	73.0	6.3	21.0	3.19	11.59	1.55	217	47
AIR6419 Antenna	31.2	16.1	9.1	3.49	1.94	1.20	183	34
AIR6419 Antenna (Side)	31.1	9.1	16.1	1.97	3.42	1.24	107	22
AIR6449 Antenna	30.6	15.9	10.6	3.38	1.92	1.20	178	33
AIR6449 Antenna (Side)	31.1	10.6	15.9	2.29	2.93	1.22	122	24
DMP65R-BU4DA Antenna	48.0	20.7	7.7	6.90	2.32	1.20	363	64
DMP65R-BU4DA Antenna (Side)	48.0	7.7	20.7	2.57	6.23	1.37	154	32
B14 4478 RRH	18.1	13.4	8.3	1.68	1.35	1.20	88	18
RRUS-32 B66A RRH	27.2	12.1	7.0	2.29	2.25	1.20	120	24
RRUS-32 B30 RRH	27.2	12.1	7.0	2.29	2.25	1.20	120	24
4415 B25 RRH	16.5	13.5	6.3	1.55	1.22	1.20	81	17
B5/B12 4449 RRH	17.9	13.2	9.4	1.64	1.36	1.20	86	17
DC6 Surge Arrestor (Box)	20.1	18.2	6.4	2.54	1.10	1.20	133	26
DC6 Surge Arrestor	31.4	10.2	10.2	2.22	3.08	0.70	68	14
HSS 4x4	4.0	12.0	-	0.33	0.33	1.25	18	
2-1/2" Pipe	2.9	12.0	-	0.24	0.24	1.20	13	
2" Pipe	2.4	12.0	-	0.20	0.20	1.20	10	

Date: 8/30/2023

Project Name: CAMBRIDGE PORTLAND STREET

Project No.: MA2253

Designed By: KM Checked By: MSC



ICE WEIGHT CALCULATIONS

Thickness of ice: 1.16 in.
Density of ice: 56 pcf

EPBQ-654L8H6-L2 Antenna

Weight of ice based on total radial SF area:
Height (in): 73.0
Width (in): 21.0
Depth (in): 6.3
Total weight of ice on object: 199 lbs
Weight of object: 73.0 lbs
Combined weight of ice and object: 272 lbs

AIR6419 Antenna

Weight of ice based on total radial SF area:
Height (in): 31.2
Width (in): 16.1
Depth (in): 9.1
Total weight of ice on object: 72 lbs
Weight of object: 66.0 lbs
Combined weight of ice and object: 138 lbs

AIR6449 Antenna

Weight of ice based on total radial SF area:
Height (in): 30.6
Width (in): 15.9
Depth (in): 10.6
Total weight of ice on object: 73 lbs
Weight of object: 84.0 lbs
Combined weight of ice and object: 157 lbs

DMP65R-BU4DA Antenna

Weight of ice based on total radial SF area:
Height (in): 48.0
Width (in): 20.7
Depth (in): 7.7
Total weight of ice on object: 132 lbs
Weight of object: 68.0 lbs
Combined weight of ice and object: 200 lbs

B14 4478 RRH

Weight of ice based on total radial SF area:
Height (in): 18.1
Width (in): 13.4
Depth (in): 8.3
Total weight of ice on object: 36 lbs
Weight of object: 60.0 lbs
Combined weight of ice and object: 96 lbs

RRUS-32 B66A RRH

Weight of ice based on total radial SF area:
Height (in): 27.2
Width (in): 12.1
Depth (in): 7.0
Total weight of ice on object: 49 lbs
Weight of object: 60.0 lbs
Combined weight of ice and object: 109 lbs

RRUS-32 B30 RRH

Weight of ice based on total radial SF area:
Height (in): 27.2
Width (in): 12.1
Depth (in): 7.0
Total weight of ice on object: 49 lbs
Weight of object: 60.0 lbs
Combined weight of ice and object: 109 lbs

4415 B25 RRH

Weight of ice based on total radial SF area:
Height (in): 16.5
Width (in): 13.5
Depth (in): 6.3
Total weight of ice on object: 31 lbs
Weight of object: 50.0 lbs
Combined weight of ice and object: 81 lbs

B5/B12 4449 RRH

Weight of ice based on total radial SF area:
Height (in): 17.9
Width (in): 13.2
Depth (in): 9.4
Total weight of ice on object: 37 lbs
Weight of object: 73.0 lbs
Combined weight of ice and object: 110 lbs

DC6 Surge Arrestor (Box)

Weight of ice based on total radial SF area:
Height (in): 20.1
Width (in): 18.2
Depth (in): 6.4
Total weight of ice on object: 49 lbs
Weight of object: 44.0 lbs
Combined weight of ice and object: 93 lbs

DC6 Surge Arrestor

Weight of ice based on total radial SF area:
Depth (in): 31.4
Diameter (in): 10.2
Total weight of ice on object: 42 lbs
Weight of object: 29 lbs
Combined weight of ice and object: 71 lbs

HSS 4x4

Weight of ice based on total radial SF area:
Height (in): 4
Width (in): 4
Per foot weight of ice on object: 10 plf

2-1/2" Pipe



Per foot weight of ice:
diameter (in): 2.88
Per foot weight of ice on object: 6 plf


2" Pipe

Per foot weight of ice:
diameter (in): 2.38
Per foot weight of ice on object: 5 plf



**Alpha Sector  
Antenna Mount  
Calculations**











Design status

- Not designed
- Error on design
- Design O.K.
- With warnings





## Load data


### GLOSSARY

Comb : Indicates if load condition is a load combination

### Load Conditions

Condition	Description	Comb.	Category
DL	Dead Load	No	DL
Wf	Wind Load (FRONT)	No	WIND
Ws	Wind Load (SIDE)	No	WIND
Wfice	Wind ICE (FRONT)	No	WIND
Wsice	Wind ICE (SIDE)	No	WIND
Di	Ice Load	No	LL

### Distributed force on members




Condition	Member	Dir1	Val1 [Kip/ft]	Val2 [Kip/ft]	Dist1 [ft]	%	Dist2 [ft]	%	
Wf	69	z	-0.01	-0.01	0.00	No	100.00	Yes	
	70	z	-0.01	-0.01	0.00	No	100.00	Yes	
	71	z	-0.013	-0.013	0.00	No	100.00	Yes	
	75	z	-0.013	-0.013	0.00	No	100.00	Yes	
	90	z	-0.018	-0.018	0.00	No	100.00	Yes	
	91	z	-0.018	-0.018	0.00	No	100.00	Yes	
	92	z	-0.018	-0.018	0.00	No	100.00	Yes	
	93	z	-0.018	-0.018	0.00	No	100.00	Yes	
	Ws	69	x	-0.01	-0.01	0.00	No	100.00	Yes
		70	x	-0.01	-0.01	0.00	No	100.00	Yes
79		x	-0.01	-0.01	0.00	No	100.00	Yes	
80		x	-0.01	-0.01	0.00	No	100.00	Yes	
81		x	-0.01	-0.01	0.00	No	100.00	Yes	
90		x	-0.018	-0.018	0.00	No	100.00	Yes	
91		x	-0.018	-0.018	0.00	No	100.00	Yes	
92		x	-0.018	-0.018	0.00	No	100.00	Yes	
Di	69	y	-0.005	-0.005	0.00	No	100.00	Yes	
	70	y	-0.005	-0.005	0.00	No	100.00	Yes	
	71	y	-0.006	-0.006	0.00	No	100.00	Yes	
	75	y	-0.006	-0.006	0.00	No	100.00	Yes	
	79	y	-0.005	-0.005	0.00	No	100.00	Yes	
	80	y	-0.005	-0.005	0.00	No	100.00	Yes	



90	y	-0.01	-0.01	0.00	No	100.00	Yes
91	y	-0.01	-0.01	0.00	No	100.00	Yes
92	y	-0.01	-0.01	0.00	No	100.00	Yes
93	y	-0.01	-0.01	0.00	No	100.00	Yes

### Concentrated forces on members



Condition	Member	Dir1	Value1 [Kip]	Dist1 [ft]	%
DL	79	y	-0.034	1.00	No
		y	-0.034	5.00	No
	80	y	-0.033	1.00	No
		y	-0.033	3.00	No
		y	-0.042	5.00	No
		y	-0.042	7.00	No
81	y	-0.037	0.50	No	
	y	-0.037	5.50	No	
Wf	79	z	-0.182	1.00	No
		z	-0.182	5.00	No
	80	z	-0.092	1.00	No
		z	-0.092	3.00	No
		z	-0.089	5.00	No
		z	-0.089	7.00	No
81	z	-0.29	0.50	No	
	z	-0.29	5.50	No	
Ws	79	x	-0.077	1.00	No
		x	-0.077	5.00	No
	80	x	-0.054	1.00	No
		x	-0.054	3.00	No
		x	-0.061	5.00	No
		x	-0.061	7.00	No
81	x	-0.109	0.50	No	
	x	-0.109	5.50	No	
Wfice	79	z	-0.032	1.00	No
		z	-0.032	5.00	No
	80	z	-0.017	1.00	No
		z	-0.017	3.00	No
		z	-0.017	5.00	No
		z	-0.017	7.00	No
81	z	-0.051	0.50	No	
	z	-0.051	5.50	No	
Wsice	79	x	-0.016	1.00	No
		x	-0.016	5.00	No
	80	x	-0.011	1.00	No
		x	-0.011	3.00	No
		x	-0.012	5.00	No
		x	-0.012	7.00	No
81	x	-0.024	0.50	No	
	x	-0.024	5.50	No	
Di	79	y	-0.066	1.00	No

	y	-0.066	5.00	No
80	y	-0.036	1.00	No
	y	-0.036	3.00	No
	y	-0.037	5.00	No
	y	-0.037	7.00	No
81	y	-0.10	0.50	No
	y	-0.10	5.50	No

---

### Self weight multipliers for load conditions

---

Condition	Description	Self weight multiplier			
		Comb.	MultX	MultY	MultZ
DL	Dead Load	No	0.00	-1.00	0.00
Wf	Wind Load (FRONT)	No	0.00	0.00	0.00
Ws	Wind Load (SIDE)	No	0.00	0.00	0.00
Wfice	Wind ICE (FRONT)	No	0.00	0.00	0.00
Wsice	Wind ICE (SIDE)	No	0.00	0.00	0.00
Di	Ice Load	No	0.00	0.00	0.00

---



## Steel Code Check

Report: Summary - Group by member

Load conditions to be included in design :


- LC1=1.2DL+Wf
- LC2=1.2DL+Ws
- LC3=0.9DL+Wf
- LC4=0.9DL+Ws
- LC5=1.2DL+Wfice+Di
- LC6=1.2DL+Wfice+Di
- LC7=1.4DL
- LC8=0.9DL

Description	Section	Member	Ctrl Eq.	Ratio	Status	Reference
	<b>HSS_SQR 4X4X3_16</b>	<b>90</b>	LC2 at 100.00%	0.10	OK	
		<b>91</b>	LC2 at 100.00%	0.10	OK	
		<b>92</b>	LC2 at 100.00%	<b>0.10</b>	<b>OK</b>	
		<b>93</b>	LC2 at 100.00%	0.10	OK	
	<b>PIPE 2-1_2x0.203</b>	<b>71</b>	LC2 at 81.25%	<b>0.35</b>	<b>OK</b>	
		<b>75</b>	LC2 at 81.25%	0.32	OK	
	<b>PIPE 2x0.154</b>	<b>69</b>	LC6 at 20.00%	<b>0.71</b>	<b>OK</b>	
		<b>70</b>	LC5 at 20.00%	0.50	OK	
		<b>79</b>	LC1 at 39.58%	0.30	OK	
		<b>80</b>	LC1 at 39.58%	0.17	OK	
		<b>81</b>	LC1 at 39.58%	0.59	OK	



## Analysis result

### Reactions



Direction of positive forces and moments

Node	Forces [Kip]			Moments [Kip*ft]		
	FX	FY	FZ	MX	MY	MZ
Condition <b>LC1=1.2DL+Wf</b>						
304	-0.30200	0.16242	0.24291	0.00000	0.00000	0.00000
305	0.47161	0.16500	0.65298	0.00000	0.00000	0.00000
306	0.29235	0.26456	0.55760	0.00000	0.00000	0.00000
307	-0.46196	0.19657	0.42293	0.00000	0.00000	0.00000
SUM	0.00000	0.78854	1.87643	0.00000	0.00000	0.00000
Condition <b>LC2=1.2DL+Ws</b>						
304	0.46419	0.21763	-0.17313	0.00000	0.00000	0.00000
305	0.36439	0.13995	-0.35623	0.00000	0.00000	0.00000
306	0.57287	0.20182	-0.10713	0.00000	0.00000	0.00000
307	-0.31112	0.22914	0.63650	0.00000	0.00000	0.00000
SUM	1.09033	0.78854	0.00000	0.00000	0.00000	0.00000
Condition <b>LC3=0.9DL+Wf</b>						
304	-0.37661	0.11549	0.31978	0.00000	0.00000	0.00000
305	0.51398	0.11986	0.70300	0.00000	0.00000	0.00000
306	0.25134	0.21085	0.50807	0.00000	0.00000	0.00000
307	-0.38871	0.14521	0.34558	0.00000	0.00000	0.00000
SUM	0.00000	0.59141	1.87643	0.00000	0.00000	0.00000
Condition <b>LC4=0.9DL+Ws</b>						
304	0.38909	0.17079	-0.09765	0.00000	0.00000	0.00000
305	0.40612	0.09435	-0.30553	0.00000	0.00000	0.00000
306	0.53263	0.14770	-0.15749	0.00000	0.00000	0.00000
307	-0.23751	0.17856	0.56068	0.00000	0.00000	0.00000
SUM	1.09033	0.59141	0.00000	0.00000	0.00000	0.00000
Condition <b>LC5=1.2DL+Wfice+Di</b>						
304	0.46245	0.34432	-0.48984	0.00000	0.00000	0.00000
305	-0.25569	0.35687	-0.27466	0.00000	0.00000	0.00000
306	0.34106	0.43781	0.43740	0.00000	0.00000	0.00000
307	-0.54783	0.37757	0.56110	0.00000	0.00000	0.00000
SUM	0.00000	1.51657	0.23400	0.00000	0.00000	0.00000

Condition **LC6=1.2DL+W<sub>s</sub>ice+Di**

304	0.57558	0.35471	-0.55242	0.00000	0.00000	0.00000
305	-0.28221	0.35210	-0.42379	0.00000	0.00000	0.00000
306	0.38427	0.42627	0.36113	0.00000	0.00000	0.00000
307	-0.55163	0.38349	0.61507	0.00000	0.00000	0.00000
SUM	0.12600	1.51657	0.00000	0.00000	0.00000	0.00000

Condition **LC7=1.4DL**


304	0.34769	0.21894	-0.35600	0.00000	0.00000	0.00000
305	-0.19608	0.21122	-0.23353	0.00000	0.00000	0.00000
306	0.18953	0.25060	0.23156	0.00000	0.00000	0.00000
307	-0.34113	0.23921	0.35797	0.00000	0.00000	0.00000
SUM	0.00000	0.91997	0.00000	0.00000	0.00000	0.00000

Condition **LC8=0.9DL**

304	0.22347	0.14043	-0.22885	0.00000	0.00000	0.00000
305	-0.12602	0.13567	-0.15015	0.00000	0.00000	0.00000
306	0.12187	0.16121	0.14882	0.00000	0.00000	0.00000
307	-0.21932	0.15410	0.23018	0.00000	0.00000	0.00000
SUM	0.00000	0.59141	0.00000	0.00000	0.00000	0.00000

**Envelope for nodal reactions**

Note.- **Ic** is the controlling load condition



*Direction of positive forces and moments*

Envelope of nodal reactions for :

- LC1=1.2DL+W<sub>f</sub>
- LC2=1.2DL+W<sub>s</sub>
- LC3=0.9DL+W<sub>f</sub>
- LC4=0.9DL+W<sub>s</sub>
- LC5=1.2DL+W<sub>f</sub>ice+Di
- LC6=1.2DL+W<sub>s</sub>ice+Di
- LC7=1.4DL
- LC8=0.9DL

Node		Forces						Moments					
		F <sub>x</sub>	Ic	F <sub>y</sub>	Ic	F <sub>z</sub>	Ic	M <sub>x</sub>	Ic	M <sub>y</sub>	Ic	M <sub>z</sub>	Ic
		[Kip]		[Kip]		[Kip]		[Kip*ft]		[Kip*ft]		[Kip*ft]	
304	Max	0.576	LC6	0.355	LC6	0.320	LC3	0.00000	LC1	0.00000	LC1	0.00000	LC1
	Min	-0.377	LC3	0.115	LC3	-0.552	LC6	0.00000	LC1	0.00000	LC1	0.00000	LC1
305	Max	0.514	LC3	0.357	LC5	0.703	LC3	0.00000	LC1	0.00000	LC1	0.00000	LC1
	Min	-0.282	LC6	0.094	LC4	-0.424	LC6	0.00000	LC1	0.00000	LC1	0.00000	LC1

306	Max	0.573	LC2	0.438	LC5	0.558	LC1	0.00000	LC1	0.00000	LC1	0.00000	LC1
	Min	0.122	LC8	0.148	LC4	-0.157	LC4	0.00000	LC1	0.00000	LC1	0.00000	LC1
307	Max	-0.219	LC8	0.383	LC6	0.636	LC2	0.00000	LC1	0.00000	LC1	0.00000	LC1
	Min	-0.552	LC6	0.145	LC3	0.230	LC8	0.00000	LC1	0.00000	LC1	0.00000	LC1

Date: 9/1/2023  
Project Name: CAMBRIDGE PORTLAND STREET  
Project No.: MA2253  
Designed By: KM Checked By: MSC



**CHECK CONNECTION CAPACITY (Worst Case) → PROPOSED ALPHA SECTOR**

**Reference:** AISC Steel Construction Manual 14th Edition (ASD)

**Bolt Type =** A325 5/8" Thru Bolt

**Allowable Tensile Load =**

$$F_{Tall} = 13806 \text{ lbs.}$$

**Allowable Shear Load =**

$$F_{vall} = 8283 \text{ lbs.}$$

**TENSILE FORCES**

**Reaction**  $F = 703$  lbs. (See Bentley Output)

**SHEAR FORCES**

**Reactions in X direction:** 514 lbs. (See Bentley Output)

**Reactions in Y direction:** 357 lbs. (See Bentley Output)

**Resultant:** 626 lbs.

**No. of Supports =** 1

**No. of Bolts / Support =** 4

**Tension Design Load /Bolts =**

$$f_t = 175.75 \text{ lbs.} < 13806 \text{ lbs.} \text{ Therefore, OK !}$$

**Shear Design Load / Bolts=**

$$f_v = 156.45 \text{ lbs.} < 8283 \text{ lbs.} \text{ Therefore, OK !}$$


**CHECK COMBINED TENSION AND SHEAR**

$$\begin{array}{rclclcl} f_t / F_T & + & f_v / F_v & \leq & 1.0 & \\ 0.013 & + & 0.019 & = & 0.032 < 1.0 & \text{Therefore, OK !} \end{array}$$



**Beta Sector  
Antenna Mount  
Calculations**









Design status

- Not designed
- Error on design
- Design O.K.
- With warnings





## Load data


### GLOSSARY

Comb : Indicates if load condition is a load combination

### Load Conditions


Condition	Description	Comb.	Category
DL	Dead Load	No	DL
Wf	Wind Load (FRONT)	No	WIND
Ws	Wind Load (SIDE)	No	WIND
Wfice	Wind ICE (FRONT)	No	WIND
Wsice	Wind ICE (SIDE)	No	WIND
Di	Ice Load	No	LL

### Distributed force on members



Condition	Member	Dir1	Val1 [Kip/ft]	Val2 [Kip/ft]	Dist1 [ft]	%	Dist2 [ft]	%
Ws	79	x	-0.01	-0.01	0.00	No	100.00	Yes
	80	x	-0.01	-0.01	0.00	No	100.00	Yes
	82	x	-0.01	-0.01	0.00	No	100.00	Yes
	83	x	-0.018	-0.018	0.00	No	100.00	Yes
	84	x	-0.018	-0.018	0.00	No	100.00	Yes
Di	79	y	-0.005	-0.005	0.00	No	100.00	Yes
	80	y	-0.005	-0.005	0.00	No	100.00	Yes
	82	y	-0.005	-0.005	0.00	No	100.00	Yes
	83	y	-0.01	-0.01	0.00	No	100.00	Yes
	84	y	-0.01	-0.01	0.00	No	100.00	Yes

### Concentrated forces on members



Condition	Member	Dir1	Value1 [Kip]	Dist1 [ft]	%
DL	79	y	-0.034	0.50	No
		y	-0.034	5.50	No
	80	y	-0.033	0.50	No
		y	-0.033	2.50	No
		y	-0.042	4.50	No
		y	-0.042	6.50	No
82	y	-0.037	0.50	No	
	y	-0.037	5.50	No	
Wf	79	z	-0.182	0.50	No
		z	-0.182	5.50	No
	80	z	-0.092	0.50	No
		z	-0.092	2.50	No
		z	-0.089	4.50	No
		z	-0.089	6.50	No
82	z	-0.29	0.50	No	
	z	-0.29	5.50	No	
Ws	79	x	-0.077	0.50	No
		x	-0.077	5.50	No
	80	x	-0.054	0.50	No
		x	-0.054	2.50	No
		x	-0.061	4.50	No
		x	-0.061	6.50	No
82	x	-0.109	0.50	No	
	x	-0.109	5.50	No	
Wfice	79	z	-0.032	0.50	No
		z	-0.032	5.50	No
	80	z	-0.017	0.50	No
		z	-0.017	2.50	No
		z	-0.017	4.50	No
		z	-0.017	6.50	No
82	z	-0.051	0.50	No	
	z	-0.051	5.50	No	
Wsice	79	x	-0.016	0.50	No
		x	-0.016	5.50	No
	80	x	-0.011	0.50	No
		x	-0.011	2.50	No
		x	-0.012	4.50	No
		x	-0.012	6.50	No
82	x	-0.024	0.50	No	
	x	-0.024	5.50	No	
Di	79	y	-0.066	2.00	No
		y	-0.066	5.50	No
	80	y	-0.036	0.50	No
		y	-0.036	2.50	No
		y	-0.037	4.50	No
		y	-0.037	6.50	No
82	y	-0.10	1.50	No	
	y	-0.10	5.50	No	

---

**Self weight multipliers for load conditions**

Condition	Description	Self weight multiplier			
		Comb.	MultX	MultY	MultZ
DL	Dead Load	No	0.00	-1.00	0.00
Wf	Wind Load (FRONT)	No	0.00	0.00	0.00
Ws	Wind Load (SIDE)	No	0.00	0.00	0.00
Wfice	Wind ICE (FRONT)	No	0.00	0.00	0.00
Wsice	Wind ICE (SIDE)	No	0.00	0.00	0.00
Di	Ice Load	No	0.00	0.00	0.00





## Steel Code Check

Report: Summary - Group by member

Load conditions to be included in design :


- LC1=1.2DL+Wf
- LC2=1.2DL+Ws
- LC3=0.9DL+Wf
- LC4=0.9DL+Ws
- LC5=1.2DL+Wfice+Di
- LC6=1.2DL+Wsice+Di
- LC7=1.4DL
- LC8=0.9DL

Description	Section	Member	Ctrl Eq.	Ratio	Status	Reference
	<i>HSS_SQR 4X4X3_16</i>	<b>83</b>	LC1 at 100.00%	<b>0.03</b>	<b>OK</b>	
		<b>84</b>	LC3 at 100.00%	0.02	OK	
	<i>PIPE 2x0.154</i>	<b>79</b>	LC1 at 79.17%	0.10	OK	
		<b>80</b>	LC1 at 20.83%	0.10	OK	
		<b>82</b>	LC1 at 39.58%	<b>0.59</b>	<b>OK</b>	



## Analysis result

### Reactions



Direction of positive forces and moments

Node	Forces [Kip]			Moments [Kip*ft]		
	FX	FY	FZ	MX	MY	MZ
Condition <b>LC1=1.2DL+Wf</b>						
287	0.00000	0.04657	0.13236	0.00000	0.00000	0.00000
288	0.00000	-0.24350	-0.02125	0.00000	0.00000	0.00000
289	0.00000	0.08499	0.09655	0.00000	0.00000	0.00000
290	0.00000	0.06344	0.23164	0.00000	0.00000	0.00000
291	0.00000	0.13153	0.26545	0.00000	0.00000	0.00000
292	0.00000	0.38570	0.60125	0.00000	0.00000	0.00000
SUM	0.00000	0.46873	1.30600	0.00000	0.00000	0.00000
Condition <b>LC2=1.2DL+Ws</b>						
287	0.08782	0.04657	0.00000	0.00000	0.00000	0.00000
288	0.01128	0.07104	0.04392	0.00000	0.00611	0.00000
289	0.10873	0.08499	0.00000	0.00000	0.00000	0.00000
290	0.13618	0.06344	0.00000	0.00000	0.00000	0.00000
291	0.21127	0.13153	0.00000	0.00000	0.00000	0.00000
292	0.32272	0.07116	-0.04392	0.00000	0.30989	0.00000
SUM	0.87800	0.46873	0.00000	0.00000	0.31600	0.00000
Condition <b>LC3=0.9DL+Wf</b>						
287	0.00000	0.03493	0.13236	0.00000	0.00000	0.00000
288	0.00000	-0.26115	-0.03214	0.00000	0.00000	0.00000
289	0.00000	0.06374	0.09655	0.00000	0.00000	0.00000
290	0.00000	0.04758	0.23164	0.00000	0.00000	0.00000
291	0.00000	0.09865	0.26545	0.00000	0.00000	0.00000
292	0.00000	0.36780	0.61214	0.00000	0.00000	0.00000
SUM	0.00000	0.35154	1.30600	0.00000	0.00000	0.00000
Condition <b>LC4=0.9DL+Ws</b>						
287	0.08782	0.03493	0.00000	0.00000	0.00000	0.00000
288	0.01135	0.05328	0.03294	0.00000	0.00618	0.00000
289	0.10873	0.06374	0.00000	0.00000	0.00000	0.00000
290	0.13618	0.04758	0.00000	0.00000	0.00000	0.00000
291	0.21127	0.09865	0.00000	0.00000	0.00000	0.00000
292	0.32265	0.05337	-0.03294	0.00000	0.30982	0.00000
SUM	0.87800	0.35154	0.00000	0.00000	0.31600	0.00000

Condition **LC5=1.2DL+Wfice+Di**

287	0.00000	0.11257	0.02327	0.00000	0.00000	0.00000
288	0.00000	0.12564	0.10250	0.00000	0.00000	0.00000
289	0.00000	0.13535	0.01855	0.00000	0.00000	0.00000
290	0.00000	0.12944	0.04073	0.00000	0.00000	0.00000
291	0.00000	0.22717	0.04945	0.00000	0.00000	0.00000
292	0.00000	0.23656	-0.00050	0.00000	0.00000	0.00000

---

SUM	0.00000	0.96673	0.23400	0.00000	0.00000	0.00000
-----	---------	---------	---------	---------	---------	---------

Condition **LC6=1.2DL+Wfice+Di**

287	0.01164	0.11257	0.00000	0.00000	0.00000	0.00000
288	-0.00545	0.18095	0.11399	0.00000	-0.00472	0.00000
289	0.01327	0.13535	0.00000	0.00000	0.00000	0.00000
290	0.02036	0.12944	0.00000	0.00000	0.00000	0.00000
291	0.03273	0.22717	0.00000	0.00000	0.00000	0.00000
292	0.05345	0.18125	-0.11399	0.00000	0.05272	0.00000

---

SUM	0.12600	0.96673	0.00000	0.00000	0.04800	0.00000
-----	---------	---------	---------	---------	---------	---------

Condition **LC7=1.4DL**

287	0.00000	0.05433	0.00000	0.00000	0.00000	0.00000
288	0.00000	0.08288	0.05125	0.00000	0.00000	0.00000
289	0.00000	0.09916	0.00000	0.00000	0.00000	0.00000
290	0.00000	0.07401	0.00000	0.00000	0.00000	0.00000
291	0.00000	0.15345	0.00000	0.00000	0.00000	0.00000
292	0.00000	0.08302	-0.05125	0.00000	0.00000	0.00000

---

SUM	0.00000	0.54685	0.00000	0.00000	0.00000	0.00000
-----	---------	---------	---------	---------	---------	---------

Condition **LC8=0.9DL**


287	0.00000	0.03493	0.00000	0.00000	0.00000	0.00000
288	0.00000	0.05328	0.03294	0.00000	0.00000	0.00000
289	0.00000	0.06374	0.00000	0.00000	0.00000	0.00000
290	0.00000	0.04758	0.00000	0.00000	0.00000	0.00000
291	0.00000	0.09865	0.00000	0.00000	0.00000	0.00000
292	0.00000	0.05337	-0.03294	0.00000	0.00000	0.00000

---

SUM	0.00000	0.35154	0.00000	0.00000	0.00000	0.00000
-----	---------	---------	---------	---------	---------	---------

### Envelope for nodal reactions

Note.- **Ic** is the controlling load condition



*Direction of positive forces and moments*

Envelope of nodal reactions for :

- LC1=1.2DL+Wf
- LC2=1.2DL+W<sub>s</sub>
- LC3=0.9DL+Wf
- LC4=0.9DL+W<sub>s</sub>
- LC5=1.2DL+W<sub>fice</sub>+Di
- LC6=1.2DL+W<sub>sice</sub>+Di
- LC7=1.4DL
- LC8=0.9DL

Node		Forces						Moments					
		Fx [Kip]	lc	Fy [Kip]	lc	Fz [Kip]	lc	Mx [Kip*ft]	lc	My [Kip*ft]	lc	Mz [Kip*ft]	lc
287	Max	0.088	LC2	0.113	LC5	0.132	LC3	0.00000	LC1	0.00000	LC1	0.00000	LC1
	Min	0.000	LC1	0.035	LC3	0.000	LC2	0.00000	LC1	0.00000	LC1	0.00000	LC1
288	Max	0.011	LC4	0.181	LC6	0.114	LC6	0.00000	LC1	0.00618	LC4	0.00000	LC1
	Min	-0.005	LC6	-0.261	LC3	-0.032	LC3	0.00000	LC1	-0.00472	LC6	0.00000	LC1
289	Max	0.109	LC2	0.135	LC5	0.097	LC1	0.00000	LC1	0.00000	LC1	0.00000	LC1
	Min	0.000	LC1	0.064	LC3	0.000	LC2	0.00000	LC1	0.00000	LC1	0.00000	LC1
290	Max	0.136	LC4	0.129	LC5	0.232	LC1	0.00000	LC1	0.00000	LC1	0.00000	LC1
	Min	0.000	LC1	0.048	LC3	0.000	LC2	0.00000	LC1	0.00000	LC1	0.00000	LC1
291	Max	0.211	LC4	0.227	LC5	0.265	LC3	0.00000	LC1	0.00000	LC1	0.00000	LC1
	Min	0.000	LC1	0.099	LC3	0.000	LC2	0.00000	LC1	0.00000	LC1	0.00000	LC1
292	Max	0.323	LC2	0.386	LC1	0.612	LC3	0.00000	LC1	0.30989	LC2	0.00000	LC1
	Min	0.000	LC1	0.053	LC8	-0.114	LC6	0.00000	LC1	0.00000	LC1	0.00000	LC1

Date: 9/1/2023  
Project Name: CAMBRIDGE PORTLAND STREET  
Project No.: MA2253  
Designed By: KM Checked By: MSC



**CHECK CONNECTION CAPACITY (Worst Case) → EXISTING BETA SECTOR**

**Reference:** AISC Steel Construction Manual 14th Edition (ASD)

**Bolt Type =** A36 1/2" Thru Bolt

**Allowable Tensile Load =**

$$F_{Tall} = 4271 \text{ lbs.}$$

**Allowable Shear Load =**

$$F_{vall} = 2562 \text{ lbs.}$$

**TENSILE FORCES**

**Reaction**  $F = 265$  lbs. (See Bentley Output)

**SHEAR FORCES**

**Reactions in X direction:** 211 lbs. (See Bentley Output)

**Reactions in Y direction:** 227 lbs. (See Bentley Output)

**Resultant:** 310 lbs.

**No. of Supports =** 1

**No. of Bolts / Support =** 2

**Tension Design Load /Bolts =**

$$f_t = 132.50 \text{ lbs.} < 4271 \text{ lbs.} \text{ Therefore, OK !}$$

**Shear Design Load / Bolts=**

$$f_v = 154.96 \text{ lbs.} < 2562 \text{ lbs.} \text{ Therefore, OK !}$$

**CHECK COMBINED TENSION AND SHEAR**

$$\begin{array}{rclclcl} f_t / F_T & + & f_v / F_v & \leq & 1.0 & \\ 0.031 & + & 0.060 & = & 0.092 < 1.0 & \text{Therefore, OK !} \end{array}$$

Date: 9/1/2023  
 Project Name: CAMBRIDGE PORTLAND STREET  
 Project No.: MA2253  
 Designed By: KM Checked By: MSC



**CHECK CONNECTION CAPACITY (Worst Case) → PROPOSED BETA SECTOR**

**Reference:** AISC Steel Construction Manual 14th Edition (ASD)

**Bolt Type =** A325 5/8" Thru Bolt

**Allowable Tensile Load =**

$F_{Tall} = 13806$  lbs.

**Allowable Shear Load =**

$F_{vall} = 8283$  lbs.

**CONNECTION PLATE CONFIGURATION (4-BOLTS)**

$N_{BOLT\ ROWS} = 2$  rows  $d_y = 12$  in (Min.)  
 $N_{BOLTS} = 2$  bolts/row  $d_x = 12$  in (Min.)

**TENSILE FORCES**

**Moment in X axis:** 0 lb-ft. (See Bentley Output)  
**Couple Reaction from  $M_x$ :** 0 lbs.  
**Moment in Y axis:** 310 lb-ft. (See Bentley Output)  
**Couple Reaction from  $M_y$ :** 620 lbs.  
**Reaction in Z direction:** 612 lbs. (See Bentley Output)  
**Resultant per bolt:** 463 lbs.

**SHEAR FORCES**

**Moment in Z axis:** 0 lb-ft. (See Bentley Output)  
**Couple Reaction from  $M_z$ :** 0 lbs.  
**Reaction in X direction:** 323 lbs. (See Bentley Output)  
**Reaction in Y direction:** 386 lbs. (See Bentley Output)  
**Resultant per bolt:** 126 lbs.

**Tension Design Load /Bolts =**

$f_t = 463.00$  lbs. < 13806 lbs. **Therefore, OK !**

**Shear Design Load / Bolts=**


$f_v = 125.83$  lbs. < 8283.5 lbs. **Therefore, OK !**


**CHECK COMBINED TENSION AND SHEAR**

$f_t / F_T + f_v / F_v \leq 1.0$   
 0.034 + 0.015 = 0.049 < 1.0 **Therefore, OK !**

**Gamma Sector  
Antenna Mount  
Calculations**











Design status

- Not designed
- Error on design
- Design O.K.
- With warnings





## Load data


### GLOSSARY

Comb : Indicates if load condition is a load combination

### Load Conditions

Condition	Description	Comb.	Category
DL	Dead Load	No	DL
Wf	Wind Load (FRONT)	No	WIND
Ws	Wind Load (SIDE)	No	WIND
Wfice	Wind ICE (FRONT)	No	WIND
Wsice	Wind ICE (SIDE)	No	WIND
Di	Ice Load	No	LL


### Distributed force on members



Condition	Member	Dir1	Val1 [Kip/ft]	Val2 [Kip/ft]	Dist1 [ft]	%	Dist2 [ft]	%	
Wf	69	z	-0.01	-0.01	0.00	No	100.00	Yes	
	70	z	-0.01	-0.01	0.00	No	100.00	Yes	
	71	z	-0.013	-0.013	0.00	No	100.00	Yes	
	75	z	-0.013	-0.013	0.00	No	100.00	Yes	
	96	z	-0.018	-0.018	0.00	No	100.00	Yes	
	97	z	-0.018	-0.018	0.00	No	100.00	Yes	
	98	z	-0.018	-0.018	0.00	No	100.00	Yes	
	99	z	-0.018	-0.018	0.00	No	100.00	Yes	
	Ws	69	x	-0.01	-0.01	0.00	No	100.00	Yes
		70	x	-0.01	-0.01	0.00	No	100.00	Yes
79		x	-0.01	-0.01	0.00	No	100.00	Yes	
80		x	-0.01	-0.01	0.00	No	100.00	Yes	
81		x	-0.01	-0.01	0.00	No	100.00	Yes	
96		x	-0.018	-0.018	0.00	No	100.00	Yes	
97		x	-0.018	-0.018	0.00	No	100.00	Yes	
98		x	-0.018	-0.018	0.00	No	100.00	Yes	
99		x	-0.018	-0.018	0.00	No	100.00	Yes	
Di		69	y	-0.005	-0.005	0.00	No	100.00	Yes
	70	y	-0.005	-0.005	0.00	No	100.00	Yes	
	71	y	-0.006	-0.006	0.00	No	100.00	Yes	
	75	y	-0.006	-0.006	0.00	No	100.00	Yes	
	79	y	-0.005	-0.005	0.00	No	100.00	Yes	
	80	y	-0.005	-0.005	0.00	No	100.00	Yes	
	81	y	-0.005	-0.005	0.00	No	100.00	Yes	

96	y	-0.01	-0.01	0.00	No	100.00	Yes
97	y	-0.01	-0.01	0.00	No	100.00	Yes
98	y	-0.01	-0.01	0.00	No	100.00	Yes
99	y	-0.01	-0.01	0.00	No	100.00	Yes

### Concentrated forces on members



Condition	Member	Dir1	Value1 [Kip]	Dist1 [ft]	%
DL	79	y	-0.034	1.00	No
		y	-0.034	5.00	No
	80	y	-0.033	0.50	No
		y	-0.033	2.50	No
		y	-0.042	4.50	No
		y	-0.042	6.50	No
81	y	-0.037	0.50	No	
	y	-0.037	5.50	No	
Wf	79	z	-0.182	1.00	No
		z	-0.182	5.00	No
	80	z	-0.092	0.50	No
		z	-0.092	2.50	No
		z	-0.089	4.50	No
		z	-0.089	6.50	No
81	z	-0.29	0.50	No	
	z	-0.29	5.50	No	
Ws	79	x	-0.077	1.00	No
		x	-0.077	5.00	No
	80	x	-0.054	0.50	No
		x	-0.054	2.50	No
		x	-0.061	4.50	No
		x	-0.061	6.50	No
81	x	-0.109	0.50	No	
	x	-0.109	5.50	No	
Wfice	79	z	-0.032	1.00	No
		z	-0.032	5.00	No
	80	z	-0.017	0.50	No
		z	-0.017	2.50	No
		z	-0.017	4.50	No
		z	-0.017	6.50	No
81	z	-0.051	0.50	No	
	z	-0.051	5.50	No	
Wsice	79	x	-0.016	1.00	No
		x	-0.016	5.00	No
	80	x	-0.011	0.50	No
		x	-0.011	2.50	No
		x	-0.012	4.50	No
		x	-0.012	6.50	No
81	x	-0.024	0.50	No	
	x	-0.024	5.50	No	
Di	79	y	-0.066	1.00	No

	y	-0.066	5.00	No
80	y	-0.036	0.50	No
	y	-0.036	2.50	No
	y	-0.037	4.50	No
	y	-0.037	6.50	No
81	y	-0.10	0.50	No
	y	-0.10	5.50	No

---

### Self weight multipliers for load conditions

---

Condition	Description	Self weight multiplier			
		Comb.	MultX	MultY	MultZ
DL	Dead Load	No	0.00	-1.00	0.00
Wf	Wind Load (FRONT)	No	0.00	0.00	0.00
Ws	Wind Load (SIDE)	No	0.00	0.00	0.00
Wfice	Wind ICE (FRONT)	No	0.00	0.00	0.00
Wsice	Wind ICE (SIDE)	No	0.00	0.00	0.00
Di	Ice Load	No	0.00	0.00	0.00

---

## Steel Code Check


Report: Summary - Group by member

Load conditions to be included in design :

- LC1=1.2DL+Wf
- LC2=1.2DL+Ws
- LC3=0.9DL+Wf
- LC4=0.9DL+Ws
- LC5=1.2DL+Wfice+Di
- LC6=1.2DL+Wsize+Di
- LC7=1.4DL
- LC8=0.9DL


Description	Section	Member	Ctrl Eq.	Ratio	Status	Reference
	<b>HSS_SQR 4X4X3_16</b>	<b>96</b>	LC2 at 100.00%	0.15	OK	
		<b>97</b>	LC2 at 100.00%	0.14	OK	
		<b>98</b>	LC2 at 100.00%	0.16	OK	
		<b>99</b>	LC2 at 100.00%	<b>0.17</b>	<b>OK</b>	
	<b>PIPE 2-1_2x0.203</b>	<b>71</b>	LC2 at 16.67%	<b>0.47</b>	<b>OK</b>	
		<b>75</b>	LC2 at 16.67%	0.43	OK	
	<b>PIPE 2x0.154</b>	<b>69</b>	LC6 at 20.00%	0.65	OK	
		<b>70</b>	LC5 at 20.00%	<b>0.84</b>	<b>OK</b>	
		<b>79</b>	LC1 at 39.58%	0.30	OK	
		<b>80</b>	LC1 at 39.58%	0.24	OK	
		<b>81</b>	LC1 at 39.58%	0.59	OK	





## Analysis result

### Reactions



Direction of positive forces and moments

Node	Forces [Kip]			Moments [Kip*ft]		
	FX	FY	FZ	MX	MY	MZ
Condition <b>LC1=1.2DL+Wf</b>						
311	-0.31341	0.14447	0.18181	0.00000	0.00000	0.00000
313	0.28513	0.20621	0.59443	0.00000	0.00000	0.00000
315	0.44333	0.25495	0.81548	0.00000	0.00000	0.00000
317	-0.41505	0.20998	0.29607	0.00000	0.00000	0.00000
SUM	0.00000	0.81561	1.88780	0.00000	0.00000	0.00000
Condition <b>LC2=1.2DL+Ws</b>						
311	0.61898	0.20579	-0.04342	0.00000	0.00000	0.00000
313	0.07561	0.17034	-0.63106	0.00000	0.00000	0.00000
315	0.49247	0.20670	-0.16360	0.00000	0.00000	0.00000
317	-0.05767	0.23277	0.83809	0.00000	0.00000	0.00000
SUM	1.12940	0.81561	0.00000	0.00000	0.00000	0.00000
Condition <b>LC3=0.9DL+Wf</b>						
311	-0.37442	0.10069	0.26036	0.00000	0.00000	0.00000
313	0.36132	0.15477	0.68543	0.00000	0.00000	0.00000
315	0.36822	0.19789	0.72459	0.00000	0.00000	0.00000
317	-0.35512	0.15836	0.21743	0.00000	0.00000	0.00000
SUM	0.00000	0.61171	1.88780	0.00000	0.00000	0.00000
Condition <b>LC4=0.9DL+Ws</b>						
311	0.55695	0.16294	0.03148	0.00000	0.00000	0.00000
313	0.14894	0.11759	-0.53741	0.00000	0.00000	0.00000
315	0.42019	0.14817	-0.25731	0.00000	0.00000	0.00000
317	0.00333	0.18300	0.76324	0.00000	0.00000	0.00000
SUM	1.12940	0.61171	0.00000	0.00000	0.00000	0.00000
Condition <b>LC5=1.2DL+Wfice+Di</b>						
311	0.35615	0.31373	-0.49310	0.00000	0.00000	0.00000
313	-0.52195	0.41405	-0.59122	0.00000	0.00000	0.00000
315	0.60930	0.46141	0.77891	0.00000	0.00000	0.00000
317	-0.44349	0.37452	0.53941	0.00000	0.00000	0.00000
SUM	0.00000	1.56372	0.23400	0.00000	0.00000	0.00000

Condition **LC6=1.2DL+W<sub>s</sub>ice+Di**

311	0.49058	0.32529	-0.53482	0.00000	0.00000	0.00000
313	-0.56152	0.40706	-0.76482	0.00000	0.00000	0.00000
315	0.61545	0.45230	0.66540	0.00000	0.00000	0.00000
317	-0.41851	0.37907	0.63424	0.00000	0.00000	0.00000
SUM	0.12600	1.56372	0.00000	0.00000	0.00000	0.00000

Condition **LC7=1.4DL**


311	0.28508	0.20299	-0.36073	0.00000	0.00000	0.00000
313	-0.35022	0.24177	-0.42600	0.00000	0.00000	0.00000
315	0.34528	0.26823	0.42585	0.00000	0.00000	0.00000
317	-0.28014	0.23856	0.36088	0.00000	0.00000	0.00000
SUM	0.00000	0.95155	0.00000	0.00000	0.00000	0.00000

Condition **LC8=0.9DL**

311	0.18326	0.13022	-0.23192	0.00000	0.00000	0.00000
313	-0.22513	0.15503	-0.27385	0.00000	0.00000	0.00000
315	0.22195	0.17282	0.27379	0.00000	0.00000	0.00000
317	-0.18008	0.15363	0.23198	0.00000	0.00000	0.00000
SUM	0.00000	0.61171	0.00000	0.00000	0.00000	0.00000

**Envelope for nodal reactions**

Note.- **Ic** is the controlling load condition



*Direction of positive forces and moments*

Envelope of nodal reactions for :

- LC1=1.2DL+W<sub>f</sub>
- LC2=1.2DL+W<sub>s</sub>
- LC3=0.9DL+W<sub>f</sub>
- LC4=0.9DL+W<sub>s</sub>
- LC5=1.2DL+W<sub>f</sub>ice+Di
- LC6=1.2DL+W<sub>s</sub>ice+Di
- LC7=1.4DL
- LC8=0.9DL

Node		Forces						Moments					
		Fx	Ic	Fy	Ic	Fz	Ic	Mx	Ic	My	Ic	Mz	Ic
		[Kip]		[Kip]		[Kip]		[Kip*ft]		[Kip*ft]		[Kip*ft]	
311	Max	0.619	LC2	0.325	LC6	0.260	LC3	0.00000	LC1	0.00000	LC1	0.00000	LC1
	Min	-0.374	LC3	0.101	LC3	-0.535	LC6	0.00000	LC1	0.00000	LC1	0.00000	LC1
313	Max	0.361	LC3	0.414	LC5	0.685	LC3	0.00000	LC1	0.00000	LC1	0.00000	LC1
	Min	-0.562	LC6	0.118	LC4	-0.765	LC6	0.00000	LC1	0.00000	LC1	0.00000	LC1

315	Max	0.615	LC6	0.461	LC5	0.815	LC1	0.00000	LC1	0.00000	LC1	0.00000	LC1
	Min	0.222	LC8	0.148	LC4	-0.257	LC4	0.00000	LC1	0.00000	LC1	0.00000	LC1
317	Max	0.003	LC4	0.379	LC6	0.838	LC2	0.00000	LC1	0.00000	LC1	0.00000	LC1
	Min	-0.443	LC5	0.154	LC8	0.217	LC3	0.00000	LC1	0.00000	LC1	0.00000	LC1

Date: 9/1/2023  
Project Name: CAMBRIDGE PORTLAND STREET  
Project No.: MA2253  
Designed By: KM Checked By: MSC



**CHECK CONNECTION CAPACITY (Worst Case) → PROPOSED GAMMA SECTOR**

**Reference:** AISC Steel Construction Manual 14th Edition (ASD)

**Bolt Type =** A325 5/8" Thru Bolt

**Allowable Tensile Load =**

$$F_{Tall} = 13806 \text{ lbs.}$$

**Allowable Shear Load =**

$$F_{vall} = 8283 \text{ lbs.}$$

**TENSILE FORCES**

**Reaction** F = 815 lbs. (See Bentley Output)

**SHEAR FORCES**

**Reactions in X direction:** 615 lbs. (See Bentley Output)

**Reactions in Y direction:** 461 lbs. (See Bentley Output)

**Resultant:** 769 lbs.

**No. of Supports =** 1

**No. of Bolts / Support =** 4

**Tension Design Load /Bolts =**

$$f_t = 203.75 \text{ lbs.} < 13806 \text{ lbs.} \text{ Therefore, OK !}$$

**Shear Design Load / Bolts=**

$$f_v = 192.15 \text{ lbs.} < 8283 \text{ lbs.} \text{ Therefore, OK !}$$

**CHECK COMBINED TENSION AND SHEAR**

$$\begin{array}{rclclcl} f_t / F_T & + & f_v / F_v & \leq & 1.0 & \\ 0.015 & + & 0.023 & = & 0.038 < 1.0 & \text{Therefore, OK !} \end{array}$$

November 7, 2023

City of Cambridge  
Board of Zoning Appeal  
831 Massachusetts Avenue  
Cambridge, MA 02139

**RE: Request of New Cingular Wireless PCS, LLC ("AT&T") for Administrative Review of an Eligible Facilities Request to Install Transmission Equipment on the existing 129' above ground level ("AGL") building (the "Building") located at 141 Portland Street, Cambridge MA 02139 (Assessor's Parcel Identification Map 42, Lot 70), pursuant to Section 6409(a) of the Middle Class Tax Relief and Job Creation Act of 2012 (the "Spectrum Act") and Special Permit pursuant to: Article 4, Section 4.32.g.1; Article 4, Section 4.40 (Footnote 49); and Article 10, Section 10.40 of the City of Cambridge Zoning Ordinance; Massachusetts General Laws, Ch 40A, Section 9; the Telecommunications Act of 1996 (the "TCA"), and the Spectrum Act, all rights reserved.**

Dear Honorable Members of the Cambridge Board of Zoning Appeal:

On behalf of AT&T, while reserving all rights, we are pleased to submit this Eligible Facilities Request and Special Permit Application (the "Application") to the City of Cambridge Board of Zoning Appeals (the "Board") in support of AT&T's request to add and modify Transmission Equipment on the existing Building located at 141 Portland Street, Cambridge, MA 02139 (Assessor's Parcel Identification Map 42, Lot 70) (the "Site"). Capitalized terms not defined herein shall have the same meaning as provided in the Spectrum Act and Regulations (defined below).

As noted on the attached plans (the "Plans"), the Building is owned by U.S.T. Financial Planning Co., Inc. AT&T currently has an existing wireless antenna facility on the roof of the Building. As shown in the plans, AT&T is proposing to add and replace certain equipment, antennas and cabling on the roof of the Building so as to improve the RF signal transmission for AT&T customers in this area of Cambridge (the antenna facility as improved pursuant to this application, collectively hereinafter referred to as the "Facility").

In particular, AT&T is proposing to add and relocate the following:

Replace 9 existing antennas with 9 new antennas, maintain 3 existing antennas, replace 12 remote radio heads with 6 new remote radio heads, replace certain cabling with new cables, remove existing diplexers and TMA, and remove and replace certain equipment in AT&T's existing rooftop equipment shelter.

AT&T's Facility will comply with all applicable terms and conditions of the Cambridge Zoning Ordinance (the "Ordinance"). As the proposed antennas of the Facility will be sky grey or where appropriate will be painted a brick color to match the building, there will be no undue

adverse impacts upon historic resources, scenic views, residential property values or man-made resources and the aesthetic qualities of the City of Cambridge are preserved. The Facility will be passive in nature and will not generate unreasonable noise, odors, smoke, waste, or significant amounts of traffic. This is an unmanned facility and will not have negative effects upon adjoining lots. The Facility will comply with all applicable federal, state and local laws, regulations and guidelines, including applicable radio frequency emissions standards.

AT&T, while reserving all rights, respectfully requests, to the extent necessary, that a special permit be granted so that the antennas may be installed consistent with the Plans submitted herewith.

### **ELIGIBLE FACILITIES REQUEST**

On behalf of AT&T, while reserving all rights, we seek approval of the modified facility as depicted on the Plans as an Eligible Facilities Request. As you may know, Section 6409(a) of the “Spectrum Act” (copy attached) mandates that state and local governments “*may not deny, and shall approve, any eligible facilities request for a modification of an existing wireless tower or base station that does not substantially change the physical dimensions of such tower or base station.*” [emphasis added]. Under Section 6409(a)(2)(A)-(C), an Eligible Facilities Request is any request to modify a Tower or Base Station that involves “collocations of new Transmission Equipment,” “removal,” or “replacement” of Transmission Equipment.

Federal law now preempts many of the permit application requirements that the City of Cambridge may previously have required from an applicant and provides for a limited, administrative review of AT&T's Eligible Facilities Request application. This Eligible Facilities Request involves an effort to collocate, remove, modify, or replace Transmission Equipment (as referenced previously) on an existing Building used by an FCC licensed wireless carrier. The existing Building is a Structure that is 129’ AGL supporting wireless Transmission Equipment. AT&T seeks administrative approval for the proposed equipment which is clearly an Eligible Facilities Request which does not substantially change the physical dimensions of the Building pursuant to Section 6409 of the Spectrum Act.

The equipment identified on the Plans submitted as part of this Eligible Facilities Request application that will be collocated is Transmission Equipment pursuant to the FCC definition. The FCC has defined Transmission Equipment as “any equipment that facilitates transmission for any Commission-licensed or authorized wireless communication service, including, but not limited to, radio transceivers, antennas and other relevant equipment associated with and necessary to their operation, including coaxial or fiber-optic cable, and regular and back-up power supply. This definition includes equipment used in any technological configuration associated with any Commission-authorized wireless transmission, licensed or unlicensed, terrestrial or satellite, including commercial mobile, private mobile, broadcast and public safety services, as well as fixed wireless services such as microwave backhaul or fixed broadband.”

As you may also know, the FCC adopted a Report and Order, In re: Acceleration of Broadband Deployment by Improving Wireless Facilities Siting Policies, FCC Docket No.13-238, Report and Order No. 14-153 (October 17, 2014) Final Rule codified at 47 CFR

Parts 1 and 17 promulgating regulations (the "Regulations") interpreting and implementing the provisions of the Spectrum Act, which Regulations became effective on April 8, 2015 (with certain provisions effective on May 18, 2015). The Regulations determined that any modification to a Base Station, that meets the following six criteria does not substantially change the physical dimensions of the existing Building and, therefore, is an Eligible Facilities Request which must be granted:

1. The modifications do not increase the height of the Building by more than ten feet (10') from an existing antenna array or ten percent (10%), whichever is greater.
2. The modifications do not protrude from the edge of the Building by more than six feet (6').
3. The modifications do not involve the installation of more than the standard number of equipment cabinets for the technology involved, not to exceed four.
4. The modifications do not entail any excavation or deployment outside of the Site.
5. The modifications do not defeat any existing concealment elements of the Base Station.
6. The modifications comply with prior conditions of approval of the Base Station, unless the non-compliance is due to an increase in height, increase in width, addition of equipment cabinets, or new excavation that does not exceed the corresponding "substantial change" thresholds in numbers 1-4 above.

As evidenced on the Plans, this Eligible Facilities Request satisfies each of the six review criteria enumerated by the FCC in the Regulations. In accordance with the Spectrum Act and the Regulations, AT&T's proposed equipment will not increase the height of the Building nor protrude from the edge of the Building by more than six feet (6'). AT&T does not propose excavating outside of the Site and is not adding more than the standard number of equipment cabinets. Lastly, AT&T's proposed equipment will not defeat any concealment elements because the antennas will be mounted in a similar fashion as the existing antennas and are mostly invisible from the ground. AT&T's proposed Transmission Equipment at the Building contained in this Eligible Facilities Request fully conforms to Section 6409(a) of the Spectrum Act.

While the Ordinance may provide that a special permit or other zoning relief is required for modifications and colocations, such a discretionary process is contrary to the guidance issued by the FCC in its Public Notice (the "Public Notice") dated January 25, 2013 and the Massachusetts Office of the Attorney General (the "Attorney General") in response letters to municipalities granting approvals of bylaw amendments.

In its Public Notice, the FCC determined that the relevant government entity may require the filing of an application for "administrative approval" only. Additionally, pursuant to Section 1.40001(c)(1) of the Regulations, "when an applicant asserts in writing that a request for a modification is covered by this section, a State or local government may require the applicant



to provide documentation or information only to the extent reasonably related to determining whether the request meets the requirements of this section." The Regulations provide that applicants are not required to justify a need for the facility. Further, the Regulations also require that local governmental approvals must be granted for eligible facilities requests within 60 days of the date that the application is submitted. Clearly, this review may not be subject to a discretionary special permit process with the associated public hearing and appeal period provisions. Likewise, the Attorney General has issued a number of letters to municipalities reflecting that same opinion and warning municipalities that such qualifying requests under Section 6409 cannot be subject to a discretionary special permit process. We are confident that you will agree that AT&T's proposed equipment does not substantially change the physical dimensions of the Eligible Support Structure or Base Station at the Site, as enumerated in the Regulations.

## **SPECIAL PERMIT**

### **10.43 Criteria.**

**Special permits will normally be granted where specific provisions of this Ordinance are met, except when particulars of the location or use, not generally true of the district or of the uses permitted in it, would cause granting of such permit to be to the detriment of the public interest because:**

**(a) It appears that requirements of this Ordinance cannot or will not be met, or**

AT&T's Facility will comply with all applicable sections of the Ordinance as the modified Facility will not increase the height of the Building, and the new antennas will be the same sky grey color or where appropriate painted a brick color, as the existing antennas (which best matches the color of the Building).

**(b) traffic generated or patterns of access or egress would cause congestion, hazard, or substantial change in established neighborhood character, or**

AT&T's Facility will not result in any substantial change in the character of the neighborhood as there will be no significant increase in the amount of traffic to and from the Site, or any changes to existing patterns of access or egress to the Site. Trips to and from the Facility will average one or two per month by maintenance personnel who will park their SUV in the existing parking area on Site and not on the street.

**(c) the continued operation of or the development of adjacent uses as permitted in the Zoning Ordinance would be adversely affected by the nature of the proposed use, or**

The continued operation of or the development of adjacent uses will not be adversely affected by AT&T's equipment because AT&T's Facility will be a

passive use and will not produce any smoke, odors, waste, glare, dust, or unreasonable amounts of traffic.

- (d) nuisance or hazard would be created to the detriment of the health, safety and/or welfare of the occupant of the proposed use or the citizens of the City, or**

AT&T's Facility will not result in any nuisance or hazard to the detriment of the health, safety, or welfare of the citizens of the City because AT&T's facility will be a passive use and will not produce any smoke, odors, waste, glare, dust, or unreasonable amounts of traffic. As evidenced by the MPE Study submitted herewith, AT&T's Facility will comply with all applicable regulations and guidelines pertaining to radio frequency emissions.

- (e) for other reasons, the proposed use would impair the integrity of the district or adjoining district, or otherwise derogate from the intent and purpose of this Ordinance, and**

The proposed Facility will be in harmony with the purposes of the Ordinance because by collocating a wireless facility on an existing Building in a manner which does not increase the height of the Building or expand its footprint, potential visual impacts are minimized. Also, the proposed Facility will not produce any smoke, odors, waste, glare or significant amounts of traffic. The Facility will have no negative impact on natural or undeveloped areas, wildlife, flora or endangered species. Consistent with the Ordinance, the Facility will function as a wireless communications services facility within a local, regional, and national communications system. This system operates under licenses from the FCC, and AT&T is mandated and authorized to provide adequate service to the general public. The proposed Facility will comply with all applicable regulations, standards and guidelines with respect to radiofrequency emissions.

The Facility will benefit those living and working in, and traveling through, the area by providing enhanced wireless telecommunication services. The Facility will not adversely impact adjacent properties and neighborhoods as the Facility will be located on an existing Building. The collocation of the facility will not be a threat to public health, safety and welfare. In fact, Applicant submits that the facility aids in public safety by providing and improving wireless communications services to the residents, businesses, commuters, and emergency personnel utilizing wireless communications in the immediate vicinity and along the nearby roads. Consistent with the Ordinance, the Facility will function as a wireless communications services facility within a local, regional, and national communications system. This system operates under license from the FCC, and AT&T is mandated and authorized to provide adequate service to the general public. The Facility will not generate any objectionable noise, odor, fumes, glare, smoke, or dust or require additional lighting or signage. The Facility will have no

negative impact on property values in the area. This is an unmanned Facility and will have minimal negative effect on the adjoining lots.

**(f) the new use or building construction is inconsistent with the Urban Design Objectives set forth in Section 19.30.**

AT&T's Facility will not be inconsistent with the Citywide Urban Design Objectives of Section 19.30 of the Ordinance because AT&T's Facility will not result in an increase in the height of the Building or any alteration of existing setbacks on the Site. AT&T's equipment will not result in any significant increase in traffic to or from the Site and will not adversely impact upon pedestrians or bicyclists and, as AT&T's Facility will continue to be unmanned, it will have no impact on parking on Site or the surrounding area. AT&T's new antennas will be the same sky grey color or where appropriate painted a brick color, as the existing antennas (which best matches the color of the Building). AT&T's Facility will not produce any waste and noise levels on Site will not increase as a result of AT&T's Facility, nor will there be any additional exterior lighting as a result of AT&T's Facility.

AT&T's Facility will operate using standard electric and telephone services. As the Facility will be unmanned, it will require no water or sewer services, and City infrastructure will not be overburdened.

**4.40 (49)(3)**

**Where it is proposed to erect such a facility in any residential zoning district, the extent to which there is a demonstrated public need for the facility at the proposed locations, the existence of alternative, functionally suitable sites in nonresidential locations, the existence of alternative, functionally suitable sites in nonresidential locations, the character of the prevailing uses in the area, and the prevalence of other, existing mechanical systems and equipment carried on or above the roof of nearby structures. The Board of Zoning Appeal shall grant a special permit to erect such a facility in a residential zoning district only upon a finding that nonresidential uses predominate in the vicinity of the proposed facility's location and that the telecommunication facility is not inconsistent with the character that does prevail in the surrounding neighborhood.**

AT&T's Facility is located in the Industry B Zoning District. AT&T proposes improvements and modifications to its existing antenna facility at the Site. AT&T proposes the Facility so that it will continue to fill a significant gap in coverage and provide adequate wireless communications services coverage to this part of the City of Cambridge. The use will be passive in nature, producing no unreasonable noise, smoke odor, waste, or glare. There will be no significant increase in the amount of traffic to and from the Site as maintenance visits will average one or two per month.

**THE TELECOMMUNICATIONS ACT OF 1996 - THE TCA**

The Federal TCA provides that: no laws or actions by any local government or planning or zoning board may prohibit, or have the effect of prohibiting, the placement, construction, or modification of communications towers, antennas, or other wireless facilities in any particular geographic area, see 47 U.S.C. §332(c)(7)(B)(i); local government or planning or zoning boards may not unreasonably discriminate among providers of functionally equivalent services, see 47 U.S.C. §332(c)(7)(B)(i); health concerns may not be considered so long as the emissions comply with the applicable standards of the FCC, see 47 U.S.C. §332(c)(7)(B)(iv); and, decisions must be rendered within a reasonable period of time, see 47 U.S.C. §332(c)(7)(B)(ii) and the FCC's Declaratory Ruling commonly referred to as the "Shot Clock".

### CONCLUSION

AT&T is committed to working cooperatively with the City of Cambridge, and all jurisdictions around the country, to secure expeditious approval of requests to install personal wireless service facilities. We respectfully request that the Board review AT&T's proposed Facility and determine that the installation does not "substantially change the physical dimensions of the Base Station" pursuant to Section 6409 of the Spectrum Act, or in the alternative, to the extent necessary, grant a special permit pursuant to: Article 4, Section 4.32.g.1; Article 4, Section 4.40 (Footnote 49); and Article 10, Section 10.40 of the City of Cambridge Zoning Ordinance; Massachusetts General Laws, Ch 40A, Section 9; the TCA, all rights reserved.

AT&T respectfully requests that the Board approve this Eligible Facilities Request, or in the alternative, all rights reserved, a Special Permit. Please do not hesitate to contact me should there be any questions.

Respectfully,

**BROWN RUDNICK LLP**



Michael R. Dolan, Esq.

## ATTACHMENTS

1. Application Form
2. Letter of Authorization – Notarized Owner Information Form
3. FCC Licenses
4. Block Map
5. Photographs
6. Plans
7. Structural Report
8. MPE Study
9. FCC Regulations
10. FCC Public Notice
11. Representative Letter from the Attorney General

**47 USC 1455**

**Middle Class Tax Relief and Job Creation Act of 2012**

**SEC. 6409. WIRELESS FACILITIES DEPLOYMENT**

**(a) FACILITY MODIFICATION.—**

(1) **IN GENERAL.**—Notwithstanding section 704 of the Telecommunications Act of 1996 (Public Law 104–104) or any other provision of law, a State or local government may not deny, and shall approve, any eligible facilities request for a modification of an existing wireless tower or base station that does not substantially change the physical dimensions of such tower or base station.

(2) **ELIGIBLE FACILITIES REQUEST.**—For purposes this subsection, the term “eligible facilities request” means any request for modification of an existing wireless tower or base station that involves –

- (A) collocation of new transmission equipment;
- (B) removal of transmission equipment; or
- (C) replacement of transmission equipment.

(3) **APPLICABILITY OF ENVIRONMENTAL LAWS.** Nothing in paragraph (1) shall be construed to relieve the Commission from the requirements of the National Historic Preservation Act or the National Environmental Policy Act of 1969.

## ADDENDUM "A"

**The Regulations provide that “substantial change” means a modification that changes the physical dimensions of an eligible support structure that meets any of the following criteria. Included below are comments in bold to demonstrate that the proposed facility is NOT a substantial change.**

For Base Stations, the modification increases the height of the structure by more than 10% or more than ten (10) feet, whichever is greater;

**As depicted on the Plans, AT&T’s proposed equipment will not increase the height of the Building.**

For Base Stations, the modification involves adding an appurtenance to the body of the structure that would protrude from the edge of the structure by more than six (6) feet;

**As depicted on the Plans, AT&T’s Transmission Equipment will not protrude from the edge of the Building more six (6) feet.**

For any eligible support structure, the modification involves installation of more than the standard number of new equipment cabinets for the technology involved, but not to exceed four cabinets;

**As depicted on the Plans, AT&T does not propose to add four cabinets as a part of this project.**

The modification entails any excavation or deployment outside the current site;

**AT&T does not propose any excavation or deployment outside the current site.**

The modification would defeat the concealment elements of the tower; or

**As depicted on the Plans, AT&T’s modification will be substantially similar to the existing transmission equipment on the Building and the new antennas will be the same sky grey color or as appropriate, painted a brick color, as the existing antennas (which best matches the color of the Building).**

The modification does not comply with conditions associated with the siting approval of the construction or modification of the eligible support structure or base station equipment, provided however that this limitation does not apply to any modification that is non-compliant only in a manner that would not exceed the thresholds identified in § 1.40001(b)(7)(i) through (iv).

**AT&T is not aware of any noncompliance and respectfully asserts that the proposed modifications are consistent with all applicable terms of prior approvals for the wireless facility.**





# CENTERLINE

## Radio Frequency Safety Survey Report Prediction (RFSSRP) AT&T Rooftop Facility

<b>Site Name</b>	CAMBRIDGE PORTLAND STREET
<b>Site ID</b>	MAL02253
<b>Site Address</b>	141 Portland Street, Cambridge, MA 02139
<b>Latitude:</b> 42.365554 <b>Longitude:</b> -71.092652 <b>USID:</b> 43411 <b>FA:</b> 10072362 <b>Centerline PN:</b> Internal <b>Pace ID:</b> MRCTB052220, MRCTB050741, MRCTB051510, MRCTB051224, MRCTB051284	<b>Prepared for:</b> Centerline on behalf of AT&T  <b>Report Date:</b> August 31, 2023  <b>Report Writer:</b> Devin Lotter <b>Report Reviewer:</b> Yasir Alqadhili



### Statement of Compliance

AT&T will be compliant with FCC regulations upon installation of recommended mitigation measures.

## TABLE OF CONTENTS

<b>1.0 GENERAL SUMMARY</b> .....	3
<b>1.1 SITE SUMMARY</b> .....	3
<b>1.2 SITE MITIGATION</b> .....	4
<b>2.0 SITE SCALE MAP</b> .....	5
<b>2.1 ADJACENT BUILDING ANALYSIS</b> .....	10
<b>3.0 ANTENNA INVENTORY</b> .....	11
<b>4.0 CALCULATED RF EXPOSURE LEVELS</b> .....	13
<b>5.0 RF EXPOSURE DIAGRAMS</b> .....	14
<b>6.0 STATEMENT OF COMPLIANCE</b> .....	19
<b>6.1 RECOMMENDATIONS</b> .....	19
<b>APPENDIX A: AT&amp;T RF SIGNAGE</b> .....	19
<b>APPENDIX B: FCC GUIDELINES AND EMISSIONS THRESHOLD LIMITS</b> .....	21
<b>APPENDIX C: CALCULATION METHODOLOGY</b> .....	23
<b>APPENDIX D: CERTIFICATIONS</b> .....	24
<b>APPENDIX E: PROPRIETARY STATEMENT</b> .....	25

## 1.0 GENERAL SUMMARY

Centerline has been contracted to provide a Radio Frequency (RF) Analysis for the following AT&T rooftop facility to determine whether the facility is in compliance with federal standards and regulations regarding RF emissions. This analysis includes theoretical emissions calculations for all equipment for AT&T.

### 1.1 SITE SUMMARY

<b>Analysis Site Data</b>	
Site USID:	43411
Site FA#:	10072362
Site Name:	CAMBRIDGE PORTLAND STREET
Site Address:	141 Portland Street, Cambridge, MA 02139
Site Latitude:	42.365554
Site Longitude:	-71.092652
Facility Type:	Rooftop
<b>Compliance Summary</b>	
Compliance Status:	Compliant Upon Mitigation
Maximum Calculated AT&T MPE Level on Site (General Population Limit):	422.90%
Maximum Calculated Composite MPE Level on Site (General Population Limit):	2,361.00%
Maximum Calculated AT&T MPE Level at Ground (General Population Limit):	0.78%
Maximum Calculated Composite MPE Level at Ground (General Population Limit):	0.80%
<b>Site Data Information</b>	
CD:	MA2253_C-BAND_CD Rev3_08.09.23
RFDS:	NEW-ENGLAND_BOSTON_MAL02253_2021-5G-NR-Radio_5G- NR-1SR-CBAND_mh705r_2101A101Q0_10072362_43411_03-02- 2021_As-Built-In-Progress_v3

## 1.2 SITE MITIGATION

Signage and barriers are the primary means of mitigating accessible areas of exposure. Below is a summary of existing and recommended signage at this AT&T facility.

Existing Signage and Barriers (AT&T Sectors)										
Location	Information	Notice	Notice 2	Caution	Caution 2	Caution 2B	Caution 2C	Warning	Warning 2	Barriers
Alpha	0	0	0	0	3	0	0	0	0	0
Beta	0	0	0	0	2	0	0	0	0	0
Gamma	0	0	0	0	2	0	0	0	0	0
Penthouse Ladder	0	0	0	0	0	0	0	0	0	0

Recommended Signage and Barriers (AT&T Sectors) – Actions that MUST be Taken						
Location	Notice 2	Caution 2	Caution 2B	Caution 2C	Warning 2	Barriers
Alpha	0	3	0	0	0	X
Beta	0	11	0	0	0	X
Gamma	0	11	0	0	0	X
Penthouse Ladder	0	1	0	0	0	0

Final Compliant Configuration (AT&T Sectors) – All Mitigation Items that MUST be in Place										
Location	Information	Notice	Notice 2	Caution	Caution 2	Caution 2B	Caution 2C	Warning	Warning 2	Barriers
Alpha	0	0	0	0	4	0	0	0	0	X
Beta	0	0	0	0	13	0	0	0	0	X
Gamma	0	0	0	0	13	0	0	0	0	X
Penthouse Ladder	0	0	0	0	1	0	0	0	0	0

### Alpha:

- Install a 12’ barrier as depicted in the diagrams below (see page 7). Install (3) Caution 2 signs on the proposed barrier.

### Beta:

- Install an 85’ barrier consisting of (2) segments as depicted in the diagrams below (see page 8). Install (11) Caution 2 signs on the proposed barrier.
  - Segment 1: 60’ barrier (8) Caution 2 signs
  - Segment 2: 25’ barrier (3) Caution 2 signs


### Gamma:

- Install an 89’ barrier consisting of (3) segments as depicted in the diagrams below (see page 9). Install (11) Caution 2 signs on the proposed barrier.
  - Segment 1: 16’ barrier (3) Caution 2 signs
  - Segment 2: 48’ barrier (5) Caution 2 signs
  - Segment 3: 25’ barrier (3) Caution 2 signs

### Penthouse Ladder:

- Install (1) *Caution 2* sign on the PH Ladder and lock the ladder (see diagram on page 6).

2.0 SITE SCALE MAP



Site Scale  
Grid size: 10'



INFO 1  
Sign



Caution 1  
Sign



INFO 2  
Sign



Caution 2B  
Sign



Notice 1  
Sign



Caution 2  
Sign



Notice 2  
Sign



Warning 2  
Sign



Existing  
Barrier



Proposed  
Barrier



Items to be  
removed



Existing  
Sign



Proposed Sign

**Signage / Mitigation Plan**  
CAMBRIDGE PORTLAND  
STREET / 10072362



### Ladder Signage

Grid size: 10'



INFO 1 Sign



Caution 1 Sign



INFO 2 Sign



Caution 2B Sign



Notice 1 Sign



Caution 2 Sign



Notice 2 Sign



Warning 2 Sign



Existing Barrier



Proposed Barrier



Items to be removed




Existing Sign



Proposed Sign

**Signage / Mitigation Plan**  
CAMBRIDGE PORTLAND STREET / 10072362



**Alpha Signage**  
Grid size: 10'

INFO 1 Sign	Caution 1 Sign

INFO 2 Sign	Caution 2B Sign


Notice 1 Sign	Caution 2 Sign

Notice 2 Sign	Warning 2 Sign

Existing Barrier	Proposed Barrier

	Items to be removed		Existing Sign		Proposed Sign
--	---------------------	--	---------------	--	---------------

**Signage / Mitigation Plan**  
CAMBRIDGE PORTLAND STREET / 10072362



### Beta Signage

Grid size: 10'



INFO 1 Sign



Caution 1 Sign



INFO 2 Sign



Caution 2B Sign



Notice 1 Sign



Caution 2 Sign




Notice 2 Sign



Warning 2 Sign



Existing Barrier



Proposed Barrier



Items to be removed




Existing Sign



Proposed Sign

**Signage / Mitigation Plan**  
CAMBRIDGE PORTLAND STREET / 10072362





Gamma Signage  
Grid size: 10'


INFO 1 Sign	Caution 1 Sign
INFO 2 Sign	Caution 2B Sign
Notice 1 Sign	Caution 2 Sign
Notice 2 Sign	Warning 2 Sign
Existing Barrier	Proposed Barrier

Items to be removed     
 Existing Sign     
 Proposed Sign

**Signage / Mitigation Plan**  
CAMBRIDGE PORTLAND STREET / 10072362

## 2.1 ADJACENT BUILDING ANALYSIS

- The AIR6449/6419 antennas do not exceed limits on any adjacent building. All adjacent buildings are >70' away laterally and/or >16' below the AIR6449/6419 antennas.



**3.0 ANTENNA INVENTORY**

ANT ID	Operator	Type/Make/Model	Freq (MHz)	TPO (watts)	Azimuth (°)	Mech. Tilt (°)	Elec. Tilt (°)	Gain (dBd)	ERP (watts)	Antenna Length (ft.)	Antenna Z Value (ft.) AGL*
AT&T A1	AT&T	Panel/KMW/EPBQ-654L8H6-L2	700	120.00	345	0	11 to 13	12.55	2158.65	6.08	129.96
AT&T A1	AT&T	Panel/KMW/EPBQ-654L8H6-L2	1900	120.00	345	0	9 to 11	13.95	2979.76	6.08	129.96
AT&T A1	AT&T	Panel/KMW/EPBQ-654L8H6-L2	2100	120.00	345	0	1 to 3	13.95	2979.76	6.08	129.96
AT&T A2	AT&T	Panel/Ericsson/AIR 6419 B77G	3450	54.22	345	0	6	23.05	10943.58	2.35	133.66
AT&T A3	AT&T	Panel/Ericsson/AIR 6449 B77D	3700	86.75	345	0	6	23.55	19645.79	2.55	129.98
AT&T A4	AT&T	Panel/CCI/DMP65R-BU4DA	700	120.00	345	0	9 to 11	10.55	1362.01	4	131.00
AT&T A4	AT&T	Panel/CCI/DMP65R-BU4DA	850	120.00	345	0	9 to 11	10.85	1459.42	4	131.00
AT&T A4	AT&T	Panel/CCI/DMP65R-BU4DA	2300	75.00	345	0	7 to 9	15.05	2399.17	4	131.00
AT&T B1	AT&T	Panel/KMW/EPBQ-654L8H6-L2	700	120.00	130	0	11 to 13	12.55	2158.65	6.08	141.96
AT&T B1	AT&T	Panel/KMW/EPBQ-654L8H6-L2	1900	120.00	130	0	9 to 11	13.95	2979.76	6.08	141.96
AT&T B1	AT&T	Panel/KMW/EPBQ-654L8H6-L2	2100	120.00	130	0	1 to 3	13.95	2979.76	6.08	141.96
AT&T B2	AT&T	Panel/Ericsson/AIR 6419 B77G	3450	54.22	130	0	6	23.05	10943.58	2.35	145.66
AT&T B3	AT&T	Panel/Ericsson/AIR 6449 B77D	3700	86.75	130	0	6	23.55	19645.79	2.55	141.98
AT&T B4	AT&T	Panel/CCI/DMP65R-BU4DA	700	120.00	130	0	13 to 15	10.55	1362.01	4	143.00
AT&T B4	AT&T	Panel/CCI/DMP65R-BU4DA	850	120.00	130	0	9 to 11	10.85	1459.42	4	143.00
AT&T B4	AT&T	Panel/CCI/DMP65R-BU4DA	2300	75.00	130	0	7 to 9	15.05	2399.17	4	143.00
AT&T C1	AT&T	Panel/KMW/EPBQ-654L8H6-L2	700	120.00	269	0	13 to 15	12.55	2158.65	6.08	141.96
AT&T C1	AT&T	Panel/KMW/EPBQ-654L8H6-L2	1900	120.00	269	0	9 to 11	13.95	2979.76	6.08	141.96
AT&T C1	AT&T	Panel/KMW/EPBQ-654L8H6-L2	2100	120.00	269	0	1 to 3	13.95	2979.76	6.08	141.96
AT&T C2	AT&T	Panel/Ericsson/AIR 6419 B77G	3450	54.22	269	0	6	23.05	10943.58	2.35	145.66
AT&T C3	AT&T	Panel/Ericsson/AIR 6449 B77D	3700	86.75	269	0	6	23.55	19645.79	2.55	141.98
AT&T C4	AT&T	Panel/CCI/DMP65R-BU4DA	700	120.00	269	0	10 to 12	10.55	1362.01	4	143.00
AT&T C4	AT&T	Panel/CCI/DMP65R-BU4DA	850	120.00	269	0	9 to 11	10.85	1459.42	4	143.00



ANT ID	Operator	Type/Make/Model	Freq (MHz)	TPO (watts)	Azimuth (°)	Mech. Tilt (°)	Elec. Tilt (°)	Gain (dBd)	ERP (watts)	Antenna Length (ft.)	Antenna Z Value (ft.) AGL*
AT&T C4	AT&T	Panel/CCI/DMP65R-BU4DA	2300	75.00	269	0	7 to 9	15.05	2399.17	4	143.00
TMO 1	T-Mobile	Panel/RFS/APXVAARR18_43-U-NA20	700	160.00	120	0	0	12.35	2748.65	6	142.00
TMO 2	T-Mobile	Panel/RFS/APXVAARR18_43-U-NA20	1900	160.00	120	0	2	15.55	5742.75	6	142.00
TMO 3	T-Mobile	Panel/RFS/APXVAARR18_43-U-NA20	700	160.00	210	0	0	12.35	2748.65	6	142.00
TMO 4	T-Mobile	Panel/RFS/APXVAARR18_43-U-NA20	1900	160.00	210	0	2	15.55	5742.75	6	142.00
TMO 5	T-Mobile	Panel/RFS/APXVAARR18_43-U-NA20	2100	160.00	210	0	2	15.55	5742.75	6	142.00
TMO 6	T-Mobile	Panel/RFS/APXVAARR18_43-U-NA20	700	160.00	300	0	0	12.35	2748.65	6	142.00
TMO 7	T-Mobile	Panel/RFS/APXVAARR18_43-U-NA20	1900	160.00	300	0	2	15.55	5742.75	6	142.00
VZW 1	Verizon Wireless	Panel/CommScope/SBNHH-1D65B	700	160.00	65	0	0	12.75	3013.84	6.07	152.97
VZW 2	Verizon Wireless	Panel/CommScope/SBNHH-1D65B	850	160.00	65	0	0	12.55	2878.19	6.07	152.97
VZW 3	Verizon Wireless	Panel/CommScope/SBNHH-1D65B	1900	160.00	65	0	0	15.55	5742.75	6.07	152.97
VZW 4	Verizon Wireless	Panel/CommScope/SBNHH-1D65B	2100	160.00	65	0	0	16.45	7065.13	6.07	152.97
VZW 5	Verizon Wireless	Panel/CommScope/SBNHH-1D65B	700	160.00	180	0	0	12.75	3013.84	6.07	152.97
VZW 6	Verizon Wireless	Panel/CommScope/SBNHH-1D65B	850	160.00	180	0	0	12.55	2878.19	6.07	152.97
VZW 7	Verizon Wireless	Panel/CommScope/SBNHH-1D65B	1900	160.00	180	0	0	15.55	5742.75	6.07	152.97
VZW 8	Verizon Wireless	Panel/CommScope/SBNHH-1D65B	2100	160.00	180	0	0	16.45	7065.13	6.07	152.97
VZW 9	Verizon Wireless	Panel/CommScope/SBNHH-1D65B	700	160.00	300	0	0	12.75	3013.84	6.07	152.97
VZW 10	Verizon Wireless	Panel/CommScope/SBNHH-1D65B	850	160.00	300	0	0	12.55	2878.19	6.07	152.97
VZW 11	Verizon Wireless	Panel/CommScope/SBNHH-1D65B	1900	160.00	300	0	0	15.55	5742.75	6.07	152.97
VZW 12	Verizon Wireless	Panel/CommScope/SBNHH-1D65B	2100	160.00	300	0	0	16.45	7065.13	6.07	152.97

\*AGL = Above Ground Level

Note: Z Value represents the bottom tip height of the antenna

75% duty cycle is assumed for all AT&T antennas

AIR6449/6419 antennas were calculated using AT&T's preferred conservative power reduction factor of 0.32

**4.0 CALCULATED RF EXPOSURE LEVELS**

Calculations performed based upon the data listed for this facility have produced the results that are shown below:

<b>Maximum Calculated AT&amp;T MPE Level on Site:</b>	<b>% of MPE Limit:</b>
Accessible <b>General Population</b> MPE Limits:	<b>422.90%</b>
Accessible <b>Occupational</b> MPE Limits:	<b>84.58%</b>

<b>Maximum Calculated Composite MPE Level on Site:</b>	<b>% of MPE Limit:</b>
Accessible <b>General Population</b> MPE Limits:	<b>2,361.00%</b>
Accessible <b>Occupational</b> MPE Limits:	<b>472.20%</b>

<b>Maximum Calculated AT&amp;T Ground Level MPE:</b>	<b>% of MPE Limit:</b>
Accessible <b>General Population</b> MPE Limits:	<b>0.78%</b>
Accessible <b>Occupational</b> MPE Limits:	<b>0.16%</b>

<b>Maximum Calculated Composite Ground Level MPE:</b>	<b>% of MPE Limit:</b>
Accessible <b>General Population</b> MPE Limits:	<b>0.80%</b>
Accessible <b>Occupational</b> MPE Limits:	<b>0.16%</b>

### 5.0 RF EXPOSURE DIAGRAMS

#### Composite




Grid Size: 10'

AT&T Only



Grid Size: 10'


Alpha Emissions



Grid Size: 10'




Beta Emissions



Grid Size: 10'

Gamma Emissions



Grid Size: 10'

## 6.0 STATEMENT OF COMPLIANCE

Centerline conducted worst case modeling to determine whether the subject facility is in compliance with FCC regulations.

Based on the information analyzed, AT&T will be compliant with FCC regulations once the mitigation measures recommended in this report are implemented.

## 6.1 RECOMMENDATIONS

Existing Signage and Barriers (AT&T Sectors)										
Location	Information	Notice	Notice 2	Caution	Caution 2	Caution 2B	Caution 2C	Warning	Warning 2	Barriers
Alpha	0	0	0	0	3	0	0	0	0	0
Beta	0	0	0	0	2	0	0	0	0	0
Gamma	0	0	0	0	2	0	0	0	0	0
Penthouse Ladder	0	0	0	0	0	0	0	0	0	0

Recommended Signage and Barriers (AT&T Sectors) – Actions that MUST be Taken						
Location	Notice 2	Caution 2	Caution 2B	Caution 2C	Warning 2	Barriers
Alpha	0	3	0	0	0	X
Beta	0	11	0	0	0	X
Gamma	0	11	0	0	0	X
Penthouse Ladder	0	1	0	0	0	0

Final Compliant Configuration (AT&T Sectors) – All Mitigation Items that MUST be in Place										
Location	Information	Notice	Notice 2	Caution	Caution 2	Caution 2B	Caution 2C	Warning	Warning 2	Barriers
Alpha	0	0	0	0	4	0	0	0	0	X
Beta	0	0	0	0	13	0	0	0	0	X
Gamma	0	0	0	0	13	0	0	0	0	X
Penthouse Ladder	0	0	0	0	1	0	0	0	0	0

### Alpha:

- Install a 12’ barrier as depicted in the diagrams (see page 7). Install (3) Caution 2 signs on the proposed barrier.

### Beta:

- Install an 85’ barrier consisting of (2) segments as depicted in the diagrams (see page 8). Install (11) Caution 2 signs on the proposed barrier.
  - Segment 1: 60’ barrier (8) Caution 2 signs
  - Segment 2: 25’ barrier (3) Caution 2 signs

### Gamma:

- Install an 89’ barrier consisting of (3) segments as depicted in the diagrams (see page 9). Install (11) Caution 2 signs on the proposed barrier.
  - Segment 1: 16’ barrier (3) Caution 2 signs
  - Segment 2: 48’ barrier (5) Caution 2 signs
  - Segment 3: 25’ barrier (3) Caution 2 signs

### Penthouse Ladder:

- Install (1) Caution 2 sign on the PH Ladder and lock the ladder (see diagram on page 6).

**APPENDIX A: AT&T RF SIGNAGE**

Sign	Description	Sign	Description
	<p><b>Information 1 Sign</b></p> <p>Gives guidelines on how to proceed and who to contact regarding areas that may exceed either the FCC's General Population or Occupational emissions limits.</p>		<p><b>Caution 2C Sign</b></p> <p>Gives specific information on how to proceed and who to contact regarding antennas that are façade mounted, concealed or on stand-alone structures.</p>
	<p><b>Blue Notice 1 Sign</b></p> <p>Used to alert individuals that they are entering an area that may exceed the FCC's General Population emissions limit. Must be positioned such that persons approaching from any angle have ample warning to avoid the marked areas.</p>		<p><b>Blue Notice 2 Sign</b></p> <p>Used to alert individuals that they are entering an area that may exceed the FCC's General Population emissions limits. To be used on barriers or antenna sectors as a hybrid of the Information 1 and Blue Notice 1 signs.</p>
	<p><b>Yellow Caution 1 Sign-Rooftop</b></p> <p>Used to inform individuals that they are entering an area that may exceed the FCC's Occupational emissions limit. Must be positioned such that persons approaching from any angle have ample warning to avoid the marked areas.</p>		<p><b>Yellow Caution 2 Sign-Rooftop</b></p> <p>Used to alert individuals that they are entering an area that may exceed the FCC's Occupational emissions limit. To be used on barriers or antenna sectors as a hybrid of the Information 1 and Yellow Caution 1 signs.</p>
	<p><b>Yellow Caution 2B Sign-Tower</b></p> <p>Used to inform individuals that they are entering an area that may exceed the FCC's Occupational emissions limits. Must be placed at the base of the tower to warn tower climbers of potential for exposure.</p>		<p><b>Warning 2 Sign</b></p> <p>Used to inform individuals that they are entering an area that may exceed the FCC's Occupational emissions limit by a factor of 10 or greater. Must be positioned such that persons approaching from any angle have ample warning to avoid the marked areas.</p>

## **APPENDIX B: FCC GUIDELINES AND EMISSIONS THRESHOLD LIMITS**

All information used in this report was analyzed as a percentage of the Maximum Permissible Exposure (% MPE) limits as detailed in 47 CFR § 1.1310 as well as Federal Communications Commission (FCC) OET Bulletin 65 Edition 97-01. The FCC MPE limits are typically expressed in units of milliwatts per square centimeter ( $\text{mW}/\text{cm}^2$ ) or microwatts per square centimeter ( $\mu\text{W}/\text{cm}^2$ ). The exposure limits vary depending upon the frequencies being utilized. The General Population/Uncontrolled MPE limit (in  $\text{mW}/\text{cm}^2$ ) for frequencies between 300 and 1500 is defined as frequency (in MHz) divided by 1500 ( $f_{\text{MHz}}/1500$ ). Frequencies between 1500 and 100,000 MHz have a General Population/Uncontrolled MPE limit of  $1 \text{ mW}/\text{cm}^2$  ( $1000 \mu\text{W}/\text{cm}^2$ ). The calculated power density at each sample point divided by the limit at each calculated frequency provides a result in % MPE. Summing the calculated % MPE from all contributors provides a cumulative % MPE at a particular sample point. Because exposure limits may vary for each frequency band, it is necessary to report % MPE rather than power density.

All results were compared to the FCC radio frequency exposure rules as detailed in 47 CFR § 1.1307(b) to determine compliance with the MPE limits for General Population/Uncontrolled environments as defined below.

General population/uncontrolled exposure limits apply to situations in which the general population may be exposed or in which persons who are exposed as a consequence of their employment may not be made fully aware of the potential for exposure or cannot exercise control over their exposure. Therefore, members of the general population would always be considered under this category when exposure is not employment related, for example, in the case of a telecommunications tower that exposes persons in a nearby residential area.


Occupational/controlled exposure limits apply to situations in which persons are exposed as a consequence of their employment and in which those persons who are exposed have been made fully aware of the potential for exposure and can exercise control over their exposure. Occupational/controlled exposure limits also apply where exposure is of a transient nature as a result of incidental passage through a location where exposure levels may be above general population/uncontrolled limits, as long as the exposed person has been made fully aware of the potential for exposure and can exercise control over his or her exposure by leaving the area or by some other appropriate means. Additional details can be found in FCC OET 65.

The FCC Mandates that if a site is found to be out of compliance with regard to exposure that any system operator contributing 5% or more to areas exceeding the FCC's allowable limits will be responsible for bringing the site into compliance.

Additional details can be found in FCC OET 65.

Table 1: Limits for Maximum Permissible Exposure (MPE)				
(A) Limits for Occupational/Controlled Exposure				
Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm <sup>2</sup> )	Averaging Time [E] <sup>2</sup> , [H] <sup>2</sup> , or S (minutes)
0.3-3.0	614	1.63	(100)*	6
3.0-30	1842/f	4.89/f	(900/f <sup>2</sup> )*	6
30-300	61.4	0.163	1.0	6
300-1,500	--	--	f/300	6
1,500-100,000	--	--	5	6
(B) Limits for General Population/Uncontrolled Exposure				
Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm <sup>2</sup> )	Averaging Time [E] <sup>2</sup> , [H] <sup>2</sup> , or S (minutes)
0.3-1.34	614	1.63	(100)*	30
1.34-30	824/f	2.19/f	(180/f <sup>2</sup> )*	30
30-300	27.5	0.073	0.2	30
300-1,500	--	--	f/1,500	30
1,500-100,000	--	--	1.0	30

f = Frequency in MHz  
 \* Plane-wave equivalent power density



## **APPENDIX C: CALCULATION METHODOLOGY**

IXUS electromagnetic energy (EME) calculation software was used to assess all RF field levels presented in this study. IXUS software uses a fast and accurate EME calculation tool that allows for the determination of RF field strength in the vicinity of radio communication base stations and transmitters. At its core, the IXUS EME calculation module implements evaluation techniques detailed in the ITU-T K.61, CENELEC EN 50383, and IEC 62232 specifications and referenced in *C95.3 IEEE Recommended Practice for Measurements and Computations of Electric, Magnetic, and Electromagnetic Fields with Respect to Human Exposure to Such Fields, 0 Hz to 300 GHz*. The EME calculation result at any point in 3D space is achieved via a synthetic ray tracing technique, a conservative cylindrical envelope method, or through full-wave electromagnetic simulation. The ray tracing method is an advanced computation method described in IEC 622322 where the power is summed from elemental sources representing the individual components of the antenna which are selected by an analysis of published manufacturer datasheets and antenna pattern information. The selection of the solution method is determined by the particular antenna being considered.

**APPENDIX D: CERTIFICATIONS**

I, Devin Lotter, preparer of this report certify that I am fully trained and aware of the rules and regulations of both the Federal Communications Commissions (FCC) and the Occupational Safety and Health Administration (OSHA) with regard to Human Exposure to Radio Frequency Radiation. I have been trained in the procedures and requirements outlined in AT&T's RF Exposure: Responsibilities, Procedures & Guidelines document.

Devin Lotter

8/31/2023

I, Yasir Alqadhili, reviewer and approver of this report certify that I am fully trained and aware of the rules and regulations of both the Federal Communications Commissions (FCC) and the Occupational Safety and Health Administration (OSHA) with regard to Human Exposure to Radio Frequency Radiation. I have been trained in the procedures and requirements outlined in AT&T's RF Exposure: Responsibilities, Procedures & Guidelines document.

Yasir Alqadhili


8/31/2023



## **APPENDIX E: PROPRIETARY STATEMENT**

This report was prepared for the use of AT&T to meet all applicable FCC requirements. It was performed in accordance with generally accepted practices of other consultants undertaking similar studies at the same time and in the same locale under like circumstances. The conclusions provided by Centerline are based solely on the information provided by AT&T and all observations in this report are valid on the date of the investigation. Any additional information that becomes available concerning the site should be provided to Centerline so that our conclusions may be revised and modified, if necessary. This report has been prepared in accordance with Standard Conditions for Engagement and authorized proposal, both of which are integral parts of this report. No other warranty, expressed or implied, is made.

141 Portland St.



141 Portland St.

Retention

42-57  
GEBRETSADIK, TEZERA T & SEBLE H. KIDANE  
125 PORTLAND ST #1  
CAMBRIDGE, MA 02139

42-57  
VOGEL, FRANK E.  
125 PORTLAND ST UNIT 2  
CAMBRIDGE, MA 02139

CENTERLINE COMMUNICATIONS  
C/O ALLISON CONWELL  
768 SOUTHLEAF DRIVE  
VIRGINIA BEACH, VA 23462

42-58  
MARTINS, ALFRED & ALICE MARTINS,  
TRS. OF THE MARTINS HARVARD REALTY TRUST  
166 HIGHLAND AVE  
SOMERVILLE, MA 02143-1506

42-70  
U.S.T. FINANCIAL PLANNING CO., INC.  
C/O INTERCONTINENTAL MANAGEMENT CORP.  
1270 SOLDIERS FIELD ROAD  
BRIGHTON, MA 02135

42-33  
200 BROADWAY, LLC,  
ATTN: CHRISTOPHER CASSEL  
200 BROADWAY  
CAMBRIDGE, MA 02139

42-57  
MONTOKA, AMANDA MARLENE  
125 PORTLAND ST UNIT 4  
CAMBRIDGE, MA 02139

42-57  
AZARIAH, D'VORAH  
125 PORTLAND ST #5  
CAMBRIDGE, MA 02139

42-13  
CAMBRIDGE ELECTRIC LIGHT CO.  
NSTAR ELECTRIC CO.  
P.O. BOX 270  
HARTFORD, CT 06141-0270

42-57  
BASTOS, GERADO  
125 PORTLAND ST.  
CAMBRIDGE, MA 02139

42-68  
MARTINS, ALFRED & ALICE MARTINS  
TRS. OF THE MARTINS HARVARD REALTY TRUST  
& CITY OF CAMBRIDGE TAX TITLE  
166 HIGHLAND AVE.  
SOMERVILLE, MA 02143-1506

42-87  
BROADWAY/HAMPSHIRE ASSOCIATES LIMITED  
PARTNERSHIP  
ONE APPLETON ST.  
BOSTON, MA 02116

43A-24  
CHARLES STARK DRAPER LABORATORY, INC.  
ATTN: ELIZABETH MORA - MS #05  
555 TECHNOLOGY SQUARE  
CAMBRIDGE, MA 02139

42-88  
JAS HOMEOWNERSHIP LLC  
C/O JUST A START CORPORATION  
1035 CAMBRIDGE ST - Suite 12  
CAMBRIDGE, MA 02141

42-57  
LEE, HAN KYU  
125 PORTLAND ST UNIT 7  
CAMBRIDGE, MA 02140

42-88  
DENG, CHAO LI & GUAN YU CHEN  
125 HARVARD ST UNIT 404  
CAMBRIDGE, MA 02139

42-88  
LAVINE, REBECCA  
125 HARVARD ST UNIT 401  
CAMBRIDGE, MA 02139

42-88  
WORON, STEPHANIE  
125 HARVARD ST. UNIT#306  
CAMBRIDGE, MA 02139

42-88  
KHALIFA, IMTIYAZ  
125 HARVARD ST UNIT #303  
CAMBRIDGE, MA 02139

42-88  
BERNARD, ROSE M.  
125 HARVARD ST. UNIT#301  
CAMBRIDGE, MA 02139

42-88  
ALI, AMINAT H.  
125 HARVARD ST. UNIT#207  
CAMBRIDGE, MA 02139

42-88  
CRYSTOFF, JEFFREY M.  
125 HARVARD ST #206  
CAMBRIDGE, MA 02139

42-88  
YENESEW, ENDESHAW W. &  
HASABE A. MEKONEN  
125 HARVARD ST. UNIT#202  
CAMBRIDGE, MA 02139

42-88  
LIU, HAORYANG & SIAN V. LIU  
125 HARVARD ST. UNIT#307  
CAMBRIDGE, MA 02139

42-88  
DIETRICH, KERRY  
125 HARVARD ST UNIT 408  
CAMBRIDGE, MA 02139

42-88  
PENAGOS-VARGAS, HECTOR L. & MARIS I.  
ESQUITIN-CISNEROS  
125 HARVARD ST UNIT #305  
CAMBRIDGE, MA 02139

42-88  
CRUZ, MARGARITA  
125 HARVARD ST UNIT 304  
CAMBRIDGE, MA 02139

42-88  
TRAHANT, REMY  
125 HARVARD ST. UNIT#205  
CAMBRIDGE, MA 02139

42-88  
GREEN, JANICE B.  
125 HARVARD ST. UNIT#406  
CAMBRIDGE, MA 02139

42-88  
HENRIQUEZ, REYNA E.  
678 MASSACHUSETTS AVE  
CAMBRIDGE, MA 02139

141 Portland St.

42-88  
DAS, SUBRATA & JOYSRI DAS  
125 HARVARD ST UNIT #204  
CAMBRIDGE, MA 02139

42-88  
JAHAN, NASIM  
125 HARVARD ST UNIT 201  
CAMBRIDGE, MA 02139

42-57  
MURPHY OKSANA PETROVNA  
125 PORTLAND ST #6  
CAMBRIDGE, MA 02139

42-88  
WILLIAMS, NINA M.  
125 HARVARD ST UNIT #203  
CAMBRIDGE, MA 02139

42-88  
GOSHU YONAS A SEBOKA YORDANOS  
125 HARTVARD ST UNIT 407  
CAMBRIDGE, MA 02139

42-57  
WILSON, MARGERY  
125 PORTLAND ST  
CAMBRIDGE, MA 02139

42-88  
KAFLE RUKMANI & RAMJI BASNET  
BASNET RABI ET AL  
125 HARVARD ST - UNIT 302  
CAMBRIDGE, MA 02139